Presented by

.....

..... *193*

22500172210

FOR OFFICIAL USE.

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN

EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,

1916.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LIMITED, 116, GRAFTON STREET DUBLIN;
or from H.M. STATIONERY OFFICE at the following addresses:—
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C., 2, and 28, ABINGDON STREET, LONDON, S.W., 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C., 2.

1917.

Price 1½*d. Net.*

WELLCOME INSTITUTE
LIBRARY

Coll.	WelMOmec
Coll. No.	

YEARLY SUMMARY

OF THE

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1916.

The number of Births in the Dublin Registration Area during the year 1916 (52 weeks), exclusive of those occurring in institutions of infants (634) whose mothers were admitted from outside localities, was 9,364, or 23·6 per 1,000 of the estimated population of the Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown.

The results of the correction for births in Dublin Institutions, above outlined, are shown in detail in Table V., which also shows the infant mortality rate for the several districts comprised within the Registration Area, based on the corrected births and deaths.

Of the 9,364 births, 7,557 belonged to the city, affording a rate of 24·9 per 1,000 of the population, and 1,807 to the urban districts named above, equivalent to 19·3 per 1,000 of the population.

The total births registered during the year amounted to 9,998 (5,158 boys and 4,840 girls), and represented a rate of 25·2 per 1,000 of the population, as against an average rate for the preceding ten years of 28·0 per 1,000 of the mean population of these years.

Of the 9,998 births, 2,676 were registered during the first quarter, 2,553 in the second, 2,560 in the third, and 2,209 in the fourth.

In London the number of births registered during the year 1916 (52 weeks) was 101,130, being equal to a rate of 23·5 in every 1,000 of the estimated population; in Glasgow the number was 27,346, equal to 25·1 per 1,000; and in Edinburgh it was 6,040, or 18·3 per 1,000 of the population.

DEATHS.—The number of deaths appertaining to the Dublin Registration Area, during the year 1916 was 8,073; this number is equal to 20·4 per 1,000 of the population of the Area, estimated to the middle of the year 1916. The average death-rate for the 10 years 1906-15 was 21·2 per 1,000. Thus the rate for last year is 0·8 below the average—a decrease equivalent to 3·8 per cent.

The total number of deaths registered during the year, namely, 8,721 (4,496 males and 4,225 females), including the deaths of 648 persons who were admitted into public institutions from localities outside the Area, is equal to 22·0 per 1,000 of the estimated population. The average rate for all the deaths registered during the preceding 10 years was 22·5 per 1,000.

The rate for the city of Dublin was 21·9 per 1,000 (21·5 on the North side, and 22·3 on the South), and for the suburbs 15·4 per 1,000. The rates for the several districts range from 11·5 for Blackrock urban district, to 27·1 for the district of North City No. 2.

Of the 8,721 deaths in the entire Area, 2,390 were registered during the first quarter of the year, 2,379 in the second, 1,772 in the third, and 2,180 in the fourth, the weekly average being 168.

In the eighteen provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective death-rates are as follow, ranging from the lowest to the highest :—Lurgan, 13·6 per 1,000 of the population*; Tralee, 13·8; Dundalk, 14·8; Ballymena, 14·8; Clonmel, 15·4; Galway, 15·5; Portadown, 15·9; Londonderry, 16·2; Belfast, 16·7; Sligo, 17·1; Kilkenny, 17·2; Lisburn, 17·3; Drogheda, 17·6; Wexford, 18·0; Cork, 18·2; Limerick, 18·6; Waterford, 19·3, and Newry, 20·7.

The number of deaths registered in London during the year 1916 (52 weeks) was 61,381, being equal to a rate of 14·2 in every 1,000 of the inhabitants; in Glasgow, 16,633, equal to 15·2 per 1,000; and in Edinburgh, 4,823, or 14·7 in every 1,000 of the estimated population.

Public Institutions.—Of the 8,721 deaths registered in the Dublin Registration Area last year, 3,894, or 44·7 per cent., occurred in public institutions, viz. :—2,314 in the various hospitals, prisons, and lunatic asylums; 654 in the North Dublin Union Workhouse, 898 in the South Dublin Union Workhouse; and 28 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

DISEASES.

Dublin Registration Area.—(See Tables IV. and V.)—The records of last year show that the total number of deaths from some of the principal epidemic diseases† registered in the Dublin Registration Area was 684. This number is equal to a rate of 1·72 per 1,000 of the estimated populaltion.

Enteric Fever.—The deaths from this disease registered during the year 1916 numbered 54, and affording a rate of 0·14 per 1,000 of the population, are one under the average (55) for the preceding 10 years, the number of such deaths in the three years, 1913-15, being 43, 69 and 33, the latter number constituting a record for the Dublin Registration Area. Of the 54 deaths, 28 belonged to North City districts, 16 to South City districts, 2 each to Rathmines and Rathgar, Pembroke and Blackrock urban districts, one to Kingstown, and 3 were those of persons admitted to institutions from localities outside the Registration Area. It would appear from Table I. that 421 cases of the disease were treated in Dublin hospitals during the year, that 353 were discharged, that 38 died, and that 30 remained under treatment at the end of the year, as against 31 at the close of the preceding year.

Typhus.—Two deaths from typhus (both appertaining to South City districts) were recorded, the average for the ten years preceding being 5. The cases of the disease under treatment in Dublin hospitals numbered 11, and of these 9 were discharged and 2 died.

Small-pox.—No case of this disease was reported.

Measles.—To measles 91 deaths were attributed, South City districts accounting for 51, North City districts for 29, Rathmines and Rathgar urban district for 5, Pembroke for 4, Kingstown for one, and there was one death of a person admitted to hospital from without the Registration Area.

The 91 deaths (equivalent to 0·23 per 1,000 of the population) are 61 under the average (152) for the preceding ten years, 27 under the number registered in 1915, 295 under that for 1914, but 62 over the number registered in 1913.

Of the 694 cases treated in Dublin hospitals during the year 1916, those discharged numbered 673, and the deaths 15, leaving 6 cases under treatment at the close of the year.

Scarlet Fever.—There were 32 deaths from scarlet fever, as compared with an average of 37 for the ten years preceding. Thirteen of the 32 deaths appertained to North City districts, 13 to South City districts, 3 to Rathmines and Rathgar, one each to Pembroke and Kingstown, and one was that of a person admitted to hospital from a locality outside the Area.

The number of cases of the disease under treatment in Dublin hospitals during the year was 624, of which 544 were discharged, 26 died, and 54‡ cases remained under treatment at the end of the year.

*See note (†), page xv.

†Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentry and diarrhœal diseases.

‡See Note (*) at foot of Table I.

WHOOPING-COUGH.—The fatalities from whooping-cough numbered 76, being 55 under the average (131) for the preceding ten years. Forty-two of the 76 deaths were those of residents of North City districts, 21 of South City districts, 6 belonged to Rathmines and Rathgar urban district, one to Pembroke, and 6 to Kingstown.

DIPHTHERIA.—During the year 1916 there were 35 deaths from this cause, being exactly half the average number for the ten years 1906-15. The mortality from diphtheria for 1916 is lower than that recorded for any of the years covered by Table IV. Of the 35 deaths 18 appertained to North City districts, 11 to South City districts, 3 to Rathmines and Rathgar, one to Pembroke urban district, and 2 were those of persons admitted to institutions from localities outside the Registration Area. Table I. shows that 287 diphtheria patients were treated in Dublin hospitals during the year, and that of these 243 were discharged, 32 died, and 12 remained under treatment at the end of the year, as compared with 22 at the close of the preceding year.

DIARRHŒAL DISEASES.—There were 394 deaths returned under this heading, comprising 9 deaths from dysentery, 372 deaths from diarrhœa and enteritis of children under 2 years of age, and 13 deaths of persons 2 years of age and upwards from diarrhœa.

The 372 deaths of children above referred to are 79 under the average for the preceding 5 years, and represent a rate of 0·94 per 1,000 of the population.

They were distributed as follows:—172 belonged to North City districts, 157 to South City districts, 9 to Rathmines and Rathgar, 23 to Pembroke, 2 to Blackrock, and 3 to Kingstown urban district, and 6 were those of children admitted to institutions from localities outside the Registration Area.

INFLUENZA.—Sixty-three deaths from influenza were registered during the year 1916, as against 93 in 1913, 43 in 1914, 161 in 1915, and an average of 101 for the 10 years, 1906-15. The 63 deaths in 1916 are equivalent to a rate of 0·16 per 1,000 of the population.

CEREBRO-SPINAL FEVER.—To this cause 7 deaths were attributed, 3 having been recorded during the first quarter of the year, one in the second, 2 in the third and one in the fourth. In the three preceding years deaths from cerebro-spinal fever in the Dublin Registration Area numbered one, 3 and 15, respectively.

PNEUMONIA.—Of 595 deaths from pneumonia (affording a rate of 1·5 per 1,000 of the population) 288 were from broncho-pneumonia, 55 from lobar pneumonia, and 252 from pneumonia (type not distinguished). These deaths are 92 under the average (687) for the preceding ten years.

The mortality from this disease for the year 1916, is lower than that for any year of the decennial period referred to; the deaths for the three years, 1913-15, numbered 622. 687 and 701, respectively.

TUBERCULOSIS.

TABLE showing the Number of DEATHS from all forms of Tuberculous Disease and Pulmonary Tuberculosis registered in the Dublin Registration Area during each of the 11 years, 1906-1916, with the respective rates per 1,000 of the population represented thereby; also the averages for the years, 1906-15.

Years.*	Deaths from all Forms of Tuberculous Disease.		Deaths from Pulmonary Tuberculosis.	
	Number.	Rate per 1,000.	Number.	Rate per 1,000.
1906	1,694	4·47	1,152	3·04
1907	1,793	4·59	1,183	3·03
1908	1,742	4·34	1,174	2·93
1909	1,508	3·79	1,049	2·64
1910	1,491	3·70	1,006	2·50
1911	1,451	3·59	1,052	2·60
1912	1,440	3·59	1,065	2·66
1913	1,444	3·59	1,070	2·66
1914	1,467	3·55	1,111	2·69
1915	1,543	3·78	1,193	2·92
Average 1906–1915	1,557	3·90	1,105	2·77
1916	1,390	3·50	1,065	2·68

* See Notes (*) and (†) on page ix.

It will be seen from the foregoing table that 1,390 deaths from tuberculous disease were registered during the year 1916, representing a rate of 3·50 per 1,000 of the population. This number is 153 above that recorded in 1915, and is 167 above the average for the ten years, 1906-15, the decrease being equivalent to a rate of 0·40 per 1,000 of the population.

The mortality from all forms of tuberculous disease in 1916 is the lowest recorded for the Dublin Registration Area, as at present constituted.

From pulmonary tuberculosis 1,065 deaths (or 77 per cent. of all deaths from tuberculosis) were registered, such deaths affording a rate of 2·68 per 1,000 of the population. These deaths are 128 under those registered during the year 1915 and 40 under the average for the ten years 1906-1915.

The deaths from other forms of the disease, numbering 325, and equivalent to a rate of 0·82 per 1,000 of the population, comprise 114 from tuberculous meningitis, 75 from abdominal tuberculosis, 8 from tuberculosis of the spinal column, 16 from tuberculosis of joints, 17 from tuberculosis of other organs, and 95 from disseminated tuberculosis.

Table V. shows that of the 1,350 deaths from tuberculous disease registered during the year, 521 (or 3·23 per 1,000 of the population) were contributed by North City districts, 550 (or 3·86 per 1,000) by South City districts, the total for the city being equivalent to a rate of 3·53 per 1,000 of the population. For the urban district of Rathmines and Rathgar the rate was 2·08 per 1,000, for Pembroke, 2·30 per 1,000, for Blackrock, 1·80 per 1,000, and for Kingstown, 2·38, the total number of deaths from tuberculosis relating to residents of the Dublin Registration Area affording a rate of 3·21 per 1,000 of the population.

Cancer.—From this cause during the year 492 deaths were registered, being 29 above the average for the ten years preceding, the respective rates per 1,000 of the population being 1·24 and 1·16.

Of the 492 deaths, 69 were those of persons admitted into institutions from localities outside the Registration Area.

Diseases of the Brain and Nervous System.—To this group 818 deaths (equivalent to a rate of 2·06 per 1,000 of the population) were ascribed, the average for the five years, 1911-15, being 854. Of the 818 deaths, 7 were assigned to cerebro-spinal fever (referred to above), 95 to meningitis, 252 to cerebral hæmorrhage, apoplexy, and 197 to convulsions, 195 of the latter being deaths of children under 5 years of age.

Diseases of the Circulatory System.—There were 867 deaths from these diseases, as against an average of 890 for the five preceding years. The 867 deaths include 765 from organic diseases of the heart and afford a rate of 2·18 per 1,000 of the estimated population.

Congenital Conditions.—Forty-nine deaths were attributed to congenital malformations, 192 to premature birth, and 234 to congenital debility.

Violence.—Of 581 deaths caused by violence, other than homicide, suicide or execution, 406 were caused by gunshot wounds, &c., 35 by burns and scalds (22 of the latter being deaths of children under 5 years of age), 32 by drowning, 20 by vehicles and horses, 4 by poisons and poisonous vapours (one by gas poisoning, one by Jeyes' fluid, one by carbon monoxide, and one by carbolic acid, possibly), 4 occurred on railways, and 3 (those of infants under one year of age) by overlaying.

Three deaths were referred to homicide, 7 to suicide, and 4 to execution.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the YEAR 1916 (52 weeks), in the principal Dublin Hospitals in which cases of infectious diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Discharged.	Died.	No. under treatment at close of period.
Enteric Fever, ...	31	390	353	38	30
Typhus, ...	—	11	9	2	—
Small-pox, ...	—	—	—	—	—
Measles, ...	62	632	673	15	6
Scarlet Fever, ...	55	569	544	26	54*
Diphtheria, ...	22	265	243	32	12
Pneumonia, ...	19	306	253	48	24

* Exclusive of 12 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 451 cases the cause of death was uncertified, there having been no medical attendant during the last illness; of these 451 cases, 133, or 29·5 per cent., were deaths of children under 5 years of age; these 133 deaths form 5·9 per cent. of the total number of deaths of children of that age-period. Of the deaths of 462 infants under one month old registered, there were 67 (or 14·5 per cent.) regarding which the cause was uncertified.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities, are set forth in the following Table:—

TABLE II.—Showing the NUMBER OF CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the Year 1916 (52 weeks). A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Population†	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Pulmonary Tuberculosis.	Poliomyelitis.	Other Notifiable Diseases.	Total.
CITY OF DUBLIN ...	303,600	.	—	—	374	11	.	181	1	13	326	99	4	—	—	7	—	750	8	—	1,774
RATHMINES AND RATHGAR URBAN DISTRICT.	39,000	.	—	—	60	.	.	46	.	.	21	17	.	—	—	.	—	—	.	—	144
PEMBROKE URBAN DISTRICT	29,100	.	92	16	35	.	.	7	1	.	11	8	.	—	49	.	—	25	—	.	244
BLACKROCK URBAN DISTRICT	8,900	.	16	—	24	.	.	3	.	.	3	1	.	—	—	.	—	3	.	—	50
KINGSTOWN URBAN DISTRICT	16,400	.	—	—	24	.	.	4	.	.	4	6	.	—	—	—	—	12	.	—	50
CITY OF BELFAST ...	390,000	.	—	—	969	12	.	183	2	.	127	137	9	—	—	22	—	66	6	—	1,533
CITY OF CORK	76,673	.	87	—	109	2	.	43	11	9	42	41	8	—	—	—	139	—	1	—	492
CITY OF LONDONDERRY ...	40,000	.	—	—	125	1	.	4	.	.	11	11	.	—	—	1	—	—	—	—	153
CITY OF LIMERICK ...	38,518	.	—	—	38	.	.	2	.	3	29	.	.	—	—	.	—	—	—	—	72
CITY OF WATERFORD ...	27,464	.	—	—	9	.	.	18	.	.	5	5	.	—	—	—	—	15	—	—	52

Note.—In some of the districts poliomyelitis was only notifiable for portion of the year.

AGES AT DEATH.

Of the 8,721 deaths registered during the year, 2,243 deaths, or 26 per cent., were of children under five years of age, and 2,127, or 24 per cent., were of persons aged 65 years and upwards, including those of 886 persons aged 75 years and upwards, of whom 55 were stated to have been nonagenarians, and three (females) were stated to have been aged 102, 104, and 106 years, respectively.

TABLE III.—Showing, by certain Age-Periods, the population of the Dublin Registration Area in 1911, the number of Deaths registered during each of the six years 1911-1916, and the proportion which the Deaths at each Age-Period bear to the estimated Population* at the same age.

Year.		Ages.									
		All Ages.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65	65 and under 75.	75 and upwards.
Census Population in 1911 ...		397,957	8,917	31,996		70,937	80,218	124,528	58,889	16,879	5,593
Number of Deaths *Registered.*	Year 1911 ...	9,118	1,808	698	497	406	443	1,426	1,907	1,121	812
	Year 1912 ...	8,728	1,560	578	535	429	435	1,395	1,930	1,132	734
	Year 1913 ...	8,657	1,758	434	310	359	441	1,426	1,996	1,159	774
	Year 1914† ...	9,175	1,653	613	506	386	423	1,426	2,130	1,203	835
	Year 1915 ...	9,521	1,703	538	441	339	499	1,448	2,217	1,365	971
	Year 1916 ...	8,721	1,472	416	355	367	556	1,451	1,977	1,241	886
	1st Quarter, 1916	2,390	383	134	138	91	113	354	556	370	251
	2nd ,,	2,379	333	92	77	131	210	456	557	306	217
	3rd ,,	1,772	366	93	61	82	124	302	377	217	150
	4th ,,	2,180	390	97	79	63	109	339	487	348	268
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population at Same Age.	Year 1911 ...	22·6	73·3			5·6	5·4	11·3	31·9	65·5	143·2
	Year 1912 ...	21·8	64·9			6·0	5·4	11·1	32·5	66·6	130·4
	Year 1913 ...	21·5	60·4			5·0	5·4	11·3	33·5	67·8	136·7
	Year 1914 ...	22·2	65·3			5·2	5·1	11·0	34·9	68·7	144·0
	Year 1915 ...	23·3	63·8			4·6	6·1	11·3	36·6	78·7	168·9
	Year 1916 ...	22·0	55·0			5·2	6·9	11·7	33·7	73·7	158·8

* see note (*) on page ix. † 53 weeks. See note (†) on page ix.

INFANT MORTALITY.

Excluding 634 births and 648 deaths in Institutions of infants whose mothers were admitted from localities outside the Dublin Registration Area, the infant mortality rate for the year 1916 was 153 per 1,000 births, as against 163 per 1,000 births in 1915.

The infant mortality, as corrected, for each district of the Dublin Registration Area, 1916, is given in Table V. It will be seen from this table that the rate for the city was 164 per 1,000, the rate for each of North and South City districts being also 164 per 1,000, while for the urban districts the infant mortality rate was 106 per 1,000, the district rates varying from 209 for North City No. 2, 177 for South City No. 1, and 177 for South City No. 4 to 53 for Finglas and Glasnevin, part of, 64 for Blackrock urban district, and 68 for Coolock and Drumcondra, part of.

In 1915 the infant mortality rate for the City of Dublin was 168 per 1,000 (North City, 161, and South City, 176), and the rate for the urban districts was 136 per 1,000 births.

Basing the infant mortality rate on the total number of births and deaths of infants registered in the Dublin Registration Area, the rate for 1916 would be 147 per 1,000 births, as compared with 157 in 1915, 149 in 1914, 157 in 1913, and an average of 151 in every 1,000 births registered during the ten years, 1906-1915.

[TABLE.

Table IV.—Dublin Registration Area.*—Causes of Death in the years 1906-1916, with the Ratio of the Deaths to the Population.

Causes of Death.	Number of Deaths Registered.																Annual rate for each cause per 10,000 Persons living.	
	1906 (52 weeks).	1907 (52 weeks).	1908 (53 weeks)†.	1909 (52 weeks).	1910 (52 weeks).	1911 (52 weeks).	1912 (52 weeks).	1913 (52 weeks).	1914 (53 weeks).†	1915 (52 weeks).	Yearly Average. 1906–15.	1916. Total (52 weeks).	1916. 1st Quarter.	1916. 2nd Quarter.	1916. 3rd Quarter.	1916. 4th Quarter.	Yearly Average, 1906–1915.	1916 (52 weeks).
Enteric Fever	54	38	58	68	48	83	52	43	69	33	55	54	11	11	12	20	1·4	1·4
Typhus	4	8	2	3	5	4	3	13	2	3	5	2	.	1	.	1	0·1	0·1
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	56	154	150	121	20	207	280	29	386	118	152	91	43	28	10	10	3·8	2·3
Scarlet Fever	13	14	19	25	44	77	68	33	41	33	37	32	5	8	12	7	0·9	0·8
Whooping-cough	101	228	91	156	126	183	94	86	59	181	131	76	35	20	11	10	3·3	1·9
Diphtheria	40	47	49	60	64	101	110	90	77	64	70	35	12	8	5	10	1·8	0·9
Croup	10	6	4	4	.	5	3	4	3	6	4	5	3	.	1	1	0·1	0·1
Influenza	69	121	176	102	104	71	72	93	43	161	101	63	27	9	3	24	2·5	1·6
Dysentery	—	—	—	—	—	7	4	4	8	10	—	9	3	3	2	1	—	0·2
Tuberculosis { Pulmonary ...	1,152	1,183	1,174	1,049	1,006	1,052	1,065	1,070	1,111	1,193	1,105	1,065	313	299	236	217	27·7	26·8
Tuberculosis { Other Forms ...	542	610	568	459	485	399	375	374	356	350	452	325	104	97	51	73	11·3	8·2
Cancer	453	399	426	418	476	447	470	521	514	510	463	492	126	113	116	137	11·6	12·4
Diseases of { Nervous System ...	2,002	2,027	1,960	1,852	1,841	858	821	814	870	908	1,840	818	247	197	157	217	46·1	20·6
Diseases of { Circulatory System ...						874	874	824	935	944		867	240	222	182	223		21 8
Diseases of { Organs of Special Sense ...	6	9	6	14	9	13	15	15	13	16	12	8	4	2	1	1	0·3	0·2
Diseases of { Respiratory System { Pneumonia	622	770	663	746	647	603	806	622	687	701	687	595	188	155	79	173	17·2	15·0
Diseases of { Respiratory System { Others ...	1,083	1,285	1,180	1,175	1,185	1,042	1,160	978	1,127	1,340	1,155	1,081	344	266	142	329	29·0	27·2
Diseases of { Digestive System { Diarrhœa and Enteritis under 2 years ...	577	359	507	396	459	663	235	541	383	433	492	372	48	37	190	97	12·3	9·4
Diseases of { Digestive System { Diarrhœa 2 yrs. and upwards ...						62	15	34	12	13		13	1	2	6	4		0·3
Diseases of { Digestive System { Enteritis 2 yrs. and upwards.						70	35	39	45	44		53	9	12	17	15		1·3
Diseases of { Digestive System { Others ...	441	367	394	362	353	390	347	399	403	415	387	369	92	104	78	95	9·7	9·3
Diseases of { Genito-urinary System ...	306	324	294	319	301	315	311	391	379	360	330	351	103	89	85	74	8·3	8·8
Puerperal Septicæmia, &c. ...	16	10	9	9	16	13	28	18	18	12	15	5	2	1	1	1	0·4	0·1
Other Causes incident to Pregnancy and Childbirth.	26	27	23	27	18	23	21	32	29	31	26	34	6	9	10	9	0·7	0·9
Diseases of Skin and Cellular Tissue	15	16	18	14	16	46	53	56	65	67	37	55	16	11	10	18	0·9	1·4
Diseases of Locomotor System ...	11	20	14	14	10	17	13	18	8	11	14	16	4	3	6	3	0·4	0·4
Violent Deaths	203	232	222	179	220	222	185	204	225	228	212	595	49	346	118	82	5·3	15·0
Other Specified Causes	1,055	1,193	1,063	1,178	1,051	1,084	964	1,081	1,152	1,182	1,198	1,119	323	286	215	295	30·1	28·2
Ill-defined, &c., Causes ...						187	249	231	155	154		121	52	40	16	33		3·1
Deaths from all Causes ...	8,857	9,447	9,070	8,750	8,504	9,118	8,728	8,657	9,175	9,521	8,983	8,721	2,390	2,379	1,772	2,180	225·2	219·7
Annual Death-rate per 1,000 of Pop.*	23·4	24·2	22·6	22·0	21·1	22·6	21·8	21·5	22·2	23·3	22·5	22·0	24·1	24·0	17·9	22·0	.	.
Mean Temperature of the Air (Fahr.)	48·3°	47·7°	48·8°	47·5°	47·8°	49·0°	47·9°	48·7°	48·9a°	47·0°	48·2°	48·4°	41·3°	49·5°	58·4°	44·4°	.	.
Rainfall (in inches)	23·59	27·80	24·41	26·42	31·33	23·33	27·04	28·59	27·24a	34·85	27·46	40·87	8·94	9·06	6·93	15·94	.	.

* The rates are calculated on the population estimated to the middle of the respective years.
† The numbers for the years 1908 and 1914 embrace the returns for 53 weeks. This arrangement is occasionally necessary in order that the annual series may correspond with the calendar year. (a) For 52 weeks only.

TABLE V.—Showing for the YEAR 1916 (52 weeks) the number of BIRTHS and DEATHS relating to Rate per 1,000 of the Population of the respective Districts represented by the Deaths from year old per 1,000 Births ; with the Mortality from some of the principal causes ; also the *Infants occurring in Institutions have been assigned to the Districts containing the homes of the were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1916.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		INFANT MORTALITY (DEATHS UNDER ONE YEAR PER 1,000 BIRTHS).	TOTAL BIRTHS.	YEAR (52 WEEKS) ENDED — DEATHS.								
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*			TOTAL DEATHS.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.
COLS.	(1).	(2).	(3).	(4).	(5).	(6).	(7).	(8).	(9).	(10).	(11).	(12).	(13).	(14).
North City.														
NORTH CITY, No. 1, E.	29,400	24·6	3·2	174	908	723	158	47	42	41	44	109	150	132
,, 1, W.	40,200	24·1	2·3	170	1,056	970	180	60	36	37	63	147	227	220
,, 2 ...	26,900	27·1	2·2	209	689	729	144	40	39	33	40	113	176	144
,, 3 ...	35,200	18·1	1·3	174	811	636	141	35	32	27	40	103	133	125
CLONTARF AND HOWTH, No. 1, part of.	5,400	13·3	0·9	114	105	72	12	–	2	–	3	10	19	26
COOLOCK AND DRUMCONDRA, part of.	13,300	15·2	0·8	68	292	202	20	3	5	11	7	34	39	83
FINGLAS AND GLASNEVIN, part of.	10,800	11·9	0·8	53	207	129	11	8	2	4	15	23	25	41
South City.														
SOUTH CITY, No. 1 ...	40,100	21·9	2·0	177	958	878	170	46	43	34	44	141	187	213
,, 2 ...	17,800	25·2	1·7	168	399	449	67	24	15	13	18	76	129	107
,, 3 ...	42,400	22·9	1·8	148	1,097	970	162	60	53	54	43	146	219	233
,, 4 ...	32,000	22·5	2·1	177	785	720	139	37	27	34	47	108	150	178
NEW KILMAINHAM ...	10,100	15·6	1·8	131	250	158	33	14	5	10	7	32	31	26
Urban Districts.														
RATHMINES AND RATHGAR	39,000	15·0	0·7	103	690	585	71	16	12	10	24	80	140	232
PEMBROKE	29,100	15·7	1·1	116	662	458	77	14	12	11	37	72	107	128
BLACKROCK	8,900	11·5	0·4	64	140	102	9	2	–	6	6	22	16	41
KINGSTOWN	16,400	17·8	0·8	111	315	292	35	7	15	9	19	36	67	104
Total City. North ...	161,200	21·5	2.0	164	4,068	3,461	666	193	158	153	212	539	769	771
Total City. South ...	142,400	22·3	1·9	164	3,489	3,175	571	181	143	145	159	503	716	757
Total City. North and South	303,600	21·9	1·9	164	7,557	6,636	1,237	374	301	298	371	1,042	1,485	1,528
Total Urban Districts ...	93,400	15·4	0·8	106	1,807	1,437	192	39	39	36	86	210	330	505
Total Registration Area	397,000	20·3	1·7	153	9,364	8,073	1,429	413	340	334	457	1,252	1,815	2,033
Births and Deaths in Institutions relating to residents of localities situated outside the Dublin Registration Area (not included in above).					634	648	43	3	15	33	99	199	162	94

* See note (†) at foot of first page.

the Residents of the several REGISTRARS' DISTRICTS, &c., in the DUBLIN REGISTRATION AREA, the All Causes and from the principal Epidemic Diseases ; and the Rate for deaths of Infants under one Deaths at certain age-periods, and the number of Uncertified Deaths. *The Births and Deaths of mothers, all other deaths in Institutions having been referred to the districts from which the deceased*

30TH DECEMBER, 1916.

DEATHS. CAUSED BY																		IN INSTITUTIONS			
								Tubercu-losis.			Diseases of Respiratory System										
Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria.	Dysentery.	Pulmonary.	Other Forms	Cancer.	Pneumonia	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	Hospitals, Prisons, and Lunatic Asylums.	Workhouse Hospitals.	Number of Uncertified Deaths	REGISTRARS' DISTRICTS, &c.
(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31).	(32)	(33).	(34).	(35)	COLS.
																					North City.
6	–	–	12	5	23	3	–	70	27	26	45	73	44	2	71	316	23	143	101	79	NORTH CITY, No. 1, E.
7	–	–	4	2	10	2	1	110	45	35	67	145	62	3	57	420	23	219	184	64	" 1, W.
3	–	–	5	2	4	5	1	69	54	31	48	107	34	5	75	286	11	164	167	72	" 2.
6	–	–	6	3	4	4	–	66	25	28	57	66	22	–	32	317	9	159	133	31	" 3.
1	–	–	–	–	–	2	1	8	–	5	7	2	1	–	–	45	2	12	2	6	CLONTARF AND HOWTH No. 1, part of.
3	–	–	–	1	1	1	–	21	4	15	8	24	5	–	5	114	3	52	15	1	COOLOCK AND DRUMCONDRA, part of.
2	–	–	2	–	–	1	–	17	5	7	14	13	4	–	7	57	3	29	9	5	FINGLAS AND GLASNEVIN, part of.
																					South City.
2	1	–	23	4	2	4	–	127	20	39	62	134	46	–	41	373	16	141	249	30	SOUTH CITY, No. 1.
2	–	–	7	2	3	1	–	66	10	27	23	78	14	1	34	181	15	83	146	26	" 2.
5	–	–	15	6	5	3	1	136	33	61	71	158	42	1	42	391	17	218	223	37	" 3.
5	1	–	6	–	6	3	2	107	24	31	48	93	45	–	52	297	27	183	146	44	" 4.
2	–	–	–	1	5	–	–	23	4	6	13	12	10	–	14	68	7	30	25	3	NEW KILMAINHAM.
																					Urban Districts.
2	–	–	5	3	6	3	–	70	11	44	37	69	9	–	23	303	9	117	44	19	RATHMINES AND RATHGAR.
2	–	–	4	1	1	1	1	54	13	33	33	46	23	–	24	222	9	124	36	11	PEMBROKE.
2	–	–	–	–	–	–	–	13	3	9	13	3	2	–	3	54	1	15	9	5	BLACKROCK.
1	–	–	1	1	6	–	–	32	7	26	26	31	3	1	7	150	5	48	20	14	KINGSTOWN.
28	–	–	29	13	42	18	3	361	160	147	246	430	172	10	247	1,555	74	778	611	258	**North,** Total City.
16	2	–	51	13	21	11	3	459	91	164	217	475	157	2	183	1,310	82	655	789	140	**South,** Total City.
44	2	–	80	26	63	29	6	820	251	311	463	905	329	12	430	2,865	156	1,433	1,400	398	**North and South.** Total City.
7	–	–	10	5	13	4	1	169	34	112	109	149	37	1	57	729	24	304	109	49	**Total Urban Districts.**
51	2	–	90	31	76	33	7	989	285	423	572	1,054	366	13	487	3,594	180	1,737	1,509	447	**Total Registration Area.**
3	–	–	1	1	–	2	2	76	40	69	23	27	6	–	108	290	20	577	71	4	Details relating to outside localities (not included in above).

OCCUPATIONS.—Table VII. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 15·8 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 14·9 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 16·8; and in the "General Service Class" it was 21·3. The number of the living in each of the several classes and orders of occupations in 1911 is shown by age-periods in the following Table:—

TABLE VI.—Showing by AGES, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the INHABITANTS of the Dublin Registration Area in 1911.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
	ALL PERSONS	397,957	40,913	70,937	80,218	124,528	58,889	16,879	5,593
	CLASSES.								
	Families of the :—								
I.	PROFESSIONAL AND INDEPENDENT CLASS ..	14,658	873	1,844	2,194	4,594	3,491	1,145	517
II.	MIDDLE CLASS	101,798	8,041	16,143	22,941	33,015	15,950	4,138	1,570
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS ..	108,420	12,745	21,352	21,313	33,312	15,179	3,745	774
IV.	GENERAL SERVICE CLASS	167,479	18,987	31,440	33,431	52,329	22,389	6,574	2,329
V.	INMATES OF WORKHOUSES	5,602	267	158	339	1,278	1,880	1,277	403
I.	PROFESSIONAL AND INDEPENDENT CLASS.								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers; and Heads of Public Departments.	7,868	569	983	721	2,924	2,037	464	170
	2. Merchants and Manufacturers, Higher Class	1,347	132	265	128	374	345	90	13
	3. Persons of Rank and Property, not otherwise described.	5,443	172	596	1,345	1,296	1,109	591	334
II.	MIDDLE CLASS.								
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	948	1,649	1,580	3,289	1,708	261	88
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	3,176	5,502	2,134	8,383	4,880	942	182
	6. Clerks and Commercial Assistants	33,249	2,541	4,118	10,931	11,813	3,334	428	84
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	33,827	1,376	4,874	8,296	9,530	6,028	2,507	1,216
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	1,762	2,608	1,900	3,951	1,330	196	30
	9. Building and Furnishing Trades	28,823	4,056	6,921	3,752	8,727	4,207	1,000	160
	10. Clothing Trades	20,026	1,270	2,313	6,078	6,173	2,892	1,030	270
	11. Food Supply Trades	8,952	1,321	1,962	1,407	2,965	1,112	163	22
	12. Other Trades and Callings ranking with Trades	32,070	3,582	6,129	7,173	9,320	4,509	1,102	255
	13. Petty Shopkeepers	6,772	754	1,419	1,003	2,176	1,129	254	37
IV.	GENERAL SERVICE CLASS.								
	14. Army, Police, Postal Delivery, and Prison Services &c.	12,977	1,223	1,971	4,205	3,423	1,513	487	155
	15. Domestic Servants	36,041	1,166	2,162	12,812	13,179	4,899	1,496	327
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	2,610	3,728	1,756	5,318	1,707	230	31
	17. Hawkers, Porters, Labourers, &c.	103,081	13,988	23,579	14,658	30,409	14,270	4,361	1,816
V.	INMATES OF WORKHOUSES.								
	18. Workhouse Inmates	5,602	267	158	339	1,278	1,880	1,277	403

TABLE VII.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the Year 1916 (52 weeks), the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, YEAR 1916 (52 WEEKS). Annual Death Rate per 1000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer	Convulsions	Diseases of the Respiratory System. Pneumonia	Diseases of the Respiratory System. Other	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence	Other Causes	Number of Uncertified Deaths
	ALL PERSONS	397,957	–	8,721	2243	367	556	1451	1977	1241	886	54	2	–	91	32	76	35	9	1065	325	492	197	595	1081	372	13	595	3687	451
	CLASSES.																													
	DEATHS IN FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS	14,658	15·8	232	11	1	7	34	47	52	80	2	–	–	–	2	2	–	–	10	4	29	–	15	15	2	–	18	133	3
II.	MIDDLE CLASS	101,798	14·9	1,521	203	62	106	265	364	270	251	12	–	–	9	7	9	4	3	156	44	129	23	100	127	22	1	93	782	62
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	108,420	16·8	1,822	461	76	126	310	441	247	161	13	–	–	23	7	16	10	2	247	59	100	40	123	211	76	4	117	774	110
IV.	GENERAL SERVICE CLASS	167,479	21·3	3,566	1346	195	265	568	660	322	210	25	2	–	50	16	49	21	3	405	153	122	130	285	410	228	8	353	1297	274
V.	INMATES OF WORKHOUSES	5,602	–	1,580	222	33	52	274	465	350	184	2	–	–	–	–	–	–	1	247	65	112	4	72	318	44	–	14	701	2
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers and Heads of Public Departments.	7,868	–	191	11	1	7	32	37	44	59	2	–	–	–	2	2	–	–	10	2	23	–	14	14	2	–	18	102	3
	2. Merchants and Manufacturers, Higher Class.	1,347	–	6	–	–	–	–	–	1	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	4	–
	3. Persons of Rank and Property, not otherwise described.	5,443	–	35	–	–	–	2	10	7	16	–	–	–	–	–	–	–	–	–	2	5	–	–	1	–	–	–	27	–
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	–	152	24	4	10	21	36	32	25	1	–	–	–	–	1	1	–	12	5	16	–	15	13	3	–	10	75	5
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	–	362	47	6	10	47	112	77	63	4	–	–	4	1	–	–	–	19	8	29	6	23	35	2	–	19	212	15
	6. Clerks and Commercial Assistants ..	33,249	–	467	92	25	53	121	96	38	42	2	–	–	2	6	7	2	1	86	20	23	13	28	32	11	–	33	201	26
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	33,827	–	540	40	27	33	76	120	123	121	5	–	–	3	–	1	1	2	39	11	61	4	34	47	6	1	31	294	16
III	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	–	156	52	3	17	24	31	20	9	–	–	–	1	3	3	1	–	15	7	6	3	13	8	8	–	16	72	11
	9. Building and Furnishing Trades ..	28,823	–	467	155	23	18	68	105	65	33	3	–	–	7	–	8	3	–	53	14	27	14	34	52	26	2	23	201	24
	10. Clothing Trades	20,026	–	241	47	9	24	45	52	38	26	–	–	–	3	–	–	1	–	50	12	8	7	8	28	10	–	10	104	18
	11. Food Supply Trades	8,952	–	112	29	5	3	21	23	15	16	–	–	–	2	1	2	1	1	15	5	4	7	7	16	3	–	8	40	8
	12. Other Trades and Callings ranking with Trades.	32,070	–	732	151	31	62	134	200	93	61	8	–	–	9	3	3	3	–	103	18	49	7	52	84	26	2	53	312	42
	13. Petty Shopkeepers	6,772	–	114	27	5	2	18	30	16	16	2	–	–	1	–	–	1	1	11	3	6	2	9	23	3	–	7	45	7
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	–	704	319	38	74	129	76	35	33	2	–	–	11	4	12	2	–	60	34	24	32	74	58	49	–	116	226	33
	15. Domestic Servants	36,041	–	270	54	5	31	63	56	30	31	2	–	–	–	–	2	–	2	59	11	14	7	14	33	15	2	8	101	23
	16 Coach and Car Drivers, Vanmen, &c.	15,380	–	282	74	23	15	50	63	36	21	3	1	–	3	2	–	3	–	38	13	12	9	17	43	17	1	20	100	23
	17. Hawkers, Porters, Labourers, &c. ..	103,081	–	2,310	899	129	145	326	465	221	125	18	1	–	45	10	35	16	1	248	95	72	82	180	276	147	5	209	870	195
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	–	1,580	222	33	52	274	465	350	184	2	–	–	–	–	–	–	1	247	65	112	4	72	318	44	–	14	701	2

PROVINCIAL URBAN DISTRICTS.—(See Tables VIII. and IX.)—The respective death-rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* registered during the year in the eighteen urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest—Lurgan, 0·1; Galway, 0·2; Dundalk, 0·6; Kilkenny, 0·6; Limerick, 0·8; Sligo, 0·8; Clonmel, 0·8; Ballymena, 0·9; Cork, 1·0; Drogheda, 1·0; Wexford, 1·0; Londonderry, 1·2; Tralee, 1·2; Portadown, 1·5; Belfast, 1·7; Newry, 2·2; Lisburn, 2·3; and Waterford, 2·4.

Enteric Fever.—The 45 deaths from enteric fever recorded during the year 1916 for these urban districts include 19 deaths belonging to Belfast, 6 to Cork, 5 to Limerick, 3 each to Lisburn and Sligo, 2 each to Londonderry and Portadown, and one each to Waterford, Dundalk, Drogheda, Newry and Tralee.

Typhus.—Of 6 deaths from this cause 4 appertained to Belfast, and one each to Cork and Galway.

Small-pox.—No case of this disease was reported.

Measles.—The deaths from measles numbered 224, and of these, 191 were recorded for Belfast, 13 for Waterford, 10 for Newry, 6 for Cork, 2 for Londonderry, and one each for Dundalk and Lisburn.

Scarlet Fever.—Sixty-five deaths from this cause were recorded, 52 of them appertaining to Belfast, 6 to Cork, 4 to Londonderry, and 3 to Limerick.

Whooping-cough.—Of 218 deaths from whooping-cough, 120 were credited to Belfast, 23 to Waterford, 18 to Limerick, 12 to Newry, 11 each to Cork and Portadown, 7 to Ballymena, and 5 to Lisburn.

Diphtheria.—Included in the 57 deaths for these urban districts are 28 belonging to Belfast, 9 to Cork, 6 to Waterford, 4 to Lisburn, 2 to Wexford, and one death each to Londonderry, Limerick, Galway, Portadown, Ballymena, Sligo, Kilkenny and Tralee.

Diarrhœal Diseases.—Deaths referred to this group included 341 deaths from diarrhœa and enteritis of children under 2 years of age. Of these, 198 were recorded for Belfast, 30 each for Cork and Londonderry, 19 for Waterford, and 14 for Lisburn, these five areas contributing more than 85 per cent. of the total deaths of such children for the 18 urban districts.

Pulmonary Tuberculosis.—The number of deaths from pulmonary tuberculosis registered in the eighteen urban districts amounted to 1,515, equivalent to an annual rate of 2·1 per 1,000 of the aggregate population of these districts. The deaths in Belfast (830) represent a rate of 2·1 per 1,000 of the estimated population. In the remaining seventeen urban districts the deaths, 685, represent an annual rate of 2·0 per 1,000 of the aggregate population of these areas. In the Dublin Registration Area the rate for deaths from pulmonary tuberculosis (exclusive of deaths in public institutions of persons admitted from outside the Area) is equal to 2·5 per 1,000 of the estimated population.

*See note (†) on page iv.

TABLE VIII.—BIRTHS* and DEATHS Registered during the YEAR 1916 (52 weeks) in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts. Population. Total.†	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by: Births.	Deaths. From all Causes.	Deaths. From Diseases in Cols. 10–17, 23–4.	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and *Enteritis* of children under 2 years of age	Diarrhœa 2 years of age and upwards	Violence.	Inquest Cases	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 19 Town Districts	1,122,268	19·7	23·2	18·1	1·5	26,065	20,342	3,253	5,105	96	8	–	314	96	294	90	7	2504	829	1050	1374	2357	707	79	742	600	6694	933
Dublin Registration Area:— Total (c)	397,000	28·9	23·6	20·3	1·7	9,364	8,073‡	1,429	2,033	51	2	–	90	31	76	33	7	989	285	423	572	1054	366	13	487	180	3246	447
City of Dublin	303,000	38·4	24·9	21·9	1·9	7,557	6,636	1,237	1,528	44	2	–	80	26	63	29	6	820	251	311	463	905	329	12	430	156	2833	398
Urban Districts. Rathmines and Rathgar	39,000	22·8	17·7	15·0	0·7	690	585	71	232	2	–	–	5	3	6	3	–	70	11	44	37	69	9	–	23	9	161	19
Pembroke	29,100	18·5	22·5	15·7	1·1	662	458	77	128	2	–	–	4	1	1	1	1	54	13	33	33	46	23	–	24	9	160	11
Blackrock	8,900	8·2	15·7	11·5	0·4	140	102	9	41	2	–	–	–	–	–	–	–	13	3	9	13	3	2	–	3	1	24	5
Kingstown	16,400	11·2	19·2	17·8	0·8	315	292	35	104	1	–	–	1	1	6	–	–	32	7	26	26	31	3	1	7	5	68	14
Urban Districts. Belfast	390,000	26·1	24·1	16·7	1·7	9,415	6,496‡	1,067	1,337	19	4	–	191	52	120	28	–	830	301	332	506	670	198	38	147	240	1690	119
Cork	76,673	28·6	22·6	18·2	1·0	1,732	1,394	182	387	6	1	–	6	6	11	9	–	189	69	66	97	132	30	5	14	31	564	51
Londonderry	40,000	15·5	25·4	16·2	1·2	1,015	648‡	94	177	2	–	–	2	4	4	1	–	72	28	32	37	112	30	4	16	27	108	24
Limerick	38,518	16·1	22·1	18·6	0·8	851	717	95	149	5	–	–	–	3	18	1	–	85	14	17	34	104	4	1	9	15	261	79
Waterford	27,464	19·1	19·8	19·3	2·4	544	530	76	156	1	–	–	13	–	23	6	–	49	20	33	32	62	19	4	11	30	191	25
Galway	13,255	2·5	23·9	15·5	0·2	317	205	37	78	–	1	–	–	–	–	1	–	23	12	12	11	20	1	–	4	3	75	33
Dundalk	13,128	9·5	23·6	14·8	0·6	310	194	30	49	1	–	–	1	–	–	–	–	20	3	12	14	14	6	–	6	9	32	15
Lurgan	12,553	14·7	20·0	13·6	0·1	251	171‡	19	67	–	–	–	–	–	–	–	–	21	4	6	5	22	1	–	5	5	38	5
Drogheda	12,501	8·4	20·8	17·6	1·0	260	220	24	82	1	–	–	–	–	3	–	–	23	5	19	6	13	6	2	1	8	51	9
Lisburn	12,388	10·9	18·7	17·3	2·3	232	214	33	70	3	–	–	1	–	5	4	–	21	4	9	7	17	14	2	10	11	41	7
Newry	11,963	17·0	22·0	20·7	2·2	263	247‡	23	72	1	–	–	10	–	12	–	–	28	12	10	10	27	1	2	6	12	43	7
Portadown	11,727	15·3	19·0	15·9	1·5	223	186	27	58	2	–	–	–	–	11	1	–	19	14	9	2	8	4	–	1	1	32	8
Wexford	11,531	22·8	20·6	18·0	1·0	238	207	27	74	–	–	–	–	–	–	2	–	25	20	13	9	20	6	3	3	3	32	37
Ballymena	11,381	9·3	20·9	14·8	0·9	238	169‡	22	67	–	–	–	–	–	7	1	–	23	6	11	14	13	2	–	5	4	20	19
Sligo	11,163	3·8	19·8	17·1	0·8	221	191	26	68	3	–	–	–	–	–	1	–	14	12	17	6	23	5	–	5	7	68	20
Kilkenny	10,514	11·4	19·2	17·2	0·6	202	181	12	77	–	–	–	–	–	2	1	–	24	4	12	6	25	1	2	3	5	80	18
Tralee	10,300	17·4	20·6	13·8	1·2	212	142	10	49	1	–	–	–	–	1	1	–	29	9	5	4	7	6	3	1	2	47	4
Clonmel	10,209	7·8	17·3	15·4	0·8	177	157	20	55	–	–	–	–	–	1	–	–	20	7	12	2	14	7	–	8	7	75	6

* The Births are exclusive of those in Institutions of infants whose mothers were admitted from localities outside the respective areas, those occurring in Institutions situated within the Dublin Registration Area being assigned to the various districts comprising such to which the mothers of the infants belong. The Births shown in the table for Dublin are revised. See also Table V.

† The population given for the Dublin Registration Area and the cities of Belfast and Londonderry, is that estimated to the middle of 1916; that for each of the other districts is the population according to the Census of 1911.

‡ Including seven deaths from cerebro-spinal fever or cerebro-spinal meningitis recorded for Dublin, eleven from cerebro-spinal fever or cerebro-spinal meningitis and one from poliomyelitis for Belfast, and one from cerebro-spinal fever or cerebro-spinal meningitis for each of Londonderry, Lurgan, Newry, and Ballymena.

TABLE IX.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the YEAR 1916 (52 weeks), Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE OF MORTALITY per 1,000 of the Population according to the Census of 1911 represented by the Deaths from All Causes and from certain Epidemic Diseases; the number of Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Diseases in Cols. 12–19 25–6.	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT ..	15,879	375	19·0	1·7	302	47	36	28	59	74	58	–	–	–	6	–	8	–	–	48	6	19	25	23	11	2	13	25	103	2
Do. 2 do. ..	49,500	1,128	16·6	1·6	823	122	95	96	131	188	191	2	–	–	23	4	21	7	–	98	37	45	63	73	21	1	23	30	235	11
Do. 3 do. ..	50,032	1,260	17·5	2·2	878	150	107	104	133	205	179	1	1	–	36	2	19	1	–	105	52	44	63	90	36	13	16	34	203	27
Do. 4 do. ..	32,637	784	20·1	2·3	656	124	81	67	110	135	139	–	–	–	31	7	7	6	–	68	25	26	50	60	19	5	10	20	288	11
Do. 5 do. ..	16,112	447	21·2	2·5	342	58	34	31	65	91	63	3	–	–	17	3	3	–	–	45	13	15	25	46	13	1	11	16	114	5
Do. 6 do. ..	37,293	687	15·0	1·0	558	77	38	61	84	130	168	2	–	–	12	8	9	–	–	59	19	29	55	38	6	2	7	11	115	5
Do. 7 do. ..	2,681	58	9·3	0·7	25	5	2	4	5	3	6	–	–	–	–	–	–	–	–	2	2	1	2	2	1	1	1	1	4	–
Do. 8 do. ..	5,964	109	13·4	0·7	80	10	9	8	14	28	11	–	–	–	1	2	–	–	–	13	2	9	6	11	1	–	3	3	11	–
Do. 9 do. ..	24,427	576	14·6	1·6	356	54	40	45	56	93	68	1	–	–	10	2	3	2	–	53	14	17	43	51	18	2	8	12	70	2
Do. 10 do. ..	28,958	760	16·9	1·7	488	77	63	66	71	128	83	–	2	–	20	2	6	1	–	72	30	25	27	58	13	6	7	11	92	16
Do. 11 do. ..	39,311	929	14·0	1·3	552	81	45	89	101	114	122	3	–	–	6	10	11	5	–	88	20	28	36	54	13	2	12	16	119	13
Do. 12 do. ..	38,076	1,184	17·7	2·2	673	153	98	85	92	150	95	5	–	–	17	9	23	3	–	86	24	28	54	97	27	1	22	35	172	11
Do. 13 do. ..	23,233	565	12·1	0·7	282	43	8	27	53	78	73	2	–	–	–	2	4	2	–	38	8	27	9	27	6	1	4	9	35	8
Do. 14 do. ..	175	9	22·9	–	4	–	–	3	–	1	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1
Do. 15 do. ..	22,669	544	21·0	1·5	477	66	56	48	94	132	81	–	1	–	12	1	6	1	–	52	49	19	48	40	13	1	10	17	129	7
Total	386,947	9,415	16·7	1·7	6,496*	1067	712	762	1068	1550	1337	19	4	–	191	52	120	28	–	830	301	332	506	670	198	38	147	240	1600	119
City of Cork.																														
CORK URBAN No. 1 DISTRICT ..	13,455	272	13·2	0·2	178	25	3	25	23	42	60	–	–	–	–	–	–	–	–	13	4	6	9	18	3	–	2	5	69	7
Do. 2 do. ..	10,399	297	19·4	1·7	202	28	21	30	32	48	43	1	–	–	–	1	1	4	–	31	12	12	14	26	7	4	–	3	62	3
Do. 3 do. ..	9,793	232	16·1	1·1	158	17	12	24	30	38	37	–	–	–	–	1	4	–	–	37	7	10	3	20	6	–	2	6	58	7
Do. 4 do. ..	9,139	192	21·2	1·2	194	29	23	18	35	36	53	4	–	–	2	1	1	–	–	29	20	9	20	20	3	–	3	4	97	3
Do. 5 do. ..	6,250	113	14·2	0·3	89	20	8	5	13	19	24	–	–	–	1	–	–	–	–	13	1	4	8	5	1	–	–	–	22	4
Do. 6 do. ..	11,581	234	20·4	0·9	236	23	33	20	41	46	73	–	–	–	1	3	3	–	–	25	9	12	11	19	4	–	2	3	104	15
Do. 7 do ..	16,056	392	21·0	1·1	337	40	31	28	66	75	97	1	1	–	2	–	2	5	–	41	16	13	32	24	6	1	5	10	152	12
Total	76,673	1,732	18·2	1·0	1,394	182	131	150	240	304	387	6	1	–	6	6	11	9	–	189	69	66	97	132	30	5	14	31	564	51

* See note (‡) on page xv.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
24th February, 1917.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 10546 Wt. 5995. 380. 2. 1917. Sch. 10.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C

No. 1. VOL. LIII.] WEEK ENDING SATURDAY, 8TH JANUARY, 1916. PRICE 1½*d*

General Register Office, Charlemont House,
Dublin, 10th January, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468 are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 21·0 and 21·2; Dublin Registration Area, 20·3 and 21·6; Dublin City, 22·0 and 23·5; Belfast, 19·8 and 21·5; Cork, 25·8 and 24·8; Londonderry, 20·2 and 19·0; Limerick, 17·6 and 15·6; and Waterford, 49·4 and 29·0.

The deaths from certain epidemic diseases† registered in the 19 town districts during last week* were equal to an annual rate of 1·4 per 1,000. Among the 153 deaths from all causes for Belfast are 3 from measles, 3 from scarlet fever, 2 from whooping-cough, one from diphtheria, and 4 from diarrhœal diseases. One of the 38 deaths from all causes for Cork is from measles. The 26 deaths from all causes for Waterford include one from enteric fever and 2 from diarrhœal diseases, and one of the 3 deaths from all causes for Portadown is attributed to whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 208—121 boys and 87 girls—and the deaths to 164—73 males and 91 females.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·3 per 1,000 of the population, the rate for the total deaths registered in the area being 20·9 per 1000.

The 159 deaths appertaining to the area include 5 from measles, one death each from scarlet fever and whooping-cough, 2 from diphtheria, 2 from diarrhœa and enteritis of children under 2 years of age, and 2 from influenza. In the three preceding weeks deaths from measles numbered 11, 12, and 9; from scarlet fever 3, one, and one; from whooping-cough, 3, one, and 3; from diphtheria, 0, one, and 2; from diarrhœa and enteritis (children under 2), 8, 6, and 4; and from influenza, one, one, and one, respectively.

Tuberculous disease caused 28 deaths, as against 25, 23, and 24 in the three weeks preceding.

Six deaths were caused by cancer, 16 by pneumonia (12 by broncho-pneumonia, 2 by lobar pneumonia, and 2 by pneumonia, type not distinguished), 8 by organic diseases of the heart, and 18 by bronchitis.

Among deaths of infants under one year old 5 were ascribed to convulsions, one to congenital malformation, 3 to prematurity, and 2 to congenital debility.

There were 8 accidental deaths, including one caused by scalds (that of a child aged 15 months), and 2 by vehicles.

One case of homicide was recorded.

Fifty of the persons whose deaths were registered during the week appertaining to the Area were under 5 years of age (22 being infants under one year, of whom 7 were under one month old).

Fifty-five of the 159 deaths occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, and 11 in the South Dublin Union Workhouse.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·3), was equal to an average annual death-rate of 14.3 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 15·9 per 1,000, the rate for Glasgow being 15·0, and for Edinburgh 15·4.

STATE OF INFECTIOUS DISEASE.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 8th January, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 18,	.	—	—	13	.	.	8	.	.	3	2	.	—	—	.	—	.	14	40
	Dec. 25,	.	—	—	4	.	.	5	.	1	2	5	.	—	—	.	—	.	6	23
	Jan. 1,	.	—	—	4	.	.	4	.	1	4	.	.	—	—	1	—	.	10	24
	Jan. 8,	.	—	—	7	.	.	6	.	.	5	6	.	—	—	.	—	.	27	51
Rathmines and Rathgar Urban District	Dec. 18,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Dec. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 1,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	—	3
	Jan. 8,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	Dec. 18,	.	5	.	1	.	.	.	.	.	.	.	.	—	.	.	—	—	.	6
	Dec. 25,	.	4	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.	4
	Jan. 1,	.	8	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	.	9
	Jan. 8,	.	4	1	.	.	.	.	.	.	.	.	.	—	.	.	—	—	1	6
Blackrock Urban District.	Dec. 18,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Dec. 25,	.	2	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	2
	Jan. 1,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	1	2
	Jan. 8,	.	1	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	2
Kingstown Urban District.	Dec. 18,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	.	1
	Dec. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Jan. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Jan. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Dec. 18,	.	—	—	40	.	.	5	1	.	.	.	.	—	—	3	—	.	5	54
	Dec. 25,	.	—	—	39	.	.	3	.	.	2	7	.	—	—	1	—	.	5	57
	Jan. 1,	.	—	—	39	.	.	6	.	.	2	4	.	—	—	2	—	.	5	58
	Jan. 8,	.	—	—	37	.	.	2	.	.	4	4	1	—	—	.	—	.	1	49
City of Cork.	Dec. 18,	.	2	—	2	.	.	1	.	.	.	.	.	—	—	—	.	—	—	5
	Dec. 25,	.	11	—	2	.	.	3	1	.	.	2	.	—	—	—	1	—	—	20
	Jan. 1,	.	12	—	3	.	.	2	.	.	.	.	.	—	—	—	.	—	—	17*a*
	Jan. 8,	.	12	—	1	.	.	1	.	.	.	1	.	—	—	—	.	—	—	15
City of Londonderry.	Dec. 18,	.	—	—	12	.	.	.	.	.	1	2	.	—	—	—	—	—	—	15
	Dec. 25,	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	—	6
	Jan. 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 8,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
City of Limerick.	Dec. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Dec. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 8,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
City of Waterford.	Dec. 18,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	1	4
	Dec. 25,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	.	4
	Jan. 1,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	.	2
	Jan. 8,	.	—	—	.	.	.	2	.	.	2	1	.	—	—	—	—	—	.	5

(*a*) Not including one case of cerebro-spinal fever.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th January, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that at the end of last week there were under treatment, 30 cases of enteric fever, 71 of measles, 62* of scarlet fever, 20 of diphtheria, and 21 of pneumonia.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 8th January, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow

TOWN DISTRICTS.	Census Statistics of Districts. Population. Total.(a)	Persons to an Acre.	Registration—Week ending Saturday, 8th January, 1916. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(c) Week ending 8th January, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	26·0	21·0	1·4	573	463	73	116	1	...	...	9	4	4	3	...	58	17	18	53	61	8	2	15	20	145	16	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	26·5	20·3	1·4	208	159	22	38	...	...	...	5	1	1	2	...	22	6	6	16	21	2	...	9	9	55	5	(d) 56·5	36·1	43·9	0·65
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	30·7	22·0	1·7	184	132	19	29	...	...	...	4	1	1	2	...	19	3	4	13	18	2	...	9	9	48	4	(e) 58·1	38·8	48·2	0·43
																													(f) 57·8	38·0	47·7	0·60
RATHMINES and RATHGAR. ...	39,541	23·1	14·5	10·5	.	11	8	1	4	...	..	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	2	1	...	...	...	..
PEMBROKE, ...	36,538	19·4	13·7	18·8	1·7	8	11	1	1	...	..	...	1	...	...	...	...	1	1	...	2	1	...	...	...	...	5	...	...	...	...	...
BLACKROCK, ...	9,233	8·5	11·3	5·6	.	2	1	...	...	...	..	...	...	...	...	...	...	...	..	1	...	...	...	..	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	9·2	21·5	.	3	7	1	4	...	..	...	...	...	...	...	...	1	1	1	...	2	...	...	...	...	.	...	6	39	50·4	0·30
Urban Districts: BELFAST	404,000	27·0	29·9	19·8	1·7	231	153	33	20	...	...	...	3	3	2	1	...	15	4	5	23	22	3	1	4	4	42	2	55	39	47·5	0·93
CORK, ...	76,673	28·6	25·2	25·8	0·7	37	38	4	9	...	...	...	1	...	...	...	...	7	2	1	5	4	...	...	..	2	18	...	51	43	48·6	0·55
LONDONDERRY	41,200	16·0	16·5	20·2	.	13	16	1	8	...	...	...	...	...	...	...	...	2	1	1	1	2	..	...	...	...	2	...	...	...	...	...
LIMERICK, ...	38,518	16·1	24·4	17·6	.	18	13	...	3	...	...	...	...	...	...	...	...	2	...	...	2	4	...	...	...	...	5	...	57·2	39·1	47·7	0·79
WATERFORD, ...	27,464	19·1	15·2	49·4	5·7	8	26	3	7	1	...	...	...	...	...	...	...	3	1	1	3	1	1	1	1	3	10	1	...	...	...	...
GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			6	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	..	...	56	40	47	0·56
DUNDALK, ...	13,128	9·5				7	8	...	3	...	...	...	...	...	...	...	...	1	..	...	1	...	...	...	...	...	1	3	...	...	...	...
LURGAN, ...	12,553	14·7				6	4	...	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	54·2	38·1	45·0	0·62
DROGHEDA, ...	12,501	8·4				2	6	1	2	...	...	...	...	...	...	...	...	...	..	2	...	...	...	...	1	2	2	...	...	...	...	...
LISBURN	12,388	10·9				5	5	2	2	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	1	51·2	38·1	45·0	0·62
NEWRY, ...	11,963	17·0				7	7	1	4	...	...	...	...	...	...	...	...	...	1	...	..	2	...	...	...	...	2	...	54·2	38·1	45·0	0·62
PORTADOWN, ...	11,727	15·3				7	3	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	..	..	...	...	54·2	38·1	45·0	0·62
WEXFORD, ...	11,531	22·8				3	5	...	2	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	1	...	...	...	...
BALLYMENA	11,381	9·3				3	2	...	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	1	...	...	...	...
SLIGO, ...	11,163	3·8				3	6	...	4	...	...	...	...	...	...	...	...	...	1	...	1	..	...	...	...	...	1	1	56	37	46·0	0·89
KILKENNY, ...	10,514	11·4				3	7	...	6	...	...	...	...	...	...	...	...	1	...	..	1	2	...	...	...	...	2	1	53·6	40·6	...	0·37
TRALEE, ...	10,300	17·4				3	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...
CLONMEL, ...	10,209	7·8				3	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	2	...	...	...	...	...
LONDON, ...	4,516,612	—	24·3	13·3	—	2,107	1,156g	—	—	1	—	...	10	6	12	17	—	—	—	—	—	—	14	—	—	—	—	—	—	—	—	—
EDINBURGH, ...	329,200	—	16·9	15·1	2·2	107	97	13	35	...	...	...	3	6	...	4	—	—	—	—	—	—	1	—	3	—	—	—	56·9	35·7	45·3	0·69
GLASGOW	1,091,600	—	28·7	15·0	0·8	600	314g	50	72	1	...	...	4	5	..	4	—	—	—	—	—	—	3	—	17	—	—	—	51·9	39·7	45·5	1·37

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 3 deaths from cerebro-spinal fever in London and one in Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Averages in 1st Week of the 5 years 1911–1915.	Deaths registered during week ending Saturday, 8th January, 1916. All Ages.	Ages at Death. Under 1 month.	0—5. 1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	220·0	164	7	15	16	12	3	3	5	3	12	13	15	20	25	15	159
Enteric Fever, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2·4	5	.	1	1	3	.	.	.	.	.	.	.	.	.	.	5
Scarlet Fever, ...	2·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough, ...	3·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria, ...	2·6	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Croup, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1·6	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis, ...	23·8	22	.	.	.	.	.	.	2	2	3	6	5	4	.	.	22
Tuberculous Meningitis, ...	2·6	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	3
Abdominal Tuberculosis, ...	1·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis....	1·8	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2
Venereal Diseases, ...	·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer, ...	9·4	6	.	.	.	.	1	.	.	.	.	.	1	1	1	2	6
Tumour, situation undefined,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	·6	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Anæmia, Leucocythæmia, ...	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other General Diseases, ...	2·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Alcoholism, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	1·6	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	3
Cerebral Hæmorrhage, Apoplexy.	6·4	8	.	.	.	.	.	.	.	.	.	2	.	1	5	.	7
Softening of Brain, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·6	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	3
Epilepsy, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),	6·2	6	1	4	.	1	.	.	.	.	.	.	.	.	.	.	6
Other Diseases of Nervous System.	2·2	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
Pericarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,	19·2	9	.	.	.	.	.	.	1	.	.	.	1	3	4	.	8
Embolism and Thrombosis (including Cerebral).	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory system.	2·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx, ...	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Bronchitis, ...	33·4	18	.	2	2	1	.	.	.	.	1	.	1	4	3	4	18
Broncho-pneumonia, ...	11·8	12	.	1	7	3	.	.	.	.	.	1	.	.	.	.	12
Lobar pneumonia, ...	1·4	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2
Pneumonia (type not distinguished)	8·0	3	.	.	1	.	.	.	1	.	.	1	.	.	.	.	2
Pleurisy, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	2·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

in the FIRST WEEK, ending Saturday, 8th January, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Averages in 1st Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 8th January, 1916.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75	75 and upwards.	
			Under 1 month.	1 month and under a year.	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	2·8	6	.	.	.	.	.	.	.	.	.	.	2	1	3	.	6
Diarrhœa and Enteritis of Children under 2 years.	5·0	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Diarrhœa 2 years and upwards,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Cirrhosis of Liver, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Acute Nephritis, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...	6·4	4	.	.	.	.	.	.	.	.	1	1	1	.	.	1	3
Urinary Calculi, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Ovarian Tumour (non-cancerous)	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·8	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	2·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	1·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth, ...	6·4	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility, ...	5·0	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Old Age, ...	6·4	6	.	.	.	.	.	.	.	.	.	.	.	.	1	5	6
Other Specified Diseases, ...	1·6	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	2
ACCIDENT:																	
Poisons or Poisonous Vapours.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Drowning, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2·0	7	.	1	.	.	.	1	.	.	1	.	2	.	1	1	7
Total Deaths from Accident,	3·6	8	.	1	1	.	.	1	.	.	1	.	2	.	1	1	8
Included in above are Deaths in connection with—																	
Railways, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	·2	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																	
Homicide, ...	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Suicide, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	5·8	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	3

TABLE IV.—Showing for the WEEK ENDED 8TH JANUARY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual rates for each district calculated on the mortality so distributed.*

WEEK ENDED 8TH JANUARY, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons, and Lunatic Asylums	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No. 1, E.,	30,504	22·2	3·4	13	1	1	1	.	.	2	3	5	.	.	.	.	.	1	.	.	1	.	.	1	.	1	.	.	9	1	1	2	1
,, 1, W.,	41,685	27·5	1·3	22	3	1	.	.	2	5	6	5	.	.	.	.	.	.	.	.	5	1	2	1	2	1	.	3	7	3	8	3	1
,, 2,	27,883	20·6	.	11	2	2	.	1	.	.	5	1	.	.	.	.	.	.	.	.	2	1	.	1	2	.	.	2	3	2	6	1	.
,, 3,	35,887	21·8	1·5	15	4	1	1	1	.	1	4	3	.	.	.	1	.	.	.	.	.	1	1	.	3	.	.	1	8	.	3	3	.
Clontarf and Howth, No. 1, part of.	5,539	9·4	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Coolock & Drumcondra, part of	13,820	7·5	3·8	2	.	.	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.
Finglas and Glasnevin, part of,	10,829	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City.																																	
South City, No. 1,	41,170	34·2	2·5	27	5	3	2	.	1	3	6	7	.	.	.	1	.	.	1	.	4	.	1	3	6	.	.	1	10	1	2	5	1
,, 2,	18,341	28·4	2·8	10	.	2	1	.	.	2	2	3	.	.	.	1	.	.	.	.	1	.	.	1	2	.	.	1	4	1	1	2	.
,, 3,	43,970	21·3	1·2	18	1	4	2	1	.	4	3	3	.	.	.	1	.	.	.	.	4	.	.	5	1	.	.	.	7	.	4	2	.
,, 4,	33,171	11·0	.	7	1	1	.	.	.	1	3	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	4	.	2	.	1
New Kilmainham,	9,948	31·4	5·2	6	1	1	1	1	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	1	2	1	1	1	.
Urban Districts.																																	
Rathmines and Rathgar,	39,541	10·5	.	8	1	.	2	.	.	1	.	4	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	5	.	2	.	1
Pembroke,	30,538	18·8	1·7	11	1	.	1	1	2	3	2	1	.	.	.	1	.	.	.	.	1	1	.	2	1	.	.	.	5	.	4	1	.
Blackrock,	9,233	5·6	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Kingstown,	16,941	21·5	.	7	1	.	.	.	2	.	.	4	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.	2	.	.	.	.
TOTAL CITY. North,	166,147	20·1	1·6	64	11	5	3	2	2	8	18	15	.	.	.	1	.	1	1	.	8	3	3	3	7	2	.	6	29	6	19	9	2
South,	146,600	24·2	1·8	68	8	11	6	2	1	11	15	14	.	.	.	3	1	.	1	.	11	.	1	10	11	.	.	3	27	3	10	10	2
North and South	312,747	22·0	1·7	132	19	16	9	4	3	19	33	29	.	.	.	4	1	1	2	.	19	3	4	13	18	2	.	9	56	9	29	19	4
Total Urban Districts,	96,253	14·6	0·5	27	3	.	3	2	4	4	2	9	.	.	.	1	.	.	.	.	3	3	2	3	3	.	.	.	12	.	6	1	1
Total Registration Area,	409,000	20·3	1·4	159	22	16	12	6	7	23	35	38	.	.	.	5	1	1	2	.	22	6	6	16	21	2	.	9	68	9	35	20	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				5	.	.	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	5	.	.

* See note (*a*) at foot of Table II.

† See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th January, 1916; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH JANUARY, 1916

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	164	50	6	8	25	35	25	15	.	.	.	5	1	1	2	.	22	6	6	6	17	21	2	.	9	66	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	7·1	2	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	101,798	12·3	24	2	.	1	6	3	7	5	.	.	.	1	.	.	.	.	2	.	2	.	2	1	.	.	1	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	15·4	32	6	1	4	4	6	5	6	.	.	.	.	.	.	.	.	6	2	1	1	4	2	.	.	.	16	1
IV.	GENERAL SERVICE CLASS, ...	167,479	26·8	86	39	4	3	11	17	8	4	.	.	.	4	.	1	2	.	11	4	2	5	11	12	2	.	7	25	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	3	.	.	3	9	5	.	.	.	.	.	.	.	.	.	3	.	1	.	.	6	.	.	1	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	—	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	33,249	—	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	14	1	.	.	1	1	7	4	.	.	.	1	.	.	.	.	.	.	2	.	.	1	.	.	.	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	—	9	2	.	.	2	1	1	3	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	5	.
	10. Clothing Trades, ...	20,026	—	3	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
	11. Food Supply Trades	8,952	—	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	12	3	1	3	2	1	1	1	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.	.	.	5	.
	13. Petty Shopkeepers	6,772	—	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	14	7	1	.	1	2	3	.	.	.	.	1	.	.	.	.	.	.	1	.	6	1	.	.	2	3	.
	15. Domestic Servants, ...	36,041	—	4	.	1	.	1	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	8	3	1	1	1	1	.	1	.	.	.	.	.	.	1	.	2	.	1	.	.	1	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	60	29	1	2	8	14	4	2	.	.	.	3	.	1	1	.	8	3	.	5	5	10	2	.	5	17	4
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	20	3	.	.	3	9	5	.	.	.	.	.	.	.	.	.	3	.	1	.	.	6	.	.	1	9	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years, (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area. Week ending													Belfast City. Week ending												
	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.
No. of weeks in Annual Series	41	42	43	44	45	46	47	48	49	50	51	52	1	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered,	219	156	221	180	182	175	215	165	187	178	152	156	208	209	184	167	217	171	168	172	138	160	174	137	157	231
Average Births in corresponding week of previous 10 years, ...	189	204	197	212	210	199	188	210	187	208	184	167	228	209	205	207	199	199	182	183	189	190	194	187	171	256
DEATHS registered, ...	145	159	138	122	164	173	189	203	177	195	133	188	159	97	112	132	122	124	157	140	163	162	178	140	194	153
Annual Death-rate per 1,000, ...	18·5	20·3	17·6	15·6	20·9	22·1	24·1	25·9	22·6	24·9	17·0	24·0	20·3	12·6	14·5	17·1	15·8	16·0	20·3	18·1	21·1	21 0	23·0	18·1	25·1	19·8
Average Deaths in corresponding week of previous 10 years, ...	145	143	137	156	158	159	158	160	169	156	167	144	198	120	118	128	118	132	138	140	135	154	146	146	147	158
Ages, Under one year, ...	29	40	18	13	25	30	32	32	31	46	19	34	22	21	25	31	18	30	17	22	24	36	32	21	31	38
1— 5 years, ...	11	16	18	12	10	22	32	24	28	22	25	34	28	5	11	21	10	8	12	12	22	13	26	21	37	17
5—25 " ...	12	16	16	13	12	16	15	18	14	15	8	14	13	12	14	14	11	20	20	15	16	8	9	12	19	18
25—45 " ...	27	24	13	16	20	22	24	23	22	23	20	26	23	18	10	21	37	18	27	22	26	25	27	16	25	16
45—65 " ...	34	27	42	32	48	41	33	53	37	41	27	36	35	25	30	18	22	23	42	44	41	44	43	27	42	44
65 and upwards, ...	32	36	31	36	49	42	53	53	45	45	34	44	38	16	22	27	24	25	39	25	34	36	41	43	40	20
Deaths from:—																										
Enteric Fever, ...	3	2	.	.	2	1	.	1	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	3	1	2	4	7	13	13	11	12	9	5	.	2	3	.	1	1	3	2	1	7	7	9	3
Scarlet Fever, ...	.	.	.	.	2	.	3	1	1	3	1	1	1	3	2	7	3	4	3	7	5	3	4	1	5	3
Whooping-cough, ...	1	1	1	.	2	1	2	2	2	3	1	3	1	.	.	4	.	1	2	2	4	3	4	3	1	2
Diphtheria, ...	.	1	4	1	1	1	.	1	1	.	1	2	2	.	.	.	1	4	1	.	.	1	1	.	.	1
Dysentery, ...	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	27	21	13	13	23	26	22	18	19	21	20	19	22	17	5	12	14	12	25	14	21	16	10	13	12	15
Tuberculosis { Other Forms,	8	7	7	7	2	5	8	5	9	4	3	5	6	2	4	3	4	10	4	4	8	3	4	6	9	4
Cancer, ...	8	10	12	9	10	9	5	12	10	11	6	11	6	6	2	5	4	10	16	3	6	4	13	3	7	5
Diseases of Respiratory System, { Pneumonia,	4	8	5	5	8	15	16	15	16	10	9	20	16	2	10	11	11	13	11	18	25	21	27	16	28	23
Diseases of Respiratory System, { Others, ...	14	15	14	20	21	30	24	45	22	28	22	32	21	9	15	9	14	12	19	27	33	35	33	26	38	22
Diarrhœa and Enteritis, under 2 years, ...	13	21	10	4	9	4	12	6	4	8	6	4	2	7	7	10	4	2	3	1	3	4	.	.	2	3
Diarrhœa, 2 years and upwards	2	.	.	.	.	1	.	1	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	1	1
Violent Deaths, ...	1	2	5	4	1	4	1	3	4	6	2	8	9	2	2	4	2	1	3	2	1	1	4	2	8	4
Number of Uncertified Deaths,	6	3	7	4	2	5	13	10	4	3	5	8	5	.	3	2	1	.	1	.	1	3	1	1	5	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th January, 1916. Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	29·6	.	9	2	2	2	3	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	1	1	1	.
Do. 2 do.	49,500	15	21·1	2·1	20	7	3	2	2	6	.	.	.	.	.	1	1	.	.	1	.	.	4	5	.	.	.	.	5	1
Do. 3 do.	50,032	31	14·6	2·1	14	2	2	1	1	5	3	.	.	.	1	.	.	.	.	2	.	.	3	2	.	1	.	.	3	.
Do. 4 do.	32,637	26	25·6	1·6	16	4	2	1	1	8	.	.	.	.	.	.	.	.	.	.	2	1	1	4	1	.	.	.	7	1
Do. 5 do.	16,112	12	38·8	3·2	12	2	2	.	3	3	2	.	.	.	1	.	.	.	.	1	.	.	5	1	.	.	1	1	5	.
Do. 6 do.	37,293	18	16·8	1·4	12	2	.	2	1	4	3	.	.	.	.	1	.	.	.	1	.	.	3	1	.	.	.	.	3	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	17·5	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	12	12·8	.	6	1	1	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	1	1	2	.
Do. 10 do.	28,958	14	21·6	3·6	12	3	1	2	1	2	3	.	.	.	1	.	.	.	.	1	.	1	2	.	1	.	.	.	1	.
Do. 11 do.	39,311	21	17·2	2·7	13	4	1	5	.	3	.	.	.	.	.	1	.	1	.	2	1	1	.	2	.	.	1	1	6	.
Do. 12 do.	38,076	38	23·3	1·4	17	5	2	.	.	5	5	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	4	.
Do. 13 do.	23,233	17	18·0	.	8	1	.	1	1	2	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	27·6	2.3	12	5	1	2	2	2	.	.	.	.	.	.	1	.	.	3	.	.	1	2	.	.	.	.	4	.
Total,	386,947	231	19·8	1·7	153	38	17	18	16	44	20	.	.	.	3	3	2	1	.	15	4	5	23	22	3	1	4	4	42	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	27·1	.	7	.	1	4	.	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	3	.
Do. 2 do.	10,399	5	15·0	.	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	.
Do. 3 do.	9,793	3	21·3	.	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	3	.
Do. 4 do.	9,139	2	39·9	5·7	7	2	1	1	1	.	2	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	.	5	.
Do. 5 do.	6 250	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	5	31·5	.	7	.	1	1	2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Do. 7 do.	16,056	17	32·5	.	10	1	.	1	3	3	2	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	1	3	.
Total,	76,673	37	25·8	0·7	38	4	4	7	7	7	9	.	.	.	1	.	.	.	.	7	2	1	5	4	.	.	.	2	18	.

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th January, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain.)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	2	.	.	.	.	2	4
" " 1, West, ...	.	.	.	.	.	.	.	.	.	.	.	.	4	4
" " 2, ...	.	.	.	.	.	.	.	1	.	.	.	.	7	8
" " 3, ...	.	.	.	.	1	.	.	1	2	.	.	.	3	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	2	.	.	.	1	.	.	.	1	4
Finglas and Glasnevin (part of), ..	.	2	.	.	.	.	.	.	.	.	.	.	2	4
South City No. 1, ...	.	.	.	.	2	.	.	1	.	.	.	.	3	6
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	.	.	.	1	.	.	.	2	.	.	.	3	6
" " 4, ...	.	3	.	.	.	.	.	.	1	.	.	.	1	5
New Kilmainham, ...	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Total, ...	.	7	.	.	6	.	.	5	6	.	.	.	27	51

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th January, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th January.			
	Dec. 18.	Dec. 25.	Jan. 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	30	33	31	6	7	.	30
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	59	45	62	37	28	.	71
Scarlet Fever, ...	63	58	55	14	6	1	62*
Diphtheria, ...	26	22	22	5	5	2	20
Pneumonia, ...	17	16	19	9	5	2	21

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13069. Wt. P. 421. 375. 1. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C.

No. 2. VOL. LIII.] WEEK ENDING SATURDAY, 15TH JANUARY, 1916. [PRICE 1½*d*

General Register Office, Charlemont House,
Dublin, 17th January, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468 are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 17·4 and 20·0; Dublin Registration Area, 18·2 and 19·9; Dublin City, 19·3 and 21·5; Belfast, 16·0 and 19·8; Cork, 17·0 and 23·1; Londonderry, 24·0 and 19·6; Limerick, 21·7 and 18·6; and Waterford, 13·3 and 26·6.

The deaths from certain epidemic diseases† registered in the 19 town districts during last week* were equal to an annual rate of 1·4 per 1,000. Among the 124 deaths from all causes for Belfast are 7 from measles and one from whooping-cough. The 25 deaths from all causes for Cork include one from each of scarlet fever and diphtheria, and one of a child under 2 years from diarrhœa and enteritis. One of the 19 deaths from all causes for Londonderry is from scarlet fever. Of the 16 deaths from all causes for Limerick one is from enteric fever and one from whooping-cough. One of the 2 deaths recorded for Newry was caused by measles, and one of the 3 deaths from all causes for Ballymena by whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 203—93 boys and 110 girls—and the deaths to 152—72 males and 80 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·2 per 1,000 of the population. During the two weeks ending with Saturday last, the death-rate averaged 19·3, and was 5·8 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the two weeks was 20·2, and for the corresponding period of the preceding ten years 26·4.

The 143 deaths appertaining to the Area include one from enteric fever, 6 from measles, 2 from whooping-cough, and 4 from diarrhœal diseases. In the three preceding weeks deaths from enteric fever numbered 2, 0, and 0; from measles 12, 9, and 5; from whooping-cough, one, 3, and one; and from diarrhœal diseases 6, 4, and 2, respectively.

Tuberculous disease caused 18 deaths, as against 23, 24, and 28 in the three weeks preceding.

Four deaths were caused by cancer, 12 by pneumonia (5 by broncho-pneumonia, 3 by lobar pneumonia, and 4 by pneumonia, type not distinguished), 12 by organic diseases of the heart, and 18 by bronchitis.

Among deaths of infants under one year old 4 were ascribed to convulsions, one to congenital malformation, 4 to prematurity, and 5 to congenital debility.

There was one accidental death.

Forty-five of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 25 being infants under one year, of whom 8 were under one month old.

Of the 143 deaths recorded, 48 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·4), was equal to an average annual death-rate of 13·9 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 15·4 per 1,000, the rate for Glasgow being 14·5, and for Edinburgh 15·9.

STATE OF INFECTIOUS DISEASE.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 15th January, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 25,	.	—	—	4	.	.	5	.	1	2	5	.	—	—	.	—	.	6	23
	Jan. 1,	.	—	—	4	.	.	4	.	1	4	.	.	—	—	1	—	.	10	24
	Jan. 8,	.	—	—	7	.	.	6	.	.	5	6	.	—	—	.	—	.	27	51
	Jan. 15,	.	—	—	5	.	.	2	.	.	3	3	.	—	—	.	—	.	21	34
Rathmines and Rathgar Urban District	Dec. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 1,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	—	3
	Jan. 8,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	—	3
	Jan. 15,	.	—	—	2	.	.	5	.	.	.	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	Dec. 25,	.	4	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.	4
	Jan. 1,	.	8	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	.	9
	Jan. 8,	.	4	1	.	.	.	.	.	.	.	.	.	—	.	.	—	—	1	6
	Jan. 15,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	—	.	1
Blackrock Urban District.	Dec 25,	.	2	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	2
	Jan. 1,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	1	2
	Jan. 8,	.	1	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	2
	Jan. 15,	.	3	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	4
Kingstown Urban District.	Dec. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Jan. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Jan. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	1	4
City of Belfast.	Dec. 25,	.	—	—	39	.	.	3	.	.	2	7	.	—	—	1	—	.	5	57
	Jan. 1,	.	—	—	39	.	.	6	.	.	2	4	.	—	—	2	—	.	5	58
	Jan. 8,	.	—	—	37	.	.	2	.	.	4	4	1	—	—	.	—	.	1	49
	Jan. 15,	.	—	—	33	.	.	1	.	.	3	6	.	—	—	.	—	.	5	48
City of Cork.	Dec. 25,	.	11	—	2	.	.	3	1	.	.	2	.	—	—	—	1	—	—	20
	Jan. 1,	.	12	—	3	.	.	2	.	.	.	.	.	—	—	—	.	—	—	17*a*
	Jan. 8,	.	12	—	1	.	.	1		.	.	1	.	—	—	—	.	—	—	15
	Jan. 15,	.	8	—	2	.	.	1	.	.	2	.	.	—	—	—	.	—	—	13*b*
City of Londonderry.	Dec. 25,	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	—	6
	Jan. 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 8,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Limerick.	Dec. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 8,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
City of Waterford.	Dec. 25,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	.	4
	Jan. 1,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	.	2
	Jan. 8,	.	—	—	.	.	.	2	.	.	2	1	.	—	—	—	—	—	.	5
	Jan. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	.	3

(*a*) Not including one case of cerebro-spinal fever.
(*b*) Not including one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th January, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that at the end of last week there were under treatment, 28 cases of enteric fever, 73 of measles, 56* of scarlet fever, 22 of diphtheria, and 16 of pneumonia.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 15th January, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	Population. Total.(a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 15th January, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (c) Week ending 15th January, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ..	1,148,468	20·2	26·5	17·4	1·4	584	383	56	94	2	...	...	14	2	5	1	..	41	17	12	29	58	6	1	6	17	113	15	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	25·9	18·2	1·7	203	143	25	32	1	...	...	6	...	2	...	...	12	6	4	12	20	3	1	1	4	48	4	(d) 51·5	34·7	42·9	0·17
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	29·7	19·3	2·2	178	116	22	21	1	...	...	6	...	2	...	...	10	6	4	9	14	3	1	...	3	39	4	(e) 52·1	37·4	47·2	0·02
																													(f) 51·9	35·0	46·9	0·06
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	11·9	15·8	.	9	12	1	7	...	..	...	...	...	...	...	...	...	...	...	1	4	...	...	...	...	2	...	.	...	...	..
Urban Districts: PEMBROKE, ...	30,538	19·4	18·8	15·4	.	11	9	1	2	...	..	...	...	...	...	..	...	2	...	...	1	2	...	...	1	...	5	...	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	.	5·6	.	.	1	...	...	...	..	...	...	...	...	...	...	...	..	...	...	...	...	.	...	1	1	...	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	15·4	15·4	.	5	5	1	2	...	..	...	...	...	...	...	.	..	...	...	1	...	...	...	...	...	1	...	56	38	47·7	0·01
Urban Districts: BELFAST	403,000	27·0	28·5	16·0	1·0	220	124	22	23	...	...	...	7	...	1	...	...	15	6	3	12	17	...	...	1	7	24	1	51·0	36·5	46·5	0·23
Urban Districts: CORK, ...	76,673	28·6	25·8	17·0	2·0	38	25	...	7	...	...	...	...	1	...	1	..	2	...	3	...	1	1	...	...	2	15	...	53	41	47·8	0·12
Urban Districts: LONDONDERRY	41,200	16·0	17·7	24·0	1·3	14	19	...	5	...	...	...	...	1	...	...	...	...	2	...	1	5	..	...	2	2	2	2	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	21·7	21·7	2·7	16	16	1	1	1	...	...	...	...	1	...	..	6	...	...	1	2	...	...	1	2	7	1	54·8	35·6	47·6	0·20
Urban Districts: WATERFORD, ...	27,464	19·1	26·6	13·3	.	14	7	1	2	...	...	...	...	...	...	...	...	2	...	..	...	1	...	...	1	...	2	1	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			9	2	...	1	...	...	...	...	...	...	...	...	...	...	..	...	1	...	...	...	...	2	...	56	38	47	0·26
Urban Districts: DUNDALK, ...	13,128	9·5				3	...	...	...	..	...	...	...	...	...	...	...	...	..	...	..	...	...	...	...	...	...	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				6	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	51·8	35·6	46·0	0·30
Urban Districts: DROGHEDA, ...	12,501	8·4				9	7	...	5	...	...	...	...	...	...	...	...	1	..	1	1	1	...	...	...	...	2	..	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				9	8	1	3	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	2	...	51·8	35·6	46·0	0·30
Urban Districts: NEWRY, ...	11,963	17·0				4	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	51·8	35·6	46·0	0·30
Urban Districts: PORTADOWN, ...	11,727	15·3				4	2	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	..	..	...	..	51·8	35·6	46·0	0·30
Urban Districts: WEXFORD, ...	11,531	22·8				6	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				4	3	1	1	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				5	13	4	7	...	...	...	...	...	...	...	...	...	..	...	..	4	1	...	...	...	5	5	53	36	47·0	0·19
Urban Districts: KILKENNY, ...	10,514	11·4				7	7	...	4	...	...	...	...	...	...	...	...	...	1	..	1	4	...	...	...	...	4	...	52	37	45·4	0·08
Urban Districts: TRALEE, ...	10,300	17·4				6	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	..	...	...	...	...	...	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...
LONDON, ...	4,516,612	—	—	13·4	—	1,838	1,161	—	—	3	...	...	11	7	15	19	—	—	—	—	—	—	20	—	—	—	—	—	—	—	—	—
EDINBURGH, ...	329,200	—	—	15·9	1·9	134	100	12	26	1	...	...	4	3	...	3	—	—	—	—	—	—	1	—	4	—	—	—	49·5	33·4	42·8	0·04
GLASGOW	1,091,600	—	—	14·5	1·4	557	303	56	67	...	...	...	7	7	3	5	—	—	—	—	—	—	7	—	12	—	—	—	51·0	35·9	44·4	0·32

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Averages in 2nd Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 15th January, 1916. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	198·6	152	9	17	9	11	2	2	5	5	5	12	24	18	21	12	143
Enteric Fever, ...	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles.	1·4	6	.	1	1	4	.	.	.	.	.	.	.	.	.	.	6
Scarlet Fever, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2·4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria, ...	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Epidemic Diseases, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis, ...	19·4	12	.	.	1	1	.	.	2	3	1	2	2	.	.	.	12
Tuberculous Meningitis, ...	2·4	4	.	.	1	2	.	1	.	.	.	.	.	.	.	.	4
Abdominal Tuberculosis, ...	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints. ...	·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis....	2·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Venereal Diseases, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	9·4	4	.	.	.	.	.	.	.	.	.	.	4	.	.	.	4
Tumour, situation undefined,	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Rheumatic Fever, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	1·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Alcoholism, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ...	1·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	5·6	7	.	.	.	.	.	.	.	.	.	.	1	4	2	.	7
Softening of Brain, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),	2·8	5	1	3	1	.	.	.	.	.	.	.	.	.	.	.	5
Other Diseases of Nervous System.	3·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Pericarditis, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,	19·2	14	.	.	.	.	.	.	1	1	1	1	4	1	5	.	12
Embolism and Thrombosis (including Cerebral).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory system.	1·6	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	4
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	32·0	18	.	2	1	1	.	.	.	.	1	1	1	3	4	4	18
Broncho-pneumonia, ..	12·6	5	.	.	3	.	.	.	1	.	.	.	.	1	.	.	5
Lobar pneumonia, ...	1·4	3	.	.	.	.	1	.	.	.	.	1	.	1	.	.	3
Pneumonia (type not distinguished)	5·0	5	.	.	.	.	1	.	.	.	.	.	2	.	2		4
Pleurisy, ...	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	2·0	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1

in the SECOND WEEK, ending Saturday, 15th January, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Averages in 2nd Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 15th January, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	2·6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	3·8	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards,	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Enteritis 2 years and upwards,	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Appendicitis and Typhlitis, ...	1·2	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2
Hernia and Intestinal Obstructions.	2·0	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Cirrhosis of Liver, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·8	4	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	4
Acute Nephritis, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...	4·8	6	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	5
Urinary Calculi, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2
Puerperal Septicæmia, &c., ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	1·6	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3
Diseases of Locomotor System,	·2	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1
Congenital Malformations, ...	·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth, ...	5·8	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Congenital Debility, ...	3·2	5	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Old Age, ...	7·6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	5
Other Specified Diseases, ...	·8	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2
ACCIDENT:																		
Poisons or Poisonous Vapours.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Total Deaths from Accident,	6·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Included in above are Deaths in connection with—																		
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	3·4	4	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	4

TABLE IV.—Showing for the WEEK ENDED 15TH JANUARY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED 15TH JANUARY, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of Repiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons, and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E.,	30,504	17·1	·	10	1	·	·	1	·	3	5	·	·	·	·	·	·	·	·	·	·	1	·	1	2	·	·	·	6	·	3	1	·
,, 1, W.,	41,685	23·8	3·8	19	4	1	·	·	3	2	6	3	·	·	·	·	·	·	·	·	3	1	·	1	2	2	1	·	9	·	2	4	1
,, 2,	27,883	22·4	3·7	12	4	2	·	·	·	1	4	1	1	·	·	·	·	1	·	·	·	1	1	2	1	·	·	·	5	·	1	1	·
,, 3,	35,887	11·6	·	8	1	1	·	·	·	·	4	2	·	·	·	·	·	·	·	·	1	·	1	1	2	·	·	·	3	·	·	2	·
CLONTARF AND HOWTH, No. 1, part of.	5,539	47·1	·	5	2	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5	·	·	·	·
COOLOCK & DRUMCONDRA, part of	13,820	7·5	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·
FINGLAS AND GLASNEVIN, part of,	10,829	14·4	·	3	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	1	·	·
South City.																																	
SOUTH CITY, No. 1,	41,170	26·6	6·3	21	4	·	8	·	1	2	1	5	·	·	·	4	·	1	·	·	2	1	·	·	2	·	·	·	11	·	3	3	·
,, 2,	18,341	19·9	·	7	1	1	·	·	·	1	3	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	6	·	3	1	·
,, 3,	43,970	20·2	2·4	17	2	3	2	·	·	1	6	3	·	·	·	2	·	·	·	·	2	1	1	1	5	·	·	·	5	1	4	5	1
,, 4,	33,171	14·1	1·6	9	2	·	1	1	·	2	·	3	·	·	·	·	·	·	·	·	·	1	·	2	·	1	·	·	5	2	3	1	1
NEW KILMAINHAM,	9,948	15·7	·	3	1	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	1	·	·	·	1
Urban Districts.																																	
RATHMINES AND RATHGAR,	39,541	15·8	·	12	1	1	·	·	1	·	2	7	·	·	·	·	·	·	·	·	·	·	·	1	4	·	·	·	7	·	2	·	·
PEMBROKE,	30,538	15·4	·	9	1	·	·	·	2	1	3	2	·	·	·	·	·	·	·	·	2	·	·	1	2	·	·	1	3	·	4	1	·
BLACKROCK,	9,233	5·6	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·
KINGSTOWN,	16,941	15·4	·	5	1	·	·	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	4	·	·	1	·
TOTAL CITY. North,	166,147	18·5	1·6	59	12	4	·	1	4	7	22	9	1	·	·	·	·	1	·	·	5	3	2	5	7	2	1	·	32	·	8	8	1
South,	146,600	20·3	2·8	57	10	4	11	2	1	6	11	12	·	·	·	6	·	1	·	·	5	3	2	4	7	1	·	·	28	3	13	10	3
North and South	312,747	19·3	2·2	116	22	8	11	3	5	13	33	21	1	·	·	6	·	2	·	·	10	6	4	9	14	3	1	·	60	3	21	18	4
Total Urban Districts,	96,253	14·6	·	27	3	1	·	·	3	2	7	11	·	·	·	·	·	·	·	·	2	·	·	3	6	·	·	1	15	1	7	2	·
Total Registration Area,	409,000	18·2	1·7	143	25	9	11	3	8	15	40	32	1	·	·	6	·	2	·	·	12	6	4	12	20	3	1	1	75	4	28	20	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	1	·	·	1	2	2	2	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	7	·	8	1	·

* See note (*a*) at foot of Table II. † See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th January, 1916; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH JANUARY, 1916

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	152	46	4	10	17	42	21	12	1	.	.	6	.	2	.	.	12	7	4	5	13	20	3	1	1	77	4
	CLASSES. Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	24·9	7	1	.	.	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	13·8	27	4	.	2	3	11	3	4	.	.	.	1	.	1	.	.	2	.	.	.	2	1	.	.	.	21	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	14·9	31	10	2	2	3	7	5	2	.	.	.	1	.	1	.	.	3	2	2	3	1	3	.	.	.	15	1
IV.	GENERAL SERVICE CLASS, ...	167,479	20·5	66	29	2	5	7	16	6	1	1	.	.	5	.	.	.	.	5	4	2	2	5	7	3	1	1	30	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	21	2	.	1	3	8	5	2	.	.	.	.	.	.	.	.	2	1	.	.	3	7	.	.		8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	5	1	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	25,199	—	9	1	.	.	2	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	8	.
	6. Clerks and Commercial Assistants, ...	33,249	—	5	2	.	2		1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	11	1	.	.	1	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	28,823	—	8	2	.	.	.	4	2	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	4	.
	10. Clothing Trades, ...	20,026	—	7	1	1	2	.	2	1	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	3	.
	11. Food Supply Trades	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	12	5	.	.	3	1	1	2	.	.	.	.	.	.	.	.	1	.	.	2	.	2	.	.	.	7	1
	13. Petty Shopkeepers	6,772	—	4	2	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	7	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	6	.
	15. Domestic Servants, ...	36,041	—	5	1	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	46	21	1	4	5	11	4	.	1	.	.	5	.	.	.	.	5	4	1	1	4	5	2	.	1	17	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	21	2	.	1	3	8	5	2	.	.	.	.	.	.	.	.	2	1	.	.	3	7	.	.	.	8	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years, (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area. Week ending													Belfast City. Week ending												
	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.
No of weeks in Annual Series	42	43	44	45	46	47	48	49	50	51	52	1	2	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered.	156	221	180	182	175	215	165	187	178	152	156	208	203	184	167	217	171	168	172	138	160	174	137	157	231	220
Average Births in corresponding week of previous 10 years, ...	204	197	212	210	199	188	210	187	208	184	167	228	231	205	207	199	199	182	183	189	190	194	187	171	256	209
Number of Deaths, ...	159	138	122	164	173	189	203	177	195	133	188	159	143	112	132	122	124	157	140	163	162	178	140	194	153	124
Annual Death-rate per 1,000, ...	20·3	17·6	15·6	20·9	22·1	24·1	25·9	22·6	24·9	17·0	24·0	20·3	18·2	14·5	17·1	15·8	16·0	20·3	18·1	21·1	21·0	23·0	18·1	25·1	19·8	16·0
Average Deaths in corresponding week of previous 10 years, ...	143	137	156	158	159	158	160	169	156	167	144	198	186	118	128	118	132	138	140	135	154	146	146	147	158	164
Ages, Under one year, ...	40	18	13	25	30	32	32	31	46	19	34	22	25	25	31	18	30	17	22	24	36	32	21	31	38	22
1— 5 years, ...	16	18	12	10	22	32	24	28	22	25	34	28	20	11	21	10	8	12	12	22	13	26	21	37	17	15
5—25 ,, ...	16	16	13	12	16	15	18	14	15	8	14	13	11	14	14	11	20	20	15	16	8	9	12	19	18	10
25—45 ,, ...	24	13	16	20	22	24	23	22	23	20	26	23	15	10	21	37	18	27	22	26	25	27	16	25	16	24
45—65 ,, ..	27	42	32	48	41	33	53	37	44	27	36	35	40	30	18	22	23	42	44	41	44	43	27	42	44	30
65 and upwards, ...	36	31	36	49	42	53	53	45	45	34	44	38	32	22	27	24	25	39	25	34	36	41	43	40	20	23
Deaths from:—																										
Enteric Fever, ...	2	.	.	2	1	.	1	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	3	1	2	4	7	13	13	11	12	9	5	6	2	3	.	1	1	3	2	1	7	7	9	3	7
Scarlet Fever, ...	.	.	.	2	.	3	1	1	3	1	1	1	.	2	7	3	4	3	7	5	3	4	1	5	3	.
Whooping-cough, ...	1	1	.	2	1	2	2	2	3	1	3	1	2	.	4	.	1	2	2	4	3	4	3	1	2	1
Diphtheria, ...	1	4	1	1	1	.	1	1	.	1	2	2	.	.	.	1	4	1	.	.	1	1	.	.	1	.
Dysentery, ...	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	21	13	13	23	26	22	18	19	21	20	19	22	12	5	12	14	12	25	14	21	16	10	13	12	15	15
Tuberculosis { Other Forms,	7	7	7	2	5	8	5	9	4	3	5	6	6	4	3	4	10	4	4	8	3	4	6	9	4	6
Cancer, ...	10	12	9	10	9	5	12	10	11	6	11	6	4	2	5	4	10	16	3	6	4	13	3	7	5	3
Diseases of Respiratory System. { Pneumonia,	8	5	5	8	15	16	15	16	10	9	20	16	12	10	11	11	13	11	18	25	21	27	16	28	23	12
Diseases of Respiratory System. { Others, ...	15	14	20	21	30	24	45	22	28	22	32	21	20	15	9	14	12	19	27	33	35	33	26	38	22	17
Diarrhœa and Enteritis, under 2 years, ...	21	10	4	9	4	12	6	4	8	6	4	2	3	7	10	4	2	3	1	3	4	.	.	2	3	.
Diarrhœa, 2 years and upwards	.	.	.	.	1	.	1	.	.	.	.	.	1	1	2	1	.	.	.	.	.	.	.	1	1	.
Violent Deaths, ...	2	5	4	1	4	1	3	4	6	2	8	9	1	2	4	2	1	3	2	1	1	4	2	8	4	1
Number of Uncertified Deaths,	3	7	4	2	5	13	10	4	3	5	8	5	4	3	2	1	.	1	.	1	3	1	1	5	2	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th January, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	16·4	.	5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	3	.
Do. 2 do.	49,500	32	15·8	1·1	15	1	1	.	3	6	4	.	.	.	.	.	1	.	.	1	.	1	.	2	.	.	1	1	3	.
Do. 3 do.	50,032	32	14·6	2·1	14	3	4	.	3	3	1	.	.	.	2	.	.	.	.	2	.	.	2	1	.	.	.	1	1	.
Do. 4 do.	32,637	27	11·2	1·6	7	1	.	1	3	.	2	.	.	.	1	.	.	.	.	2	1	1	.	.	.	.	.	.	2	.
Do. 5 do.	16,112	11	19·4	.	6	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Do. 6 do.	37,293	11	14·0	.	10	4	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.	1	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	9	21·3	2.1	10	1	2	1	2	4	.	.	.	.	1	.	.	.	.	2	2	.	1	1	.	.	.	.	3	.
Do. 10 do.	28,958	13	25·2	3·6	14	1	3	1	2	5	2	.	.	.	2	.	.	.	.	1	.	.	.	3	.	.	.	1	4	1
Do. 11 do.	39,311	25	13·3	.	10	1	1	1	2	1	4	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	2	.
Do. 12 do.	38,076	31	21·9	.	16	5	2	2	3	3	1	.	.	.	.	.	.	.	.	4	.	.	.	5	.	.	.	2	2	.
Do. 13 do.	23,233	12	13 5	.	6	1	.	.	.	2	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	10	25·3	2.3	11	1	1	2	3	3	1	.	.	.	1	.	.	.	.	.	3	.	1	2	.	.	.	.	2	.
Total,	386,947	220	16·0	1·0	124	22	15	10	24	30	23	.	.	.	7	.	1	.	.	15	6	3	12	17	.	.	1	7	24	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	3	7·8	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 2 do.	10,399	8	15·0	5·0	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
Do. 3 do.	9,793	5	16·0	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	1	.
Do. 4 do.	9,139	4	11·4	5·7	2	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 5 do.	6,250	.	25 0	.	3	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Do. 6 do.	11,581	6	27·0	.	6	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	2	.
Do. 7 do.	16,056	12	19·5	3·2	6	.	3	.	.	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	.
Total,	76,673	38	17·0	2·0	25	.	6	1	6	5	7	.	.	.	.	1	.	1	.	2	.	3	.	1	1	.	.	2	15	.

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th January, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 1, West, ...		.	.	.	1	.	.	.	.	.	.	.	1	2
" " 2, ...	.	.	.		.	.	.	.	1		.	.	2	3
" " 3, ...	.	.	.	.	1		.	.	1			.	2	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.		.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.		.	.	.	1	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	2	.	.		.	.	2	1	.	.	.	9	14
" " 4, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	5	.	.	2	.	.	3	3	.	.	.	21	34

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th January, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th January.			
	Dec. 25.	Jan. 1.	Jan. 8.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	33	31	30	2	2	2	28
Typhus, ...	.		.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	45	62	71	24	20	2	73
Scarlet Fever, ...	58	55	62	7	13	.	56*
Diphtheria, ...	22	22	20	6	4	.	22
Pneumonia, ...	16	19	21	6	9	2	16

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

13088. Wt. 6287. 375. 1. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C

No. 3. VOL. LIII.] WEEK ENDING SATURDAY, 22ND JANUARY, 1916. [PRICE 1½*d*

General Register Office, Charlemont House, Dublin, 24th January, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 17·9 and 20·1; Dublin Registration Area, 18·5 and 20·2; Dublin City, 20·5 and 21·9; Belfast, 14·6 and 18·9; Cork, 25·8 and 25·1; Londonderry, 17·7 and 19·0; Limerick, 19·0 and 18·6; and Waterford, 32·3 and 29·4.

The deaths from certain epidemic diseases† registered in the 19 town districts during last week* were equal to an annual rate of 1·5 per 1,000. Among the 113 deaths from all causes for Belfast are 3 from measles, 2 from scarlet fever, 5 from whooping-cough, and 4 from diarrhœa and enteritis of children under 2 years. The 38 deaths from all causes for Cork include one from diphtheria and 2 from diarrhœa and enteritis of children under 2 years. One of the 14 deaths from all causes for Limerick is attributed to whooping-cough, and of the 9 deaths from all causes for Drogheda, one is from enteric fever and one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 253—121 boys and 132 girls—and the deaths to 155—73 males and 82 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·5 per 1,000 of the population. During the three weeks ending with Saturday last, the death-rate averaged 19·0, and was 6·1 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the three weeks was 20·0, and for the corresponding period of the preceding ten years 26·4.

The 145 deaths appertaining to the Area include 6 from measles, one from each of scarlet fever and whooping-cough, 2 from diphtheria, and one of a child under 2 years of age from diarrhœa and enteritis. In the three preceding weeks deaths from measles numbered 9, 5, and 6; from scarlet fever one, one, and 0; from whooping-cough 3, one, and 2; from diphtheria 2, 2, and 0: and from diarrhœa and enteritis of children under 2 years 4, 2, and 3, respectively.

Tuberculous disease caused 18 deaths, as against 24, 28, and 18 in the three weeks preceding.

Eleven deaths were caused by cancer, 6 by pneumonia (3 by broncho-pneumonia, one by lobar pneumonia, and 2 by pneumonia, type not distinguished), 23 by organic diseases of the heart, and 13 by bronchitis.

Among deaths of infants under one year old 2 were ascribed to congenital malformations, 5 to prematurity, and 6 to congenital debility.

There were 4 accidental deaths, including one of a child aged 7 years, caused by burns, one by a railway accident, and one by a motor car.

Forty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 26 being infants under one year, of whom 10 were under one month old.

Of the 145 deaths recorded, 67 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·5), was equal to an average annual death-rate of 14·2 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 14·4 per 1,000, the rate for Glasgow being 14·1, and for Edinburgh 14·3.

STATE OF INFECTIOUS DISEASE.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 22nd January, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 1,	.	—	—	4	.	.	4	.	1	4	.	.	—	—	1	—	.	10	24
	Jan. 8,	.	—	—	7	.	.	6	.	.	5	6	.	—	—	.	—	.	27	51
	Jan. 15,	.	—	—	5	.	.	2	.	.	3	3	.	—	—	.	—	.	21	34
	Jan. 22,	.	—	—	3	.	.	3	.	.	7	5	.	—	—	.	—	.	16	34
Rathmines and Rathgar Urban District	Jan. 1,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	—	3
	Jan. 8,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	—	3
	Jan. 15,	.	—	—	2	.	.	5	.	.	.	.	.	—	—	—	—	—	—	7
	Jan. 22,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Jan. 1,	.	8	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	.	9
	Jan. 8,	.	4	1	.	.	.	.	.	.	.	.	.	—	.	.	—	—	1	6
	Jan. 15,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	—	.	1
	Jan. 22,	.	4	3	4	.	.	1	.	.	3	.	.	—	3	.	—	—	.	18
Blackrock Urban District.	Jan. 1,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	1	2
	Jan. 8,	.	1	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	2
	Jan. 15,	.	3	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	4
	Jan. 22,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	Jan. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Jan. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	1	4
	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	2
City of Belfast.	Jan. 1,	.	—	—	39	.	.	6	.	.	2	4	.	—	—	2	—	.	5	58
	Jan. 8,	.	—	—	37	.	.	2	.	.	4	4	1	—	—	.	—	.	1	49
	Jan. 15,	.	—	—	33	.	.	1	.	.	3	6	.	—	—	.	—	.	5	48
	Jan. 22,	.	—	—	23	.	.	2	.	.	3	4	1	—	—	1	—	.	5	39
City of Cork.	Jan. 1,	.	12	—	3	.	.	2	.	.	.	.	.	—	—	—	.	—	—	17*a*
	Jan. 8,	.	12	—	1	.	.	1	.	.	.	1	.	—	—	—	.	—	—	15
	Jan. 15,	.	8	—	2	.	.	1	.	.	2	.	.	—	—	—	.	—	—	13*b*
	Jan. 22,	.	1	—	6	.	.	2	.	.	2	1	.	—	—	—	.	—	—	12
City of Londonderry.	Jan. 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 8,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 22,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
City of Limerick.	Jan. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 8,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford.	Jan. 1,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	.	2
	Jan. 8,	.	—	—	.	.	.	2	.	.	2	1	.	—	—	—	—	—	.	5
	Jan. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	.	3
	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1

(*a*) Not including one case of cerebro-spinal fever.
(*b*) Not including one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd January, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 13 and 40; measles 26 and 68; scarlet fever 11 and 57*; diphtheria 6 and 20; and pneumonia 8 and 16. Of the deaths in hospitals during the week 2 were from measles and one was from scrlet fever.

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 22nd January, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	POPULATION. Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 22ND JANUARY, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 22ND JANUARY, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	25·5	17·9	1·5	562	395	63	96	1	...	..	9	3	8	3	...	44	17	27	21	42	8	1	7	11	140	12	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	32·3	18·5	1·4	253	145	26	34	...	...	...	6	1	1	2	...	16	2	11	6	16	1	...	4	3	67	4	(d) 56·6	35·2	47·2	0·70
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	36·3	20·5	1·3	218	123	20	28	...	...	...	5	1	1	.	...	13	2	10	6	13	1	...	3	3	59	2	(e)57·0 / (f)57·2	37·2 / 36·2	48·2 / 47·7	0·55 / 0·55
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	14·5	6·6	1·3	11	5	2	2	...	..	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	3	...	...	...	...	..
Urban Districts: PEMBROKE, ...	30,538	19·4	27·3	15·4	3·4	16	9	2	2	..	..	...	1		...	1	...	3	..	1	..	1	...	...	1	...	4	...	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	16·9	16·9	.	3	3	2	1	...	..	...	...	..	...	...	...	...	..	...	...	...	...	.	...	...	...	2	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	15·4	15·4	.	5	5	...	1	..	..	...	...	.	...	...	.	..	...	...	...	...	...	...	...	...	1	...	59	38	48·5	0·33
Urban Districts: BELFAST	403,000	27·0	22·5	14·6	1·8	174	113	20	25	...	...	...	3	2	5	...	...	12	10	5	8	10	4	...	2	4	29	2	54·8	34·6	45·5	0·70
Urban Districts: CORK, ...	76,673	28·6	25·8	25·8	2·0	33	38	8	10	...	...	...	...	...	...	1	.	4	2	1	4	2	2	...	...	1	15	...	54	40	47·7	0·79
Urban Districts: LONDONDERRY	41,200	16·0	24·0	17·7	1·3	19	14	1	2	.	..	...	...	...	...	...	...	2	...	3	1	4	..	1	.	1	3	...	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	9·5	19·0	1·4	7	14	2	...	...	...	...	...	...	1	...	..	1	1	...	...	3	...	...	...	...	3	2	55·6	37·0	45·8	0·59
Urban Districts: WATERFORD, ...	27,464	19·1	22·8	32·3	1·9	12	17	2	7	...	...	...	...	...	...	...	...	...	1	2	1	2	1	...	...	...	6	1	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			6	5	1	2	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	...	...	1	1	55	34	46	0·97
Urban Districts: DUNDALK, ...	13,128	9·5				2	1	...	...	...	...	...	...	...	...	...	...	...	..	...	..	...	...	...	...	1	...	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				6	7	...	2	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	4	...	51·0	35·1	45·0	0·90
Urban Districts: DROGHEDA, ...	12,501	8·4				7	9	...	1	1	...	...	...	...	1	...	...	1	..	...	...	1	...	...	...	...	6	...	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	54·0	35·1	45·0	0·90
Urban Districts: NEWRY, ...	11,963	17·0				14	4	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	54·0	35·1	45·0	0·90
Urban Districts: PORTADOWN, ...	11,727	15·3				3	3	..	2	...	...	...	...	...	...	...	..	...	1	...	...	...	...	...	..	...	...	...	54·0	35·1	45·0	0·90
Urban Districts: WEXFORD, ...	11,531	22·8				3	7	1	4	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	..	...	2	1	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	..	...	...	...	...	...	..	...	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				4	6	1	2	...	...	...	...	...	...	...	...	2	..	1	..	1	...	...	...	...	1	...	56	35	45·0	1·21
Urban Districts: KILKENNY, ...	10,514	11·4				1	3	1	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	56	37	45·3	0·71
Urban Districts: TRALEE, ...	10,300	17·4				2	4	...	1	...	...	...	...	...	...	...	...	1	...	1	..	..	...	...	...	...	2	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				4	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...
LONDON, ...	4,516,612	—	—	13·5	—	1,857	1,167	—	—	2	...	...	9	1	16	16	—	—	—	—	—	—	15	—	—	—	—	—	—	—	—	—
EDINBURGH, ...	329,200	—	—	14·3	—	106	90	—	—	...	...	...	1	...	1	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
GLASGOW	1,091,600	—	—	14·1	—	502	295	—	—	1	...	...	5	4	1	5	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. ( ) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH	Averages in 3rd Week of the 5 years 1911–1915.	All Ages.	Deaths registered during week ending Saturday, 22nd January, 1916. Ages at Death. Under 1 month.	1 month and under 1 year.	0—5. 1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	205·6	155	12	18	5	11	2	3	3	3	9	11	23	19	23	13	145
Enteric Fever, ...	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1·8	6	.	1	2	3	.	.	.	.	.	.	.	.	.	.	6
Scarlet Fever, ...	1·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Whooping-cough, ...	4·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria, ...	2·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1·4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis, ...	23·0	18	.	.	.	1	.	.	1	2	1	6	7	.	.	.	16
Tuberculous Meningitis, ...	3·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis, ...	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis....	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer, ...	10·6	11	.	.	.	.	.	.	.	.	1	.	1	5	3	1	11
Tumour, situation undefined,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Anæmia, Leucocythæmia, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	3·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Alcoholism, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	2·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	7·2	9	.	.	.	.	.	.	.	.	1	.	1	3	4	.	9
Softening of Brain, ...	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Paralysis, without specified cause.	3·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Epilepsy, ...	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Convulsions (non-puerperal),	4·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	5·0	4	.	.	.	1	.	1	.	.	.	1	.	1	.	.	4
Pericarditis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,	20·0	23	.	.	.	.	.	1	1	.	4	2	3	4	5	3	23
Embolism and Thrombosis (including Cerebral).	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory system.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Bronchitis, ...	30·4	13	.	1	1	1	.	.	.	.	.	.	1	2	2	5	13
Broncho-pneumonia, ...	10·0	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	3
Lobar pneumonia, ...	1·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pneumonia (type not distinguished)	4·0	2	.	.	.	1	.	.	.	.	.	.	.	1	.		2
Pleurisy, ...	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1

in the Third Week, ending Saturday, 22nd January, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Averages in 3rd Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 22nd January, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach, ...	2·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Diarrhœa and Enteritis of Children under 2 years.	3·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Diarrhœa 2 years and upwards,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards,	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Appendicitis and Typhlitis, ...	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		.
Hernia and Intestinal Obstructions.	1·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Cirrhosis of Liver, ...	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Other Diseases of Liver, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown),	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	·4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.		1
Acute Nephritis, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease, ...	5·0	8	.	.	.	.	.	.	.	.	.	.	5	1	2	.		7
Urinary Calculi, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c., ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Causes incident to Pregnancy and Childbirth.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations, ...	1·2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.		2
Premature Birth, ...	3·6	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.		5
Congenital Debility, ...	4·6	9	3	6	.	.	.	.	.	.	.	.	.	.	.	.		6
Old Age, ...	6·8	7	.	.	.	.	.	.	.	.	.	.	.	.	4	3		7
Other Specified Diseases, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
ACCIDENT:																		
Poisons or Poisonous Vapours.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds, ...	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Drowning, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Deaths by Accident, ...	1·0	3	.	.	.	.	.	1	1	.	.	.	1	.	.	.		3
Total Deaths from Accident,	3·0	4	.	.	.	.	1	1	1	.	.	.	1	.	.	.		4
Included in above are Deaths in connection with—																		
Railways, ...	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Vehicles and Horses, ...	·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes, ...	4·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1

TABLE IV.—Showing for the WEEK ENDED 22ND JANUARY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions: In Hospitals, Prisons, and Lunatic Asylums.	In Institutions: In Workhouse Hospitals.	Number of Uncertified Deaths.
		WEEK ENDED 22ND JANUARY, 1916.																															
					DEATHS.																												
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E,	30,504	22·2	1·7	13	2	1	·	1	·	3	3	3	·	·	·	·	·	1	·	·	·	·	1	·	2	·	·	1	8	1	1	3	1
,, 1, W.,	41,685	12·5	·	10	1	1	·	1	·	·	5	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	9	·	4	2	·
,, 2,	27,883	44·9	3·7	24	9	·	2	1	1	3	2	6	·	·	·	·	1	·	·	·	1	2	3	1	4	1	·	·	11	·	8	4	·
,, 3,	35,887	17·4	·	12	·	·	1	1	·	·	8	2	·	·	·	·	·	·	·	·	·	·	1	2	1	·	·	·	8	·	2	2	·
CLONTARF AND HOWTH, No. 1, part of.	5,539	9·4	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
COOLOCK & DRUMCONDRA, part of	13,820	11·3	·	3	·	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·
FINGLAS AND GLASNEVIN, part of,	10,829	19·3	·	4	2	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	·	·	·	·
South City.																																	
SOUTH CITY, No. 1,	41,170	17·7	3·8	14	2	3	2	·	1	3	1	2	·	·	·	3	·	·	·	·	5	·	·	1	·	·	·	·	5	·	4	4	·
,, 2,	18,341	17·1	2·8	6	·	·	1	1	·	·	3	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	4	1	2	1	·
,, 3,	43,970	28·5	1·2	24	2	·	4	·	1	4	6	7	·	·	·	1	·	·	·	·	4	·	3	1	4	·	·	·	11	·	3	10	1
,, 4,	33,171	18·9	·	12	2	·	·	·	1	3	5	1	·	·	·	·	·	·	·	·	3	·	1	·	1	·	·	1	6	1	4	5	·
NEW KILMAINHAM,	9,948	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR,	39,541	6·6	1·3	5	2	·	·	·	·	1	·	2	·	·	·	·	·	·	1	·	·	·	·	·	2	·	·	·	2	·	2	1	·
PEMBROKE,	30,538	15·4	3·4	9	2	·	·	·	·	2	3	2	·	·	·	1	·	·	1	·	3	·	1	·	1	·	·	1	1	·	4	·	·
BLACKROCK,	9,233	16·9	·	3	2	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	2
KINGSTOWN,	16,941	15·4	·	5	·	·	·	·	1	·	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5	·	1	·	·
TOTAL CITY. North,	166,147	21·0	0·9	67	14	2	3	4	1	7	19	17	·	·	·	·	1	1	·	·	1	2	6	4	8	1	·	1	42	1	15	11	1
TOTAL CITY. South,	146,600	19·9	1·8	56	6	3	7	1	3	10	15	11	·	·	·	5	·	·	·	·	12	·	4	2	5	·	·	2	26	2	13	20	1
TOTAL CITY. North and South	312,747	20·5	1·3	123	20	5	10	5	4	17	34	28	·	·	·	5	1	1	·	·	13	2	10	6	13	1	·	3	68	3	28	31	2
Total Urban Districts,	96,253	11·9	1·6	22	6	·	·	·	1	3	6	6	·	·	·	1	·	·	2	·	3	·	1	·	3	·	·	1	11	·	7	1	2
Total Registration Area,	409,000	18·5	1·4	145	26	5	10	5	5	20	40	34	·	·	·	6	1	1	2	·	16	2	11	6	16	1	·	4	79	3	35	32	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	4	·	1	·	1	·	2	2	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	7	·	9	1	·

* See note (*a*) at foot of Table II.

† See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd January, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND JANUARY, 1916

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	155	46	5	6	20	42	23	13	.	.	.	6	1	1	2	.	18	3	11	.	6	16	1	.	4	86	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14·2	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	13·8	27	3	.	2	5	9	3	5	.	.	.	1	.	.	.	.	3	.	1	.	1	3	.	.	.	18	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	19·7	41	12	.	2	6	12	8	1	.	.	.	1	.	1	2	.	2	1	5	.	1	3	1	.	.	24	3
IV.	GENERAL SERVICE CLASS, ...	167,479	15·6	50	24	4	2	2	13	4	1	.	.	.	4	1	.	.	.	6	1	2	.	4	7	.	.	4	21	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	33	6	1	.	6	8	6	6	.	.	.	.	.	.	.	.	6	1	3	.	.	3	.	.	.	20	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,847	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	5. Traders (except Petty Shopkeepers), Business Managers &c.	25,199	—	7	1	.	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.
	6. Clerks and Commercial Assistants, ...	33,249	—	11	1	.	1	2	5	.	2	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	8	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	8	1	.	1	2	1	3	.	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	—	9	4	.	.	2	2	1	.	.	.	.	1	.	.	1	.	.	.	1	.	.	1	.	.	.	5	.
	10. Clothing Trades, ...	20,026	—	9	4	.	1	2	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	5	2
	11. Food Supply Trades	8,952	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	16	2	.	1	2	7	4	.	.	.	.	.	.	1	1	.	2	.	2	.	.	.	.	.	.	10	1
	13. Petty Shopkeepers	6,772	—	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	13	10	2	.	.	1	.	.	.	.	.	1	1	.	.	.	.	1	1	.	1	1	.	.	.	7	.
	15. Domestic Servants, ...	36,041	—	5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	31	12	2	2	2	9	3	1	.	.	.	3	.	.	.	.	4	.	1	.	3	5	.	.	4	11	.
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	33	6	1	.	6	8	6	6	.	.	.	.	.	.	.	.	6	1	3	.	.	3	.	.	.	20	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years, (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area. Week ending													Belfast City. Week ending												
	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.
No. of weeks in Annual Series	43	44	45	46	47	48	49	50	51	52	1	2	3	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered.	221	180	182	175	215	165	187	178	152	156	208	203	253	167	217	171	168	172	138	160	174	137	157	231	220	174
Average Births in corresponding week of previous 10 years, ...	197	212	210	199	188	210	187	208	184	167	228	231	207	207	199	199	182	183	189	190	194	187	171	256	209	225
Number of Deaths, ...	138	122	164	173	189	203	177	195	133	188	159	143	145	132	122	124	157	140	163	162	178	140	194	153	124	113
Annual Death-rate per 1,000, ...	17·6	15·6	20·9	22·1	24·1	25·9	22·6	24·9	17·0	24·0	20·3	18·2	18·5	17·1	15·8	16·0	20·3	18·1	21·1	21 0	23·0	18·1	25·1	19·8	16·0	14·6
Average Deaths in corresponding week of previous 10 years, ...	137	156	158	159	158	160	169	156	167	144	198	186	191	128	118	132	138	140	135	154	146	146	147	158	164	153
Ages, Under one year, ...	18	13	25	30	32	32	31	46	19	34	22	25	26	31	18	30	17	22	24	36	32	21	31	38	22	20
1— 5 years, ...	18	12	10	22	32	24	28	22	25	34	28	20	15	21	10	8	12	12	22	13	26	21	37	17	15	17
5—25 ,, ...	16	13	12	16	15	18	14	15	8	14	13	11	10	14	11	20	20	15	16	8	9	12	19	18	10	13
25—45 ,, ...	13	16	20	22	24	23	22	23	20	26	23	15	20	21	37	18	27	22	26	25	27	16	25	16	24	13
45—65 ,, ...	42	32	48	41	33	53	37	44	27	36	35	40	40	18	22	23	42	44	41	44	43	27	42	44	30	25
65 and upwards, ...	31	36	49	42	53	53	45	45	34	44	38	32	34	27	24	25	39	25	34	36	41	43	40	20	23	25
Deaths from :—																										
Enteric Fever, ...	.	.	2	1	.	1	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	2	4	7	13	13	11	12	9	5	6	6	3	.	1	1	3	2	1	7	7	9	3	7	3
Scarlet Fever, ...	.	.	2	.	3	1	1	3	1	1	1	.	1	7	3	4	3	7	5	3	4	1	5	3	.	2
Whooping-cough, ...	1	.	2	1	2	2	2	3	1	3	1	2	1	4	.	1	2	2	4	3	4	3	1	2	1	5
Diphtheria, ...	4	1	1	1	.	1	1	.	1	2	2	.	2	.	1	4	1	.	.	1	1	.	.	1	.	.
Dysentery, ...	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	13	13	23	26	22	18	19	21	20	19	22	12	16	12	14	12	25	14	21	16	10	13	12	15	15	12
Tuberculosis { Other Forms,	7	7	2	5	8	5	9	4	3	5	6	6	2	3	4	10	4	4	8	3	4	6	9	4	6	10
Cancer, ...	12	9	10	9	5	12	10	11	6	11	6	4	11	5	4	10	16	3	6	4	13	3	7	5	3	5
Diseases of Respiratory System { Pneumonia,	5	5	8	15	16	15	16	10	9	20	16	12	6	11	11	13	11	18	25	21	27	16	28	23	12	8
Diseases of Respiratory System { Others, ...	14	20	21	30	24	45	22	28	22	32	21	20	16	9	14	12	19	27	33	35	33	26	38	22	17	10
Diarrhœa and Enteritis, under 2 years, ...	10	4	9	4	12	6	4	8	6	4	2	3	1	10	4	2	3	1	3	4	.	.	2	3	.	4
Diarrhœa, 2 years and upwards	.	.	.	1	.	1	.	.	.	.	.	1	.	2	1	.	.	.	.	.	.	.	1	1	.	.
Violent Deaths, ...	5	4	1	4	1	3	4	6	2	8	9	1	4	4	2	1	3	2	1	1	4	2	8	4	1	2
Number of Uncertified Deaths,	7	4	2	5	13	10	4	3	5	8	5	4	4	2	1	.	1	.	1	3	1	1	5	2	1	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd January, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	4	13·1	.	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Do. 2 do.	49,500	25	16·9	3·2	16	2	5	1	.	4	4	.	.	.	.	.	3	.	.	1	3	.	.	2	.	.	.	.	2	.
Do. 3 do.	50,032	32	8·3	2·1	8	2	2	1	.	1	2	.	.	.	1	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1
Do. 4 do.	32,637	18	25·6	1·6	16	4	4	1	2	4	1	.	.	.	1	.	.	.	.	1	2	.	1	2	.	.	.	1	6	.
Do. 5 do.	16,112	6	22·7	3·2	7	2	1	1	1	1	1	.	.	.	.	.	1	.	.	2	.	1	1	.	.	.	.	.	3	.
Do. 6 do.	37,293	12	9·8	2·8	7	1	.	1	1	1	3	.	.	.	.	1	1	.	.	1	.	.	1	.	.	.	.	.	2	1
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	17·5	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	11	10·7	.	5	.	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Do. 10 do.	28,958	12	16·2	3·6	9	.	2	2	2	.	3	.	.	.	1	.	.	.	.	1	2	.	.	1	1	.	.	.	4	.
Do. 11 do.	39,311	16	17·2	1·3	13	2	.	4	3	2	2	.	.	.	.	.	.	.	.	1	1	1	1	2	1	.	.	1	2	.
Do. 12 do.	38,076	17	12·3	.	9	4	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	2	1	3	.	.	.	.	2	.
Do. 13 do.	23,233	9	15·7	4·5	7	1	.	1	1	2	2	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	10	23·0	.	10	1	2	.	.	5	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	2	.	.
Total,	386,947	174	14·6	1·8	113	20	17	13	13	25	25	.	.	.	3	2	5	.	.	12	10	5	3	10	4	.	2	4	29	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	7	15·5	.	4	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	10,399	8	30·1	5·0	6	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	1	.
Do. 3 do.	9,793	6	5·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 4 do.	9,139	6	57·1	.	10	2	1	2	2	1	2	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.	.	.	6	.
Do. 5 do.	6,250	.	25·0	.	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	2	27·0	.	6	1	.	.	1	1	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	2	.
Do. 7 do.	16,056	9	26·0	6·5	8	.	3	1	1	1	2	.	.	.	.	.	.	1	.	.	.	.	2	.	1	.	.	.	4	.
Total,	76,673	38	25·8	2·0	38	8	6	4	4	6	10	.	.	.	.	.	.	1	.	4	2	1	4	2	2	.	.	1	15	.

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd January, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	2	.	.	.	4	6
" " 1, West, ...		.	.	.	1	.	.	.	1	.	.	.	2	4
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	2	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	1	.	.	.	.	.	.	.	1	3
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 2, ...	.	.	.	.	1	.	.	1	.	.	.	.	2	4
" " 3, ...	.	2	.	.		.	.	2	1	.	.	.	1	6
" " 4, ...	.	.	.	.	.	.	.	4	.	.	.	.	1	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	3	.	.	3	.	.	7	5	.	.	.	16	34

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd January, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd January.			
	Jan. 1.	Jan. 8.	Jan. 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	31	30	28	13	1	.	40
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	62	71	73	26	29	2	68
Scarlet Fever, ...	55	62	56	11	9	1	57*
Diphtheria, ...	22	20	22	6	8	.	20
Pneumonia, ...	19	21	16	8	8	.	16

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13100. Wt. P. 341. 375. 1. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C.

No. 4. VOL. LIII.] WEEK ENDING SATURDAY, 29TH JANUARY, 1916. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 31st January, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 17·6 and 18·5; Dublin Registration Area, 19·5 and 19·1; Dublin City, 20·3 and 20·5; Belfast, 15·0 and 16·4; Cork, 27·2 and 23·9; Londonderry, 13·9 and 18·9; Limerick, 17·6 and 19·0; and Waterford, 11·4 and 26·6.

The deaths from certain epidemic diseases† registered in the 19 town districts during last week* were equal to an annual rate of 1·2 per 1,000. Among the 116 deaths from all causes for Belfast are 3 from measles, 3 from whooping-cough, one from diphtheria, and one (a child under 2 years) from diarrhœa and enteritis. The 40 deaths from all causes for Cork include 3 from enteric fever, and one of a child under 2 years from diarrhœa and enteritis. One of the 13 deaths from all causes for Limerick is from whooping-cough. One of the 3 deaths recorded for Lisburn is from measles; and the 6 deaths from all causes for Newry include one from the same disease. Of the 8 deaths from all causes for Portadown 2 are ascribed to whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 213—100 boys and 113 girls—and the deaths to 163—72 males and 91 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·5 per 1,000 of the population. During the four weeks ending with Saturday last, the death-rate averaged 19·1, and was 6·1 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the four weeks was 20·2, and for the corresponding period of the preceding ten years 26·5.

The 153 deaths appertaining to the Area include one from enteric fever, one from measles, one from whooping-cough, one from diphtheria, 6 of children under 2 years of age from diarrhœa and enteritis, and 2 from cerebro-spinal fever. In the three preceding weeks deaths from enteric fever numbered 0, one, and 0; from measles 5, 6, and 6; from whooping-cough one, 2, and one; from diphtheria 2, 0, and 2; from diarrhœa and enteritis of children under 2 years 2, 3, and one respectively. There was no death from cerebro-spinal fever in any of the three preceding weeks.

Tuberculous disease caused 30 deaths, as against 28, 18, and 18 in the three weeks preceding.

Four deaths were caused by cancer, 7 by pneumonia (5 by broncho-pneumonia, and 2 by pneumonia, type not distinguished), 15 by organic diseases of the heart, and 14 by bronchitis.

Among deaths of infants under one year old 4 were ascribed to convulsions, 5 to prematurity, and 5 to congenital debility.

There were 3 accidental deaths, including one caused by burns, and one by drowning.

Forty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 26 being infants under one year, of whom 9 were under one month old.

Of the 153 deaths recorded, 66 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·9), was equal to an average annual death-rate of 14·0 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 14·6 per 1,000, the rate for Glasgow being 14·4, and for Edinburgh 13·2.

STATE OF INFECTIOUS DISEASE.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 29th January, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 8,	.	—	—	7	.	.	6	.	.	5	6	.	—	—	.	—	.	27	51
	Jan. 15,	.	—	—	5	.	.	2	.	.	3	3	.	—	—	.	—	.	21	34
	Jan. 22,	.	—	—	3	.	.	3	.	.	7	5	.	—	—	.	—	.	16	34
	Jan. 29,	.	—	—	8	.	.	5	.	1	4	3	.	—	—	1	—	.	24	46
Rathmines and Rathgar Urban District	Jan. 8,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	—	3
	Jan. 15,	.	—	—	2	.	.	5	.	.	.	.	.	—	—	—	—	—	—	7
	Jan. 22,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 29,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Jan. 8,	.	4	1	.	.	.	.	.	.	.	.	.	—	.	.	—	—	1	6
	Jan. 15,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	—	.	1
	Jan. 22,	.	4	3	4	.	.	1	.	.	3	.	.	—	3	.	—	—	.	18
	Jan. 29,	.	1	2	1	.	.	.	.	.	.	.	.	—	.	.	—	—	1	5
Blackrock Urban District.	Jan. 8,	.	1	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	2
	Jan. 15,	.	3	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	4
	Jan. 22,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Jan. 29,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	Jan. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	1	4
	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	2
	Jan. 29,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	.	2
City of Belfast.	Jan. 8,	.	—	—	37	.	.	2	.	.	4	4	1	—	—	.	—	.	1	49
	Jan. 15,	.	—	—	33	.	.	1	.	.	3	6	.	—	—	.	—	.	5	48
	Jan. 22,	.	—	—	23	.	.	2	.	.	3	4	1	—	—	1	—	.	5	39
	Jan. 29,	.	—	—	24	.	.	6	.	.	1	2	.	—	—	.	—	.	4	37
City of Cork.	Jan. 8,	..	12	—	1	.	.	1	.	.	.	1	.	—	—	—	.	—	—	15
	Jan. 15,	.	8	—	2	.	.	1	.	.	2	.	.	—	—	—	.	—	—	13*a*
	Jan. 22,	.	1	—	6	.	.	2	.	.	2	1	.	—	—	—	.	—	—	12
	Jan. 29,	.	5	—	5	.	.	1	1	1	.	1	.	—	—	—	.	—	—	14
City of Londonderry.	Jan. 8,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 22,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Limerick.	Jan. 8,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 29,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
City of Waterford	Jan. 8,	.	—	—	.	.	.	2	.	.	2	1	.	—	—	—	—	—	.	5
	Jan. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	.	3
	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Jan. 29,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1	2

(*a*) Not including one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th January, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 6 and 37; measles 24 and 67; scarlet fever 12 and 59*; and diphtheria 5 and 17. Two cases of pneumonia were admitted during the week and 12 remained under treatment at its close. Of the deaths in hospitals during the week one was from each of diphtheria and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 29th January, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	POPULATION. Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 29TH JANUARY, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases.(b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. (e) WEEK ENDING 29TH JANUARY, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	24·1	17·6	1·2	530	388	57	103	4	...	...	6	...	7	2	...	53	16	20	26	37	8	...	8	14	132	19	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	27·2	19·5	1·3	213	(g)153	26	34	1	...	...	1	...	1	1	...	23	7	4	7	14	6	...	3	5	66	7	(d) 53·9	29·8	44·8	0·32
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	30·8	20·3	1·3	185	122	24	26	...	...	...	1	...	1	1	...	18	7	3	6	12	5	...	1	2	55	7	(e)54·0 (f)54·5	37·7 34·4	47·1 46·3	0·21 0·20
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	18·5	13·2	1·3	14	10	2	4	...	..	...	...	...	...	...	...	1	...	...	1	...	1	...	...	1	1	...	...	...	...	...
Urban Districts: PEMBROKE, ...	30,538	19·4	15·4	20·5	.	9	12	...	3	...	..	...	...	...	...	...	...	2	...	1	..	1	...	...	1	1	8	...	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	11·3	11·3	5·6	2	2	...	...	1	..	...	...	...	...	...	...	...	..	...	...	...	...	..	...	...	1	...	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	9·2	21·5	.	3	7	...	1	...	..	...	...	...	...	...	...	2	...	...	...	1	...	...	1	1	1	...	54	39	47·1	0·19
Urban Districts: BELFAST	403,000	27·0	23·4	15·0	1·0	181	116	17	22	...	...	...	3	...	3	1	...	19	4	8	11	12	1	...	3	5	35	2	52	33	42·5	0·72
Urban Districts: CORK, ...	76,673	28·6	19·0	27·2	2·7	28	40	3	14	3	...	...	...	...	...	...	...	6	3	2	1	1	1	...	2	3	16	1	...	...	...	...
Urban Districts: LONDONDERRY	41,200	16·0	29·1	13·9	.	23	11	1	6	...	...	...	...	...	...	...	...	..	...	2	2	...	..	...	...	1	2	...	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	16·2	17·6	1·4	12	13	2	5	...	...	...	...	...	1	...	..	1	...	...	2	5	...	...	...	...	2	3	53·0	35·1	45·7	0·23
Urban Districts: WATERFORD, ...	27,464	19·1	20·9	11·4	.	11	6	...	3	...	...	...	...	...	...	...	...	1	1	...	...	1	..	...	...	...	3	...	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5				6	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	54	34	45	0·58
Urban Districts: DUNDALK, ...	13,128	9·5				5	4	1	1	...	...	...	...	...	...	...	...	...	..	1	1	2	...	...	...	...	...	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				4	4	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	51·9	34·0	44·3	0·96
Urban Districts: DROGHEDA, ...	12,501	8·4				1	5	...	2	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	1	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				3	3	...	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	51·9	34·0	44·3	0·96
Urban Districts: NEWRY, ...	11,963	17·0				6	6	2	1	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	51·9	34·0	44·3	0·96
Urban Districts: PORTADOWN, ...	11,727	15·3				2	8	4	1	...	...	...	...	...	2	...	...	1	1	...	...	...	...	...	..	...	...	...	51·9	34·0	44·3	0·96
Urban Districts: WEXFORD, ...	11,531	22·8				10	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	2	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				7	4	...	...	...	...	...	...	...	...	...	...	...	..	1	1	...	...	...	...	...	...	...	52	31	44·0	1·04
Urban Districts: KILKENNY, ...	10,514	11·4				5	5	...	1	...	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	2	2	51	32	45·1	0·21
Urban Districts: TRALEE, ...	10,300	17·4				6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				3	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...
LONDON, ...	4,516,612	—	—	13·9	—	2,028	1,203	—	—	1	—	—	8	6	19	19	—	—	—	—	—	—	17	—	—	—	—	—	—	—	—	—
EDINBURGH, ...	329,200	—	—	13·2	1·6	123	(h)83	10	23	—	.	.	1	2	—	6	—	—	—	—	—	—	1	—	4	—	—	—	49·9	32·1	43·0	0·68
GLASGOW	1,091,600	—	—	14·4	1·1	527	302	54	58	2	.	.	9	2	2	3	—	—	—	—	—	—	6	—	9	—	—	—	49·3	30·8	43·3	1·14

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (e) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 2 deaths from cerebro-spinal fever. (h) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Averages in 4th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 29th January, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
ALL CAUSES.	213·8	163	9	17	7	10	3	6	4	4	9	14	18	26	20	16	153
Enteric Fever, ...	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	4·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria, ...	2·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tetanus, ...	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis, ...	23·6	24	.	.	1	1	.	1	1	4	3	4	7	2	.	.	23
Tuberculous Meningitis, ...	2·4	5	.	.	.	3	1	.	1	.	.	.	.	.	.	.	4
Abdominal Tuberculosis, ...	1·8	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis,...	2·0	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
Venereal Diseases, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8·4	7	.	.	.	.	.	.	.	.	.	.	1	4	1	1	4
Tumour, situation undefined,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other General Diseases, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2
Simple Meningitis, ...	2·0	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	5·0	7	.	.	.	.	.	.	.	.	.	1	1	.	4	1	7
Softening of Brain, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·2	6	.	.	.	.	.	.	.	.	.	.	2	4	.	.	6
Epilepsy, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),	3·4	5	2	2	1	.	.	.	.	.	.	.	.	.	.	.	5
Other Diseases of Nervous System.	3·0	4	.	.	.	.	1	.	.	.	.	.	2	1	.	.	4
Pericarditis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,	21·0	17	.	.	.	.	.	.	1	.	.	3	2	4	4	3	15
Embolism and Thrombosis (including Cerebral).	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other Diseases of Circulatory system.	1·2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	3
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	36·6	14	.	2	1	1	.	.	.	.	.	2	.	4	2	2	14
Broncho-pneumonia, ...	10·6	5	.	2	1	.	.	.	.	.	.	.	1	1	.	.	5
Lobar pneumonia, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	8·6	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	2
Pleurisy, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the FOURTH WEEK, ending Saturday, 29th January, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Averages in 4th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 29th January, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	1·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	3·6	6	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	6
Diarrhœa 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,	1·4	2	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	2
Appendicitis and Typhlitis, ...	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Hernia and Intestinal Obstructions.	1·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Cirrhosis of Liver, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	1·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Chronic Bright's Disease, ...	5·0	7	.	.	.	.	1		.	.	.	1	1	1	2	1	.	7
Urinary Calculi, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1·0	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2
Diseases of Skin and Cellular Tissues.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Diseases of Locomotor System,	·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Congenital Malformations, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3·6	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Congenital Debility, ...	4·8	5	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Old Age, ...	10·2	8	.	.	.	.	.	.	.	.	.	.	.	.	2	6	.	8
Other Specified Diseases, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Drowning, ...	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Suffocation in Bed, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Total Deaths from Accident,	4·8	3	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	3
Included in above are Deaths in connection with—																		
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	5·6	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2

TABLE IV.—Showing for the WEEK ENDED 29TH JANUARY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED 29TH JANUARY, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of Repiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons, and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E,	30,504	23·9	3·4	14	5	1	3	.	.	.	1	4	.	.	.	1	.	.	.	.	1	1	1	.	1	1	.	.	8	.	3	.	3
,, 1, W.,	41,685	30·0	2·5	24	6	.	1	1	.	3	7	6	.	.	.	.	.	1	.	.	2	.	.	4	1	1	.	1	14	1	6	3	1
,, 2,	27,883	15·0	.	8	2	.	1	.	1	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	4	.	2	.	.
,, 3,	35,887	10·2	1·5	7	2	.	1	.	.	1	2	1	.	.	.	.	.	.	1	.	.	2	.	.	1	.	.	.	3	.	2	5	.
CLONTARF AND HOWTH, No. 1, part of.	5,539	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK & DRUMCONDRA, part of	13,820	11·3	.	3	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	2	.	1
FINGLAS AND GLASNEVIN, part of,	10,829	4·8	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
South City.																																	
SOUTH CITY, No. 1,	41,170	24·1	2·5	19	4	2	.	.	1	4	3	5	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	13	1	1	6	1
,, 2,	18,341	45·5	.	16	2	1	.	2	1	4	4	2	.	.	.	.	.	.	.	.	4	.	.	1	1	.	.	.	10	.	4	6	1
,, 3,	43,970	20·2	.	17	.	2	2	1	.	2	7	3	.	.	.	.	.	.	.	.	4	3	2	.	2	.	.	.	6	.	8	.	.
,, 4,	33,171	18·9	1·6	12	2	.	.	2	1	2	2	3	.	.	.	.	.	.	.	.	4	.	.	.	2	1	.	.	5	.	3	4	.
NEW KILMAINHAM,	9,948	5·2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR,	39,541	13·2	1·3	10	2	.	.	.	.	1	3	4	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	7	1	.	1	.
PEMBROKE,	30,538	20·5	.	12	.	.	.	1	1	3	4	3	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	1	7	1	6	2	.
BLACKROCK,	9,233	11·3	5·6	2	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
KINGSTOWN,	16,941	21·5	.	7	.	1	2	1	.	.	2	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	3	1	1	.	.
TOTAL CITY. North,	166,147	17·9	1·6	57	15	1	6	1	1	4	16	13	.	.	.	1	.	1	1	.	5	4	1	5	4	2	.	1	32	1	15	8	5
TOTAL CITY. South,	146,600	23·1	1·1	65	9	5	2	5	3	12	16	13	.	.	.	.	.	.	.	.	13	3	2	1	8	3	.	.	35	1	16	16	2
TOTAL CITY. North and South	312,747	20·3	1·3	122	24	6	8	6	4	16	32	26	.	.	.	1	.	1	1	.	18	7	3	6	12	5	.	1	67	2	31	24	7
Total Urban Districts,	96,253	16·8	1·1	31	2	1	2	3	1	5	9	8	1	.	.	.	.	.	.	.	5	.	1	1	2	1	.	2	18	3	8	3	.
Total Registration Area,	409,000	19·5	1·3	153	26	7	10	9	5	21	41	34	1	.	.	1	.	1	1	.	23	7	4	7	14	6	.	3	85	5	39	27	7
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	.	.	.	.	3	2	3	2	.	.	.	.	.	.	.	.	1	2	3	.	.	.	.	.	4	.	7	3	.

* See note (*a*) at foot of Table II.

† See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th January, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages: Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH JANUARY, 1916																											
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	163	43	9	8	23	44	20	16	1	.	.	1	.	1	1	.	24	9	7	5	7	14	6	.	3	84	7
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	10·7	3	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	101,798	14·3	28	1	.	.	4	12	8	3	.	.	.	.	.	.	.	.	2	1	2	.	1	1	.	.	.	21	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	16·4	34	7	2	1	6	9	4	5	.	.	.	.	.	.	1	.	5	.	2	2	2	3	.	.	.	19	3
IV.	GENERAL SERVICE CLASS, ...	167,479	21·2	68	29	4	3	7	17	4	4	1	.	.	1	.	1	.	.	12	6	2	3	4	5	5	.	3	25	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	30	5	3	4	5	6	4	3	.	.	.	.	.	.	.	.	5	2	.	.	.	5	1	.	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	—	10	1	.	.	1	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	9	.
	6. Clerks and Commercial Assistants, ...	33,249	—	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	13	.	.	.	2	4	4	3	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
	9. Building and Furnishing Trades, ...	28,823	—	6	1	1	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.	.	.	2	.
	10. Clothing Trades, ...	20,026	—	8	1	1	1	2	3	.	.	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.	3	1
	11. Food Supply Trades	8,952	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	15	3	.	.	2	5	3	2	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.	.	10	1
	13. Petty Shopkeepers	6,772	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	10	6	1	.	1	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	3	1	.	.	4	.
	15. Domestic Servants, ...	36,041	—	6	1	.	.	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	5	2	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	47	20	3	3	4	14	1	2	.	.	.	1	.	1	.	.	11	3	1	3	4	2	3	.	2	16	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	30	5	3	4	5	6	4	3	.	.	.	.	.	.	.	.	5	2	.	.	.	5	1	.	.	17	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years, (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area. Week ending													Belfast City. Week ending												
	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.
No of weeks in Annual Series	44	45	46	47	48	49	50	51	52	1	2	3	4	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered.	180	182	175	215	165	187	178	152	156	208	203	253	213	217	171	168	172	138	160	174	137	157	231	220	174	181
Average Births in corresponding week of previous 10 years, ...	212	210	199	188	210	187	208	184	167	228	231	207	220	199	199	182	183	189	190	194	187	171	256	209	225	219
Number of Deaths, ...	122	164	173	189	203	177	195	133	188	159	143	145	153	122	124	157	140	163	162	178	140	194	153	124	113	116
Annual Death-rate per 1,000, ...	15·6	20·9	22·1	24·1	25·9	22·6	24·9	17·0	24·0	20·3	18·2	18·5	19·5	15·8	16·0	20·3	18·1	21·1	21 0	23·0	18·1	25·1	19·8	16·0	14·6	15·0
Average Deaths in corresponding week of previous 10 years, ...	156	158	159	158	160	169	156	167	144	198	186	191	196	118	132	138	140	135	154	146	146	147	158	164	153	165
Ages, Under one year, ...	13	25	30	32	32	31	46	19	34	22	25	26	26	18	30	17	22	24	36	32	21	31	38	22	20	17
1— 5 years, ...	12	10	22	32	24	28	22	25	34	28	20	15	17	10	8	12	12	22	13	26	21	37	17	15	17	19
5—25 ,, ...	13	12	16	15	18	14	15	8	14	13	11	10	14	11	20	20	15	16	8	9	12	19	18	10	13	12
25—45 ,, ...	16	20	22	24	23	22	23	20	26	23	15	20	21	37	18	27	22	26	25	27	16	25	16	24	13	18
45—65 ,, ...	32	48	41	33	53	37	44	27	36	35	40	40	41	22	23	42	44	41	44	43	27	42	44	30	25	28
65 and upwards, ...	36	49	42	53	53	45	45	34	44	38	32	34	34	24	25	39	25	34	36	41	43	40	20	23	25	22
Deaths from:—																										
Enteric Fever, ...	.	2	1	.	1	1	1	2	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	4	7	13	13	11	12	9	5	6	6	1	.	1	1	3	2	1	7	7	9	3	7	3	3
Scarlet Fever, ...	.	2	.	3	1	1	3	1	1	1	.	1	.	3	4	3	7	5	3	4	1	5	3	.	2	.
Whooping-cough, ...	.	2	1	2	2	2	3	1	3	1	2	1	1	.	1	2	2	4	3	4	3	1	2	1	5	3
Diphtheria, ...	1	1	1	.	1	1	.	1	2	2	.	2	1	1	4	1	.	.	1	1	.	.	1	.	.	1
Dysentery, ...	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	13	23	26	22	18	19	21	20	19	22	12	16	23	14	12	25	14	21	16	10	13	12	15	15	12	19
Tuberculosis { Other Forms,	7	2	5	8	5	9	4	3	5	6	6	2	7	4	10	4	4	8	3	4	6	9	4	6	10	4
Cancer, ...	9	10	9	5	12	10	11	6	11	6	4	11	4	4	10	16	3	6	4	13	3	7	5	3	5	8
Diseases of Respiratory System, { Pneumonia,	5	8	15	16	15	16	10	9	20	16	12	6	7	11	13	11	18	25	21	27	16	28	23	12	8	11
Diseases of Respiratory System, { Others, ...	20	21	30	24	45	22	28	22	32	21	20	16	14	14	12	19	27	33	35	33	26	38	22	17	10	12
Diarrhœa and Enteritis, under 2 years, ...	4	9	4	12	6	4	8	6	4	2	3	1	6	4	2	3	1	3	4	.	.	2	3	.	4	1
Diarrhœa, 2 years and upwards	.	.	1	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.
Violent Deaths, ...	4	1	4	1	3	4	6	2	8	9	1	4	3	2	1	3	2	1	1	4	2	8	4	1	2	3
Number of Uncertified Deaths,	4	2	5	13	10	4	3	5	8	5	4	4	7	1	.	1	.	1	3	1	1	5	2	1	2	2

TABLE VII.--Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th January, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast																														
BELFAST URBAN No. 1 DISTRICT,	15,879	11	26·3	.	8	.	3	1	2	1	1	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.	.	.	4	.
Do. 2 do.	49,500	12	12·6	.	12	1	.	1	3	3	4	.	.	.	.	.	.	.	.	4	.	2	.	.	.	.	.	.	4	.
Do. 3 do.	50,032	20	13·5	2·1	13	1	4	1	1	3	3	.	.	.	.	.	2	.	.	2	.	1	1	3	.	.	1	1	5	1
Do. 4 do.	32,637	19	16·0	1·6	10	1	2	1	3	.	3	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	.	5	.
Do. 5 do.	16,112	10	16·2	.	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	3	.
Do. 6 do.	37,293	15	18·2	.	13	1	1	2	1	4	4	.	.	.	.	.	.	.	.	2	.	1	3	1	.	.	.	.	5	.
Do. 7 do.	2,681	.	19·4	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	17·5	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	16	19·2	.	9	2	2	1	1	2	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	3	.	.
Do. 10 do.	28,958	11	16·2	3·6	9	2	3	2	.	1	1	.	.	.	2	.	.	.	.	.	1	.	.	2	.	.	1	1	4	.
Do. 11 do.	39,311	18	6·6	.	5	.	1	.	.	3	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	.
Do. 12 do.	38,076	30	16·4	2·7	12	6	1	.	1	3	1	.	.	.	.	.	1	.	.	1	.	.	.	4	1	.	.	.	1	.
Do. 13 do.	23,233	6	9·0	.	4	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	29·9	2·3	13	2	2	1	3	3	2	.	.	.	.	.	.	1	.	.	2	.	2	1	.	.	.	.	3	.
Total,	386,947	181	15·0	1·0	116	17	19	12	18	28	22	.	.	.	3	.	3	1	.	19	4	8	11	12	1	.	3	5	35	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	1	27·1	3·9	7	1	.	1	.	1	4	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	1	1	.
Do. 2 do.	10,399	6	20·1	.	4	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.
Do. 3 do.	9,793	9	42·6	.	8	.	.	.	4	3	1	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	1	1	3	.
Do. 4 do.	9,139	1	28·5	17·1	5	.	1	2	.	2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	5	.
Do. 5 do.	6,250	1	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	5	27·0	.	6	1	1	1	.	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,056	5	29·2	.	9	.	.	1	2	3	3	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	4	1
Total,	76,673	28	27·2	2·7	40	3	3	5	6	9	14	3	.	.	.	.	.	.	.	6	3	2	1	1	1	.	2	3	16	1

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th January, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	1	.	.	.	.	3	5
,, ,, 1, West, ...	.	.	.	.	.	.	.	.	.	.	.	.	4	4
,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	5	5
,, ,, 3, ...	.	3	.	.	2	.	.	.	3	.	.	.	3	11
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	2
,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
,, ,, 3, ...	.	1	.	.	1	.	.	3	.	.	.	.	5	10
,, ,, 4, ...	.	.	.	.	1	.	.	.	.	.	1	.	2	4
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Total, ...	.	8	.	.	5	.	1	4	3	.	1	.	24	46

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th January, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th January.			
	Jan. 8.	Jan. 15.	Jan. 22.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	30	28	40	6	9	.	37
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	71	73	68	24	25	.	67
Scarlet Fever, ...	62	56	57	12	10	.	59*
Diphtheria, ...	20	22	20	5	7	1	17
Pneumonia, ...	21	16	16	2	5	1	12

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13140. Wt. P. 431. 375. 2 1916. G. III. Sch c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C

No. 5. VOL. LIII.] WEEK ENDING SATURDAY, 5TH FEBRUARY, 1916. [PRICE 1½*d*.

General Register Office, Charlemont House,
Dublin, 7th February, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 19·0 and 18·0; Dublin Registration Area, 20.1 and 19·1; Dublin City, 21·5 and 20·4; Belfast, 16·9 and 15·6; Cork, 17·7 and 21·9; Londonderry, 19·0 and 18·6; Limerick, 21·7 and 20·0; and Waterford, 24·7 and 20·4.

The deaths from certain epidemic diseases† registered in the 19 town districts during last week* were equal to an annual rate of 1·5 per 1,000. Among the 131 deaths from all causes for Belfast are 3 from measles, 6 from whooping-cough, 2 from diphtheria, and 4 from diarrhœal diseases. The 26 deaths from all causes for Cork include one from each of scarlet fever and diphtheria. Two of the 16 deaths from all causes for Limerick were caused by whooping-cough. Diphtheria was the cause of one of the 4 deaths recorded for Lisburn. One of the 8 deaths from all causes for Wexford was due to diphtheria; and the 5 deaths recorded for Ballymena include one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 209—109 boys and 100 girls—and the deaths to 173—94 males and 79 females.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·1 per 1,000 of the population. During the five weeks ending with Saturday last, the death-rate averaged 19·3, and was 5·9 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the five weeks was 20·6, and for the corresponding period of the preceding ten years 26·5.

The 158 deaths appertaining to the Area include 2 from measles, 2 from whooping-cough, one from influenza, one from dysentery, and 6 of children under 2 years of age from diarrhœa and enteritis. In the three preceding weeks deaths from measles numbered 6, 6, and one; from whooping-cough 2, one, and one; from influenza 0, 2, and 0; and the deaths from diarrhœa and enteritis of children under 2 years were 3, one, and 6, respectively.

Tuberculous disease caused 27 deaths (including 20 from pulmonary tuberculosis and 5 from tuberculous meningitis), as against 18, 18, and 30 in the three weeks preceding.

Seven deaths were caused by cancer, 9 by pneumonia (2 by broncho-pneumonia, and 7 by pneumonia, type not distinguished), 4 by simple meningitis, 15 by organic diseases of the heart, and 19 by bronchitis.

Among deaths of infants under one year old 3 were ascribed to convulsions, 7 to prematurity, and 7 to congenital debility.

Five deaths were ascribed to accidents, including one caused by a vehicle. There was one death of a soldier caused by bullet wound.

Forty-eight of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 34 being infants under one year, of whom 12 were under one month old.

Of the 158 deaths recorded, 68 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·9), was equal to an average annual death-rate of 14·7 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 13·4 per 1,000, the rate for Glasgow being 13·0, and for Edinburgh 11·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th February. From this Report it appears that of 80 cases notified, 36 were scarlet fever, 25 diphtheria, 7 pulmonary tuberculosis, 7 other forms of tuberculosis, and 5 erysipelas. Among the 643 cases of infectious diseases in hospital at the close of the week were 140 of pulmonary tuberculosis, 270 of scarlet fever, 157 of diphtheria, 32 of measles, 4 of erysipelas, 3 of enteric fever, one of puerperal fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 5th February, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 15,	.	—	—	5	.	.	2	.	.	3	3	.	—	—	.	—	.	21	34
	Jan. 22,	.	—	—	3	.	.	3	.	.	7	5	.	—	—	.	—	.	16	34
	Jan. 29,	.	—	—	8	.	.	5	.	1	4	3	.	—	—	1	—	.	24	46
	Feb. 5,	.	—	—	7	.	.	7	.	.	6	2	.	—	—	1	—	.	24	47
Rathmines and Rathgar Urban District	Jan. 15,	.	—	—	2	.	.	5	.	.	.	.	.	—	—	—	—	—	—	7
	Jan. 22,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 29,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 5,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	Jan. 15,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	—	.	1
	Jan. 22,	.	4	3	4	.	.	1	.	.	3	.	.	—	3	.	—	—	.	18
	Jan. 29,	.	1	2	1	.	.	.	.	.	.	.	.	—	.	.	—	—	1	5
	Feb. 5,	.	2	1	2	.	.	.	.	.	.	.	.	—	2	.	—	—	.	7
Blackrock Urban District.	Jan. 15,	.	3	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	4
	Jan. 22,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Jan. 29,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Feb. 5,	.	2	—	.	.	.		.	.	.	.	.	—	—	.	—	—	.	2
Kingstown Urban District.	Jan. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	1	4
	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	2
	Jan. 29,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	.	2
	Feb. 5,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
City of Belfast.	Jan. 15,	.	—	—	33	.	.	1	.	.	3	6	.	—	—	.	—	.	5	48
	Jan. 22,	.	—	—	23	.	.	2	.	.	3	4	1	—	—	1	—	.	5	39
	Jan. 29,	.	—	—	24	.	.	6	.	.	1	2	.	—	—	.	—	.	4	37
	Feb. 5,	.	—	—	30	.	.	8	.	.	7	3	.	—	—	1	—	.	3	52
City of Cork.	Jan. 15,	.	8	—	2	.	.	1	.	.	2	.	.	—	—	—	.	—	—	13(a)
	Jan. 22,	.	1	—	6	.	.	2	.	.	2	1	.	—	—	—	.	—	—	12
	Jan. 29,	.	5	—	5	.	.	1	1	1	.	1	.	—	—	—	.	—	—	14
	Feb. 5,	.	9	—	2	.	.	5	1	.	1	1	.	—	—	—	.	—	—	19
City of Londonderry.	Jan. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 22,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Feb. 5,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
City of Limerick.	Jan. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 29,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford.	Jan. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	.	3
	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Jan. 29,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1	2
	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(a) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th February, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 6 and 38; measles 44 and 78; scarlet fever 10 and 53*; and diphtheria 6 and 23. Seven cases of pneumonia were admitted during the week and 11 remained under treatment at its close. Of the deaths in hospitals during the week one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 5th February, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 5TH FEBRUARY, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 5TH FEBRUARY, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	26·6	19·0	1·5	585	419	69	98	...	...	...	5	1	11	5	1	47	17	21	21	55	8	3	9	16	145	18	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	26·6	20·1	1·4	209	158	34	37	...	...	...	2	...	2	...	1	20	7	7	9	21	6	...	3	4	68	4	(d) 51·8	29·4	43·3	0·64
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	30·3	21·5	1·8	182	129	30	25	...	...	...	2	...	2	...	1	19	6	4	8	16	6	...	2	3	60	4	(e) 52·3 (f) 52·8	35·3 32·0	45·8 44·7	0·57 0·57
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	14·5	11·9	.	11	9	3	2	...	..	...	...	...	...	.	...	1	...	2	1	1	...	...	...	...	1	.		...	...	..
Urban Districts: PEMBROKE, ...	30,538	19·4	15·4	17·1	.	9	10	...	5	...	..	...	...	...	...	...	...	...	...	...	..	3	...	...	1	1	6	..	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	16·9	11·3	.	3	2	...	2	...	..	...	...	...	...	...	..	...	..	...	...	...	...	..	...	...	1	...	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	12·3	24·6	.	4	8	1	3	...	..	...	...	...	...	...	..	...	1	1	...	1	...	...	...	...	...	...	55	37	47·1	0·85
Urban Districts: BELFAST	403,000	27·0	26·7	16·9	1·9	206	131	21	28	...	...	...	3	...	6	2	...	15	3	8	7	12	1	3	2	6	31	2	51	32	42·4	0·86
Urban Districts: CORK, ...	76,673	28·6	19·7	17·7	1·4	29	26	2	8	...	...	...	...	1	...	1	...	4	1	1	1	4	...	...	...	1	14	2	54	37	46·2	1·34
Urban Districts: LONDONDERRY	41,200	16·0	31·6	19·0	.	25	15	1	1	...	...	...	...	...	...	...	...	2	3	...	1	5	..	...	...	...	...	...	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	36·6	21·7	2·7	27	16	4	2	...	...	...	...	...	2	...	..	1	1	...	...	2	...	...	...	...	5	3	...	...	...	...
Urban Districts: WATERFORD, ...	27,464	19·1	11·4	24·7	.	6	13	1	3	...	...	...	...	...	...	...	...	1	...	2	...	3	..	...	...	1	10	...	...	...	..	...
Urban Districts: GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			4	7	...	4	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	6	1	53	33	43	0·83
Urban Districts: DUNDALK, ...	13,128	9·5				8	8	...	3	...	...	...	...	...	...	...	...	...	..	...	2	...	...	...	2	2	3	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				8	5	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	49	32	42·3	0·91
Urban Districts: DROGHEDA, ...	12,501	8·4				4	4	...	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	1	1	1	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				7	4	2	...	...	...	...	...	...	...	1	...	..	...	...	...	1	...	...	1	1	1	...	49	32	42·3	0·91
Urban Districts: NEWRY, ...	11,963	17·0				4	4	...	..	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	49	32	42·3	0·91
Urban Districts: PORTADOWN, ...	11,727	15·3				8	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	49	32	42·3	0·91
Urban Districts: WEXFORD, ...	11,531	22·8				4	8	...	3	...	...	...	...	...	...	1	...	1	1	...	...	4	...	...	...	...	3	...	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				19	5	2	1	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	..	1	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				5	3	...	1	...	...	...	...	...	...	...	...	...	..	1	..	1	...	...	...	...	...	...	52	28	42·0	1·20
Urban Districts: KILKENNY, ...	10,514	11·4				3	3	...	1	...	...	...	...	...	...	...	...	...	...	2	...	..	...	...	...	...	2	1	52	29	43·2	1·06
Urban Districts: TRALEE, ...	10,300	17·4				7	4	...	1	...	...	...	...	...	...	...	...	.	1	...	..	..	1	...	...	...	1	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
LONDON, ...	4,516,612	—	—	13·9	—	1,862	1,206g	176	393	1	.	.	8	7	28	16	—	128	32	94	111	114	17	10	53	120	510	3	--	—	—	—
EDINBURGH, ...	329,200	—	—	11·6	1·1	99	73	6	27	.	.	.	2	.	.	4	—	—	—	—	—	—	1	—	1	—	—	—	—	33·9	43·1	0·34
GLASGOW	1,091,600	—	—	13·0	0·8	534	271	46	66	.	.	.	5	5	.	5	--	—	—	—	—	—	2	—	11	—	—	—	49.1	36·0	42·9	0·70

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 6 deaths from cerebro-spinal fever.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Averages in 5th. Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 5th February, 1916. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	199·4	173	12	22	9	5	7	4	5	10	6	17	12	24	28	17	158
Enteric Fever, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1·6	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Scarlet Fever, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3·0	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria, ...	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Dysentery, ...	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Erysipelas, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis, ...	21·2	23	.	.	.	.	.	1	4	5	2	6	2	1	2	.	20
Tuberculous Meningitis, ...	2·4	6	.	2	.	1	1	2	.	.	.	.	.	.	.	.	5
Abdominal Tuberculosis, ...	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Tuberculosis of Joints, ...	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculosis of other Organs,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis,...	2·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Venereal Diseases, ...	·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer, ...	8·0	7	.	.	.	.	.	.	.	.	.	1	1	4	.	1	7
Tumour, situation undefined,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Anæmia, Leucocythæmia, ...	·8	3	.	.	.	.	.	.	.	1	1	.	.	.	1	.	3
Other General Diseases, ...	·8	2	.	.	.	.	1	.	.	.	.	.	.	1	.	.	2
Alcoholism, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	2·0	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	4
Cerebral Hæmorrhage, Apoplexy.	5·8	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Softening of Brain, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Paralysis, without specified cause.	1·6	4	.	.	.	.	.	.	.	.	.	1	.	.	1	2	4
Epilepsy, ...	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Convulsions (non-puerperal),	6·0	4	.	3	1	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,	15·0	15	.	.	.	.	.	.	.	1	.	1	3	5	2	3	15
Embolism and Thrombosis (including Cerebral).	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory system.	·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	35·6	20	.	1	1	.	.	.	.	.	1	.	.	3	10	4	19
Broncho-pneumonia, ...	10·6	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Lobar pneumonia, ...	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	6·0	7	.	1	1	1	.	.	1	.	.	2	.	1	.	.	7
Pleurisy, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·8	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2

in the Fifth Week, ending Saturday, 5th February, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Averages in 5th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 5th February, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach, ...	1·8	3	.	1	.	.	.	.	.	.	.	.	2	.	.	.		3
Diarrhœa and Enteritis of Children under 2 years.	5·4	6	1	3	2	.	.	.	.	.	.	.	.	.	.	.		6
Diarrhœa 2 years and upwards,	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards,	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	·6	5	.	.	.	.	1	.	.	.	.	1	1	1	1	.		1
Cirrhosis of Liver, ...	·8	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.		3
Other Diseases of Liver, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown),	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Acute Nephritis, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease, ...	4·6	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.		3
Urinary Calculi, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous)	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·8	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1		1
Puerperal Septicæmia, &c., ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Diseases of Locomotor System,	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations, ...	1·4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.		2
Premature Birth, ...	6·0	7	6	1	.	.	.	.	.	.	.	.	.	.	.	.		7
Congenital Debility, ...	4·4	7	2	5	.	.	.	.	.	.	.	.	.	.	.	.		7
Old Age, ...	6·0	8	.	.	.	.	.	.	.	.	.	.	.	.	3	5		8
Other Specified Diseases, ...	·6	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.		2
ACCIDENT:																		
Poisons or Poisonous Vapours.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds, ...	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Deaths by Accident, ...	1·4	5	.	.	1	.	1	.	.	2	.	1	.	.	.	.		3
Total Deaths from Accident,	4·6	5	.	.	1	.	1	.	.	2	.	1	.	.	.	.		3
Included in above are Deaths in connection with—																		
Railways, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses, ...	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes, ...	3·8	3	.	.	1	.	.	.	.	.	2	.	.	.	.	.		2

TABLE IV.—Showing for the WEEK ENDED 5TH FEBRUARY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons, and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
		WEEK ENDED 5TH FEBRUARY, 1916.			DEATHS.								CAUSED BY																					
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E.,	30,504	30·8	3·4	18	4	.	.	.	3	4	1	6	.	.	.	.	.	.	.	.	4	.	1	.	2	2	.	.	9	.	5	4	.
,, 1, W.,	41,685	27·5	1·3	22	5	1	1	1	2	1	5	6	.	.	.	.	.	1	.	.	3	3	1	1	5	.	.	.	8	.	6	6	.
,, 2,	27,883	26·2	3·7	14	5	2	1	1	.	2	2	1	.	.	.	.	.	.	.	.	1	2	1	.	1	2	.	1	6	1	6	2	1
,, 3,	35,887	10·2	.	7	1	.	.	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.	1	.	.
CLONTARF AND HOWTH, No. 1, part of.	5,539	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK & DRUMCONDRA, part of	13,820	22·6	.	6	.	.	.	.	.	3	2	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	3	.	2	.	.
FINGLAS AND GLASNEVIN, part of,	10,829	19·3	.	4	1	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	.
South City.																																	
SOUTH CITY, No. 1,	41,170	21·5	1·3	17	4	2	.	1	2	1	6	1	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	14	1	1	5	.
,, 2,	18,341	28·4	5·7	10	3	1	.	1	1	1	2	1	.	.	.	.	.	1	.	.	4	.	.	.	.	1	.	.	4	.	4	2	.
,, 3,	43,970	20·2	2·4	17	3	2	3	1	2	1	4	1	.	.	.	1	.	.	.	.	1	1	1	4	2	1	.	.	6	.	8	2	2
,, 4,	33,171	17·3	1·6	11	2	1	.	.	1	2	2	3	.	.	.	.	.	.	.	1	2	.	.	.	3	.	.	.	5	.	1	3	1
NEW KILMAINHAM,	9,948	15·7	.	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	2	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR,	39,541	11·9	.	9	3	.	.	.	.	2	2	2	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	4	.	1	.	.
PEMBROKE,	30,538	17·1	.	10	.	.	.	1	2	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	6	1	4	2	.
BLACKROCK,	9,233	11·3	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
KINGSTOWN,	16,941	24·6	.	8	1	.	.	1	.	.	3	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	5	.	.	.	.
TOTAL CITY. North,	166,147	22·3	1·6	71	16	3	2	3	5	12	11	19	.	.	.	.	.	1	.	.	11	5	3	4	10	4	.	1	32	1	20	12	1
TOTAL CITY. South,	146,600	20·6	2·1	58	14	6	3	4	6	5	14	6	.	.	.	2	.	1	.	1	8	1	1	4	6	2	.	1	31	2	16	12	3
TOTAL CITY. North and South	312,747	21·5	1·8	129	30	9	5	7	11	17	25	25	.	.	.	2	.	2	.	1	19	6	4	8	16	6	.	2	63	3	36	24	4
Total Urban Districts,	96,253	15·7	.	29	4	.	.	2	2	2	7	12	.	.	.	.	.	.	.	.	1	1	3	1	5	.	.	1	17	1	5	3	.
Total Registration Area,	409,000	20·1	1·4	158	34	9	5	9	13	19	32	37	.	.	.	2	.	2	.	1	20	7	7	9	21	6	.	3	80	4	41	27	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				15	.	.	.	2	2	4	4	3	.	.	.	.	.	.	.	.	3	2	.	.	1	.	.	2	7	1	15	.	.

* See note (*a*) at foot of Table II. † See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th February, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH FEBRUARY, 1916.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	173	48	11	15	23	36	23	17	.	.	.	2	.	2	.	1	23	9	7	4	9	22	6	.	5	83	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	10·7	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS, ...	101,798	15·9	31	4	2	3	5	8	4	5	.	.	.	.	.	.	.	.	4	.	2	.	4	3	.	.	2	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	16·8	35	9	2	3	7	9	2	3	.	.	.	.	.	1	.	1	8	1	1	.	1	1	2	.	.	19	1
IV.	GENERAL SERVICE CLASS, ...	167,479	24·0	77	31	7	9	9	10	9	2	.	.	.	2	.	1	.	.	9	7	3	4	4	10	4	.	3	30	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	27	4	.	.	2	8	7	6	.	.	.	.	.	.	.	.	2	1	1	.	.	7	.	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	—	7	2	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	5	.
	6. Clerks and Commercial Assistants, ...	33,249	—	6	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	15	.	1	1	2	3	3	5	.	.	.	.	.	.	.	.	1	.	2	.	.	3	.	.	1	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	—	6	3	.	1	1	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	.	.	2	.
	10. Clothing Trades, ...	20,026	—	6	1	1	1	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.	.	2	.
	11. Food Supply Trades	8,952	—	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	18	4	.	1	3	6	1	3	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	.	.	13	1
	13. Petty Shopkeepers	6,772	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	17	10	2	3	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	3	3	2	1	.	1	5	.
	15. Domestic Servants, ...	36,041	—	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	53	18	4	4	8	9	8	2	.	.	.	2	.	1	.	.	7	4	3	1	1	7	3	.	2	22	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	27	4	.	.	2	8	7	6	.	.	.	.	.	.	.	.	2	1	1	.	.	7	.	.	.	16	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years, (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area. Week ending													Belfast City. Week ending												
	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.
No of weeks in Annual Series	45	46	47	48	49	50	51	52	1	2	3	4	5	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered.	182	175	215	165	187	178	152	156	208	203	253	213	209	171	168	172	138	160	174	137	157	231	220	174	181	206
Average Births in corresponding week of previous 10 years, ...	210	199	188	210	187	208	184	167	228	231	207	220	238	199	182	183	189	190	194	187	171	256	209	225	219	219
Number of Deaths, ...	164	173	189	203	177	195	133	188	159	143	145	153	158	124	157	140	163	162	178	140	194	153	124	113	116	131
Annual Death-rate per 1,000, ...	20·9	22·1	24·1	25·9	22·6	24·9	17·0	24·0	20·3	18·2	18·5	19·5	20·1	16·0	20·3	18·1	21·1	21·0	23·0	18·1	25·1	19·8	16·0	14·6	15·0	16·9
Average Deaths in corresponding week of previous 10 years, ...	158	159	158	160	169	156	167	144	198	186	191	196	191	132	138	140	135	154	146	146	147	158	164	153	165	167
Ages, Under one year, ...	25	30	32	32	31	46	19	34	22	25	26	26	34	30	17	22	24	36	32	21	31	38	22	20	17	21
1— 5 years, ...	10	22	32	24	28	22	25	34	28	20	15	17	14	8	12	12	22	13	26	21	37	17	15	17	19	20
5—25 " ...	12	16	15	18	14	15	8	14	13	11	10	14	22	20	20	15	16	8	9	12	19	18	10	13	12	14
25—45 " ...	20	22	24	23	22	23	20	26	23	15	20	21	19	18	27	22	26	25	27	16	25	16	24	13	18	13
45—65 " ...	48	41	33	53	37	44	27	36	35	40	40	41	32	23	42	44	41	44	43	27	42	44	30	25	28	35
65 and upwards, ...	49	42	53	53	45	45	34	44	38	32	34	34	37	25	39	25	34	36	41	43	40	20	23	25	22	28
Deaths from:—																										
Enteric Fever, ...	2	1	.	1	1	1	2	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	4	7	13	13	11	12	9	5	6	6	1	2	1	1	3	2	1	7	7	9	3	7	3	3	3
Scarlet Fever, ...	2	.	3	1	1	3	1	1	1	.	1	.	.	4	3	7	5	3	4	1	5	3	.	2	.	.
Whooping-cough, ...	2	1	2	2	2	3	1	3	1	2	1	1	2	1	2	2	4	3	4	3	1	2	1	5	3	6
Diphtheria, ...	1	1	.	1	1	.	1	2	2	.	2	1	.	4	1	.	.	1	1	.	.	1	.	.	1	2
Dysentery, ...	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	23	26	22	18	19	21	20	19	22	12	16	23	20	12	25	14	21	16	10	13	12	15	15	12	19	15
Tuberculosis { Other Forms,	2	5	8	5	9	4	3	5	6	6	2	7	7	10	4	4	8	3	4	6	9	4	6	10	4	3
Cancer, ...	10	9	5	12	10	11	6	11	6	4	11	4	7	10	16	3	6	4	13	3	7	5	3	5	8	8
Diseases of Respiratory System { Pneumonia,	8	15	16	15	16	10	9	20	16	12	6	7	9	13	11	18	25	21	27	16	28	23	12	8	11	7
Diseases of Respiratory System { Others, ...	21	30	24	45	22	28	22	32	21	20	16	14	21	12	19	27	33	35	33	26	38	22	17	10	12	12
Diarrhœa and Enteritis, under 2 years, ...	9	4	12	6	4	8	6	4	2	3	1	6	6	2	3	1	3	4	.	.	2	3	.	4	1	1
Diarrhœa, 2 years and upwards	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3
Violent Deaths, ...	1	4	1	3	4	6	2	8	9	1	4	3	3	1	3	2	1	1	4	2	8	4	1	2	3	2
Number of Uncertified Deaths,	2	5	13	10	4	3	5	8	5	4	4	7	4	.	1	.	1	3	1	1	5	2	1	2	2	2

TABLE VII.--Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th February, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	26·3	.	8	2	.	.	1	3	2	.	.	.	.	.	.	.	.	1	.	3	1	1	.	.	.	.	3	.
Do. 2 do.	49,500	22	22·1	1·1	21	2	2	2	4	5	6	.	.	.	.	.	.	1	.	4	.	1	1	1	.	.	1	1	9	.
Do. 3 do.	50,032	21	14·6	2·1	14	4	1	.	3	5	1	.	.	.	1	.	.	.	.	1	1	.	.	2	1	.	.	.	2	1
Do. 4 do.	32,637	27	19·2	4·8	12	1	4	2	.	2	3	.	.	.	2	.	1	.	.	.	1	.	.	2	.	.	.	.	2	1
Do. 5 do.	16,112	12	12·9	3·2	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	1	.
Do. 6 do.	37,293	19	14·0	1·4	10	3	1	.	.	2	4	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	17·5	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	14	17·1	.	8	.	2	2	.	3	1	.	.	.	.	.	.	.	.	1	1	1	2	2	.	.	.	.	1	.
Do. 10 do.	28,958	14	7·2	1·8	4	.	3	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.
Do. 11 do.	39,311	16	17·2	1·3	13	2	1	2	2	3	3	.	.	.	.	.	1	.	.	2	.	.	1	.	.	.	.	.	3	.
Do. 12 do.	38,076	29	27·4	2·7	20	6	4	3	.	6	1	.	.	.	.	.	1	.	.	2	.	.	1	2	.	1	.	4	6	.
Do. 13 do.	23,233	9	18·0	4·5	8	.	1	2	.	3	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	1	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	16·1	2·3	7	.	1	.	1	2	3	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	3	.
Total,	386,947	206	16·9	1·9	131	21	20	14	13	35	28	.	.	.	3	.	6	2	.	15	3	8	7	12	1	3	2	6	31	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	8	7·8	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 2 do.	10,399	4	5·0	5·0	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Do. 3 do.	9,793	4	31·9	.	6	.	2	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	3	.
Do. 4 do.	9,139	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,250	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	3	36·0	4·5	8	1	2	1	.	1	3	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	.	1	4	1
Do. 7 do.	16,056	5	29·2	.	9	1	2	.	.	2	4	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	5	1
Total,	76,673	29	17·7	1·4	26	2	7	2	3	4	8	.	.	.	.	1	.	1	.	4	1	1	1	4	.	.	.	1	14	2

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th February, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 1, West, ...	.	2	.	.	.	.	.	.	1	.	.	.	2	5
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	4	5
" " 3, ...	.	1	.	.	2	.	.	.	1	.	.	.	1	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1	2
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	2	.	.	2	.	.	.	.	7	11
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	5	6
" " 4, ...	.	2	.	.	.	.	.	4	.	.	1	.	1	8
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Total, ...	.	7	.	.	7	.	.	6	2	.	1	.	24	47

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th February, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th February.			
	Jan. 15.	Jan. 22.	Jan. 29.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	28	40	37	6	5	.	38
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	73	68	67	44	33	.	78
Scarlet Fever, ...	56	57	59	10	16	.	53*
Diphtheria, ...	22	20	17	6	.	.	23
Pneumonia, ...	16	16	12	7	7	1	11

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13163. Wt. 6237. 375. 2 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C.

No. 6. VOL. LIII.] WEEK ENDING SATURDAY, 12TH FEBRUARY, 1916. [PRICE 1½*d*.

General Register Office, Charlemont House,
Dublin, 14th February, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 20·2 and 18·7; Dublin Registration Area, 21.0 and 19·8; Dublin City, 21·3 and 20·9; Belfast, 18·9 and 16·4; Cork, 22·4 and 23·3; Londonderry, 21·5 and 18·0; Limerick, 21·7 and 20·0; and Waterford, 19·0 and 21·8.

The deaths from certain epidemic diseases† registered in the 19 town districts during last week* were equal to an annual rate of 1·5 per 1,000. Among the 146 deaths from all causes for Belfast are 4 from measles, 2 from scarlet fever, 5 from whooping-cough, one from diphtheria, and one (a child under 2 years) from diarrhœa and enteritis. One of the 33 deaths from all causes for Cork was caused by measles. Among the 16 deaths from all causes for Limerick are 2 from whooping-cough. The 7 deaths from all causes for Dundalk include one due to measles. Two of the 6 deaths from all causes recorded for Newry were from measles; and one of the 5 deaths from all causes for Portadown was due to whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 163—79 boys and 84 girls—and the deaths to 178—76 males and 102 females.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·0 per 1,000 of the population. During the six weeks ending with Saturday last, the death-rate averaged 19·6, and was 5·5 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the six weeks was 21·0, and for the corresponding period of the preceding ten years 26·5.

The 165 deaths appertaining to the Area include 2 from enteric fever, 2 from measles, 2 from scarlet fever, 4 from whooping-cough, one from diphtheria, 2 from influenza, and 3 of children under 2 years of age from diarrhœa and enteritis. In the three preceding weeks deaths from enteric fever numbered 0, one, and 0; from measles 6, one, and 2; from scarlet fever one, 0, and 0; from whooping-cough one, one, and 2: from influenza 2, 0, and one; and the deaths from diarrhœa and enteritis of children under 2 years were one, 6, and 6, respectively.

Tuberculous disease caused 31 deaths (including 21 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 8 from other forms of the disease), as against 18, 30, and 27 in the three weeks preceding.

Eleven deaths were caused by cancer, 11 by pneumonia (5 by broncho-pneumonia, one by lobar pneumonia, and 5 by pneumonia, type not distinguished), one by simple meningitis, 11 by organic diseases of the heart, and 19 by bronchitis.

Among deaths of infants under one year old 4 were ascribed to convulsions, 4 to prematurity, and 12 to congenital debility.

Five deaths were ascribed to accidents, including 3 caused by burns.

Fifty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 29 being infants under one year, of whom 9 were under one month old.

Of the 165 deaths recorded, 59 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·3), was equal to an average annual death-rate of 15·2 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 16·3 per 1,000, the rate for Glasgow being 16·7, and for Edinburgh 15·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th February. From this Report it appears that of 98 cases notified, 43 were scarlet fever, 21 diphtheria, 13 pulmonary tuberculosis, 17 other forms of tuberculosis, 3 erysipelas, and one of cerebro-spinal fever. Among the 598 cases of infectious diseases in hospital at the close of the week were 134 of pulmonary tuberculosis, 253 of scarlet fever, 152 of diphtheria, 21 of measles, 3 of erysipelas, and 3 of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 12th February, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 22,	.	—	—	3	.	.	3	.	.	7	5	.	—	—	.	—	.	16	34
	Jan. 29,	.	—	—	8	.	.	5	.	1	4	3	.	—	—	1	—	.	24	46
	Feb. 5,	.	—	—	7	.	.	7	.	.	6	2	.	—	—	1	—	.	24	47
	Feb. 12,	.	—	—	7	.	.	3	.	.	3	3	.	—	—	.	—	.	21	37
Rathmines and Rathgar Urban District	Jan. 22,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 29,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 5,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	—	3
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	Jan. 22,	.	4	3	4	.	.	1	.	.	3	.	.	—	3	.	—	—	.	18
	Jan. 29,	.	1	2	1	.	.	.	.	.	.	.	.	—	.	.	—	—	1	5
	Feb. 5,	.	2	1	2	.	.	.	.	.	.	.	.	—	2	.	—	—	.	7
	Feb. 12,	.	1	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	1	4
Blackrock Urban District.	Jan. 22,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Jan. 29,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Feb. 5,	.	2	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	2
	Feb. 12,	.	.	—	3	.	.		.	.	.	.	.	—	—	.	—	—	.	3
Kingstown Urban District.	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	2
	Jan. 29,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	.	2
	Feb. 5,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Jan. 22,	.	—	—	23	.	.	2	.	.	3	4	1	—	—	1	—	.	5	39
	Jan. 29,	.	—	—	24	.	.	6	.	.	1	2	.	—	—	.	—	.	4	37
	Feb. 5,	.	—	—	30	.	.	8	.	.	7	3	.	—	—	1	—	.	3	52
	Feb. 12,	.	—	—	23	.	.	7	.	.	1	1	.	—	—	1	—	.	3	36
City of Cork.	Jan. 22,	.	1	—	6	.	.	2	.	.	2	1	.	—	—	—	.	—	—	12
	Jan. 29,	.	5	—	5	.	.	1	1	1	.	1	.	—	—	—	.	—	—	14
	Feb. 5,	.	9	—	2	.	.	5	1	.	1	1	.	—	—	—	.	—	—	19
	Feb. 12,	.	7	—	1	.	.	.	.	.	1	.	.	—	—	—	.	—	—	9*a*
City of Londonderry.	Jan. 22,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Feb. 5,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Feb. 12,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
City of Limerick.	Jan. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 29,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford	Jan. 22,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Jan. 29,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1	2
	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(*a*) Not including 2 cases of cerebro-spinal fever.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th February, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 4 and 33; measles 11 and 62; scarlet fever 21 and 66*; and diphtheria 4 and 21. Five cases of pneumonia were admitted during the week and 12 remained under treatment at its close. Of the deaths in hospitals during the week one was from each of enteric fever, scarlet fever, diphtheria and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 12th February, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	POPULATION. Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 12TH FEBRUARY, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. c) WEEK ENDING 12TH FEBRUARY, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	23·0	20·2	1·5	506	444	73	105	2	...	...	10	4	12	2	...	53	17	24	30	53	4	...	7	6	126	23	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	20·8	21·0	1·8	163	165	29	32	2	...	...	2	2	4	1	...	21	10	11	11	21	3	...	5	1	59	2	(d) 53·1	30·3	39·0	0·45
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	21·8	21·3	2·0	131	128	25	22	2	...	...	1	2	4	1	...	15	7	6	9	20	2	...	4	1	50	1	(e)53·1 (f)50·9	33·0 30·0	39·6 39·1	0·51 0·50
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	13·2	17·1	.	10	13	1	4	...	..	...	...	...	...	..	...	3	...	...	1	1	...	...	...	...	2	...	..	...	...	...
Urban Districts: PEMBROKE, ...	30,538	19·4	18·8	23·9	1·7	11	14	2	3	...	..	...	...	..	...	...	...	2	2	4	...	...	1	...	...	...	6	...	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	5·6	16·9	.	1	3	...	1	...	..	...	...	...	...	...	..	...	1	...	1	...	...	..	...	...	...	...	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	30·8	21·5	3·1	10	7	1	2	...	..	...	1	..	...	...	..	1	..	1	...	...	...	...	1	...	1	1	51	33	40·1	0·51
Urban Districts: BELFAST	403,000	27·0	26·3	18·9	1·7	203	146	25	29	...	...	...	4	2	5	1	...	15	7	9	8	19	1	...	...	2	34	5	51·0	27·5	37·6	0·90
Urban Districts: CORK, ...	76,673	28·6	16·3	22·4	0·7	24	33	3	11	...	...	...	1	...	...	...	...	2	...	1	3	1	...	...	...	..	7	3	50	35	42·1	0·67
Urban Districts: LONDONDERRY	41,200	16·0	24·0	21·5	.	19	17	3	8	...	...	...	...	...	...	...	...	1	...	1	1	4	..	...	..	...	3	1	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	14·9	21·7	2·7	11	16	1	6	...	...	...	...	...	2	...	...	1	...	1	1	3	...	...	...	...	3	4	53·0	32·4	40·8	1·49
Urban Districts: WATERFORD, ...	27,464	19·1	22·8	19·0	.	12	10	...	3	...	...	...	...	...	...	...	...	3	...	...	2	...	..	...	...	...	5	1	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			10	1	1	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	1	52	24	40	0·84
Urban Districts: DUNDALK, ...	13,128	9·5				3	7	2	...	...	...	...	1	...	...	...	...	2	..	...	1	1	...	...	...	...	...	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				6	4	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	51	29	37·7	0·68
Urban Districts: DROGHEDA, ...	12,501	8·4				12	7	...	3	...	...	...	...	...	...	...	...	1	..	1	1	1	...	...	...	...	...	1	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	51	29	37·7	0·68
Urban Districts: NEWRY, ...	11,963	17·0				6	6	2	2	...	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	51	29	37·7	0·68
Urban Districts: PORTADOWN, ...	11,727	15·3				4	5	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	51	29	37·7	0·68
Urban Districts: WEXFORD, ...	11,531	22·8				5	6	1	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	4	...	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				6	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	1	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				6	6	1	1	...	...	...	...	...	...	...	...	...	..	...	1	..	...	...	1	2	4	...	52	31	39·0	1·44
Urban Districts: KILKENNY, ...	10,514	11·4				3	5	1	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	1	51	30	38·8	0·72
Urban Districts: TRALEE, ...	10,300	17·4				7	4	...	1	...	...	...	...	...	...	...	...	3	...	...	...	..	...	...	...	...	2	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...
LONDON, ...	4,516,612	—	—	14·3	—	1,993	1 238g	193	396	1	.	.	6	2	24	20	—	113	30	90	96	129	16	4	55	131	557	.	—	—	—	—
EDINBURGH, ...	329,200	—	—	15·2	0·6	103	96g	8	41	.	.	.	2	2	.	.	—	—	—	—	—	—	.	—	2	—	—	—	50·6	31·4	39·3	1·20
GLASGOW	1,091,600	—	—	16·7	1·4	510	349g	43	103	2	.	.	12	6	1	7	—	—	—	—	—	—	1	—	20	—	—	—	49·6	32·1	38·5	1·34

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 3 deaths from cerebro-spinal fever in London, one in Edinburgh, and 2 in Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Average number of deaths in 6th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 12th February, 1916.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.											
ALL CAUSES.	208·0	178	11	20	16	6	5	.	7	5	14	16	18	27	18	15	165
Enteric Fever, ...	1·2	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Scarlet Fever, ...	1·6	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2
Whooping-cough, ...	4·4	4	.	3	1	.	.	.	.	.	.	.	.	.	.	.	4
Diphtheria, ...	2·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3·6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis, ...	24·6	22	.	.	1	.	.	.	3	2	7	4	1	4	.	.	21
Tuberculous Meningitis, ...	2·6	3	.	1	.	.	1	.	1	.		.	.	.	.	.	2
Abdominal Tuberculosis, ...	1·6	3	.	.	.	1	1	.	.	.	.	1	.	.	.	.	2
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	·8	2	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1
Tuberculosis of other Organs,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis,...	1·2	5	.	.	3	.	.	.	1	.	.	.	1	.	.	.	5
Venereal Diseases, ...	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer, ...	10·6	13	.	.	.	.	.	.	.	.	1	2	3	4	3	.	11
Tumour, situation undefined,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	·2		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	·8	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Other General Diseases, ...	1·8	3	.	.	1	.	.	.	.	.	.	.	2	.	.	.	3
Alcoholism, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	1·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	6·0	7	.	.	.	.	.	.	.	.	.	1	2	2	.	2	7
Softening of Brain, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Paralysis, without specified cause.	2·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Epilepsy, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),	6·0	5	2	2	1	.	.	.	.	.	.	.	.	.	.	.	5
Other Diseases of Nervous System.	3·2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Pericarditis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,	15·0	12	.	.	.	.	.	.	1	.	.	2	1	5	1	2	11
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory system.	2·2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
Diseases of the Larynx, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	35·2	19	.	1	2	1	.	.	.	.	.	.	2	4	5	4	19
Broncho-pneumonia, ...	12·6	5	.	1	2	1	.	.	.	.	.	.	.	.	.	1	5
Lobar pneumonia, ...	1·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pneumonia (type not distinguished)	6·2	5	.	.	.	.	1	.	.	1	.	1	.	1	1	.	5
Pleurisy, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·8	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2

in the SIXTH WEEK, ending Saturday, 12th February, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Average number of deaths in 6th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 12th February, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach, ...	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diarrhœa and Enteritis of Children under 2 years.	4·2	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.		3
Diarrhœa 2 years and upwards,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards,	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Cirrhosis of Liver, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Liver, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown),	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis, ...	1·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Chronic Bright's Disease, ...	4·0	6	.	.	.	.	.	.	.	.	1	2	1	.	2	.		5
Urinary Calculi, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·6	5	.	.	1	.	.	.	.	1	2	.	.	.	1	.		4
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Other Causes incident to Pregnancy and Childbirth.	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Diseases of Skin and Cellular Tissues.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Locomotor System,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations, ...	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Premature Birth, ...	4·6	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.		4
Congenital Debility, ...	3·2	12	3	9	.	.	.	.	.	.	.	.	.	.	.	.		12
Old Age, ...	7·6	6	.	.	.	.	.	.	.	.	.	.	.	.	1	5		6
Other Specified Diseases, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
ACCIDENT:																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds, ...	2·0	3	.	.	1	1	.	.	.	.	.	.	.	.	1	.		3
Drowning, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Deaths by Accident, ...	2·6	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.		2
Total Deaths from Accident,	5·2	5	.	.	1	1	.	.	.	.	1	.	.	1	1	.		5
Included in above are Deaths in connection with—																		
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes, ...	3·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		

TABLE IV.—Showing for the WEEK ENDED 12TH FEBRUARY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED 12TH FEBRUARY, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons, and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E.,	30,504	35·9	8·5	21	5	3	1	·	·	4	6	2	·	·	·	·	·	3	·	·	1	1	1	1	3	2	·	2	7	·	3	6	1
,, 1, W.,	41,685	26·3	1·3	21	5	4	1	1	1	2	5	2	·	·	·	·	1	·	·	·	1	3	1	1	4	·	·	·	10	·	5	2	·
,, 2,	27,883	22·4	·	12	2	2	·	·	·	3	3	2	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	·	8	·	3	1	·
,, 3,	35,887	18·9	2·9	13	2	·	·	2	1	3	4	1	·	·	·	·	1	1	·	·	3	1	·	1	2	·	·	·	4	·	5	2	·
CLONTARF AND HOWTH, No. 1, part of.	5,539	28·2	·	3	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	1	·	·	·	·
COOLOCK & DRUMCONDRA, part of	13,820	3·8	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
FINGLAS AND GLASNEVIN, part of,	10,829	9·6	·	2	·	1	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·
South City.																																	
SOUTH CITY, No. 1,	41,170	13·9	·	11	2	1	·	·	·	1	4	3	·	·	·	·	·	·	·	·	2	·	2	·	1	·	·	·	6	·	2	3	·
,, 2,	18,341	19·9	2·8	7	1	·	·	·	1	2	3	·	1	·	·	·	·	·	·	·	3	·	·	·	1	·	·	·	2	·	2	4	·
,, 3,	43,970	23·7	2·4	20	4	3	2	·	1	2	3	5	1	·	·	1	·	·	·	·	1	·	·	2	7	·	·	1	7	·	3	4	·
,, 4,	33,171	20·4	·	13	1	1	1	·	3	1	1	5	·	·	·	·	·	·	·	·	3	·	·	3	2	·	·	1	4	1	2	·	·
NEW KILMAINHAM,	9,948	21·0	·	4	3	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4	·	·	2	·
Urban Districts.																																	
RATHMINES AND RATHGAR,	39,541	17·1	·	13	1	·	·	·	1	3	4	4	·	·	·	·	·	·	·	·	3	·	·	1	1	·	·	·	8	·	2	·	·
PEMBROKE,	30,538	23·9	1·7	14	2	·	1	·	2	3	3	3	·	·	·	·	·	·	·	·	2	2	4	·	·	1	·	·	5	·	4	2	·
BLACKROCK,	9,233	16·9	·	3	·	·	·	1	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	·	·	·
KINGSTOWN,	16,941	21·5	3·1	7	1	1	·	·	·	·	3	2	·	·	·	1	·	·	·	·	1	·	1	·	·	·	·	1	3	·	1	·	1
TOTAL CITY. North,	166,147	22·9	2·8	73	14	10	2	3	2	13	20	9	·	·	·	·	2	4	1	·	6	7	4	4	9	2	·	2	32	·	17	11	1
TOTAL CITY. South,	146,600	19·6	1·1	55	11	5	3	·	5	6	12	13	2	·	·	1	·	·	·	·	9	·	2	5	11	·	·	2	23	1	9	13	·
TOTAL CITY. North and South	312,747	21·3	2·0	128	25	15	5	3	7	19	32	22	2	·	·	1	2	4	1	·	15	7	6	9	20	2	·	4	55	1	26	24	1
Total Urban Districts,	96,253	20·0	1·1	37	4	1	1	1	3	6	11	10	·	·	·	1	·	·	·	·	6	3	5	2	1	1	·	1	17	·	7	2	1
Total Registration Area,	409,000	21·0	1·8	165	29	16	6	4	10	25	43	32	2	·	·	2	2	4	1	·	21	10	11	11	21	3	·	5	72	1	33	26	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				13	2	·	·	1	2	5	2	1	·	·	·	·	·	·	·	·	1	3	2	·	·	·	·	·	7	·	12	1	·

* See note (*a*) at foot of Table II. † See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th February, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH FEBRUARY, 1916.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	178	53	5	12	30	45	18	15	2	.	.	2	2	4	1	.	22	13	13	5	11	21	3	.	5	74	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14·2	4	.	.	1	.	.	.	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	19·0	37	7	1	1	8	8	7	5	.	.	.	.	.	1	1	.	4	2	6	2	3	4	.	.	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	16·8	35	12	2	1	6	8	4	2	1	.	.	1	1	1	.	.	5	2	2	2	1	7	.	.	1	11	.
IV.	GENERAL SERVICE CLASS, ...	167,479	23·4	75	30	2	7	8	22	3	3	1	.	.	1	.	2	.	.	9	6	4	1	7	8	2	.	3	31	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	27	4	.	2	8	7	4	2	.	.	.	.	.	.	.	.	4	3	1	.	.	2	1	.	1	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	.	.	1	.	.	.	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	—	7	1	.	.	2	2	1	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	33,249	—	9	3	.	1	2	2	1	.	.	.	.	.	.	1	.	.	2	.	2	2	.	1	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	19	2	1	.	4	4	5	3	.	.	.	.	.	.	.	.	1	1	3	.	2	3	.	.	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	3	1	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	28,823	—	9	5	.	1	1	.	2	.	.	.	.	1	.	.	.	.	1	.	.	1	.	1	.	.	.	5	.
	10. Clothing Trades, ...	20,026	—	3	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.
	11. Food Supply Trades	8,952	—	5	2	.	.	1	2	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	12	3	.	.	2	5	1	1	1	.	.	.	.	.	.	.	1	.	.	1	.	4	.	.	1	4	.
	13. Petty Shopkeepers	6,772	—	3	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	12	6	1	.	1	4	.	.	.	.	.	1	.	.	.	.	.	1	2	1	2	3	.	.	.	2	.
	15. Domestic Servants, ...	36,041	—	8	3	.	1	2	2	.	.	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	7	1	.	1	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	48	20	1	5	4	14	2	2	1	.	.	.	.	1	.	.	7	5	1	.	4	4	2	.	3	20	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	27	4	.	2	8	7	4	2	.	.	.	.	.	.	.	.	4	3	1	.	.	2	1	.	1	15	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.
No of weeks in Annual Series	46	47	48	49	50	51	52	1	2	3	4	5	6	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered.	175	215	165	187	178	152	156	208	203	253	213	209	163	168	172	138	160	174	137	157	231	220	174	181	206	203
Average Births in corresponding week of previous 10 years, ...	199	188	210	187	208	184	167	228	231	207	220	238	229	182	183	189	190	194	187	171	256	209	225	219	219	216
Number of Deaths, ...	173	189	203	177	195	133	188	159	143	145	153	158	165	157	140	163	162	178	140	194	153	124	113	116	131	146
Annual Death-rate per 1,000, ...	22·1	24·1	25·9	22·6	24·9	17·0	24·0	20·3	18·2	18·5	19·5	20·1	21·0	20·3	18·1	21·1	21·0	23·0	18·1	25·1	19·8	16·0	14·6	15·0	16·9	18·9
Average Deaths in corresponding week of previous 10 years, ...	159	158	160	169	156	167	144	198	186	191	196	191	190	138	140	135	154	146	146	147	158	164	153	165	167	182
Ages, Under one year, ...	30	32	32	31	46	19	34	22	25	26	26	34	29	17	22	24	36	32	21	31	38	22	20	17	21	25
1— 5 years, ...	22	32	24	28	22	25	34	28	20	15	17	14	22	12	12	22	13	26	21	37	17	15	17	19	20	18
5—25 ,, ...	16	15	18	14	15	8	14	13	11	10	14	22	14	20	15	16	8	9	12	19	18	10	13	12	14	13
25—45 ,, ...	22	24	23	22	23	20	26	23	15	20	21	19	25	27	22	26	25	27	16	25	16	24	13	18	13	30
45—65 ,, ...	41	33	53	37	44	27	36	35	40	40	41	32	43	42	44	41	44	43	27	42	44	30	25	23	35	31
65 and upwards, ...	42	53	53	45	45	34	44	38	32	34	34	37	32	39	25	34	36	41	43	40	20	23	25	22	28	29
Deaths from:—																										
Enteric Fever, ...	1	.	1	1	1	2	.	.	1	.	1	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	7	13	13	11	12	9	5	6	6	1	2	2	1	3	2	1	7	7	9	3	7	3	3	3	4
Scarlet Fever, ...	.	3	1	1	3	1	1	1	.	1	.	.	2	3	7	5	3	4	1	5	3	.	2	.	.	2
Whooping-cough, ...	1	2	2	2	3	1	3	1	2	1	1	2	4	2	2	4	3	4	3	1	2	1	5	3	6	5
Diphtheria, ...	1	.	1	1	.	1	2	2	.	2	1	.	1	1	.	.	1	1	.	.	1	.	.	1	2	1
Dysentery, ...	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	26	22	18	19	21	20	19	22	12	16	23	20	21	25	14	21	16	10	13	12	15	15	12	19	15	15
Tuberculosis { Other Forms,	5	8	5	9	4	3	5	6	6	2	7	7	10	4	4	8	3	4	6	9	4	6	10	4	3	7
Cancer, ...	9	5	12	10	11	6	11	6	4	11	4	7	11	16	3	6	4	13	3	7	5	3	5	8	8	9
Diseases of Respiratory System, { Pneumonia,	15	16	15	16	10	9	20	16	12	6	7	9	11	11	18	25	21	27	16	28	23	12	8	11	7	8
Diseases of Respiratory System, { Others, ...	30	24	45	22	28	22	32	21	20	16	14	21	21	19	27	33	35	33	26	38	22	17	10	12	12	19
Diarrhœa and Enteritis, under 2 years, ...	4	12	6	4	8	6	4	2	3	1	6	6	3	3	1	3	4	.	.	2	3	.	4	1	1	1
Diarrhœa, 2 years and upwards	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
Violent Deaths, ...	4	1	3	4	6	2	8	9	1	4	3	3	5	3	2	1	1	4	2	8	4	1	2	3	2	.
Number of Uncertified Deaths,	5	13	10	4	3	5	8	5	4	4	7	4	2	1	.	1	3	1	1	5	2	1	2	2	2	5

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th February, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Total Number of DEATHS.	DEATHS. Ages at Death.						Deaths from																		
			All Causes.	Certain Epidemic Diseases.†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	16·4	.	5	.	.	1	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Do. 2 do.	49,500	22	13·7	.	13	2	1	1	5	1	3	.	.	.	.	.	.	.	.	4	2	1	1	2	.	.	.	.	7	.
Do. 3 do.	50,032	24	19·8	1·0	19	4	.	2	7	3	3	.	.	.	.	.	.	.	.	3	2	2	1	3	1	.	.	1	3	.
Do. 4 do.	32,637	30	19·2	.	12	3	.	2	1	4	2	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.	4	1
Do. 5 do.	16,112	11	16·2	6·5	5	1	1	.	1	1	1	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Do. 6 do.	37,293	5	26·6	4·2	19	1	4	1	1	7	5	.	.	.	2	.	1	.	.	.	.	3	1	.	.	.	.	.	4	1
Do. 7 do.	2,681	3	58·3	.	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	17·5	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	10	10·7	.	5	.	1	1	1	1	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	1
Do. 10 do.	28,958	22	18·0	.	10	1	1	1	3	1	3	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.	1	.
Do. 11 do.	39,311	19	15·9	2·7	12	2	1	1	1	2	5	.	.	.	.	1	1	.	.	1	.	.	1	1	.	.	.	.	1	.
Do. 12 do.	38,076	31	31·5	5·5	23	8	5	2	2	3	3	.	.	.	.	1	3	.	.	.	.	.	2	6	.	.	.	1	4	.
Do. 13 do.	23,233	11	13·5	2·2	6	.	1	1	3	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	6	27·6	.	12	2	2	.	3	3	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	4	2
Total,	386,947	203	18·9	1·7	146	25	18	13	30	31	29	.	.	.	4	2	5	1	.	15	7	9	8	19	1	.	.	2	34	5
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	7	15·5	.	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
Do. 2 do.	10,399	2	25·1	.	5	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
Do. 3 do.	9,793	4	16·0	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	2	17·1	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 5 do.	6,250	.	25·0	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	3	31·5	4·5	7	.	2	2	1	1	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
Do. 7 do.	16,056	6	26·0	.	8	1	1	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	1
Total,	76,673	24	22·4	0·7	33	3	3	2	4	10	11	.	.	.	1	.	.	.	.	2	.	1	3	1	.	.	.	.	7	3

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

N

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th February, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 1, West, ...	.	.	.	.	1	.	.	.	.	.	.	.	2	3
" " 2, ...	.	.	.	.	.	.	.	.	3	.	.	.	2	5
" " 3, ...	.	1	.	.	1	.	.	.	.	.	.	.	4	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	1	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	4	4
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	2
" " 3, ...	.	3	.	.	.	.	.	1	.	.	.	.	2	6
" " 4, ...	.	1	.	.	.	.	.	2	.	.	.	.	2	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	7	.	.	3	.	.	3	3	.	.	.	21	37

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th February, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th February.			
	Jan. 22.	Jan. 29.	Feb. 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	40	37	38	4	8	1	33
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	68	67	78	11	27	.	62
Scarlet Fever, ...	57	59	53	21	7	1	66*
Diphtheria, ...	20	17	23	4	5	1	21
Pneumonia, ...	16	12	11	5	3	1	12

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13195. Wt. 6237. 375. 2 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C

No. 7. VOL. LIII.] WEEK ENDING SATURDAY, 19TH FEBRUARY, 1916. [PRICE 1½*d*

General Register Office, Charlemont House,
Dublin, 21st February, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 18·8 and 18·9; Dublin Registration Area, 18·2 and 18·7; Dublin City, 19·0 and 20·5; Belfast, 18·1 and 17·2; Cork, 23·1 and 22·6; Londonderry, 26·6 and 20·2; Limerick, 21·7 and 20·7; and Waterford, 11·4 and 16·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·4 per 1,000. Among the 140 deaths from all causes for Belfast are 2 from enteric fever, 4 from measles, one from scarlet fever, 3 from whooping-cough, and one from diphtheria. The 34 deaths from all causes for Cork include one from scarlet fever, and one of a child under 2 years of age from diarrhœa and enteritis. Two of the 6 deaths from all causes for Waterford were of children under 2 years of age from diarrhœa and enteritis. One of the 5 deaths recorded for Lisburn was due to whooping-cough. Among the 10 deaths from all causes for Newry is one from each of measles and whooping-cough. One of the 4 deaths from all causes for Portadown was ascribed to whooping-cough; and this disease also caused 2 of the 4 deaths recorded for Ballymena.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 209—107 boys and 102 girls—and the deaths to 165—84 males and 81 females.

The deaths registered, omitting the deaths (numbering 22) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·2 per 1,000 of the population. During the seven weeks ending with Saturday last, the death-rate averaged 19·4, and was 5·7 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the seven weeks was 21·0, and for the corresponding period of the preceding ten years 26·5.

The 143 deaths appertaining to the Area include 4 from measles, 3 from whooping-cough, 2 from influenza, and one from cerebro-spinal fever. In the three preceding weeks deaths from measles numbered one, 2, and 2; from whooping-cough one, 2, and 4: from influenza 0, one, and 2: and the deaths from cerebro-spinal fever were 2, 0, and 0, respectively.

Tuberculous disease caused 27 deaths (including 21 from pulmonary tuberculosis, one from tuberculous meningitis, and 5 from other forms of the disease), as against 30, 27, and 31 in the three weeks preceding.

Ten deaths were caused by cancer, 9 by pneumonia (6 by broncho-pneumonia, one by lobar pneumonia and 2 by pneumonia, type not distinguished), one by simple meningitis, 18 by organic diseases of the heart, and 15 by bronchitis.

Among deaths of infants under one year old 3 were ascribed to convulsions, 2 to congenital malformations, 3 to prematurity, and one to congenital debility.

Three deaths were ascribed to accidents, including one caused by burns, and one by a railway waggon.

Twenty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 16 being infants under one year, of whom 8 were under one month old.

Of the 143 deaths recorded, 63 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 15·2), was equal to an average annual death-rate of 16·3 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 15·5 per 1,000, the rate for Glasgow being 15·8, and for Edinburgh 16·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th February. From this Report it appears that of 68 cases notified, 32 were scarlet fever, 19 diphtheria, 10 pulmonary tuberculosis, 2 other forms of tuberculosis, and 5 erysipelas. Among the 545 cases of infectious diseases in hospital at the close of the week were 140 of pulmonary tuberculosis, 242 of scarlet fever, 124 of diphtheria, 14 of measles, 4 of erysipelas, and 3 of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 19th February, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 29,	.	—	—	8	.	.	5	.	1	4	3	.	—	—	1	—	.	24	46
	Feb. 5,	.	—	—	7	.	.	7	.	.	6	2	.	—	—	1	—	.	24	47
	Feb. 12,	.	—	—	7	.	.	3	.	.	3	3	.	—	—	.	—	.	21	37
	Feb. 19,	.	—	—	12	.	.	5	.	.	5	.	.	—	—	1	—	.	18	41
Rathmines and Rathgar Urban District	Jan. 29,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 5,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	—	3
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Feb. 19,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Jan. 29,	.	1	2	1	.	.	.	.	.	.	.	.	—	.	.	—	—	1	5
	Feb. 5,	.	2	1	2	.	.	.	.	.	.	.	.	—	2	.	—	—	.	7
	Feb. 12,	.	1	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	1	4
	Feb. 19,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	1	3
Blackrock Urban District.	Jan. 29,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Feb. 5,	.	2	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	2
	Feb. 12,	.	.	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	.	3
	Feb. 19,	.	.	—	3	.	.		.	.	.	.	.	—	—	.	—	—	.	3
Kingstown Urban District.	Jan. 29,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	.	2
	Feb. 5,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Jan. 29,	.	—	—	24	.	.	6	.	.	1	2	.	—	—	.	—	.	4	37
	Feb. 5,	.	—	—	30	.	.	8	.	.	7	3	.	—	—	1	—	.	3	52
	Feb. 12,	.	—	—	23	.	.	7	.	.	1	1	.	—	—	1	—	.	3	36
	Feb. 19,	.	—	—	28	.	.	8	.	.	2	1	.	—	—	2	—	.	1	42
City of Cork.	Jan. 29,	.	5	—	5	.	.	1	1	1	.	1	.	—	—	—	.	—	—	14
	Feb. 5,	.	9	—	2	.	.	5	1	.	1	1	.	—	—	—	.	—	—	19
	Feb. 12,	.	7	—	1	.	.	.	.	.	1	.	.	—	—	—	.	—	—	9*a*
	Feb. 19,	.	10	—	5	.	.	.	1	.	1	1	.	—	—	—	.	—	—	18
City of Londonderry.	Jan. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Feb. 5,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Feb. 12,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	—	—	2
City of Limerick.	Jan. 29,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Feb 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford.	Jan. 29,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1	2
	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(*a*) Not including 2 cases of cerebro-spinal fever.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th February, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 10 and 40; measles 16 and 48; scarlet fever 10 and 73*; and diphtheria 7 and 28. One case of pneumonia was admitted during the week and 9 remained under treatment at its close. Of the deaths in hospitals during the week one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 19th February, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 19TH FEBRUARY, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases.(b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 19TH FEBRUARY, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,143,468	20·2	23·8	18·8	1·4	525	414	57	107	2	...	..	9	2	11	1	...	54	22	23	27	41	5	...	7	12	137	22	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	26·6	18·2	1·1	209	143g	16	36	...	...	...	4	...	3	...	...	21	6	10	9	16	2	...		3	63	6	(d) 53·6	32·3	42·6	0·89
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	31·7	19·0	1·5	190	114	15	24	...	...	...	4	...	3	...	...	18	5	7	7	14	2	...	3	3	51	5	(e) 53·9 / (f) 53·8	35·0 / 34·2	43·7 / 42·9	1·13 / 1·26
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	11·9	19·8	.	9	15	...	6	...	..	...	...	...	...		...	2	...	2	...	...	...	...	...	...	5	1	..	...	...	...
Urban Districts: PEMBROKE, ...	30,538	19·4	12·0	17·1	.	7	10	1	5	..	..	...	...		...	...	..	...	1	...	1	2	...	...	...	...	4	..	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	5·6	.	.	1	...	...	...	..	..	...	...	...	...	...	..	..	...	.	...	...	...	..	...	...	...	...	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	6·2	12·3	.	2	4	...	1		.	...	...		...	...		1	..	1	1	...	...	...	..	...	3	..	56	34	42·9	0·89
Urban Districts: BELFAST	403,000	27·0	24·2	18·1	1·4	187	140	20	34	2	...	...	4	1	3	1	...	14	9	9	11	14	...	..	2	3	38	3	51·0	30·5	39·0	1·75
Urban Districts: CORK, ...	76,673	28·6	29·2	23·1	1·4	43	34	9	9	...	...	...	...	1	...	...	..	6	3	1	4	2	1	...	...	1	10	3	...	...	...	...
Urban Districts: LONDONDERRY	41,200	16·0	19·0	26·6	.	15	21	2	6	..	..	...	...	...	...	...	...	3	1	1	...	3	..	...	1	3	3	3	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	17·6	21·7	.	13	16	3	2	...	...	...	...	...	...	..	..	2	...	...	...	2	...	...	...	2	6	3	56·4	32·1	42·4	1·50
Urban Districts: WATERFORD, ...	27,464	19·1	15·2	11·4	3·8	8	6	...	2	...	...	...	...	...	...	...	..	...	2	...	...	...	2	...	...	...	2	...	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5				5	...	...	...	...	...	...	...	...	..	..	...	..	...	..	...	...	...	...	...	...	...	...	54	32	42	1·52
Urban Districts: DUNDALK, ...	13,128	9·5				1	2	...	..	..	...	..	...	...	...	...	...	...	..	..	...	...	...	...	..	..	...	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				4	5	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	52	31	42	1·21
Urban Districts: DROGHEDA, ...	12,501	8·4				10	4	1	2	...	..	...	..	...	.	...	...	...	..	...	...	...	...	...	...	.	1	...	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				2	5	1	1	...	...	...	...	...	1	...	...	2	...	...	1	...	...	...	...	...	3	...	52	31	42	1·21
Urban Districts: NEWRY, ...	11,963	17·0				2	10	...	3	...	...	...	1	...	1	...	...	1	...	...	...	1	...	...	..	..	...	1	52	31	42	1·21
Urban Districts: PORTADOWN, ...	11,727	15·3				5	4	3	1	..	...	...	...	...	1	...	..	...	1	...	...	...	...	...	..	..	...	...	52	31	42	1·21
Urban Districts: WEXFORD, ...	11,531	22·8				4	3	...	2	...	...	...	...	...	...	...	...	1	.	...	...	...	...	...	...	...	1	1	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				5	4	2	...	...	...	...	...	...	2	...	...	...	...	1	..	..	...	...	..	..	1	...	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				2	3	...	3	...	...	...	...	...	..	...	...	...	..	...	1	1	...	...	...	...	2	...	52	31	40·0	1·87
Urban Districts: KILKENNY, ...	10,514	11·4				2	6	...	...	...	...	...	...	...	..	...	..	2	...	1	...	1	...	...	1	...	4	...	54	31	41·7	2·01
Urban Districts: TRALEE, ...	10,300	17·4				4	6	...	3	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	2	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	1	...	...	...	...	...
LONDON, ...	4,516,612	—	—	15·2	—	1,850	1,319g	175	465	1	.	.	8	7	42	14	—	133	33	106	126	157	19	3	42	113	802	7	—	—	—	—
EDINBURGH, ...	329,200	—	—	16·5	1·3	108	104	15	27	.	.	..	2	1	.	4	—	—	—	—	—	—	1	—	4	—	—	—	46·7	31·5	37·3	0·81
GLASGOW	1,091,600	—	—	15·8	1·4	482	331g	52	69	1	.	.	18	4	.	3	—	—	—	—	—	—	4	—	18	—	—	—	46·1	32·5	37·6	1·77

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever in Dublin, 2 in London and 6 in Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Average number of deaths in 7th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 19th February, 1916.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.														
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
ALL CAUSES.	201·4	165	12	8	7	8	7	5	2	2	7	19	22	24	20	22	143
Enteric Fever, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2·2	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	4
Scarlet Fever, ...	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3·4	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	3
Diphtheria, ...	1·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Influenza, ...	4·0	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Dysentery, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	·2	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis, ...	21·8	22	.	.	.	.	1	1	1	.	3	8	7	.	1	.	21
Tuberculous Meningitis, ...	2·0	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis, ...	2·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Tuberculosis of other Organs,	·2	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis,...	2·0	2	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2
Venereal Diseases, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8·2	14	.	.	.	.	.	.	.	.	1	1	3	4	4	1	10
Tumour, situation undefined,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other General Diseases, ...	2·0	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Alcoholism, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Simple Meningitis, ...	2·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	6·8	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	3
Softening of Brain, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Paralysis, without specified cause.	4·2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Epilepsy, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Convulsions (non-puerperal),	6·0	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	3·6	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Pericarditis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,	15·6	18	.	.	.	.	.	.	.	.	1	5	1	6	2	3	18
Embolism and Thrombosis (including Cerebral).	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory system.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	32·2	18	.	1	1	4	.	.	.	.	.	.	3	3	3	3	15
Broncho-pneumonia, ...	10·0	6	.	.	2	1	1	.	.	.	.	.	1	.	.	1	6
Lobar pneumonia, ...	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pneumonia (type not distinguished)	9·4	2	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

in the SEVENTH WEEK, ending Saturday, 19th February, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Average number of deaths in 7th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 19th February, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach, ...	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diarrhœa and Enteritis of Children under 2 years.	4·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.		2
Diarrhœa 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards,	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis, ...	·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cirrhosis of Liver, ...	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Other Diseases of Liver, ...	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Peritonitis (cause unknown),	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.
Acute Nephritis, ...	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Chronic Bright's Disease, ...	4·6	6	.	.	.	.	.	.	.	.	.	1	2	.	2	1		5
Urinary Calculi, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Puerperal Septicæmia, &c., ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Causes incident to Pregnancy and Childbirth.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	1·0	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.		3
Diseases of Locomotor System,	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations, ...	1·0	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Premature Birth, ...	4·4	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.		3
Congenital Debility, ...	4·6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Old Age, ...	6·2	9	.	.	.	.	.	.	.	.	.	.	.	.	1	8		8
Other Specified Diseases, ...	1·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.
ACCIDENT:																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds, ...	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Drowning, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Deaths by Accident, ...	2·6	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.		2
Total Deaths from Accident,	4·8	3	.	.	.	.	.	.	.	.	.	1	.	2	.	.		3
Included in above are Deaths in connection with—																		
Railways, ...	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Vehicles and Horses, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes, ...	4·0	6	.	.	.	.	.	.	.	.	.	.	.	4	2	.		5

TABLE IV.—Showing for the WEEK ENDED 19TH FEBRUARY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Repiratory System. Pneumonia.	Diseases of Repiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Prisons, and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
					DEATHS.								CAUSED BY																					
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																		
NORTH CITY, No. 1, E.,	30,504	30·8	5·1	18	4	.	2	3	.	1	5	3	.	.	.	1	.	2	.	.	3	2	1	1	2	.	.	1	5	1	2	4	1
,, 1, W.,	41,685	20·0	.	16	1	1	1	2	.	2	4	5	.	.	.	.	.	.	.	.	2	2	.	1	2	.	.	1	8	1	3	5	2
,, 2,	27,883	18.7	.	10	2	.	1	1	1	1	3	1	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	5	.	2	.	1
,, 3,	35,887	13·1	.	9	1	.	.	.	1	1	3	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	7	.	4	2	.
CLONTARF AND HOWTH, No. 1, part of.	5,539	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK & DRUMCONDRA, part of	13,820	7·5	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
FINGLAS AND GLASNEVIN, part of,	10,829	9·6	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
South City.																																		
SOUTH CITY, No. 1,	41,170	19·0	2·5	15	2	.	1	.	1	3	5	3	.	.	.	1	.	.	.	.	3	.	.	.	2	1	.	.	8	.	4	3	.
,, 2,	18,341	34·1	2·8	12	2	.	.	.	.	2	5	3	.	.	.	.	.	.	.	.	3	.	.	.	3	1	.	.	5	.	2	5	1
,, 3,	43,970	19·0	2·4	16	1	1	1	2	.	4	2	5	.	.	.	2	.	.	.	.	3	.	2	1	3	.	.	.	5	.	2	5	.
,, 4,	33,171	17·3	.	11	2	1	1	1	.	2	3	1	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	1	4	1	2	3	.
NEW KILMAINHAM,	9,948	15·7	5·2	3	.	1	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR,	39,541	19·8	.	15	.	1	.	.	.	4	4	6	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	11	.	4	1	1
PEMBROKE,	30,538	17·1	.	10	1	.	.	1	.	.	3	5	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	6	.	2	2	.
BLACKROCK,	9,233	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	16,941	12·3	.	4	.	.	1	.	.	.	2	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	.	3	.	.
TOTAL CITY. North,	166,147	17·9	0·9	57	8	1	4	6	2	7	17	12	.	.	.	1	.	2	.	.	6	5	4	4	5	.	.	2	28	2	13	11	4
TOTAL CITY. South,	146,600	20·3	2·1	57	7	3	3	3	1	12	16	12	.	.	.	3	.	1	.	.	12	.	3	3	9	2	.	1	23	1	11	16	1
TOTAL CITY. North and South	312,747	19·0	1.5	114	15	4	7	9	3	19	33	24	.	.	.	4	.	3	.	.	18	5	7	7	14	2	.	3	51	3	24	27	5
Total Urban Districts,	96,253	15·7	.	29	1	1	1	1	.	4	9	12	.	.	.	.	.	.	.	.	3	1	3	2	2	.	.	.	18	.	9	3	1
Total Registration Area,	409,000	18·2	1·1	143	16	5	8	10	3	23	42	36	.	.	.	4	.	3	.	.	21	6	10	9	16	2	.	3	69	3	33	30	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				22	4	2	.	2	1	3	4	6	.	.	.	.	.	.	1	.	1	2	4	.	4	.	.	.	10	.	15	7	.

* See note (*a*) at foot of Table II. † See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th February, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH FEBRUARY, 1916. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	165	35	12	4	26	46	20	22	.	.	.	4	.	3	1	.	22	8	14	3	9	20	2	.	3	76	6
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	7·1	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS, ...	101,798	15·4	30	3	3	1	4	8	4	7	.	.	.	.	.	.	.	.	1	5	5	1	.	3	.	.	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	16·4	34	7	2	1	6	11	3	4	.	.	.	1	.	.	1	.	7	.	2	.	4	2	.	.	1	16	2
IV.	GENERAL SERVICE CLASS, ...	167,479	19·3	62	21	6	2	9	15	2	7	.	.	.	3	.	3	.	.	6	2	1	2	4	9	2	.	2	28	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	37	4	1	.	7	11	10	4	.	.	.	.	.	.	.	.	8	1	4	.	1	6	.	.	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	—	3	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	6. Clerks and Commercial Assistants, ...	33,249	—	10	1	2	1	2	3	1	.	.	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	13	2	1	.	1	3	3	3	.	.	.	.	.	.	.	.	1	1	3	1	.	1	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	—	5	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	1	1
	10. Clothing Trades, ...	20,026	—	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
	11. Food Supply Trades	8,952	—	5	1	.	.	.	2	.	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	18	2	1	1	2	8	2	2	.	.	.	1	.	.	.	.	4	.	2	.	1	1	.	.	1	8	.
	13. Petty Shopkeepers	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	15	7	2	.	2	2	.	2	.	.	.	1	.	.	.	.	2	1	.	1	1	2	1	.	.	6	1
	15. Domestic Servants, ...	36,041	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	41	12	4	1	4	13	2	5	.	.	.	2	.	3	.	.	2	1	1	.	3	7	1	.	2	19	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	37	4	1	.	7	11	10	4	.	.	.	.	.	.	.	.	8	1	4	.	1	6	.	.	.	17	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.
No. of weeks in Annual Series	47	48	49	50	51	52	1	2	3	4	5	6	7	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered.	215	165	187	178	152	156	208	203	253	213	209	163	209	172	138	160	174	137	157	231	220	174	181	206	203	187
Average Births in corresponding week of previous 10 years, ...	188	210	187	208	184	167	228	231	207	220	238	229	214	183	189	190	194	187	171	256	209	225	219	219	216	211
Number of Deaths, ...	189	203	177	195	133	188	159	143	145	153	158	165	143	140	163	162	178	140	194	153	124	113	116	131	146	140
Annual Death-rate per 1,000, ...	24·1	25·9	22·6	24·9	17·0	24·0	20·3	18·2	18·5	19·5	20·1	21·0	18·2	18·1	21·1	21·0	23·0	18·1	25·1	19·8	16·0	14·6	15·0	16·9	18·9	18·1
Average Deaths in corresponding week of previous 10 years, ...	158	160	169	156	167	144	198	186	191	196	191	190	192	140	135	154	146	146	147	158	164	153	165	167	182	174
Ages, Under one year, ...	32	32	31	46	19	34	22	25	26	26	34	29	16	22	24	36	32	21	31	38	22	20	17	21	25	20
1— 5 years, ...	32	24	28	22	25	34	28	20	15	17	14	22	13	12	22	13	26	21	37	17	15	17	19	20	18	13
5—25 " ...	15	18	14	15	8	14	13	11	10	14	22	14	13	15	16	8	9	12	19	18	10	13	12	14	13	18
25—45 " ...	24	23	22	23	20	26	23	15	20	21	19	25	23	22	26	25	27	16	25	16	24	13	18	13	30	29
45—65 " ...	33	53	37	44	27	36	35	40	40	41	32	43	42	44	41	44	43	27	42	44	30	25	28	35	31	26
65 and upwards, ...	53	53	45	45	34	44	38	32	34	34	37	32	36	25	34	36	41	43	40	20	23	25	22	28	29	34
Deaths from:—																										
Enteric Fever, ...	.	1	1	1	2	.	.	1	.	1	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	13	13	11	12	9	5	6	6	1	2	2	4	3	2	1	7	7	9	3	7	3	3	3	4	4
Scarlet Fever, ...	3	1	1	3	1	1	1	.	1	.	.	2	.	7	5	3	4	1	5	3	.	2	.	.	2	1
Whooping-cough, ...	2	2	2	3	1	3	1	2	1	1	2	4	3	2	4	3	4	3	1	2	1	5	3	6	5	3
Diphtheria, ...	.	1	1	.	1	2	2	.	2	1	.	1	.	.	.	1	1	.	.	1	.	.	1	2	1	1
Dysentery, ...	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	22	18	19	21	20	19	22	12	16	23	20	21	21	14	21	16	10	13	12	15	15	12	19	15	15	14
Tuberculosis { Other Forms,	8	5	9	4	3	5	6	6	2	7	7	10	6	4	8	3	4	6	9	4	6	10	4	3	7	9
Cancer, ...	5	12	10	11	6	11	6	4	11	4	7	11	10	3	6	4	13	3	7	5	3	5	8	8	9	9
Diseases of Respiratory System { Pneumonia,	16	15	16	10	9	20	16	12	6	7	9	11	9	18	25	21	27	16	28	23	12	8	11	7	8	11
Diseases of Respiratory System { Others, ...	24	45	22	28	22	32	21	20	16	14	21	21	16	27	33	35	33	26	38	22	17	10	12	12	19	14
Diarrhœa and Enteritis, under 2 years, ...	12	6	4	8	6	4	2	3	1	6	6	3	2	1	3	4	.	.	2	3	.	4	1	1	1	.
Diarrhœa, 2 years and upwards	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.
Violent Deaths, ...	1	3	4	6	2	8	9	1	4	3	3	5	3	2	1	1	4	2	8	4	1	2	3	2	.	2
Number of Uncertified Deaths,	13	10	4	3	5	8	5	4	4	7	4	2	6	.	1	3	1	1	5	2	1	2	2	2	5	3

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th February, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	26·3	.	8	1	1	.	1	4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	3	.
Do. 2 do.	49,500	25	13·7	.	13	1	.	4	2	3	3	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.	.	.	4	.
Do. 3 do.	50,032	36	13·5	1·0	13	.	3	.	4	.	6	.	.	.	1	.	.	.	.	2	.	.	1	1	.	.	.	.	7	.
Do. 4 do.	32,637	20	14·4	1·6	9	3	.	.	1	3	2	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	.	5	1
Do. 5 do.	16,112	15	29·1	3·2	9	1	1	1	2	1	3	1	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	.	3	.
Do. 6 do.	37,293	5	23·8	4·2	17	3	2	4	2	2	4	.	.	.	1	1	1	.	.	2	2	.	2	.	.	.	.	.	3	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	.	17·5	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	11	27·8	2·1	13	2	1	3	2	1	4	.	.	.	.	.	.	1	.	2	.	1	1	2	.	.	.	.	1	.
Do. 10 do.	28,958	17	27·0	1·8	15	5	1	2	2	3	2	.	.	.	1	.	.	.	.	2	2	1	.	1	.	.	.	.	3	2
Do. 11 do.	39,311	13	13·3	1·3	10	.	1	2	5	1	1	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	4	.
Do. 12 do.	38,076	13	11·0	2·7	8	3	1	1	1	1	1	.	.	.	.	.	2	.	.	1	1	1	1	.	.	.	1	1	3	.
Do. 13 do.	23,233	7	13·5	.	6	.	.	1	1	1	3	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	39·1	.	17	1	2	.	6	4	4	.	.	.	.	.	.	.	.	2	2	1	2	.	.	.	.	.	1	.
Total,	386,947	187	18·1	1·4	140	20	13	18	29	26	34	2	.	.	4	1	3	1	.	14	9	9	11	14	.	.	2	3	38	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	8	27·1	.	7	1	1	.	.	1	4	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	1	1
Do. 2 do.	10,399	6	20·1	.	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.
Do. 3 do.	9,793	3	37·3	10·6	7	1	1	3	1	.	1	.	.	.	.	1	.	.	.	2	1	.	.	.	1	.	.	.	4	.
Do. 4 do.	9,139	8	17·1	.	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Do. 5 do.	6,250	2	25·0	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	8	13·5	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	1
Do. 7 do.	16,056	8	22·7	.	7	1	.	.	3	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	2	1
Total,	76,673	43	23·1	1.4	34	9	3	4	5	4	9	.	.	.	.	1	.	.	.	6	3	1	4	2	1	.	.	1	10	3

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th February, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	1	.	.	.	.	1	3
" " 1, West, ...	.	2	.	.	.	.	.	2	.	.	.	.	4	8
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	6	.	.	1	.	.	.	.	.	.	.	2	9
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	1	.	.		.	.	3
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	1	.	.	.	.	.	.	.	3	4
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 3, ...	.	.	.	.	2	.	.	.	.	.	1	.	3	6
" " 4, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Total, ...	.	12	.	.	5	.	.	5	.	.	1	.	18	41

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th February, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th February.			
	Jan. 29.	Feb. 5.	Feb. 12.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	37	38	33	10	3	.	40
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	67	78	62	16	30	.	48
Scarlet Fever, ...	59	53	66	10	3	.	73*
Diphtheria, ...	17	23	21	7	.	.	28
Pneumonia, ...	12	11	12	1	3	1	9

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13211. Wt 6293. 375 2 1916 G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C

No. 8. VOL. LIII.] WEEK ENDING SATURDAY, 26TH FEBRUARY, 1916. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 28th February, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·0 and 19·0; Dublin Registration Area, 20·4 and 19·9; Dublin City, 21·8 and 20·9; Belfast, 16·8 and 17·7; Cork, 15·0 and 19·5; Londonderry, 20·2 and 21·8; Limerick, 20·3 and 21·3; and Waterford, 9·5 and 16·2.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·3 per 1,000. Among the 130 deaths from all causes for Belfast are 5 from measles, 3 from scarlet fever, 4 from whooping-cough, one from diphtheria, and 4 deaths of children under 2 years from diarrhœa and enteritis. One of the 22 deaths from all causes recorded for Cork was attributed to measles, and the 15 deaths from all causes for Limerick include 2 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 166—80 boys and 86 girls—and the deaths to 170—89 males and 81 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·4 per 1,000 of the population. During the eight weeks ending with Saturday last, the death-rate averaged 19·5, and was 5·7 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the eight weeks was 21·1, and for the corresponding period of the preceding ten years, 26·5.

The 160 deaths appertaining to the Area include 3 from measles, one from each of scarlet fever, whooping-cough, and diphtheria; 4 from influenza; and 2 of children under 2 years from diarrhœa and enteritis. In the three preceding weeks deaths from measles numbered 2, 2, and 4; from scarlet fever, 0, 2, and 0; from whooping-cough 2, 4, and 3; from diphtheria 0, one, and 0; from influenza one, 2, and 2; and the deaths of children under 2 years from diarrhœa and enteritis were 6, 3, and 2, respectively.

Tuberculous disease caused 25 deaths (including 17 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 4 from disseminated tuberculosis), as against 27, 31, and 27 in the three weeks preceding.

Five deaths were caused by cancer, 12 by pneumonia (7 by broncho-pneumonia, one by lobar pneumonia, and 4 by pneumonia, type not distinguished), 2 by simple meningitis, 14 by organic diseases of the heart, and 21 by bronchitis.

Among deaths of infants under one year old 5 were ascribed to convulsions, 3 to prematurity, and 5 to congenital debility.

Six deaths were ascribed to accidents, including 4 caused by burns and scalds, and one by a motor car.

Thirty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 20 being infants under one year, of whom 6 were under one month old.

Of the 160 deaths recorded, 64 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·6), was equal to an average annual death-rate of 15·7 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 16·2 per 1,000, the rate for Glasgow being 15·1, and for Edinburgh 13·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th February. From this Report it appears that of 123 cases notified, 46 were scarlet fever, 37 diphtheria, 18 pulmonary tuberculosis, 12 other forms of tuberculosis, 9 erysipelas and one cerebro-spinal fever. Among the 568 cases of infectious diseases in hospital at the close of the week were 138 of pulmonary tuberculosis, 249 of scarlet fever, 142 of diphtheria, 16 of measles, 7 of erysipelas, 3 of enteric fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 26th February, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis	Total.
City of Dublin.	Feb. 5,	.	—	—	7	.	.	7	.	.	6	2	.	—	—	1	—	.	24	47
	Feb. 12,	.	—	—	7	.	.	3	.	.	3	3	.	—	—	.	—	.	21	37
	Feb. 19,	.	—	—	12	.	.	5	.	.	5	.	.	—	—	1	—	.	18	41
	Feb. 26,	.	—	—	6	.	.	7	.	.	3	5	.	—	—	.	—	.	18	39
Rathmines and Rathgar Urban District	Feb. 5,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	—	3
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Feb. 19,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Feb. 5,	.	2	1	2	.	.	.	.	.	.	.	.	—	2	.	—	—	.	7
	Feb. 12,	.	1	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	1	4
	Feb. 19,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	1	3
	Feb. 26,	.	5	2	.	.	.	.	.	.	1	.	.	—	.	.	—	—	1	9
Blackrock Urban District.	Feb. 5,	.	2	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	2
	Feb. 12,	.	.	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	.	3
	Feb. 19,	.	.	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	.	3
	Feb. 26,	.	.	—	8	.	.	.	.	.	.	.	.	—	—	.	—	—	.	8
Kingstown Urban District.	Feb. 5,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Feb. 5,	.	—	—	30	.	.	8	.	.	7	3	.	—	—	1	—	.	3	52
	Feb. 12,	.	—	—	23	.	.	7	.	.	1	1	.	—	—	1	—	.	3	36
	Feb. 19,	.	—	—	28	.	.	8	.	.	2	1	.	—	—	2	—	.	1	42
	Feb. 26,	.	—	—	23	.	.	1	.	.	1	5	.	—	—	.	—	.	4	34
City of Cork.	Feb. 5,	.	9	—	2	.	.	5	1	.	1	1	.	—	—	—	.	—	—	19
	Feb. 12,	.	7	—	1	.	.	.	.	.	1	.	.	—	—	—	.	—	—	9a
	Feb. 19,	.	10	—	5	.	.	.	1	.	1	1	.	—	—	—	.	—	—	18
	Feb. 26,	.	2	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	—	4
City of Londonderry.	Feb. 5,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Feb. 12,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	—	—	2
	Feb. 26,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
City of Limerick.	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
City of Waterford	Feb. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(a) Not including 2 cases of cerebro-spinal fever.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th February, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 4 and 40; measles 18 and 45; scarlet fever 18 and 77*; and diphtheria 6 and 26. Four cases of pneumonia were admitted during the week and 10 remained under treatment at its close. Of the deaths in hospitals during the week 2 were from measles and one was from diphtheria,

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 26th February, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 26TH FEBRUARY, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases.(b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY.(c) WEEK ENDING 26TH FEBRUARY, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	23·6	18·0	1·3	519	397	59	103	...	...	...	9	4	7	2	...	42	20	15	30	62	7	...	8	13	121	15	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	21·2	20·4	1·0	166	160	20	50	...	...	...	3	1	1	1	...	17	8	5	12	25	2	...	6	4	64	5	(d) 44·8	31·0	37·1	0·48
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	23·7	21·8	1·3	142	131	19	40	...	...	...	3	1	1	1	...	11	8	4	9	23	2	...	4	3	58	4	(e) 41·0 (f) 45·0	33·4 32·0	38·8 33·1	0·49 0·49
Urban Districts: RATHMINES and RATHGAR, ...	39,541	23·1	7·9	13·2	.	6	10	1	3	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	1	2	...	...	...	...	...
Urban Districts: PEMBROKE, ...	30,538	19·4	18·8	15·4	.	11	9	...	4	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	1	...	2	1	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	11·3	33·9	.	2	6	...	2	...	...	...	...	...	...	...	...	2	...	...	2	...	...	...	...	...	2	...	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	15·4	12·3	.	5	4	...	1	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	43	34	37·9	0·77
Urban Districts: BELFAST ...	403,000	27·0	28·2	16·8	2·2	218	120	23	21	...	...	...	5	3	4	1	...	16	8	7	13	14	4	...	2	8	25	4	45·0	27·5	38·2	0·02
Urban Districts: CORK, ...	76,673	28·6	27·9	15·0	0·7	41	22	4	3	...	...	...	1	...	...	...	...	2	2	...	2	3	...	...	...	...	9	3	47	32	39·2	0·51
Urban Districts: LONDONDERRY ...	41,200	16·0	17·7	20·2	.	14	16	1	5	...	...	...	...	...	...	...	...	2	...	...	...	4	...	...	...	...	3	...	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	12·2	20·3	2·7	9	15	3	3	...	...	...	...	...	2	...	...	2	...	...	...	5	...	...	...	1	7	...	45·5	29·0	37·3	0·02
Urban Districts: WATERFORD, ...	27,461	19·1	15·2	9·5	1·9	8	5	2	1	...	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			5	4	2	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	52	28	40	0·10
Urban Districts: DUNDALK, ...	13,128	9·5				7	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				9	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	...	46·0	26·6	35·4	0·11
Urban Districts: DROGHEDA, ...	12,501	8·4				3	4	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...
Urban Districts: LISBURN ...	12,388	10·9				4	8	...	2	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	2	...	46·0	26·6	36·4	0·11
Urban Districts: NEWRY, ...	11,963	17·0				8	4	1	2	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	2	...	46·0	26·6	36·4	0·11
Urban Districts: PORTADOWN, ...	11,727	15·3				3	3	...	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	46·0	26·6	36·4	0·11
Urban Districts: WEXFORD, ...	11,531	22·8				2	9	1	3	...	...	...	...	...	...	...	...	1	...	...	...	3	...	...	...	...	1	2	...	...	...	...
Urban Districts: BALLYMENA ...	11,381	9·3				4	5	...	4	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	47	24	37·0	0·00
Urban Districts: KILKENNY, ...	10,514	11·4				5	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	46	30	35·8	0·38
Urban Districts: TRALEE, ...	10,300	17·4				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				3	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...
LONDON, ...	4,516,612	—	—	14·6	—	1,698	1,263g	173	429	...	...	...	8	5	28	11	—	121	26	90	115	169	12	6	37	119	561	1	—	—	—	—
EDINBURGH, ...	329,200	—	—	13·5	1·3	110	85	12	37	...	...	...	2	2	.	2	—	—	—	—	—	—	2	—	4	—	—	—	40·5	29·2	35·3	0·20
GLASGOW, ...	1,091,600	—	—	15·1	1·3	523	316g	48	70	1	...	...	11	9	2	1	—	—	—	—	—	—	3	—	8	—	—	—	41·0	29·5	35·8	0·09

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 2 deaths from cerebro-spinal fever in London and 4 in Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Average number of deaths in 8th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 26th February, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	210·2	170	6	16	8	11	6	.	3	2	13	14	21	18	26	26	160
Enteric Fever, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1·6	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	3
Scarlet Fever, ...	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough, ...	5·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria, ...	1·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	5·6	4	.	.	.	.	.	.	.	.	.	1	.	1	2	.	4
Dysentery, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis, ...	25·8	18	.	.	.	.	1	.	2	1	5	5	3	1	.	.	17
Tuberculous Meningitis, ...	3·4	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	4
Abdominal Tuberculosis, ...	2·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis,...	2·0	4	.	.	.	3	.	.	.	.	.	1	.	.	.	.	4
Venereal Diseases, ...	·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Cancer, ...	7·8	6	.	.	.	.	.	.	.	.	2	.	1	1	1	1	5
Tumour, situation undefined,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	1·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other General Diseases, ...	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	1·4	2	.	.	.	.	1	.	.	1	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	6·4	5	.	.	.	.	.	.	.	.	.	.	1	.	2	2	5
Softening of Brain, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Epilepsy, ...	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Convulsions (non-puerperal),	6·4	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	5
Other Diseases of Nervous System.	2·2	4	.	.	.	.	.	.	.	.	.	1	1	.	2	.	4
Pericarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Organic Diseases of the Heart,	14·8	15	.	.	.	.	.	.	.	.	1	.	5	3	5	1	14
Embolism and Thrombosis (including Cerebral).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory system.	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Diseases of the Larynx, ...	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Bronchitis, ...	32·4	21	.	1	.	.	.	.	.	.	.	1	3	2	5	9	21
Broncho-pneumonia, ...	11·6	8	.	1	4	.	.	.	.	.	1	.	1	.	.	1	7
Lobar pneumonia, ...	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pneumonia (type not distinguished)	6·8	4	.	1	.	.	.	.	.	.	.	1	.	1	1	.	4
Pleurisy, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·4	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	3

n the EIGHTH WEEK, ending Saturday, 26th February, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Average number of deaths in 8th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 26th February, 1916.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under a year.	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	1·6	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	3·6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Diarrhœa 2 years and upwards,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	2·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Cirrhosis of Liver, ...	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Diseases of Liver, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Other Diseases of Digestive System.	·6	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2
Acute Nephritis, ...	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...	5·4	5	.	.	.	.	.	.	.	.	.	.	1	1	3	.	5
Urinary Calculi, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	2·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Puerperal Septicæmia, &c., ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	1·0	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2
Diseases of Locomotor System,	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4·6	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility, ...	4·4	6	2	4	.	.	.	.	.	.	.	.	.	.	.	.	5
Old Age, ...	6·8	12	.	.	.	.	.	.	.	.	.	.	.	.	2	10	12
Other Specified Diseases, ...	2 0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1·2	4	.	.	.	1	2	.	.	.	.	.	.	.	.	1	4
Drowning, ...	·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Suffocation in Bed, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2·0	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Total Deaths from Accident,	4·0	6	.	.	.	1	2	.	1	.	.	.	1	.	.	1	6
Included in above are Deaths in connection with—																	
Railways, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Ships, Boats, Docks, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																	
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	6·0	4	.	.	1	1	.	.	.	.	.	.	.	1	1	.	4

TABLE IV.—Showing for the WEEK ENDED 26TH FEBRUARY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED 26TH FEBRUARY, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons, and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
					DEATHS. CAUSED BY																													
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																		
NORTH CITY, No. 1, E,	30,504	25·6	1·7	15	1	2	1	1	1	3	5	1	·	·	·	1	·	·	·	·	3	1	·	·	3	·		1	6	·	2	2	1
,, 1, W.,	41,685	26·3	2·5	21	3	2	1	·	·	5	6	4	·	·	·	·	·	·	·	·	2	1	3	1	2	2	·	1	9	1	8	5	·
,, 2,	27,883	26.2	1·9	14	2	1	1	1	·	2	3	4	·	·	·	·	·	1	·	·	1	2	1	2	·	·	·	1	6	1	3	4	1
,, 3,	35,887	21·8	2·9	15	3	·	2	·	·	3	3	4	·	·	·	·	1	·	1	·	·	1	·	1	4	·	·	·	7	·	6	4	·
CLONTARF AND HOWTH, No. 1, part of.	5,539	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK & DRUMCONDRA, part of	13,820	18·9	·	5	·	·	1	·	·	·	1	3	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	3	·	·	·	·
FINGLAS AND GLASNEVIN, part of,	10,829	9·6	·	2	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	1	·	·
South City.																																		
SOUTH CITY, No. 1,	41,170	24·1	1·3	19	5	2	1	·	·	1	3	7	·	·	·	1	·	·	·	·	1	·	·	2	3	·	·	·	12	·	4	4	·
,, 2,	18,341	25·6	·	9	3	·	1	1	·	·	1	3	·	·	·	·	·	·	·	·	·	1	·	1	2	·	·	1	4	1	4	·	1
,, 3,	43,970	16·6	1·2	14	1	1	1	·	·	2	5	4	·	·	·	1	·	·	·	·	1	·	·	1	4	·	·	·	7	·	3	2	·
,, 4,	33,171	26·7	·	17	1	·	·	3	3	·	1	9	·	·	·	·	·	·	·	·	3	1	·	1	3	·	·	·	9	·	4	2	1
NEW KILMAINHAM,	9,948	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts.																																		
RATHMINES AND RATHGAR,	39,541	13·2	·	10	1	·	·	·	1	3	2	3	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	1	7	1	2	·	·
PEMBROKE,	30,538	15·4	·	9	·	·	·	·	·	1	4	4	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	1	5	·	2	·	1
BLACKROCK,	9,233	33·9	·	6	·	·	·	·	·	3	1	2	·	·	·	·	·	·	·	·	2	·	·	2	·	·	·	·	2	·	2	·	·
KINGSTOWN,	16,941	12·3	·	4	·	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	1	·	·	·	·
TOTAL CITY. North,	166,147	22·6	1·9	72	9	5	6	2	1	14	18	17	·	·	·	1	1	1	1	·	6	6	4	4	11	2	·	3	32	2	20	15	2
TOTAL CITY. South,	146,600	21·0	0·7	59	10	3	3	4	3	3	10	23	·	·	·	2	·	·	·	·	5	2	·	5	12	·	·	1	32	1	15	8	2
TOTAL CITY. North and South	312,747	21·8	1·3	131	19	8	9	6	4	17	28	40	·	·	·	3	1	1	1	·	11	8	4	9	23	2	·	4	64	3	35	23	4
Total Urban Districts,	96,253	15·7	·	29	1	·	2	·	1	7	8	10	·	·	·	·	·	·	·	·	6	·	1	3	2	·	·	2	15	1	6	·	1
Total Registration Area,	409,000	20·4	1·0	100	20	8	11	6	5	24	36	50	·	·	·	3	1	1	1	·	17	8	5	12	25	2	·	6	79	4	41	23	·5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	2	·	·	·	·	3	3	2	·	·	·	·	·	·	·	1	1	1	1	1	·	·	·	·	5	·	8	2	·

* See note (*a*) at foot of Table II.

† See note (†) at foot of first page

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th February, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH FEBRUARY, 1916.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	170	41	6	5	27	39	26	26	.	.	.	3	1	1	1	1	18	9	6	5	13	25	2	.	6	79	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14·2	4	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	15·9	31	6	1	2	7	5	4	6	.	.	.	.	.	.	.	.	4	.	1	1	4	4	.	.	2	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	16·8	35	5	2	1	2	12	7	6	.	.	.	.	1	.	.	.	3	2	2	.	1	4	.	.	2	20	1
IV.	GENERAL SERVICE CLASS, ...	167,479	23·4	75	27	3	2	13	13	6	11	.	.	.	3	.	1	1	1	8	7	2	4	7	12	2	.	2	25	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	25	3	.	.	5	7	9	1	.	.	.	.	.	.	.	.	3	.	.	.	1	5	.	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	—	8	2	.	.	2	1	.	3	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	33,249	—	10	2	.	1	4	.	2	1	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	2	1	1	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	3	1	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	—	11	1	1	.	2	3	2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	1	6	1
	10. Clothing Trades, ...	20,026	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades	8,952	—	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	16	2	1	1	.	7	3	2	.	.	.	.	.	.	.	.	2	2	1	.	1	.	.	.	1	9	.
	13. Petty Shopkeepers	6,772	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	13	8	.	.	1	2	1	1	.	.	.	1	.	.	.	.	.	3	.	1	3	3	.	.	1	1	1
	15. Domestic Servants, ...	36,041	—	11	.	.	2	2	1	4	2	.	.	.	.	.	.	.	1	2	.	1	.	.	2	.	.	.	5	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	11	3	.	.	3	3	1	1	.	.	.	.	.	.	.	.	4	2	.	.	.	3	1	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	40	16	3	.	7	7	.	7	.	.	.	2	.	1	1	.	2	2	1	3	4	4	1	.	1	18	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	25	3	.	.	5	7	9	1	.	.	.	.	.	.	.	.	3	.	.	.	1	5	.	.	.	16	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.
No. of weeks in Annual Series	48	49	50	51	52	1	2	3	4	5	6	7	8	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered.	165	187	178	152	156	208	203	253	213	209	163	209	166	138	160	174	137	157	231	220	174	181	206	203	187	218
Average Births in corresponding week of previous 10 years, ...	210	187	208	184	167	228	231	207	220	238	229	214	206	189	190	194	187	171	256	209	225	219	219	216	211	205
Number of Deaths, ...	203	177	195	133	188	159	143	145	153	158	165	143	160	163	162	178	140	194	153	124	113	116	131	146	140	130
Annual Death-rate per 1,000, ...	25·9	22·6	24·9	17·0	24·0	20·3	18·2	18·5	19·5	20·1	21·0	18·2	20·4	21·1	21 0	23·0	18·1	25·1	19·8	16·0	14·6	15·0	16·9	18·9	18·1	16·8
Average Deaths in corresponding week of previous 10 years, ...	160	169	156	167	144	198	186	191	196	191	190	192	197	135	154	146	146	147	158	164	153	165	167	182	174	170
Ages, Under one year, ...	32	31	46	19	34	22	25	26	26	34	29	16	20	24	36	32	21	31	38	22	20	17	21	25	20	23
1— 5 years, ...	24	28	22	25	34	28	20	15	17	14	22	13	19	22	13	26	21	37	17	15	17	19	20	18	13	24
5—25 ,, ...	18	14	15	8	14	13	11	10	14	22	14	13	11	16	8	9	12	19	18	10	13	12	14	13	18	13
25—45 ,, ...	23	22	23	20	26	23	15	20	21	19	25	23	24	26	25	27	16	25	16	24	13	18	13	30	29	25
45—65 ,, ...	53	37	44	27	36	35	40	40	41	32	43	42	36	41	44	43	27	42	44	30	25	28	35	31	26	24
65 and upwards, ...	53	45	45	34	44	38	32	34	34	37	32	36	50	34	36	41	43	40	20	23	25	22	28	29	34	21
Deaths from :—																										
Enteric Fever, ...	1	1	1	2	.	.	1	.	1	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	13	13	11	12	9	5	6	6	1	2	2	4	3	2	1	7	7	9	3	7	3	3	3	4	4	5
Scarlet Fever, ...	1	1	3	1	1	1	.	1	.	.	2	.	1	5	3	4	1	5	3	.	2	.	.	2	1	3
Whooping-cough, ...	2	2	3	1	3	1	2	1	1	2	4	3	1	4	3	4	3	1	2	1	5	3	6	5	3	4
Diphtheria, ...	1	1	.	1	2	2	.	2	1	.	1	.	1	.	1	1	.	.	1	.	.	1	2	1	1	1
Dysentery, ...	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	18	19	21	20	19	22	12	16	23	20	21	21	17	21	16	10	13	12	15	15	12	19	15	15	14	16
Tuberculosis { Other Forms,	5	9	4	3	5	6	6	2	7	7	10	6	8	8	3	4	6	9	4	6	10	4	3	7	9	8
Cancer, ...	12	10	11	6	11	6	4	11	4	7	11	10	5	6	4	13	3	7	5	3	5	8	8	9	9	7
Diseases of Respiratory System { Pneumonia,	15	16	10	9	20	16	12	6	7	9	11	9	12	25	21	27	16	28	23	12	8	11	7	8	11	13
Diseases of Respiratory System { Others, ...	45	22	28	22	32	21	20	16	14	21	21	16	25	33	35	33	26	38	22	17	10	12	12	19	14	14
Diarrhœa and Enteritis, under 2 years, ...	6	4	8	6	4	2	3	1	6	6	3	2	2	3	4	.	.	2	3	.	4	1	1	1	.	4
Diarrhœa, 2 years and upwards	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.	.
Violent Deaths, ...	3	4	6	2	8	9	1	4	3	3	5	3	6	1	1	4	2	8	4	1	2	3	2	.	2	2
Number of Uncertified Deaths,	10	4	3	5	8	5	4	4	7	4	2	6	5	1	3	1	1	5	2	1	2	2	2	5	3	4

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th February, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	13·1	3·3	4	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.
Do. 2 do.	49,500	24	11·6	2·1	11	2	3	2	.	1	3	.	.	.	1	.	.	.	.	1	.	1	1	.	1	.	.	1	4	.
Do. 3 do.	50,032	28	19·8	2·1	19	2	4	3	6	2	2	.	.	.	.	.	1	.	.	5	2	2	1	2	1	.	.	.	3	1
Do 4 do.	32,637	27	22·4	6·4	14	1	4	2	2	2	3	.	.	.	2	1	1	.	.	2	1	1	.	2	.	.	.	.	5	.
Do. 5 do.	16,112	6	25·9	3·2	8	.	1	.	3	4	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	1	2	3	.
Do. 6 do.	37,293	12	16·8	2·8	12	1	3	1	3	2	2	.	.	.	1	.	1	.	.	2	2	.	2	2	.	.	.	.	1	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	8	8·7	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	7	25·6	2·1	12	3	1	2	2	3	1	.	.	.	.	.	1	.	.	3	2	1	2	1	.	.	.	.	3	.
Do. 10 do.	28,958	19	21·6	1·8	12	3	.	1	3	2	3	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	1	1	.
Do. 11 do.	39,311	17	17·2	1·3	13	2	3	1	2	1	4	.	.	.	.	.	.	1	.	1	.	.	.	2	.	.	.	2	1	1
Do. 12 do.	38,076	23	12·3	1·4	9	2	2	1	2	2	.	.	.	.	.	1	.	.	.	1	.	1	2	1	.	.	.	.	2	.
Do. 13 do.	23,233	22	11·2	.	5	2	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	17	23·0	2·3	10	3	2	.	1	4	.	.	.	.	.	1	.	.	.	.	1	.	3	.	.	.	.	1	1	.
Total,	386,947	218	16·8	2·2	130	23	24	13	25	24	21	.	.	.	5	3	4	1	.	16	8	7	13	14	4	.	2	8	25	4
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	3·9	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 2 do.	10,399	8	10·0	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do 3 do.	9,793	6	5·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 4 do.	9,139	3	28·5	.	5	2	1	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	2
Do. 5 do.	6,250	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	7	22·5	.	5	1	2	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 7 do.	16,056	10	26·0	3·2	8	1	2	.	2	3	.	.	.	.	1	.	.	.	.	.	1	.	1	1	.	.	.	.	5	1
Total,	76,673	41	15·0	0.7	22	4	5	1	3	6	3	.	.	.	1	.	.	.	.	2	2	.	2	3	.	.	.	.	9	3

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th February, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	2	.	.	.	.	.	.	.	.	2
" " 1, West, ...	.	.	.	.	2	.	.	.	.	.	.	.	6	8
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	1	.	.	1	.	.	1	2	.	.	.	3	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	2	.	.	1	.	.	1	2	.	.	.	6	12
" " 4, ...	.	1	.	.	1	.	.	1	.	.	.	.	.	3
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	6	.	.	7	.	.	3	5	.	.	.	18	39

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th February, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th February.			
	Feb. 5.	Feb. 12.	Feb. 19.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	38	33	40	4	4	.	40
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	78	62	48	18	19	2	45
Scarlet Fever, ...	53	66	73	18	14	.	77*
Diphtheria, ...	23	21	28	6	7	1	26
Pneumonia, ...	11	12	9	4	3	.	10

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13328. Wt. 6237. 375. 2 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C

No. 9. VOL. LIII.] WEEK ENDING SATURDAY, 4TH MARCH, 1916. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 6th March, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 21·5 and 19·6; Dublin Registration Area, 23·6 and 20·8; Dublin City, 26·2 and 22·1; Belfast, 20·8 and 18·7; Cork, 15·6 and 19·0; Londonderry, 12·7 and 20·2; Limerick, 25·7 and 22·3; and Waterford, 17·1 and 14·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·0 per 1,000. Among the 161 deaths from all causes for Belfast are 8 from measles, 2 from scarlet fever, 8 from whooping-cough, 5 from diarrhœal diseases, and one from cerebro-spinal fever. One of the 10 deaths from all causes for Londonderry was due to scarlet fever. The 9 deaths from all causes for Waterford include one from diphtheria; and one of the 7 deaths recorded for Lisburn was caused by enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 179—96 boys and 83 girls—and the deaths to 196—99 males and 97 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·6 per 1,000 of the population. During the nine weeks ending with Saturday last, the death-rate averaged 20·0, and was 5·2 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the nine weeks was 21·5, and for the corresponding period of the preceding ten years, 26·6.

The 185 deaths appertaining to the Area include one from enteric fever; 4 from measles; 3 from whooping-cough; 2 from diphtheria; one from influenza; and 5 of children under 2 years from diarrhœa and enteritis. In the three preceding weeks deaths from enteric fever numbered 2, 0, and 0; from measles 2, 4, and 3; from whooping-cough 4, 3, and one; from diphtheria one, 0, and one; from influenza 2, 2, and 4; and the deaths of children under 2 years from diarrhœa and enteritis were 3, 2, and 2, respectively.

Tuberculous disease caused 33 deaths (including 29 from pulmonary tuberculosis, 3 from tuberculous meningitis, and one from disseminated tuberculosis), as against 31, 27, and 25 in the three weeks preceding.

Thirteen deaths were caused by cancer, 11 by pneumonia (5 by broncho-pneumonia, one by lobar pneumonia, and 5 by pneumonia, type not distinguished), one by simple meningitis, 21 by organic diseases of the heart, and 30 by bronchitis.

Among deaths of infants under one year old 4 were ascribed to convulsions, 2 to congenital malformations, 2 to prematurity, and 6 to congenital debility.

Fifty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 30 being infants under one year, of whom 12 were under one month old.

Of the 185 deaths recorded, 78 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 17·7), was equal to an average annual death-rate of 17·8 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 16·2 per 1,000, the rate for Glasgow being 16·6, and for Edinburgh 15·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th March. From this Report it appears that of 74 cases notified, 25 were scarlet fever, 24 diphtheria, 9 pulmonary tuberculosis, 13 other forms of tuberculosis, one erysipelas, one puerperal fever and one cerebro-spinal fever. Among the 555 cases of infectious diseases in hospital at the close of the week were 143 of pulmonary tuberculosis, 235 of scarlet fever, 136 of diphtheria, 19 of measles, 7 of erysipelas, 3 of enteric fever, and 2 of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 4th March, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Feb. 12,	.	—	—	7	.	.	3	.	.	3	3	.	—	—	.	—	.	21	37
	Feb. 19,	.	—	—	12	.	.	5	.	.	5	.	.	—	—	1	—	.	18	41
	Feb. 26,	.	—	—	6	.	.	7	.	.	3	5	.	—	—	.	—	.	18	39
	Mar. 4,	.	—	—	7	.	.	6	.	.	3	3	.	—	—	.	—	.	18	37
Rathmines and Rathgar Urban District	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Feb. 19,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 4,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	Feb. 12,	.	1	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	1	4
	Feb. 19,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	1	3
	Feb. 26,	.	5	2	.	.	.	.	.	.	1	.	.	—	.	.	—	—	1	9
	Mar. 4,	.	2	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	1	4
Blackrock Urban District.	Feb. 12,	.	.	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	.	3
	Feb. 19,	.	.	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	.	3
	Feb. 26,	.	.	—	8	.	.	.	.	.	.	.	.	—	—	.	—	—	.	8
	Mar. 4,	.	.	—	1	.	.		.	.	.	.	.	—	—	.	—	—	.	1
Kingstown Urban District.	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Feb. 12,	.	—	—	23	.	.	7	.	.	1	1	.	—	—	1	—	.	3	36
	Feb. 19,	.	—	—	28	.	.	8	.	.	2	1	.	—	—	2	—	.	1	42
	Feb. 26,	.	—	—	23	.	.	1	.	.	1	5	.	—	—	.	—	.	4	34
	Mar. 4,	.	—	—	19	.	.	3	.	.	2	3	.	—	—	1	—	.	1	29
City of Cork.	Feb. 12,	.	7	—	1	.	.	.	.	.	1	.	.	—	—	—	.	—	—	9*a*
	Feb. 19	.	10	—	5	.	.	.	1	.	1	1	.	—	—	—	.	—	—	18
	Feb. 26,	.	2	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	—	4
	Mar. 4,	.	1	—	8	.	.	1	1	.	.	.	.	—	—	—	.	—	—	11
City of Londonderry.	Feb. 12,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	—	—	2
	Feb. 26,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
	Mar. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Limerick.	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Mra. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford.	Feb. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1

(*a*) Not including 2 cases of cerebro-spinal fever.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th March, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 5 and 42; measles 24 and 50; scarlet fever 13 and 76*; and diphtheria 10 and 33. Six cases of pneumonia were admitted during the week and 11 remained under treatment at its close. Of the deaths in hospitals during the week one was from each of enteric fever and measles, 3 were from diphtheria and 2 from pneumonia

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 4th March, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	Population. Total.(a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases.(b)	Registration—Week ending Saturday, 4th March, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(c) Week ending 4th March, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	23·9	21·5	2·0	527	474	69	117	2	...	...	12	3	11	3	...	51	15	26	34	61	12	2	8	11	157	20	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	22·8	23·6	1·9	179	185	30	49	1	...	...	4	...	3	2	...	29	4	13	11	32	5	...	...	1	78	5	(d) 42·2	22·0	35·0	2·00
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	26·2	26·2	2·2	157	157	28	39	1	...	...	3	...	2	2	...	23	3	10	9	31	5	...	...	1	73	4	(e) 42·9 (f) 42·9	27·3 24·6	36·2 36·0	1·70 1·81
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	14·5	18·5	.	11	14	1	5	...	..	...	...	...	...	.	...	2	...	1	1	1	...	...	...	..	3	1	...	...	...	...
Urban Districts: PEMBROKE, ...	30,538	19·4	10·2	8·5	1·7	6	5	...	2	...	..	...	1	..	...	...	..	1	..	1	1	...	...	...	...	...	1	...	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	16·9	5·6	.	3	1	...	...	...	..	...	...	...	...	...	..	1	...	...	...	...	...	.	...	...	1	...	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	6·2	24·6	3·1	2	8	1	3	...	..	...	...	.	1	...	.	2	1	1	...	...	...	...	..	...	...	...	42	29	36·3	1·45
Urban Districts: BELFAST	400,000	27·0	25·4	20·8	3·0	196	161g	23	23	...	...	...	8	2	8	...	...	11	10	10	16	12	4	1	6	7	38	4	44·0	29·5	37·5	1·01
Urban Districts: CORK, ...	76,673	28·6	13·6	15·6	0·7	20	23	4	7	...	...	...	...	...	...	...	...	1	..	...	2	3	...	1	...	..	13	...	44	30	37·1	0·24
Urban Districts: LONDONDERRY	41,200	16·0	30·4	12·7	1·3	24	10	...	2	...	..	...	...	1	...	...	...	2	...	...	...	3	...	...	...	...	..	1	...	..	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	51·4	25·7	.	38	19	4	4	...	...	...	...	...	...	...	..	2	...	..	1	3	...	...	...	...	10	3	41·8	20·5	34·9	0·27
Urban Districts: WATERFORD, ...	27,464	19·1	15·2	17·1	1·9	8	9	...	5	...	...	...	...	...	...	1	...	...	...	2	...	1	...	...	...	...	4	..	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			5	6	...	4	...	...	...	...	...	...	...	...	3	...	..	1	...	...	...	...	...	3	...	44	25	35	0·19
Urban Districts: DUNDALK, ...	13,128	9·5				3	6	...	4	...	...	..	...	...	...	...	...	...	..	..	1	...	...	...	...	..	...	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				5	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	43·0	24·0	33·8	0·74
Urban Districts: DROGHEDA, ...	12,501	8·4				4	3	...	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	..	1	...	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				5	7	1	2	1	...	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	3	...	43·0	24·0	33·8	0·74
Urban Districts: NEWRY, ...	11,963	17·0				2	6g	1	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	2	...	43·0	24·0	33·8	0·74
Urban Districts: PORTADOWN, ...	11,727	15·3				4	6	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	43·0	24·0	33·8	0·74
Urban Districts: WEXFORD, ...	11,531	22·8				4	7	2	2	...	...	...	...	...	...	...	...	...	1	1	...	1	1	...	...	...	1	3	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				3	9	2	3	...	...	...	...	...	...	...	...	2	...	...	1	2	...	...	2	2	...	2	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				5	4	...	2	...	...	...	...	...	...	...	...	...	..	..	..	1	...	...	...	...	...	1	45	18	35·0	0·28
Urban Districts: KILKENNY, ...	10,514	11·4				13	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	42	24	35·0	0·06
Urban Districts: TRALEE, ...	10,300	17·4				1	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				8	5	1	...	...	...	...	...	...	...	...	...	1	...	...	...	..	1	...	...	...	21	...	...	...	...	...
LONDON, ...	4,516,612	—	—	17·7	—	1,943	1,534g	193	547	2	.	.	4	2	27	26	—	151	24	112	149	224	14	7	51	167	678	.	—	—	—	—
EDINBURGH, ...	329,200	—	—	15·5	0·3	119	98	12	34	.	.	.	.	1	.	1	—	—	—	—	—	—	.	—	2	—	—	—	38·7	27·7	33·9	0·98
GLASGOW	1,091,600	—	—	16·6	1·2	543	348g	49	85	.	.	.	14	2	2	4	—	—	—	—	—	—	3	—	10	—	—	—	41·1	27·9	35·7	0·13

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever in Belfast, one in Newry, 4 in London, and one in Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH	Average number of deaths in 9th Week of the 5 years 1911–1915.	Deaths registered during week ending Saturday, 4th March, 1916.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	212·2	196	12	18	7	14	3	1	2	10	15	14	19	28	29	24		185
Enteric Fever, ...	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Typhus, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles, ...	4·0	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.		4
Scarlet Fever, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough, ...	5·4	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.		3
Diphtheria, ...	1·4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.		2
Croup, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza, ...	4·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus, ...	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis, ...	26·6	32	.	.	.	1	.	.	2	7	9	5	5	1	1	1		29
Tuberculous Meningitis, ...	2·0	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.		3
Abdominal Tuberculosis, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs,	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis, ...	1·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Venereal Diseases, ...	1·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Cancer, ...	9·2	15	.	.	.	.	.	.	.	.	.	3	4	3	4	1		13
Tumour, situation undefined,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever, ...	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		1
Diabetes, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Anæmia, Leucocythæmia, ...	1·0	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.		2
Other General Diseases, ...	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Alcoholism, ...	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Chronic Poisonings, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis, ...	1·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Cerebral Hæmorrhage, Apoplexy.	6·2	11	.	.	.	.	.	.	.	.	1	1	.	3	2	4		11
Softening of Brain, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	1·8	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.		2
Epilepsy, ...	·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Convulsions (non-puerperal),	4·2	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.		5
Other Diseases of Nervous System.	3·2	5	.	.	.	.	.	.	.	.	.	.	2	.	2	1		5
Pericarditis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart,	18·2	22	.	.	.	.	.	.	.	.	4	3	4	5	1	5		21
Embolism and Thrombosis (including Cerebral).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory system.	2·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Diseases of the Larynx, ...	·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Bronchitis, ...	35·0	32	1	4	.	2	.	.	.	1	.	.	3	5	11	5		30
Broncho-pneumonia, ...	9·4	5	.	2	.	2	.	.	.	.	.	.	.	1	.	.		5
Lobar pneumonia, ...	2·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Pneumonia (type not distinguished)	6·0	5	.	.	1	.	1	.	.	.	.	.	.	2	1	.		5
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Other Diseases of Respiratory System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.

in the NINTH WEEK, ending Saturday, 4th March, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Average number of deaths in 9th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 4th March, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach, ...	2·4	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.		2
Diarrhœa and Enteritis of Children under 2 years.	4·8	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.		5
Diarrhœa 2 years and upwards,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards,	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		.
Hernia and Intestinal Obstructions.	2·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Cirrhosis of Liver, ...	·6	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.		2
Other Diseases of Liver, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown),	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.
Acute Nephritis, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease, ...	5·0	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.		2
Urinary Calculi, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c., ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Causes incident to Pregnancy and Childbirth.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Diseases of Locomotor System,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations, ...	1·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Premature Birth, ...	4·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Congenital Debility, ...	4·0	6	1	5	.	.	.	.	.	.	.	.	.	.	.	.		6
Old Age, ...	6·8	7		.	.	.	.	.	.	.	.	.	.	.	1	6		7
Other Specified Diseases, ...	2·0	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.		2
ACCIDENT:																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Deaths by Accident, ...	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Total Deaths from Accident,	3·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Included in above are Deaths in connection with—																		
Railways, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes, ...	4·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.

TABLE IV.—Showing for the WEEK ENDED 4TH MARCH, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED 4TH MARCH, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Prisons, and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)		(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E.,	30,504	30·8	3·4	18	3	1	1	.	1	2	5	5	.	.	.	.	.	2	.	.	2	.	.	2	4	.	.	.	8	.	3	3	.
,, 1, W.,	41,685	28·8	2·5	23	4	.	1	.	1	3	5	9	1	.	.	.	.	.	.	.	3	.	1	.	7	1	.	.	10	.	2	7	1
,, 2,	27,883	29·9	.	16	.	.	.	.	1	1	7	7	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	9	.	5	8	.
,, 3,	35,887	21·8	1·5	15	3	2	.	1	1	4	2	2	.	.	.	1	.	.	.	.	3	1	1	2	1	.	.	.	6	.	4	2	.
CLONTARF AND HOWTH, No. 1, part of.	5,539	9·4	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
COOLOCK & DRUMCONDRA, part of	13,820	15·1	.	4	.	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	2	.	.
FINGLAS AND GLASNEVIN, part of,	10,829	4·8	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
South City.																																	
SOUTH CITY, No. 1,	41,170	36·7	2·5	29	3	2	3	1	1	8	5	6	.	.	.	1	.	.	1	.	7	.	.	3	5	.	.	.	12	.	6	9	1
,, 2,	18,341	25·6	.	9	1	.	1	.	.	1	6	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	6	.	.	4	1
,, 3,	43,970	26·1	5·9	22	7	.	3	1	1	2	3	5	.	.	.	1	.	.	.	.	2	.	4	1	4	4	.	.	6	1	4	4	1
,, 4,	33,171	26·7	1·6	17	7	.	3	.	.	.	5	2	.	.	.	.	.	.	1	.	.	1	.	1	4	.	.	.	10	.	3	5	.
NEW KILMAINHAM,	9,948	10·5	.	2	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
Urban Districts.																																	
RATHMINES AND RATHGAR,	39,541	18·5	.	14	1	1	.	.	1	1	5	5	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	9	.	2	1	1
PEMBROKE,	30,538	8·5	1·7	5	.	1	.	.	1	.	1	2	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.	.	1	.	1	.	.
BLACKROCK,	9,233	5·6	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
KINGSTOWN,	16,941	24·6	3·1	8	1	.	1	1	1	1	.	3	.	.	.	.	.	1	.	.	2	1	1	.	.	.	.	.	3	.	.	.	.
TOTAL CITY. North,	166,147	24·5	1·6	78	10	3	2	1	4	13	20	25	1	.	.	1	.	2	.	.	13	1	6	4	15	1	.	.	34	.	18	20	1
South,	146,600	28·1	2·8	79	18	2	11	2	2	11	19	14	.	.	.	2	.	.	2	.	10	2	4	5	16	4	.	.	34	1	12	23	3
North and South	312,747	26·2	2·2	157	28	5	13	3	6	24	39	39	1	.	.	3	.	2	2	.	23	3	10	9	31	5	.	.	68	1	30	43	4
Total Urban Districts,	96,253	15·2	1·1	28	2	2	1	1	3	3	6	10	.	.	.	1	.	1	.	.	6	1	3	2	1	.	.	.	13	.	3	2	1
Total Registration Area,	409,000	23·6	1·9	185	30	7	14	4	9	27	45	49	1	.	.	4	.	3	2	.	29	4	13	11	32	5	.	.	81	1	33	45	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	.	.	.	.	3	2	2	4	.	.	.	.	.	.	.	.	3	.	2	.	2	.	.	.	4	.	10	1	.

* See note (a) at foot of Table II. † See note (†) at foot of first page

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th March, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH MARCH, 1916.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	196	51	4	12	29	47	29	24	1	.	.	4	.	3	2	.	32	4	15	5	11	34	5	.	.	80	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	7·1	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	101,798	19·5	38	3	.	6	5	8	9	7	.	.	.	.	.	.	1	.	7	.	5	.	2	4	.	.	.	19	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	19·2	40	10	1	2	7	11	4	5	.	.	.	2	.	.	.	.	6	1	2	.	3	8	1	.	.	17	1
IV.	GENERAL SERVICE CLASS, ...	167,479	21·8	70	34	2	3	11	11	6	3	1	.	.	2	.	3	1	.	12	3	5	5	5	11	4	.	.	18	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	46	4	1	1	6	17	9	8	.	.	.	.	.	.	.	.	7	.	2	.	1	11	.	.	.	25	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	—	10	1	.	2	3	2	1	1	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	33,249	—	12	1	.	2	2	3	3	1	.	.	.	.	.	.	.	.	4	.	1	.	1	2	.	.	.	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	14	1	.	2	.	2	5	4	.	.	.	.	.	.	1	.	1	.	2	.	1	1	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	9. Building and Furnishing Trades, ...	28,823	—	12	6	1	.	1	3	1	.	.	.	.	2	.	.	.	.	1	1	1	.	1	1	.	.	.	5	.
	10. Clothing Trades, ...	20,026	—	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
	11. Food Supply Trades	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	17	2	.	1	3	7	1	3	.	.	.	.	.	.	.	.	2	.	1	.	.	3	1	.	.	10	.
	13. Petty Shopkeepers	6,772	—	5	.	.	.	1	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	7	.	.	2	1	.	1	.	.	.	1	.	1	.	.	1	2	1	.	.	1	1	.	.	3	.
	15. Domestic Servants, ...	36,041	—	6	2	.	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	.	.	1	2
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	5	2	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	48	23	2	3	7	7	4	2	1	.	.	1	.	2	1	.	9	.	2	4	4	9	2	.	.	13	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	46	4	1	1	6	17	9	8	.	.	.	.	.	.	.	.	7	.	2	.	1	11	.	.	.	25	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area. Week ending													Belfast City. Week ending												
	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar 4.
No. of weeks in Annual Series	49	50	51	52	1	2	3	4	5	6	7	8	9	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered.	187	178	152	156	208	203	253	213	209	163	209	166	179	160	174	137	157	231	220	174	181	206	203	187	218	196
Average Births in corresponding week of previous 10 years, ...	187	208	184	167	228	231	207	220	238	229	214	206	225	190	194	187	171	256	209	225	219	219	216	211	205	226
Number of Deaths, ...	177	195	133	188	159	143	145	153	158	165	143	160	185	162	178	140	194	153	124	113	116	131	146	140	130	161
Annual Death-rate per 1,000, ...	22·6	24·9	17·0	24·0	20·3	18·2	18·5	19·5	20·1	21·0	18·2	20·4	23·6	21 0	23·0	18·1	25·1	19·8	16·0	14·6	15·0	16·9	18·9	18·1	16·8	20·8
Average Deaths in corresponding week of previous 10 years, ...	169	156	167	144	198	186	191	196	191	190	192	197	196	154	146	146	147	158	164	153	165	167	182	174	170	170
Ages, Under one year, ...	31	46	19	34	22	25	26	26	34	29	16	20	30	36	32	21	31	38	22	20	17	21	25	20	23	23
1— 5 years, ...	28	22	25	34	28	20	15	17	14	22	13	19	21	13	26	21	37	17	15	17	19	20	18	13	24	24
5—25 " ...	14	15	8	14	13	11	10	14	22	14	13	11	13	8	9	12	19	18	10	13	12	14	13	18	13	17
25—45 " ...	22	23	20	26	23	15	20	21	19	25	23	24	27	25	27	16	25	16	24	13	18	13	30	29	25	26
45—65 " ...	37	44	27	36	35	40	40	41	32	43	42	36	45	44	43	27	42	44	30	25	28	35	31	26	24	43
65 and upwards, ...	45	45	34	44	38	32	34	34	37	32	36	50	49	36	41	43	40	20	23	25	22	28	29	34	21	28
Deaths from:—																										
Enteric Fever, ...	1	1	2	.	.	1	.	1	.	2	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	13	11	12	9	5	6	6	1	2	2	4	3	4	1	7	7	9	3	7	3	3	3	4	4	5	8
Scarlet Fever, ...	1	3	1	1	1	.	1	.	.	2	.	1	.	3	4	1	5	3	.	2	.	.	2	1	3	2
Whooping-cough, ...	2	3	1	3	1	2	1	1	2	4	3	1	3	3	4	3	1	2	1	5	3	6	5	3	4	8
Diphtheria, ...	1	.	1	2	2	.	2	1	.	1	.	1	2	1	1	.	.	1	.	.	1	2	1	1	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	19	21	20	19	22	12	16	23	20	21	21	17	29	16	10	13	12	15	15	12	19	15	15	14	16	11
Tuberculosis { Other Forms,	9	4	3	5	6	6	2	7	7	10	6	8	4	3	4	6	9	4	6	10	4	3	7	9	8	10
Cancer, ...	10	11	6	11	6	4	11	4	7	11	10	5	13	4	13	3	7	5	3	5	8	8	9	9	7	10
Diseases of Respiratory System, { Pneumonia,	16	10	9	20	16	12	6	7	9	11	9	12	11	21	27	16	28	23	12	8	11	7	8	11	13	16
Diseases of Respiratory System, { Others, ...	22	28	22	32	21	20	16	14	21	21	16	25	32	35	33	26	38	22	17	10	12	12	19	14	14	12
Diarrhœa and Enteritis, under 2 years, ...	4	8	6	4	2	3	1	6	6	3	2	2	5	4	.	.	2	3	.	4	1	1	1	.	4	4
Diarrhœa, 2 years and upwards	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.	.	1
Violent Deaths, ...	4	6	2	8	9	1	4	3	3	5	3	6	.	1	4	2	8	4	1	2	3	2	.	2	2	6
Number of Uncertified Deaths,	4	3	5	8	5	4	4	7	4	2	6	5	5	3	1	1	5	2	1	2	2	2	5	3	4	4

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th March, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	19·7	3·3	6	.	1	1	2	2	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.
Do. 2 do.	49,500	17	25·3	2·1	24	.	2	1	4	8	9	.	.	.	1	1	.	.	.	2	2	1	.	3	.	.	1	1	9	.
Do. 3 do.	50,032	37	20·8	1·0	20	4	1	3	3	6	3	.	.	.	1	.	.	.	.	2	.	1	1	2	.	.	2	2	5	1
Do. 4 do.	32,637	16	28·8	3·2	18	3	3	2	2	4	4	.	.	.	.	.	1	.	.	1	1	1	3	1	1	.	.	1	5	2
Do. 5 do.	16,112	8	22·7	.	7	.	1	2	2	1	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	1	3	.
Do. 6 do.	37,293	12	19·6	4·2	14	4	1	.	2	3	4	.	.	.	1	.	1	.	.	.	.	1	1	.	.	1	.	.	2	.
Do. 7 do.	2,681	3	19·4	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	9	17·1	6·4	8	1	4	.	.	3	.	.	.	.	3	.	.	.	.	.	2	.	2	1	.	.	.	.	2	.
Do. 10 do.	28,958	6	18·0	.	10	.	1	2	1	2	4	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.	.	2	1
Do. 11 do.	39,311	20	22·5	4·0	17	4	3	1	3	3	3	.	.	.	.	.	2	.	.	1	.	1	1	2	1	.	1	1	1	.
Do. 12 do.	38,076	37	21·9	5·5	16	4	4	1	3	4	.	.	.	.	.	1	3	.	.	2	.	.	2	1	.	.	.	.	4	.
Do. 13 do.	23,233	12	18·0	4·5	8	1	1	.	2	4	.	.	.	.	.	.	1	.	.	1	.	2	.	.	1	.	.	.	.	.
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	7	27·6	4·6	12	1	2	4	2	3	.	.	.	.	2	.	.	.	.	1	2	2	2	.	.	.	1	1	3	.
Total,	386,947	196	20·8	3·0	161	23	24	17	26	43	28	.	.	.	8	2	8	.	.	11	10	10	16	12	4	1	6	7	38	4
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	1	7·8	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 2 do.	10,399	1	15·0	5·0	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.
Do. 3 do.	9,793	.	10·6	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	3	17·1	.	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do. 5 do.	6,250	2	8·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	2	22·5	.	5	.	1	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Do. 7 do.	16,056	11	22·7	.	7	2	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	7	.
Total,	76,673	20	15·6	0·7	23	4	1	.	6	5	7	.	.	.	.	.	.	.	.	1	.	.	2	3	.	1	.	.	13	.

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th March, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	1	.	.	.	2	3
„ „ 1, West, ...	.	1	.	.	.	.	.	.	.	.	.	.	4	5
„ „ 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	2	3
„ „ 3, ...	.	2	.	.	2	.	.	1	1	.	.	.	1	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	2	.	.	2	.	.	.	.	4	8
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	2
„ „ 3, ...	.	3	.	.	1	.	.	.	.	.	.	.	2	6
„ „ 4, ...	.	.	.	.	1	.	.	.	.	.	.	.	2	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	6	.	.	3	3	.	.	.	18	37

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th March, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th March.			
	Feb. 12.	Feb. 19.	Feb. 26.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	33	40	40	5	2	1	42
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	62	48	45	24	18	1	50
Scarlet Fever, ...	66	73	77	13	14	.	76*
Diphtheria, ...	21	28	26	10	.	3	33
Pneumonia, ...	12	9	10	6	3	2	11

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13263. Wt. 6237. 375. 3. 1916. G. III. Sch. c. 7.

(FOR OFFICIAL USE.)

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C

No. 10. VOL. LIII.] WEEK ENDING SATURDAY, 11TH MARCH, 1916. [PRICE 1½d.

General Register Office, Charlemont House,
Dublin, 13th March, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 24·5 and 20·7; Dublin Registration Area, 26·8 and 22·2; Dublin City, 30·7 and 24·4; Belfast, 22·5 and 19·6; Cork, 24·5 and 19·6; Londonderry, 13·9 and 18·4; Limerick, 33·8 and 25·4; and Waterford, 20·9 and 14·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·4 per 1,000. Among the 174 deaths from all causes for Belfast are 14 from measles, 4 from scarlet fever, 5 from whooping-cough, 3 from diphtheria, and 4 from diarrhœa and enteritis of children under 2 years of age. The 36 deaths from all causes for Cork include one from diphtheria. One death from whooping-cough is included in the 25 deaths from all causes for Limerick; one death from the same disease is included among the 5 from all causes for Drogheda. Of the 8 deaths from all causes for Lisburn one is from enteric fever and one from whooping-cough. Among the 10 deaths recorded for Portadown one was caused by whooping-cough, and 2 of the 9 deaths from all causes for Newry were caused by measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 219—118 boys and 101 girls—and the deaths to 220—104 males and 116 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·8 per 1,000 of the population. During the ten weeks ending with Saturday last, the death-rate averaged 20·7, and was 4·5 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the ten weeks was 22·1, and for the corresponding period of the preceding ten years, 26·5.

The 210 deaths appertaining to the Area include 2 from measles; one from whooping-cough; one from diphtheria; 2 from influenza; one from dysentery; and 7 of children under 2 years from diarrhœa and enteritis. In the three preceding weeks deaths from measles numbered 4, 3, and 4; from whooping-cough 3, one, and 3; from diphtheria 0, one, and 2; from influenza 2, 4, and one; and the deaths of children under 2 years from diarrhœa and enteritis were 2, 2, and 5, respectively.

Tuberculous disease caused 41 deaths (including 31 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 6 from other forms of the disease), as against 27, 25, and 33 in the three weeks preceding.

Eight deaths were caused by cancer, 21 by pneumonia (13 by broncho-pneumonia, one by lobar pneumonia, and 7 by pneumonia, type not distinguished), 2 by simple meningitis, 14 by organic diseases of the heart, and 34 by bronchitis.

Among deaths of infants under one year old 2 were ascribed to convulsions, 2 to congenital malformations, 5 to prematurity, and 3 to congenital debility.

Fifty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 32 being infants under one year, of whom 12 were under one month old.

Of the 210 deaths recorded, 78 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 16·9), was equal to an average annual death-rate of 17·2 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 18·7 per 1,000, the rate for Glasgow being 19·1, and for Edinburgh 19·0.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th March. From this Report it appears that of 91 cases notified, 41 were scarlet fever, 21 diphtheria, 6 pulmonary tuberculosis, 15 other forms of tuberculosis, 4 erysipelas, 3 puerperal fever and one cerebro-spinal fever. Among the 554 cases of infectious diseases in hospital at the close of the week were 142 of pulmonary tuberculosis, 248 of scarlet fever, 117 of diphtheria, 16 of measles, 7 of erysipelas, 2 of enteric fever, and 2 of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 11th March, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Feb. 19,	.	—	—	12	.	.	5	.	.	5	.	.	—	—	1	—	.	18	41
	Feb. 26,	.	—	—	6	.	.	7	.	.	3	5	.	—	—	.	—	.	18	39
	Mar. 4,	.	—	—	7	.	.	6	.	.	3	3	.	—	—	.	—	.	18	37
	Mar. 11,	.	—	—	7	.	.	5	.	.	7	2	.	—	—	.	—	.	12	33
Rathmines and Rathgar Urban District	Feb. 19,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 4,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	—	4
	Mar. 11,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Feb. 19,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	1	3
	Feb. 26,	.	5	2	.	.	.	.	.	.	1	.	.	—	.	.	—	—	1	9
	Mar. 4,	.	2	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	1	4
	Mar. 11,	.	3	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	2	5
Blackrock Urban District.	Feb. 19,	.	.	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	.	3
	Feb. 26,	.	.	—	8	.	.	.	.	.	.	.	.	—	—	.	—	—	.	8
	Mar. 4,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	Mar. 11,	.	1	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
Kingstown Urban District.	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
City of Belfast.	Feb. 19,	.	—	—	28	.	.	8	.	.	2	1	.	—	—	2	—	.	1	42
	Feb. 26,	.	—	—	23	.	.	1	.	.	1	5	.	—	—	.	—	.	4	34
	Mar. 4,	.	—	—	19	.	.	3	.	.	2	3	.	—	—	1	—	.	1	29
	Mar. 11,	.	—	—	27	.	.	2	.	.	1	1	.	—	—	1	—	.	1	33
City of Cork.	Feb. 19,	.	10	—	5	.	.	.	1	.	1	1	.	—	—	—	.	—	—	18
	Feb. 26,	.	2	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	—	4
	Mar. 4,	.	1	—	8	.	.	1	1	.	.	.	.	—	—	—	.	—	—	11
	Mar. 11,	.	2	—	3	.	.	1	1	.	.	.	.	—	—	—	.	—	—	7
City of Londonderry.	Feb. 19,	.	—	—	.	.	.	.	.	.	.	2	.	—	—	—	—	—	—	2
	Feb. 26,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
	Mar. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 11,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Limerick.	Feb. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Mar 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford	Feb 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th March, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 5 and 42; measles 36 and 67; scarlet fever 10 and 78*; and diphtheria 6 and 31. Two cases of pneumonia were admitted during the week and 11 remained under treatment at its close.

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 11th March, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 11TH MARCH, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 11TH MARCH, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	24·	24·5	2·4	538	510	81	156	1	...	...	18	4	10	5	1	72	20	17	38	86	13	...	8	13	155	23	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	27·9	26·8	1·5	219	210	32	63	...	...	...	2	...	1	1	1	31	10	8	21	36	7	...	2	3	78	7	(d) 42·7	27·4	38·3	0·72
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	32·8	30·7	1·5	197	184	30	53	...	...	...	2	...	1	...	1	28	9	6	20	34	5	...	2	2	70	7	(e) 43·0 (f) 43·4	31·0 30·0	37·5 37·4	0·50 0·67
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	10·5	21.1	2·6	8	16	1	8	...	...	...	...	...	...	1	...	2	1	2	...	1	1	...	...	1	5	...	...	...	...	...
Urban Districts: PEMBROKE, ...	30,538	19·4	12·0	8·5	.	7	5	1	...	...	..	...	...	...	...	...	...	1	..	...	...	1	...	...	...	...	2	...	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	11·3	16·9	5·6	2	3	...	...	...	..	...	...	...	...	...	..	...	...	...	...	...	1	..	...	...	...	...	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	15·4	6·2	.	5	2	...	2	...	..	...	...	...	...	...	..	...	...	...	1	...	...	...	..	...	1	...	44	34	37·9	0·43
Urban Districts: BELFAST	403,000	27·0	23·3	22·5	3·9	180	174	31	34	...	...	...	14	4	5	3	...	22	6	6	12	15	4	...	2	5	40	1	44·0	28·5	37·0	0·04
Urban Districts: CORK, ...	76,673	28·6	25·8	24·5	0·7	38	36	5	14	...	...	...	...	...	...	1	...	6	..	2	...	7	...	...	...	1	11	2	45	31	37·1	0·28
Urban Districts: LONDONDERRY	41,200	16·0	31·6	13·9	.	25	11	...	2	...	...	...	...	...	...	...	...	...	1	1	...	5	..	...	1	...	2	2	...	...	..	...
Urban Districts: LIMERICK, ...	38,518	16·1	10·8	33·8	1·4	8	25	1	7	...	...	...	...	...	1	...	...	3	...	...	1	10	...	...	...	2	13	3	44·8	22·9	36·4	0·1
Urban Districts: WATERFORD, ...	27,464	19·1	17·1	20·9	1·9	9	11	3	4	...	...	...	...	...	...	...	...	1	1	...	...	3	1	...	...	...	4	2	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			8	5	...	5	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	1	44	26	36	0·00
Urban Districts: DUNDALK, ...	13,128	9·5				5	6	1	2	...	...	...	...	...	...	...	...	1	..	...	...	1	1	...	...	...	...	1	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				5	6	1	1	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	..	...	46·0	29·3	35·7	0·05
Urban Districts: DROGHEDA, ...	12,501	8·4					5	2	2	...	...	...	...	...	1	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...	..	...
Urban Districts: LISBURN	12,388	10·9				6	8	1	3	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	2	2	...	46·0	29·3	35·7	0·05
Urban Districts: NEWRY, ...	11,963	17·0				1	9	...	4	...	...	...	2	...	...	...	...	...	...	...	1	3	...	...	...	...	...	...	46·0	29·3	35·7	0·05
Urban Districts: PORTADOWN, ...	11,727	15·3				2	10	...	5	...	...	...	...	...	1	...	...	1	...	...	1	...	...	...	...	...	2	...	46·0	29·3	35·7	0·05
Urban Districts: WEXFORD.	11,531	22·8				3	10	4	2	...	...	...	...	...	...	...	...	1	2	...	1	3	...	...	...	...	...	2	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				3	5	...	2	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				2	4	...	2	...	...	...	...	...	...	...	...	1	..	...	..	...	...	...	...	...	2	1	47	20	33·0	0·04
Urban Districts: KILKENNY, ...	10,514	11·4				6	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	43	27	36·5	0·12
Urban Districts: TRALEE, ...	10,300	17·4				6	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				6	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...
LONDON, ...	4,516,612	—	—	16·9	—	1,943	1,466 g	181	511	2	.	.	15	3	17	13	—	138	41	97	135	209	19	8	62	149	694	2	41	24	34·8	0·71
EDINBURGH, ...	329,200	—	—	19·0	0.8	101	120	15	41	.	.	.	3	.	.	.	—	—	—	—	—	—	.	—	6	—	—	—	38·6	29·7	33·6	0·31
GLASGOW	1,091,600	—	—	19·1	1·7	511	400 g	67	103	4	.	.	15	5	6	4	—	—	—	—	—	—	2	—	11	—	—	—	40·1	30·4	35·3	0·19

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 3 deaths from cerebro-spinal fever in London, and 5 in Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Average number of deaths in 10th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 11th March, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
ALL CAUSES.	200·0	220	12	21	13	9	3	5	5	6	15	21	23	21	39	27	210
Enteric Fever, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3·0	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Scarlet Fever, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Diphtheria, ...	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4·2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
Dysentery, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Erysipelas, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis, ...	20·6	31	.	1	.	1	.	2	4	3	9	3	7	1	.	.	31
Tuberculous Meningitis, ...	2·4	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	4
Abdominal Tuberculosis, ...	·2	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...	1·6	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	3
Venereal Diseases, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	9·2	8	.	.	.	.	.	.	.	.	.	2	1	3	.	2	8
Tumour, situation undefined,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Diabetes, ...	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Anæmia, Leucocythæmia, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	2·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Alcoholism, ...	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Chronic Poisonings, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	1·4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	5·4	7	.	.	.	.	.	.	.	.	.	.	.	3	2	2	7
Softening of Brain, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·0	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Epilepsy, ...	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Convulsions (non-puerperal),	4·2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	4·0	6	.	.	.	.	.	.	.	1	1	2	.	.	2	.	6
Pericarditis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,	15·8	16	.	.	.	.	.	1	.	.	1	2	3	2	4	3	14
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Other Diseases of Circulatory system.	1·6	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	31·4	36	1	6	.	.	.	.	.	.	.	2	1	9	13	4	34
Broncho-pneumonia, ...	11·8	13	.	4	4	1	.	.	1	.	1	.	1	.	1	.	13
Lobar pneumonia, ...	1·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pneumonia (type not distinguished)	7·2	7	1	.	2	.	.	.	.	.	.	.	2	.	2	.	7
Pleurisy, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Diseases of Respiratory System.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

in the TENTH WEEK, ending Saturday, 11th March, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Average number of deaths in 10th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 11th March, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach, ...	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diarrhœa and Enteritis of Children under 2 years.	5·0	7	1	4	2	.	.	.	.	.	.	.	.	.	.	.		7
Diarrhœa 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards,	·6	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.		2
Appendicitis and Typhlitis, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·6	3	.	.	.	.	.	.	.	.	1	1	.	.	1	.		2
Cirrhosis of Liver, ...	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Other Diseases of Liver, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown),	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	·2	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.		2
Acute Nephritis, ...	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Chronic Bright's Disease, ...	4·4	10	.	.	.	.	.	.	.	1	.	4	1	1	2	1		8
Urinary Calculi, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·6	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.		2
Puerperal Septicæmia, &c., ...	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Other Causes incident to Pregnancy and Childbirth.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Diseases of Locomotor System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Congenital Malformations, ...	1·0	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Premature Birth, ...	6·0	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.		5
Congenital Debility, ...	3·4	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.		3
Old Age, ...	7·4	16	.	.	.	.	.	.	.	.	.	.	.	.	6	10		16
Other Specified Diseases, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
ACCIDENT:																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds, ...	2·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Drowning, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Deaths by Accident, ...	2·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Total Deaths from Accident,	4·8	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.		2
Included in above are Deaths in connection with—																		
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes, ...	3·4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.		2

TABLE IV.—Showing for the WEEK ENDED 11TH MARCH, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Prisons, Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E.,	30,504	23·9	1·7	14	4	1	.	1	.	3	4	1	.	.	.	.	.	.	.	.	.	.	.	2	3	1	.	1	7	2	4	1	.
" 1, W.,	41,685	36·3	1·3	29	3	2	1	.	2	5	5	11	.	.	.	.	.	.	.	.	5	.	.	5	6	1	.	.	12	.	2	6	2
" 2,	27,883	28·1	1·9	15	3	2	1	.	.	2	3	4	.	.	.	.	.	1	.	.	1	3	3	.	1	.	.	.	6	.	1	3	.
" 3,	35,887	30·5	.	21	9	.	2	1	1	2	3	3	.	.	.	.	.	.	.	.	.	1	.	4	4	.	.	.	12	.	4	5	1
CLONTARF AND HOWTH, No. 1, part of.	5,539	28·2	.	3	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1
COOLOCK & DRUMCONDRA, part of	13,820	7·5	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
FINGLAS AND GLASNEVIN, part of,	10,829	14·4	.	3	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.
South City.																																	
SOUTH CITY, No. 1,	41,170	44·3	2·5	35	2	3	.	1	2	6	8	13	.	.	.	1	.	.	.	.	9	1	.	1	9	1	.	.	13	.	4	11	1
" 2,	18,341	45·5	2·8	16	1	1	2	.	.	5	2	5	.	.	.	1	.	.	.	.	1	.	1	2	1	.	.	1	9	.	2	5	1
" 3,	43,970	33·2	1·2	28	6	1	1	2	1	5	4	8	.	.	.	.	.	.	.	.	5	3	2	3	6	1	.	.	8	.	11	4	1
" 4,	33,171	23·6	1·6	15	1	.	.	2	1	2	5	4	.	.	.	.	.	.	.	1	6	1	.	1	4	.	.	.	2	.	4	3	.
NEW KILMAINHAM,	9,948	15·7	5·2	3	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR,	39,541	21·1	2·6	16	1	.	1	.	2	1	3	8	.	.	.	.	.	.	1	.	2	1	2	.	1	1	.	.	8	1	5	.	.
PEMBROKE,	30,538	8·5	.	5	1	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	3	.	2	.	.
BLACKROCK,	9,233	16·9	5·6	3	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
KINGSTOWN,	16,941	6·2	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.
TOTAL CITY. North,	166,147	27·3	0·9	87	20	6	4	2	3	13	16	23	.	.	.	.	.	1	.	.	6	4	3	13	14	2	.	1	43	2	11	15	4
TOTAL CITY. South,	146,600	34·5	2·1	97	10	6	4	5	4	19	19	30	.	.	.	2	.	.	.	1	22	5	3	7	20	3	.	1	33	.	21	23	3
TOTAL CITY. North and South	312,747	30·7	1·5	184	30	12	8	7	7	32	35	53	.	.	.	2	.	1	.	1	28	9	6	20	34	5	.	2	76	2	32	38	7
Total Urban Districts,	96,253	14·1	1·6	26	2	1	1	1	2	1	8	10	.	.	.	.	.	.	1	.	3	1	2	1	2	2	.	.	14	1	7	1	.
Total Registration Area,	409,000	26·8	1·5	210	32	13	9	8	9	33	43	63	.	.	.	2	.	1	1	1	31	10	8	21	36	7	.	2	90	3	39	39	7
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	1	.	.	.	2	3	1	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	7	.	8	2	.

* See note (*a*) at foot of Table II.

† See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th March, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH MARCH, 1916.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	220	55	8	11	36	44	39	27	.	.	.	2	.	1	1	1	31	10	8	2	21	39	7	.	2	95	7
	CLASSES. Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	21·3	6	.	.	.	2	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	20·0	39	3	.	3	9	8	8	8	.	.	.	.	.	.	.	.	7	1	3	.	2	4	.	.	.	22	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	20·7	43	14	.	1	8	8	9	3	.	.	.	1	.	1	1	.	5	.	1	2	5	7	3	.	.	17	2
IV.	GENERAL SERVICE CLASS, ...	167,479	28·3	91	33	6	6	12	16	11	7	.	.	.	1	.	.	.	1	15	7	2	.	14	12	3	.	2	34	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	41	5	2	1	5	11	10	7	.	.	.	.	.	.	.	.	3	2	2	.	.	14	1	.	.	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	5	.	.	.	2	.	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	5	1	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	—	9	.	.	1	.	4	2	2	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	33,249	—	13	2	.	1	7	2	1	.	.	.	.	.	.	.	.	.	6	.	2	.	.	.	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	12	.	.	1	2	1	4	4	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	4	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	1	1
	9. Building and Furnishing Trades, ...	28,823	—	14	3	.	.	3	2	5	1	.	.	.	.	.	1	.	.	1	.	1	1	2	2	.	.	.	6	1
	10. Clothing Trades, ...	20,026	—	7	1	.	1	.	3	2	.	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.	2	.
	11. Food Supply Trades	8,952	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	16	6	.	.	4	2	2	2	.	.	.	1	.	.	.	.	1	.	.	.	.	3	3	.	.	8	.
	13. Petty Shopkeepers	6,772	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	18	10	1	2	3	2	.	.	.	.	.	1	.	.	.	.	4	4	.	.	2	1	.	.	1	5	.
	15. Domestic Servants, ...	36,041	—	6	1	1	1	1	.	1	1	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	11	3	3	1	1	2	.	1	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	56	19	1	2	7	12	10	5	.	.	.	.	.	.	.	.	8	2	1	.	9	10	3	.	1	22	4
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	41	5	2	1	5	11	10	7	.	.	.	.	.	.	.	.	3	2	2	.	.	14	1	.	.	19	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.
No. of weeks in Annual Series	50	51	52	1	2	3	4	5	6	7	8	9	10	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered.	178	152	156	208	203	253	213	209	163	209	166	179	219	174	137	157	231	220	174	181	206	203	187	218	196	180
Average Births in corresponding week of previous 10 years, ...	208	184	167	228	231	207	220	238	229	214	206	225	225	194	187	171	256	209	225	219	219	216	211	205	226	214
Number of Deaths, ...	195	133	188	159	143	145	153	158	165	143	160	185	210	178	140	194	153	124	113	116	131	146	140	130	161	174
Annual Death-rate per 1,000, ...	24·9	17·0	24·0	20·3	18·2	18·5	19·5	20·1	21·0	18·2	20·4	23·6	26·8	23·0	18·1	25·1	19·8	16·0	14·6	15·0	16·9	18·9	18·1	16·8	20·8	22·5
Average Deaths in corresponding week of previous 10 years, ...	156	167	144	198	186	191	196	191	190	192	197	196	190	146	146	147	158	164	153	165	167	182	174	170	170	164
Ages, Under one year, ...	46	19	34	22	25	26	26	34	29	16	20	30	32	32	21	31	38	22	20	17	21	25	20	23	23	31
1— 5 years, ...	22	25	34	28	20	15	17	14	22	13	19	21	22	26	21	37	17	15	17	19	20	18	13	24	24	32
5—25 " ...	15	8	14	13	11	10	14	22	14	13	11	13	17	9	12	19	18	10	13	12	14	13	18	13	17	17
25—45 " ...	23	20	26	23	15	20	21	19	25	23	24	27	33	27	16	25	16	24	13	18	13	30	29	25	26	25
45—65 " ...	44	27	36	35	40	40	41	32	43	42	36	45	43	43	27	42	44	30	25	28	35	31	26	24	43	35
65 and upwards, ...	45	34	44	38	32	34	34	37	32	36	50	49	63	41	43	40	20	23	25	22	28	29	34	21	28	34
Deaths from:—																										
Enteric Fever, ...	1	2	.	.	1	.	1	.	2	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	11	12	9	5	6	6	1	2	2	4	3	4	2	7	7	9	3	7	3	3	3	4	4	5	8	14
Scarlet Fever, ...	3	1	1	1	.	1	.	.	2	.	1	.	.	4	1	5	3	.	2	.	.	2	1	3	2	4
Whooping-cough, ...	3	1	3	1	2	1	1	2	4	3	1	3	1	4	3	1	2	1	5	3	6	5	3	4	8	5
Diphtheria, ...	.	1	2	2	.	2	1	.	1	.	1	2	1	1	.	.	1	.	.	1	2	1	1	1	.	3
Dysentery, ...	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	21	20	19	22	12	16	23	20	21	21	17	29	31	10	13	12	15	15	12	19	15	15	14	16	11	22
Tuberculosis { Other Forms,	4	3	5	6	6	2	7	7	10	6	8	4	10	4	6	9	4	6	10	4	3	7	9	8	10	6
Cancer, ...	11	6	11	6	4	11	4	7	11	10	5	13	8	13	3	7	5	3	5	8	8	9	9	7	10	6
Diseases of Respiratory System, { Pneumonia,	10	9	20	16	12	6	7	9	11	9	12	11	21	27	16	28	23	12	8	11	7	8	11	13	16	12
Diseases of Respiratory System, { Others, ...	28	22	32	21	20	16	14	21	21	16	25	32	36	33	26	38	22	17	10	12	12	19	14	14	12	15
Diarrhœa and Enteritis, under 2 years, ...	8	6	4	2	3	1	6	6	3	2	2	5	7	.	.	2	3	.	4	1	1	1	.	4	4	4
Diarrhœa, 2 years and upwards	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.	.	1	.
Violent Deaths, ...	6	2	8	9	1	4	3	3	5	3	6	.	2	4	2	8	4	1	2	3	2	.	2	2	6	2
Number of Uncertified Deaths,	3	5	8	5	4	4	7	4	2	6	5	5	7	1	1	5	2	1	2	2	2	5	3	4	4	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th March, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	23·0	3·3	7	3	.	.	.	2	2	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	1	3	.
Do. 2 do.	49,500	25	16·9	1·1	16	1	2	1	3	6	3	.	.	.	.	.	.	.	.	4	1	1	1	2	1	.	.	.	2	.
Do. 3 do.	50,032	17	28·1	3·1	27	8	5	3	4	6	1	.	.	.	1	.	.	.	.	8	.	.	3	.	2	.	1	2	3	.
Do. 4 do.	32,637	14	30·4	14·4	19	5	8	.	2	2	2	.	.	.	6	1	1	1	.	.	.	.	.	1	.	.	.	.	5	.
Do. 5 do.	16,112	11	45·3	9·7	14	4	1	2	4	1	2	.	.	.	3	.	.	.	.	2	2	.	.	2	.	.	.	.	7	.
Do. 6 do.	37,293	10	21·0	2·8	15	2	.	2	4	2	5	.	.	.	1	1	.	.	.	2	.	.	1	.	.	.	.	.	3	.
Do. 7 do.	2,681	1	19·4	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 8 do.	5,964	2	17·5	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 9 do.	24,427	16	14·9	2·1	7	1	1	1	2	.	2	.	.	.	1	.	.	.	.	.	.	1	1	2	.	.	.	.	1	.
Do. 10 do.	28,958	20	14·4	3·6	8	.	2	1	.	2	3	.	.	.	.	1	1	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 11 do.	39,311	16	23·9	2·7	18	1	5	4	2	3	3	.	.	.	.	.	.	2	.	2	2	1	3	.	.	.	.	.	3	1
Do. 12 do.	38,076	18	24·6	4·1	18	1	4	2	1	6	4	.	.	.	.	1	1	.	.	2	.	.	2	4	1	.	.	1	4	.
Do. 13 do.	23,233	7	20·2	.	9	2	.	1	2	2	2	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	3	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	29·9	6·9	13	1	4	.	1	3	4	.	.	.	2	.	1	.	.	.	.	1	1	.	.	.	.	1	4	.
Total,	386,947	180	22·5	3·9	174	31	32	17	25	35	34	.	.	.	14	4	5	3	.	22	6	6	12	15	4	.	2	5	40	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	19·4	.	5	.		.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
Do. 2 do.	10,399	4	15·0	5·0	3	.	1	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Do. 3 do.	9,793	2	26·6	.	5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Do. 4 do.	9,139	2	28·5	.	5	.	.	.	1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	3	.
Do. 5 do.	6,250	1	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	5	31·5	.	7	2	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	1
Do. 7 do.	16,056	18	32·5	.	10	3	.	4	.	1	2	.	.	.	.	.	.	.	.	3	.	.	.	3	.	.	.	.	2	1
Total,	76,673	38	24·5	0.7	36	5	2	8	4	5	14	.	.	.	.	.	.	1	.	6	.	2	.	7	.	.	.	1	11	2

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th March, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 1, West, ...	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " 2, ...	.	.	.	.	.	.	.	3	.	.	.	.	2	5
" " 3, ...	.	1	.	.	1	.	.	.	1	.	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	1	.	.	1	.	.	.	.	2	4
" " 2, ...	.	2	.	.	.	.	.	.	.	.	.	.	2	4
" " 3, ...	.	2	.	.	1	.	.	1	.	.	.	.	3	7
" " 4, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	2	.	.	1	1	.	.	.	.	4
Total, ...	.	7	.	.	5	.	.	7	2	.	.	.	12	33

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th March, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th March.			
	Feb. 19.	Feb. 26.	Mar. 4.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	40	40	42	5	5	.	42
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	48	45	50	36	19	.	67
Scarlet Fever, ...	73	77	76	10	8	.	78*
Diphtheria, ...	28	26	33	6	8	.	31
Pneumonia, ...	9	10	11	2	2	.	11

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

13294. Wt. 6237. 375. 3. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C.

No. 11. VOL. LIII.] WEEK ENDING SATURDAY, 18TH MARCH, 1916. [PRICE 1½*d*.

General Register Office, Charlemont House,
Dublin, 20th March, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 21·3 and 21·3; Dublin Registration Area, 23·3 and 23·5; Dublin City, 24·5 and 25·8; Belfast, 20·8 and 20·2; Cork, 25·8 and 20·2; Londonderry, 19·0 and 16·5; Limerick, 23·0 and 25·7; and Waterford, 20·9 and 17·1.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·8 per 1,000. Among the 161 deaths from all causes for Belfast are 11 from measles, one from scarlet fever, 4 from whooping-cough, one from diphtheria, and 2 from diarrhœa and enteritis of children under 2 years. Included in the 38 deaths from all causes for Cork are one from measles and 2 from diarrhœal diseases. One of the 15 deaths from all causes for Londonderry is from scarlet fever. Among the 17 deaths from all causes for Limerick is one from whooping-cough; and 2 of the 7 deaths from all causes for Newry are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 159—95 boys and 64 girls—and the deaths to 193—102 males and 91 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·3 per 1,000 of the population. During the eleven weeks ending with Saturday last, the death-rate averaged 20·9, and was 4·2 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the eleven weeks was 22·4, and for the corresponding period of the preceding ten years, 26·5.

The 183 deaths appertaining to the Area include one from enteric fever; 2 from measles; 3 from whooping-cough; 4 from influenza; and 4 of children under 2 years from diarrhœa and enteritis. In the three preceding weeks deaths from enteric fever numbered 0, one, and 0; deaths from measles numbered 3, 4, and 2; from whooping-cough one, 3, and one; from influenza 4, one, and 2; and the deaths of children under 2 years from diarrhœa and enteritis were 2, 5, and 7, respectively.

Tuberculous disease caused 25 deaths (including 19 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 2 from other forms of the disease), as against 25, 33, and 41 in the three weeks preceding.

Nine deaths were caused by cancer, 23 by pneumonia (12 by broncho-pneumonia, one by lobar pneumonia, and 10 by pneumonia, type not distinguished), 19 by organic diseases of the heart, and 32 by bronchitis.

Among deaths of infants under one year old, 3 were ascribed to convulsions, 3 to prematurity, and 5 to congenital debility.

Fifty-two of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 35 being infants under one year, of whom 8 were under one month old.

Of the 183 deaths recorded, 70 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 18·5), was equal to an average annual death-rate of 19·9 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 20·7 per 1,000, the rate for Glasgow being 21·4, and for Edinburgh 18·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th March. From this Report it appears that of 80 cases notified, 37 were scarlet fever, 15 diphtheria, 12 pulmonary tuberculosis, 10 other forms of tuberculosis, 2 erysipelas, 2 enteric fever and 2 cerebro-spinal fever. Among the 524 cases of infectious diseases in hospital at the close of the week were 138 of pulmonary tuberculosis, 245 of scarlet fever, 102 of diphtheria, 16 of measles, 4 of erysipelas, 3 of enteric fever, and 2 of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 18th March, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Feb. 26,	.	—	—	6	.	.	7	.	.	3	5	.	—	—	.	—	.	18	39
	Mar. 4,	.	—	—	7	.	.	6	.	.	3	3	.	—	—	.	—	.	18	37
	Mar. 11,	.	—	—	4	.	.	5	.	.	7	2	.	—	—	.	—	.	12	33
	Mar. 18,	.	—	—	7	.	.	4	.	.	4	3	.	—	—	.	—	.	13	31
Rathmines and Rathgar Urban District	Feb. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 4,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	—	4
	Mar. 11,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Mar. 18,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Feb. 26,	.	5	2	.	.	.	.	.	.	1	.	.	—	.	.	—	—	1	9
	Mar. 4,	.	2	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	1	4
	Mar. 11,	.	3	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	2	5
	Mar. 18,	.	1	1	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1	4
Blackrock Urban District.	Feb. 26,	.	.	—	8	.	.	.	.	.	.	.	.	—	—	.	—	—	.	8
	Mar. 4,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	Mar. 11,	.	1	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	Mar. 18,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	Feb. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Mar. 18,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	.	2
City of Belfast.	Feb. 26,	.	—	—	23	.	.	1	.	.	1	5	.	—	—		—	.	4	34
	Mar. 4,	.	—	—	19	.	.	3	.	.	2	3	.	—	—	1	—	.	1	29
	Mar. 11,	.	—	—	27	.	.	2	.	.	1	1	.	—	—	1	—	.	1	33
	Mar. 18,	.	—	—	29	.	.	5	.	.	.	6	.	—	—	1	—	.	1	42
City of Cork.	Feb. 26,	.	2	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	—	4
	Mar. 4,	.	1	—	8	.	.	1	1	.	.	.	.	—	—	—	.	—	—	11
	Mar. 11,	.	2	—	3	.	.	1	1	.	.	.	.	—	—	—	.	—	—	7
	Mar. 18,	.	2	—	1	.	.	.	.	.	.	1	.	—	—	—	.	—	—	4
City of Londonderry.	Feb. 26,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
	Mar. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 11,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 18,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	—	—	5
City of Limerick.	Feb. 26,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Mar. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford	Feb 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th March, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 5 and 37; measles 30 and 69; scarlet fever 9 and 69*; and diphtheria 7 and 36. Five cases of pneumonia were admitted during the week and 11 remained under treatment at its close. Of the deaths in hospitals during the week one was from enteric fever.

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 18th March, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 18TH MARCH, 1916. Annual Rate per 1,000 Persons Represented by: BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases.(b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY.(c) WEEK ENDING 18TH MARCH, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	22·	21·3	1·8	493	470	82	141	1	...	...	16	2	8	1	...	47	21	21	45	72	10	1	4	9	152	17	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	20·3	23·3	1·3	159	183	35	58	1	...	...	2	...	3	...	...	1	6	9	23	33		...	2	3	70	5	(d) 50·9	34·9	41·3	0·71
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	22·5	24·5	1·7	135	147	30	43	1	...	...	2	...	3	..	...	15	4	6	21	31	4	...	2	3	64	5	(e) 50·8 (f) 48·7	36·8 33·6	42·0 41·3	0·78 0·75
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	13·2	26·4	.	10	20	3	9	...	..	...	...	...	...	...	...	3	..	2	2	2	...	...	...	...	4	...	...	...	...	...
Urban Districts: PEMBROKE, ...	30,538	19·4	12·0	13·7	.	7	8	1	3	...	..	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	2	...	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	5·6	22·6	.	1	4	1	2	...	..	...	...	...	...	...	..	...	...	1	...	...	...	..	...	...	...	...	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	18·5	12·3	.	6	4	...	1	...	..	...	...	...	...	...	...	1	...	...	...	...	...	...	..	...	..	..	49	39	42·8	1·16
Urban Districts: BELFAST	403,000	27·0	25·9	20·8	2·5	200	161	34	33	...	...	...	11	1	4	1	...	20	8	10	15	19	2	...	2	3	40	4	52·0	32·6	40·4	0·51
Urban Districts: CORK, ...	76,673	28·6	25·2	25·8	2·0	37	38	4	14	...	...	...	1	...	...	...	...	1	3	1	4	4	1	1	...	...	21	2	49	32	43·0	1·02
Urban Districts: LONDONDERRY	41,200	16·0	21·5	19·0	1·3	17	15	2	4	...	...	...	...	1	...	...	...	1	1	..	...	1	...	...	...	...	4	1	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	13·5	23·0	1·4	10	17	1	10	...	...	...	...	...	1	...	..	...	...	...	2	6	..	...	...	...	7	3	51·4	34·0	42·7	0·24
Urban Districts: WATERFORD, ...	27,464	19·1	20·9	20·9	1·9	11	11	1	4	...	...	...	...	...	...	...	...	3	1	...	1	1	1	...	...	...	2	...	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			2	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	53	33	44	0·15
Urban Districts: DUNDALK, ...	13,128	9·5				7	4	...	1	...	...	...	...	...	...	...	...	...	..	..	...	2	1	...	...	...	2	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				9	3	1	1	...	...	...	...	...	...	...	...	...	...	..	...	1	1	...	...	...	1	...	50·8	32·5	40·5	0·32
Urban Districts: DROGHEDA, ...	12,501	8·4				9	4	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	..	..	1	...	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				2	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	50·8	32·5	40·5	0·32
Urban Districts: NEWRY, ...	11,963	17·0				5	7	...	3	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	50·8	32·5	40·5	0·32
Urban Districts: PORTADOWN, ...	11,727	15·3				4	6	...	2	...	...	...	...	...	...	...	...	2	1	...	..	1	...	...	..	...	1	...	50·8	32·5	40·5	0·32
Urban Districts: WEXFORD, ...	11,531	22·8				8	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				3	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				3	4	1	1	...	...	...	...	...	...	...	...	...	..	...	..	...	...	...	...	2	...	1	53	32	41·0	0·53
Urban Districts: KILKENNY, ...	10,514	11·4				3	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	49	35	43·0	0·63
Urban Districts: TRALEE, ...	10,300	17·4				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				6	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	...	...	...	...	...	...
LONDON, ...	4,516,612	—	—	18·5	—	2,134	1,604(g)	180	591	3	.	.	19	5	34	13	—	145	29	106	155	250	20	9	45	148	741	1	54	36	44·1	0·83
EDINBURGH, ...	329,200	—	—	18·5	1·4	122	117(g)	16	37	.	.	.	4	.	.	5	—	—	—	—	—	—	.	—	2	—	—	—	46·8	30·9	36·5	1·09
GLASGOW	1,091,600	—	—	21·4	2·1	562	447(g)	60	118	.	.	.	21	8	3	6	—	—	—	—	—	—	6	—	12	—	—	—	49·8	32·2	38·3	0·49

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever in London, 2 in Edinburgh, and one in Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Average number of deaths in 11th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 18th March, 1916.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	201·8	193	8	27	9	8	4	.	1	3	9	23	15	26	38	22		183
Enteric Fever, ...	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles, ...	4·0	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.		2
Scarlet Fever, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough, ...	6·2	3	.	2	.	1	.	.	.	.	.	.	.	.	.	.		3
Diphtheria, ...	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Croup, ...	·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.		2
Influenza, ...	5·2	4	.	.	1	.	.	.	.	.	.	1	.	.	.	2		4
Dysentery, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis, ...	25·2	22	.	.	.	.	1	.	1	1	5	6	5	1	2	.		19
Tuberculous Meningitis, ...	3·6	4	.	1	.	2	.	.	.	1	.	.	.	.	.	.		4
Abdominal Tuberculosis, ...	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs,	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis,...	2·2	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.		2
Venereal Diseases, ...	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Cancer, ...	8·2	9	.	.	.	.	.	.	.	.	.	1	2	3	1	2		9
Tumour, situation undefined,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Anæmia, Leucocythæmia, ...	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Other General Diseases, ...	1·4	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.		2
Alcoholism, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebral Hæmorrhage, Apoplexy.	4·2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1		3
Softening of Brain, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	1·4	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.		1
Epilepsy, ...	·4	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.		2
Convulsions (non-puerperal),	5·0	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.		3
Other Diseases of Nervous System.	4·0	6	.	1	.	.	.	.	.	.	.	1	1	1	2	.		5
Pericarditis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart,	17·2	19	.	.	.	.	.	.	.	.	1	4	3	4	5	2		19
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory system.	·8	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.		2
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Bronchitis, ...	31·8	32	1	5	.	1	.	.	.	.	.	.	2	6	12	5		32
Broncho-pneumonia, ...	11·4	12	.	4	1	2	2	.	.	.	.	1	.	1	.	1		12
Lobar pneumonia, ...	1·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Pneumonia (type not distinguished)	7·2	10	1	3	.	.	.	.	.	.	.	1	2	2	1	.		10
Pleurisy, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Respiratory System.	·8	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.		1

in the ELEVENTH WEEK, ending Saturday, 18th March, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Average number of deaths in 11th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 18th March, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	3·4	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1
Diarrhœa and Enteritis of Children under 2 years.	3·8	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	4
Diarrhœa 2 years and upwards,	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·0	3	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	2
Cirrhosis of Liver, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1·0	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Peritonitis (cause unknown),	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Acute Nephritis, ...	·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Chronic Bright's Disease, ...	4·8	7	.	.	.	.	.	.	.	.	.	2	.	4	.	1	.	7
Urinary Calculi, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3·6	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility, ...	4·4	5	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Old Age, ...	7·2	11	.	.	.	.	.	.	.	.	.	.	.	.	4	7	.	11
Other Specified Diseases, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Drowning, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2·4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
Total Deaths from Accident,	4·2	3	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	2
Included in above are Deaths in connection with—																		
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	2·8	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	2

TABLE IV.—Showing for the WEEK ENDED 18TH MARCH, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Prisons, and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E.,	30,504	32·5	8·5	19	5	2	2	.	1	2	5	2	.	.	.	.	.	3	.	.	1	.	1	2	4	2	.	1	5	.	3	5	1
,, 1, W.,	41,685	28·8	.	23	5	1	.	1	.	4	8	4	.	.	.	.	.	.	.	.	3	.	1	2	2	.	.	1	14	3	5	6	3
,, 2,	27,883	29·9	.	16	4	1	2	1	.	2	2	4	.	.	.	.	.	.	.	.	1	2	.	6	3	.	.	.	4	.	1	6	.
,, 3,	35,887	23·2	1·5	16	3	2	1	.	.	2	2	6	.	.	.	1	.	.	.	.	1	.	.	2	3	.	.	.	9	.	2	2	.
CLONTARF AND HOWTH, No. 1, part of.	5,539	9·4	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
COOLOCK & DRUMCONDRA, part of	13,820	11·3	.	3	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.
FINGLAS AND GLASNEVIN, part of,	10,829	19·3	4·8	4	.	1	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	2	.
South City.																																	
SOUTH CITY, No. 1,	41,170	29·1	.	23	5	.	1	1	.	3	8	5	.	.	.	.	.	.	.	.	5	1	1	6	3	.	.	.	7	.	.	13	.
,, 2,	18,341	39·8	2·8	14	3	1	.	.	.	2	2	6	.	.	.	.	.	.	.	.	1	.	.	1	7	1	.	.	4	.	2	5	1
,, 3,	43,970	10·7	1·2	9	3	.	.	.	1	1	1	3	.	.	.	1	.	.	.	.	.	1	1	.	4	.	.	.	2	.	.	2	.
,, 4,	33,171	28·3	1·6	18	1	.	.	1	.	5	4	7	1	.	.	.	.	.	.	.	3	.	2	2	3	.	.	.	7	.	3	5	.
NEW KILMAINHAM,	9,948	5·2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR,	39,541	26·4	.	20	3	.	.	.	1	2	5	9	.	.	.	.	.	.	.	.	3	.	2	2	2	.	.	.	11	.	3	1	.
PEMBROKE,	30,538	13·7	.	8	1	.	2	.	.	.	2	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	6	.	.	2	.
BLACKROCK,	9,233	22·6	.	4	1	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	.	.
KINGSTOWN,	16,941	12·3	.	4	.	.	.	.	.	3	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	.	.	.
TOTAL CITY. North,	166,147	25·7	2·2	82	17	7	5	2	1	10	18	22	.	.	.	1	.	3	.	.	6	2	2	12	14	3	.	2	37	3	12	22	4
TOTAL CITY. South,	146,600	23·1	1·1	65	13	1	1	2	1	11	15	21	1	.	.	1	.	.	.	.	9	2	4	9	17	1	.	.	21	.	5	25	1
TOTAL CITY. North and South	312,747	24·5	1·7	147	30	8	6	4	2	21	33	43	1	.	.	2	.	3	.	.	15	4	6	21	31	4	.	2	58	3	17	47	5
Total Urban Districts,	96,253	19·5	.	36	5	1	2	.	1	5	7	15	.	.	.	.	.	.	.	.	4	2	3	2	2	.	.	.	23	.	3	3	.
Total Registration Area,	409,000	23·3	1·3	183	35	9	8	4	3	26	40	58	1	.	.	2	.	3	.	.	19	6	9	23	33	4	.	2	81	3	20	50	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	.	.	.	.	1	6	1	2	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	1	5	.	9	1	.

* See note (*a*) at foot of Table II.

† See note (†) at foot of first page

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th March, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH MARCH, 1916.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	193	52	4	4	32	41	38	22	1	.	.	2	.	3	.	.	22	6	9	3	23	34	4	.	3	83	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14·2	4	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	17·4	34	7	1	1	5	7	8	5	.	.	.	.	.	1	.	.	1	.	3	.	4	4	1	.	2	18	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	14·9	31	4	.	1	9	9	4	4	.	.	.	1	.	.	.	.	5	2	2	.	2	5	.	.	.	14	1
IV.	GENERAL SERVICE CLASS, ...	167,479	22·7	73	36	1	1	9	12	8	6	1	.	.	1	.	2	.	.	8	2	1	3	12	13	3	.	1	26	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	51	5	2	1	8	12	17	6	.	.	.	.	.	.	.	.	7	2	3	.	5	12	.	.	.	22	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	—	6	.	1	1	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	33,249	—	7	3	.	.	1	1	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	17	2	.	.	3	3	5	4	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	2	10	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	—	5	.	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	1	.
	10. Clothing Trades, ...	20,026	—	8	2	.	.	2	2	.	2	.	.	.	1	.	.	.	.	1	1	.	.	1	1	.	.	.	3	.
	11. Food Supply Trades	8,952	—	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	.	.	1	6	2	1	1	.	.	.	.	.	.	.	.	3	1	.	.	.	1	.	.	.	6	.
	13. Petty Shopkeepers	6,772	—	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	15	10	.	.	2	1	1	1	1	.	.	.	.	.	.	.	1	1	.	1	2	1	2	.	1	5	.
	15. Domestic Servants, ...	36,041	—	10	2	.	1	2	3	1	1	.	.	.	.	.	.	.	.	3	1	.	.	.	4	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	44	22	1	.	5	8	4	4	.	.	.	1	.	2	.	.	4	.	1	2	9	6	1	.	.	18	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	51	5	2	1	8	12	17	6	.	.	.	.	.	.	.	.	7	2	3	.	5	12	.	.	.	22	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.	Mar. 18.	Dec. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.	Mar. 18.
No. of weeks in Annual Series	51	52	1	2	3	4	5	6	7	8	9	10	11	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered,	152	156	208	203	253	213	209	163	209	166	179	219	159	137	157	231	220	174	181	206	203	187	218	196	180	200
Average Births in corresponding week of previous 10 years, ...	184	167	228	231	207	220	238	229	214	206	225	225	207	187	171	256	209	225	219	219	216	211	205	226	214	221
Number of Deaths, ...	133	188	159	143	145	153	158	165	143	160	185	210	183	140	194	153	124	113	116	131	146	140	130	161	174	161
Annual Death-rate per 1,000, ...	17·0	24·0	20·3	18·2	18·5	19·5	20·1	21·0	18·2	20·4	23·6	26·8	23·3	18·1	25·1	19·8	16·0	14·6	15·0	16·9	18·9	18·1	16·8	20·8	22·5	20·8
Average Deaths in corresponding week of previous 10 years, ...	167	144	198	186	191	196	191	190	192	197	196	190	186	146	147	158	164	153	165	167	182	174	170	170	164	164
Ages, Under one year, ...	19	34	22	25	26	26	34	29	16	20	30	32	35	21	31	38	22	20	17	21	25	20	23	23	31	34
1— 5 years, ...	25	34	28	20	15	17	14	22	13	19	21	22	17	21	37	17	15	17	19	20	18	13	24	24	32	23
5—25 ,, ...	8	14	13	11	10	14	22	14	13	11	13	17	7	12	19	18	10	13	12	14	13	18	13	17	17	11
25—45 ,, ...	20	26	23	15	20	21	19	25	23	24	27	33	26	16	25	16	24	13	18	13	30	29	25	26	25	27
45—65 ,, ...	27	36	35	40	40	41	32	43	42	36	45	43	40	27	42	44	30	25	28	35	31	26	24	43	35	33
65 and upwards, ...	34	44	38	32	34	34	37	32	36	50	49	63	58	43	40	20	23	25	22	28	29	34	21	28	34	33
Deaths from:—																										
Enteric Fever, ...	2	.	.	1	.	1	.	2	.	.	1	.	1	.	1	.	.	.	.	.	.	2	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	12	9	5	6	6	1	2	2	4	3	4	2	2	7	9	3	7	3	3	3	4	4	5	8	14	11
Scarlet Fever, ...	1	1	1	.	1	.	.	2	.	1	.	.	.	1	5	3	.	2	.	.	2	1	3	2	4	1
Whooping-cough, ...	1	3	1	2	1	1	2	4	3	1	3	1	3	3	1	2	1	5	3	6	5	3	4	8	5	4
Diphtheria, ...	1	2	2	.	2	1	.	1	.	1	2	1	.	.	.	1	.	.	1	2	1	1	1	.	3	1
Dysentery, ...	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, Pulmonary ...	20	19	22	12	16	23	20	21	21	17	29	31	19	13	12	15	15	12	19	15	15	14	16	11	22	20
Tuberculosis, Other Forms,	3	5	6	6	2	7	7	10	6	8	4	10	6	6	9	4	6	10	4	3	7	9	8	10	6	8
Cancer, ...	6	11	6	4	11	4	7	11	10	5	13	8	9	3	7	5	3	5	8	8	9	9	7	10	6	10
Diseases of Respiratory System, Pneumonia,	9	20	16	12	6	7	9	11	9	12	11	21	23	16	28	23	12	8	11	7	8	11	13	16	12	15
Diseases of Respiratory System, Others, ...	22	32	21	20	16	14	21	21	16	25	32	36	33	26	38	22	17	10	12	12	19	14	14	12	15	19
Diarrhœa and Enteritis, under 2 years, ...	6	4	2	3	1	6	6	3	2	2	5	7	4	.	2	3	.	4	1	1	1	.	4	4	4	2
Diarrhœa, 2 years and upwards	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.	.	1	.	.
Violent Deaths, ...	2	8	9	1	4	3	3	5	3	6	.	2	2	2	8	4	1	2	3	2	.	2	2	6	2	2
Number of Uncertified Deaths,	5	8	5	4	4	7	4	2	6	5	5	7	5	1	5	2	1	2	2	2	5	3	4	4	1	4

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th March, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	26·3	.	8	2	.	1	3	.	2	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	3	.
Do. 2 do.	49,500	24	24·2	2·1	23	7	2	2	3	3	6	.	.	.	.	.	1	.	.	1	2	2	3	.	1	.	.	1	5	.
Do. 3 do.	50,032	25	26·1	5·2	25	5	3	.	3	6	8	.	.	.	3	.	1	.	.	2	1	.	3	7	1	.	.	.	3	.
Do. 4 do.	32,637	15	30·4	8·0	19	4	6	2	4	1	2	.	.	.	5	.	.	.	.	2	1	.	1	3	.	.	.	.	10	.
Do. 5 do.	16,112	8	6·5	6·5	2	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 6 do.	37,293	18	15·4	1·4	11	3	1	1	1	4	1	.	.	.	.	.	1	.	.	2	.	1	2	2	.	.	.	.	2	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	26·2	.	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	8	19·2	.	9	2	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.
Do. 10 do.	28,958	12	21·6	3·6	12	1	3	1	3	3	1	.	.	.	2	.	.	.	.	4	1	.	.	.	.	.	.	.	.	.
Do. 11 do.	39,311	15	21·2	1·3	16	3	3	.	.	6	4	.	.	.	.	.	.	1	.	1	1	1	1	2	.	.	1	.	6	2
Do. 12 do.	38,076	35	19·2	.	14	5	.	2	1	2	4	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	4	1
Do. 13 do.	23,233	19	18·0	.	8	.	.	1	3	2	2	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	25·6	2·3	11	2	3	1	1	3	1	.	.	.	.	.	1	.	.	1	2	1	1	.	.	.	1	1	2	1
Total,	386,947	200	20·8	2·5	161	34	23	11	27	33	33	.	.	.	11	1	4	1	.	20	8	10	15	19	2	.	2	3	40	4
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	3	31·0	.	8	1	.	2	.	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	7	.
Do. 2 do.	10,399	10	15·0	5·0	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.
Do. 3 do.	9,793	3	10·6	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 4 do.	9,139	7	51·3	5·7	9	1	2	.	.	1	5	.	.	.	.	.	.	.	.	.	2	.	2	2	1	.	.	.	5	.
Do. 5 do.	6,250	3	16·7	8·3	2	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 6 do.	11,581	1	31·5	.	7	.	2	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	3	1
Do. 7 do.	16,056	10	22·7	.	7	.	.	.	2	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1
Total,	76,673	37	25·8	2·0	38	4	5	4	5	6	14	.	.	.	1	.	.	.	.	1	3	1	4	4	1	1	.	.	21	2

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th March, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	1	.	.	.	.	2
" " 1, West, ...	.	1	.	.	.	.	.	2	.	.	.	.	5	8
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	1	.	.	1	.	.	.	1	.	.	.	1	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.		.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	2	.	.	1	.	.	.	.	.	.	.	.	3
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	2	.	.	.	.	.	2	1	.	.	.	2	7
" " 4, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	4	.	.	4	3	.	.	.	13	31

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th March, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th March.			
	Feb. 26.	Mar. 4.	Mar. 11.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	40	42	42	5	9	1	37
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	45	50	67	30	28	.	69
Scarlet Fever, ...	77	76	78	9	18	.	69*
Diphtheria, ...	26	33	31	7	2	.	36
Pneumonia, ...	10	11	11	5	5	.	11

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
by ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13321, Wt. 6237. 375. 3. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C

No. 12. VOL. LIII.] WEEK ENDING SATURDAY, 25TH MARCH, 1916. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 27th March, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 24·3 and 22·9; Dublin Registration Area, 28·2 and 25·5; Dublin City, 30·8 and 28·0; Belfast, 21·3 and 21·4; Cork, 28·6 and 23·6; Londonderry, 19·0 and 16·2; Limerick, 16·2 and 24·7; and Waterford, 26·6 and 21·4.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·1 per 1,000. Among the 165 deaths from all causes for Belfast are 15 from measles, 4 from whooping-cough, one from diphtheria, and 3 from diarrhœa and enteritis of children under 2 years of age. One death from measles, one from whooping-cough, and one from diphtheria are included in the 42 deaths recorded for Cork. Of the 6 deaths from all causes for Portadown one was from enteric fever and one from whooping cough; and one of the 6 deaths recorded for Ballymena was caused by whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 235—121 boys and 114 girls—and the deaths to 233—121 males and 112 females.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 28·2 per 1,000 of the population. During the twelve weeks ending with Saturday last, the death-rate averaged 21·5, and was 3·6 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the twelve weeks was 23·0, and for the corresponding period of the preceding ten years, 26·4.

The 221 deaths appertaining to the Area include 4 from enteric fever (including one from para-typhoid); 2 from measles; 8 from whooping-cough; 3 from influenza; and 2 of children under 2 years from diarrhœa and enteritis. In the three preceding weeks deaths from enteric fever numbered one, 0, and one; deaths from measles numbered 4, 2, and 2; from whooping-cough 3, one, and 3; from influenza one, 2, and 4; and the deaths of children under 2 years from diarrhœa and enteritis were 5, 7, and 4, respectively.

Tuberculous disease caused 39 deaths (including 32 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 5 from other forms of the disease), as against 33, 41, and 25 in the three weeks preceding.

Ten deaths were caused by cancer, 28 by pneumonia (14 by broncho-pneumonia, 3 by lobar pneumonia, and 11 by pneumonia, type not distinguished), 16 by organic diseases of the heart, and 32 by bronchitis.

Among deaths of infants under one year old, 4 were ascribed to convulsions, 8 to prematurity, and 2 to congenital debility.

Seventy of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 42 being infants under one year, of whom 12 were under one month old.

Of the 221 deaths recorded, 77 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 16·6), was equal to an average annual death-rate of 16·5 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 19·9 per 1,000, the rate for Glasgow being 21·1, and for Edinburgh 20·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th March. From this Report it appears that of 96 cases notified, 36 were scarlet fever, 25 pulmonary tuberculosis, 19 other forms of tuberculosis, 10 diphtheria, 2 erysipelas, 2 enteric fever and 2 cerebro-spinal fever. Among the 511 cases of infectious diseases in hospital at the close of the week were 139 of pulmonary tuberculosis, 255 of scarlet fever, 78 of diphtheria, 18 of measles, 5 of enteric fever, 4 of cerebro-spinal fever, and 3 of erysipelas.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 25th March, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending.	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Mar. 4,	.	—	—	7	.	.	6	.	.	3	3	.	—	—	.	—	.	18	37
	Mar. 11,	.	—	—	4	.	.	5	.	.	7	2	.	—	—	.	—	.	12	33
	Mar. 18,	.	—	—	7	.	.	4	.	.	4	3	.	—	—	.	—	.	13	31
	Mar. 25,	.	—	—	10	.	.	3	.	.	10	.	.	—	—	.	—	.	17	40
Rathmines and Rathgar Urban District	Mar. 4,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	—	4
	Mar. 11,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Mar. 18,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
	Mar. 25,	.	—	—	.	.	.	1	.	.	.	4	.	—	—	—	—	—	—	5
Pembroke Urban District.	Mar. 4,	.	2	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	1	4
	Mar. 11,	.	3	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	2	5
	Mar. 18,	.	1	1	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1	4
	Mar. 25,	.	1	.	.	.	.	.	.	.	.	2	.	—	.	.	—	—	1	4
Blackrock Urban District.	Mar. 4,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	Mar. 11,	.	1	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	Mar. 18,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Mar. 25,	.	3	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	3
Kingstown Urban District.	Mar. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Mar. 18,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	.	2
	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
City of Belfast.	Mar. 4,	.	—	—	19	.	.	3	.	.	2	3	.	—	—	1	—	.	1	29
	Mar. 11,	.	—	—	27	.	.	2	.	.	1	1	.	—	—	1	—	.	1	33
	Mar. 18,	.	—	—	29	.	.	5	.	.	.	6	.	—	—	1	—	.	1	42
	Mar. 25,	.	—	—	37	.	.	7	1	.	2	6	.	—	—	1	—	.	.	54
City of Cork.	Mar. 4,	.	1	—	8	.	.	1	1	.	.	.	.	—	—	—	.	—	—	11
	Mar. 11,	.	2	—	3	.	.	1	1	.	.	.	.	—	—	—	.	—	—	7
	Mar. 18,	.	2	—	1	.	.	.	.	.	.	1	.	—	—	—	.	—	—	4
	Mar. 25,	.	1	—	3	.	.	.	.	.	1	2	.	—	—	—	.	—	—	7
City of Londonderry.	Mar. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 11,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 18,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	—	—	5
	Mar. 25,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
City of Limerick.	Mar. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
ity of Waterford	Mar. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th March, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 14 and 41; measles 27 and 66; scarlet fever 14 and 72*; and diphtheria 6 and 35. Ten cases of pneumonia were admitted during the week and 13 remained under treatment at its close. Of the deaths in hospitals during the week 2 were from enteric fever.

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 25th March, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 25TH MARCH, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases.(b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY.(c) WEEK ENDING 25TH MARCH, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	25·5	24·3	2·1	561	535	87	155	5	...	...	18	...	15	2	...	70	15	19	47	87	5	1	6	15	172	24	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	30·0	28·2	2·0	235	221	42	61	4	...	...	2	...	8	...	...	32	7	10	28	35	2	...		4	77	10	(d) 48·0	25·2	38·8	1·26
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	32·3	30·8	2·2	194	185	36	50	4	...	...	2	...	5	...	...	27	6	7	27	27	2	...	2	4	71	9	(e) 46·2 (f) 46·9	23·6 27·8	39·8 39·7	1·24 1·29
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	25·1	21·1	.	19	16	3	7	...	..	...	...	...	...	...	...	2	...	1	1	4	...	...	...	...	3	..	...	...	...	...
Urban Districts: PEMBROKE, ...	30,538	19·4	17·1	18·8	.	10	11	...	3	...	..	...	...	...	...	...	...	3	..	2	...	1	...	...	...	...	3	1	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	16·9	.	.	3	.	...	...	...	..	...	...	...	...	...	..	...	...	...	...	...	...	.	...	...	...	...	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	27·7	27·7	9·2	9	9	3	1	..	..	...	...	...	3	...	..	...	1	...	...	3	...	...	..	...	...	...	47	30	39·2	0·26
Urban Districts: BELFAST	403,000	27·0	25·6	21·3	3·0	193	165	31	36	...	...	...	15	...	4	1	...	23	5	1	11	24	3	...	3	6	41	6	42·0	28·2	40·9	0·60
Urban Districts: CORK, ...	76,673	28·6	21·1	28·6	2·0	31	42	4	16	...	...	...	1	...	1	1	...	6	...	3	4	5	...	..	...	...	18	4	...	...	...	...
Urban Districts: LONDONDERRY	41,200	16·0	27·8	19·0	.	22	15	1	8	...	...	...	...	...	...	...	...	1	1	..	1	4	...	...	..	...	3	1	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	6·8	16·2	.	5	12	1	7	...	...	...	...	...	...	...	...	...	...	...	1	5	..	...	...	...	6	...	57·2	27·3	41·9	0·44
Urban Districts: WATERFORD, ...	27,464	19·1	15·2	26·6	.	8	14	2	3	...	...	...	...	...	...	...	...	1	...	1	1	4	...	...	...	...	5	...	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			8	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	53	27	41	1·24
Urban Districts: DUNDALK, ...	13,128	9·5				8	6	1	1	...	...	...	...	...	...	...	...	2	..	...	...	...	...	...	...	2	...	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				3	4	1	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	3	...	48·7	26·2	38·9	0·41
Urban Districts: DROGHEDA, ...	12,501	8·4				3	5	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	..	...	...	...	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				4	6	...	2	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	1	1	2	...	48·7	26·2	38·9	0·41
Urban Districts: NEWRY, ...	11,963	17·0				5	7	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	..	1	2	...	48·7	26·2	38·9	0·41
Urban Districts: PORTADOWN, ...	11,727	15·3				3	6	1	1	1	...	...	...	...	1	...	...	...	1	...	..	...	...	...	..	...	2	..	48·7	26·2	38·9	0·41
Urban Districts: WEXFORD, ...	11,531	22·8				4	7	...	6	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	3	3	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				2	6	1	1	...	...	...	...	...	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				7	7	1	4	...	...	...	...	...	...	...	...	1	..	1	..	2	...	...	..	...	5	...	53	23	37·0	0·99
Urban Districts: KILKENNY, ...	10,514	11·4				6	6	...	2	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	..	1	4	...	55	26	40·8	0·45
Urban Districts: TRALEE, ...	10,300	17·4				4	4	...	1	...	...	...	...	...	...	...	...	..	...	...	1	...	...	1	..	...	1	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LONDON, ...	4,516,612	—	—	16·6	—	2,027	1,435(g)	204	491	1	.	.	25	1	44	11	—	134	38	96	138	199	14	8	51	145	643	.	57	31	41·4	1·18
EDINBURGH, ...	329,200	—	—	20·1	1.3	135	127	15	51	.	.	.	2	.	.	5	—	—	—	—	—	—	1	—	3	—	—	—	41·2	27·3	35·5	0·97
GLASGOW	1,091,600	—	—	21·1	1·8	579	441(g)	75	121	1	.	.	21	6	1	4	—	—	—	—	—	—	4	—	12	—	—	—	44·7	29·6	38·0	1·21

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever in London and 5 in Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Average number of deaths in 12th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 25th March, 1916.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	201·2	233	12	30	12	17	4	2	7	4	12	26	15	26	47	19		221
Enteric Fever, ...	1·4	4	.	.	.	.	.	1	1	.	.	2	.	.	.	.		4
Typhus, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles, ...	4·6	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.		2
Scarlet Fever, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough, ...	4·2	8	.	3	2	3	.	.	.	.	.	.	.	.	.	.		8
Diphtheria, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Croup, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza, ...	3·8	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2		3
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus, ...	·2	.	.		.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis, ...	27·0	33	.	.	.	2	.	1	5	4	8	9	1	1	2	.		32
Tuberculous Meningitis, ...	2·4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.		2
Abdominal Tuberculosis, ...	2·2	3	.	.	.	.	1	.	1	.	1	.	.	.	.	.		1
Tuberculosis of the Spinal Column.	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Tuberculosis of Joints, ...	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs,	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis,...	2·2	3	.	2	.	.	1	.	.	.	.	.	.	.	.	.		3
Venereal Diseases, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cancer, ...	7·2	13	.	.	.	.	.	.	.	.	.	2	3	2	6	.		10
Tumour, situation undefined,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Anæmia, Leucocythæmia, ...	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Other General Diseases, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Alcoholism, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis, ...	1·6	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.		2
Cerebral Hæmorrhage, Apoplexy.	5·8	7	.	.	.	.	.	.	.	.	1	.	.	1	3	2		6
Softening of Brain, ...	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Paralysis, without specified cause.	2·4	4	.	.	.	.	.	.	.	.	.	.	1	1	2	.		4
Epilepsy, ...	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Convulsions (non-puerperal),	3·8	6	1	3	1	1	.	.	.	.	.	.	.	.	.	.		6
Other Diseases of Nervous System.	3·4	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.		2
Pericarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart,	17·4	17	.	.	.	.	.	.	.	.	.	2	2	2	9	2		16
Embolism and Thrombosis (including Cerebral).	·2	5	.	.	.	.	.	.	.	.	.	2	.	2	1	.		4
Other Diseases of Circulatory system.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of the Larynx, ...	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Bronchitis, ...	31·8	34	1	9	3	1	.	.	.	.	.	3	1	5	7	4		32
Broncho-pneumonia, ...	8·6	14	1	4	4	3	.	.	.	.	.	.	.	1	1	.		14
Lobar pneumonia, ...	1·0	3	.	1	.	.	.	.	.	.	.	1	1	.	.	.		3
Pneumonia (type not distinguished)	6·0	11	1	1	1	.	.	.	.	.	.	1	.	3	4	.		11
Pleurisy, ...	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Pulmonary Congestion, Pulmonary Apoplexy.	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Other Diseases of Respiratory System.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.

in the TWELFTH WEEK, ending Saturday, 25th March, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Average number of deaths in 12th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 25th March, 1916.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under a year.	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	3·0	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	5·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Diarrhœa 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Appendicitis and Typhlitis, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Cirrhosis of Liver, ...	·4	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2
Other Diseases of Liver, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·6	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
Acute Nephritis, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...	4·4	11	.	.	.	.	.	.	.	.	.	2	2	4	2	1	11
Urinary Calculi, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Puerperal Septicæmia, &c., ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	1·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Diseases of Locomotor System,	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3·8	8	7	1	.	.	.	.	.	.	.	.	.	.	.	.	8
Congenital Debility, ...	4·6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Old Age, ...	6·4	10	.	.	.	.	.	.	.	.	.	.	.	.	3	7	10
Other Specified Diseases, ...	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Drowning, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total Deaths from Accident,	3·2	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
Included in above are Deaths in connection with—																	
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																	
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	3·4	4	.	.	1	.	.	.	.	.	.	.	1	.	2	.	4

TABLE IV.—Showing for the WEEK ENDED 25TH MARCH, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons, and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
					WEEK ENDED 25TH MARCH, 1916. DEATHS. CAUSED BY																													
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																		
North City, No. 1, E,	30,504	41·0	1·7	24	2	.	4	.	1	3	6	8	.	.	.	.	.	1	.	.	4	.	2	4	1	.	.	.	12	.	4	4	1
,, 1, W.,	41,685	22·5	1·3	18	6	1	1	.	2	2	2	4	.	.	.	.	.	1	.	.	4	.	.	2	3	.	.	.	8	1	1	3	1
,, 2,	27,883	37.4	1·9	20	6	1	.	1	.	2	6	4	.	.	.	.	.	.	.	.	1	3	1	4	2	1	.	.	8	.	1	6	.
,, 3,	35,887	16·0	.	11	5	.	.	.	1	2	2	1	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	5	1	2	.	2
Clontarf and Howth, No. 1, part of.	5,539	9·4	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Coolock & Drumcondra, part of	13,820	34·0	3·8	9	2	.	2	.	1	1	.	3	.	.	.	.	.	1	.	.	1	.	.	1	1	.	.	.	5	.	.	1	.
Finglas and Glasnevin, part of,	10,829	53·0	9·6	11	.	.	.	1	2	4	1	3	2	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	6	.	2	.	1
South City.																																		
South City, No. 1,	41,170	35·5	2·5	28	7	1	2	.	.	7	3	8	.	.	.	1	.	.	.	.	4	1	1	4	7	1	.	2	7	1	4	12	1
,, 2,	18,341	22·7	.	8	1	.	.	.	.	.	4	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	6	.	.	3	.
,, 3,	43,970	32·0	2·4	27	3	4	1	1	.	9	4	5	1	.	.	.	.	1	.	.	4	.	1	5	5	.	.	.	10	.	5	10	2
,, 4,	33,171	36·2	3·1	23	3	3	3	2	.	2	2	8	.	.	.	1	.	1	.	.	5	2	.	3	4	.	.	.	7	1	3	7	.
New Kilmainham,	9,948	26·2	5·2	5	1	1	.	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	.	1	2	.
Urban Districts.																																		
Rathmines and Rathgar,	39,541	21·1	.	16	3	.	.	1	.	1	4	7	.	.	.	.	.	.	.	.	2	.	1	1	4	.	.	.	8	.	1	2	.
Pembroke,	30,538	18·8	.	11	.	1	1	.	2	2	2	3	.	.	.	.	.	.	.	.	3	.	2	.	1	.	.	.	5	.	3	.	1
Blackrock,	9,233	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	16,941	27·7	9·2	9	3	.	2	.	.	.	3	1	.	.	.	.	.	3	.	.	.	1	.	.	3	.	.	.	2	.	.	.	.
TOTAL CITY. North,	166,147	29·5	1·9	94	21	2	7	2	7	14	17	24	2	.	.	.	.	3	.	.	11	3	3	14	9	1	.	.	45	2	10	14	6
South,	146,600	32·4	2·5	91	15	9	6	3	.	19	13	26	2	.	.	2	.	2	.	.	13	3	4	13	18	1	.	2	31	2	13	34	3
North and South	312,747	30·8	2·2	185	36	11	13	5	7	33	30	50	4	.	.	2	.	5	.	.	27	6	7	27	27	2	.	2	76	4	23	48	9
Total Urban Districts,	96,253	19·5	1·6	36	6	1	3	1	2	3	9	11	.	.	.	.	.	3	.	.	5	1	3	1	8	.	.	.	15	.	4	2	1
Total Registration Area,	409,000	28·2	2·0	221	42	12	16	6	9	36	39	61	4	.	.	2	.	8	.	.	32	7	10	28	35	2	.	2	91	4	27	50	10
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				12	.	.	1	.	2	2	2	5	.	.	.	.	.	.	.	.	1	3	3	.	2	.	.	.	3	.	9	4	.

* See note (*a*) at foot of Table II.

† See note (†) at foot of first page

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th March, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH MARCH, 1916.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	233	71	6	11	38	41	47	19	4	.	.	2	.	8	.	.	33	10	13	6	28	37	2	.	2	88	10
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	24·9	7	.	.	.	2	.	3	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	22·0	43	5	2	3	9	9	8	7	3	.	.	1	.	1	.	.	5	3	2	.	2	3	.	.	.	23	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	25·5	53	19	1	5	8	9	6	5	.	.	.	1	.	1	.	.	8	1	3	3	8	6	.	.	1	21	2
IV.	GENERAL SERVICE CLASS, ...	167,479	23·7	76	41	3	2	10	13	6	1	1	.	.	.	.	6	.	.	12	4	3	3	11	14	1	.	1	20	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	54	6	.	1	9	10	24	4	.	.	.	.	.	.	.	.	8	1	3	.	7	13	1	.	.	21	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	5	.	.	.	2	.	2	1	.	.	.	.	.	.	.	.		1	1	.	.	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	8	2	.	.	2	1	3	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	5	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	—	12	1	.	.	1	6	2	2	1	.	.	1	.	.	.	.	.	.		.	.	1	.	.	.	9	.
	6. Clerks and Commercial Assistants, ...	33,249	—	11	1	1	1	5	1	1	1	.	.	.	.	.	.	.	.	4	1	1	.	2	1	.	.	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	12	1	1	2	1	1	2	4	2	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	7	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	4	1	.	1	1	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	—	16	6	1	2	3	3	1	.	.	.	.	.	.	.	.	.	4	.	.	1	4	1	.	.	.	6	.
	10. Clothing Trades, ...	20,026	—	6	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	3	.
	11. Food Supply Trades	8,952	—	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	20	7	.	1	2	6	2	2	.	.	.	1	.	.	.	.	2	.	3	.	3	4	.	.	1	6	2
	13. Petty Shopkeepers	6,772	—	5	1	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	17	10	1	1	1	2	1	1	.	.	.	.	.	3	.	.	3	1	.	.	4	3	.	.	.	3	1
	15. Domestic Servants, ...	36,041	—	8	2	.	.	3	3	.	.	.	.	.	.	.	1	.	.	2	.	1	.	2	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	49	29	2	1	6	8	3	.	1	.	.	.	.	2	.	.	7	3	2	3	5	11	1	.	1	13	4
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	54	6	.	1	9	10	24	4	.	.	.	.	.	.	.	.	8	1	3	.	7	13	1	.	.	21	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.
No. of weeks in Annual Series	52	1	2	3	4	5	6	7	8	9	10	11	12	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered.	156	208	203	253	213	209	163	209	166	179	219	159	235	157	231	220	174	181	206	203	187	218	196	180	200	198
Average Births in corresponding week of previous 10 years, ...	167	228	231	207	220	238	229	214	206	225	225	207	216	171	256	209	225	219	219	216	211	205	226	214	221	220
Number of Deaths, ...	188	159	143	145	153	158	165	143	160	185	210	183	221	194	153	124	113	116	131	146	140	130	161	174	161	165
Annual Death-rate per 1,000, ...	24·0	20·3	18·2	18·5	19·5	20·1	21·0	18·2	20·4	23·6	26·8	23·3	28·2	25·1	19·8	16·0	14·6	15·0	16·9	18·9	18·1	16·8	20·8	22·5	20·8	21·3
Average Deaths in corresponding week of previous 10 years, ...	144	198	186	191	196	191	190	192	197	196	190	186	186	147	158	164	153	165	167	182	174	170	170	164	164	164
Ages, Under one year, ...	34	22	25	26	26	34	29	16	20	30	32	35	42	31	38	22	20	17	21	25	20	23	23	31	34	31
Ages, 1— 5 years, ...	34	28	20	15	17	14	22	13	19	21	22	17	28	37	17	15	17	19	20	18	13	24	24	32	23	24
Ages, 5—25 ,, ...	14	13	11	10	14	22	14	13	11	13	17	7	15	19	18	10	13	12	14	13	18	13	17	17	11	14
Ages, 25—45 ,, ...	26	23	15	20	21	19	25	23	24	27	33	26	36	25	16	24	13	18	13	30	29	25	26	25	27	20
Ages, 45—65 ,, ...	36	35	40	40	41	32	43	42	36	45	43	40	39	42	44	30	25	28	35	31	26	24	43	35	33	40
Ages, 65 and upwards, ...	44	38	32	34	34	37	32	36	50	49	63	58	61	40	20	23	25	22	28	29	34	21	28	34	33	36
Deaths from:—																										
Enteric Fever, ...	.	.	1	.	1	.	2	.	.	1	.	1	4	1	.	.	.	.	.	.	2	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	9	5	6	6	1	2	2	4	3	4	2	2	2	9	3	7	3	3	3	4	4	5	8	14	11	15
Scarlet Fever, ...	1	1	.	1	.	.	2	.	1	.	.	.	.	5	3	.	2	.	.	2	1	3	2	4	1	.
Whooping-cough, ...	3	1	2	1	1	2	4	3	1	3	1	3	8	1	2	1	5	3	6	5	3	4	8	5	4	4
Diphtheria, ...	2	2	.	2	1	.	1	.	1	2	1	.	.	.	1	.	.	1	2	1	1	1	.	3	1	1
Dysentery, ...	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	19	22	12	16	23	20	21	21	17	29	31	19	32	12	15	15	12	19	15	15	14	16	11	22	20	23
Tuberculosis { Other Forms,	5	6	6	2	7	7	10	6	8	4	10	6	7	9	4	6	10	4	3	7	9	8	10	6	8	5
Cancer, ...	11	6	4	11	4	7	11	10	5	13	8	9	10	7	5	3	5	8	8	9	9	7	10	6	10	1
Diseases of Respiratory System, { Pneumonia,	20	16	12	6	7	9	11	9	12	11	21	23	28	28	23	12	8	11	7	8	11	13	16	12	15	11
Diseases of Respiratory System, { Others, ...	32	21	20	16	14	21	21	16	25	32	36	33	35	38	22	17	10	12	12	19	14	14	12	15	12	24
Diarrhœa and Enteritis, under 2 years, ...	4	2	3	1	6	6	3	2	2	5	7	4	2	2	3	.	4	1	1	1	.	4	4	4	2	3
Diarrhœa, 2 years and upwards	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.	.	.	1	.	.	.
Violent Deaths, ...	8	9	1	4	3	3	5	3	6	.	2	2	2	8	4	1	2	3	2	.	2	2	6	2	2	3
Number of Uncertified Deaths,	8	5	4	4	7	4	2	6	5	5	7	5	10	5	2	1	2	2	2	5	3	4	4	1	4	6

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th March, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	19·7	.	6	1	1	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	3	1	1
Do. 2 do.	49,500	34	11·6	1·1	11	1	.	1	2	3	4	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	.	5	.
Do. 3 do.	50,032	23	24·0	6·3	23	5	7	3	2	4	2	.	.	.	3	.	1	1	.	1	1	.	2	4	1	.	.	.	4	3
Do. 4 do.	32,637	16	30·4	3·2	19	3	4	1	2	5	4	.	.	.	1	.	.	.	.	1	.	.	3	1	1	.	.	.	10	.
Do. 5 do.	16,112	13	32·4	3·2	10	1	1	.	2	2	4	.	.	.	1	.	.	.	.	3	.	.	.	.	.	.	.	.	5	.
Do. 6 do.	37,293	15	19·6	.	14	4	.	1	2	4	3	.	.	.	.	.	.	.	.	2	1	.	2	3	.	.	.	.	4	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	35·0	.	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.
Do. 9 do.	24,427	11	17·1	4·3	8	.	2	1	1	3	1	.	.	.	2	.	.	.	.	2	.	.	.	2	.	.	1	1	1	.
Do. 10 do.	28,958	10	34·2	9·0	19	3	3	2	3	5	3	.	.	.	4	.	.	.	.	2	.	.	.	3	1	.	.	1	3	1
Do. 11 do.	39,311	24	13·3	2·7	10	3	1	1	.	3	2	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	1	.
Do. 12 do.	38,076	19	20·5	.	15	3	2	.	1	4	5	.	.	.	.	.	.	.	.	1	1	.	2	4	.	.	.	.	4	1
Do. 13 do.	23,233	11	18·0	2·2	8	4	.	.	1	1	2	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	1	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	41·4	6·9	18	3	2	3	2	4	4	.	.	.	3	.	.	.	.	3	1	.	1	3	.	.	.	.	3	.
Total,	386,947	198	21·3	3·0	165	31	24	14	20	40	36	.	.	.	15	.	4	1	.	23	5	1	11	24	3	.	3	6	41	6
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	10	19·4	.	5	1	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1
Do. 2 do.	10,399	3	35·1	.	7	2	1	1	1	.	2	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
Do. 3 do.	9,793	2	31·9	.	6	.	.	1	1	2	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	2	.
Do. 4 do.	9,139	4	22·8	5·7	4	1	.	.	1	2	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.
Do. 5 do.	6,250	1	16·7	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	3	36·0	4·5	8	.	3	.	.	1	4	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	4	2
Do. 7 do.	16,056	8	32·5	3·2	10	.	3	.	1	1	5	.	.	.	.	.	.	1	.	1	.	1	3	.	.	.	.	.	5	1
Total,	76,673	31	28·6	2·0	42	4	7	2	4	9	16	.	.	.	1	.	1	1	.	6	.	3	4	5	.	.	.	.	18	4

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th March, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 1, West, ...	.	4	.	.	.	.	.	.	.	.	.	.	1	5
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	3	4
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	1	.	.	.	.	.	2
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
" " 3, ...	.	1	.	.	2	.	.	1	.	.	.	.	4	8
" " 4, ...	.	1	.	.	.	.	.	8	.	.	.	.	2	11
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	10	.	.	3	.	.	10	.	.	.	.	17	40

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th March, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th March.			
	Mar. 4.	Mar. 11.	Mar. 18.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	42	42	37	14	8	2	41
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	50	67	69	27	30	.	66
Scarlet Fever, ...	76	78	69	14	11	.	72*
Diphtheria, ...	33	31	36	6	7	.	35
Pneumonia, ...	11	11	11	10	8	.	13

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13335, Wt. 6237. 375. 3. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C

No. 13. VOL. LIII.] WEEK ENDING SATURDAY, 1ST APRIL, 1916. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 3rd April, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 26·0 and 24·0; Dublin Registration Area, 26·9 and 26·3; Dublin City, 28·7 and 28·7; Belfast, 23·0 and 21·9; Cork, 33·3 and 28·0; Londonderry, 20·2 and 18·0; Limerick, 32·5 and 26·4; and Waterford, 20·9 and 22·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·2 per 1,000. Among the 178 deaths from all causes for Belfast are 13 from measles, one from scarlet fever, 4 from whooping-cough, 3 from diphtheria, 3 from diarrhœal diseases, and 2 from cerebro-spinal fever, or cerebro-spinal meningitis. One of the 49 deaths from all causes for Cork was caused by scarlet fever. Included in the 16 deaths from all causes for Londonderry was one from measles. Among the 24 deaths recorded for Limerick is one from whooping-cough. Of the 8 deaths appertaining to Lisburn, one was caused by whooping-cough and one by diphtheria. One death from whooping-cough is included among the 13 deaths from all causes for Newry, and another from the same cause is included among the 4 deaths recorded for Portadown.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 260—131 boys and 129 girls—and the deaths to 228—127 males and 101 females.

The deaths registered, omitting the deaths (numbering 17) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·9 per 1,000 of the population. During the thirteen weeks ending with Saturday last, the death-rate averaged 21·9, and was 3·1 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the thirteen weeks was 23·4, and for the corresponding period of the preceding ten years, 26·4.

The 211 deaths appertaining to the Area include one from enteric fever; 4 from measles; 5 from whooping-cough, one from diphtheria; 3 from influenza; and 5 of children under 2 years from diarrhœa and enteritis. In the three preceding weeks deaths from enteric fever numbered 0, one, and 4; deaths from measles numbered 2, 2, and 2; from whooping-cough one, 3, and 8; from diphtheria one, 0, and 0; from influenza 2, 4, and 3; and the deaths of children under 2 years from diarrhœa and enteritis were 7, 4, and 2, respectively.

Tuberculous disease caused 42 deaths (including 34 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 4 from other forms of the disease), as against 41, 25, and 39 in the three weeks preceding.

Ten deaths were caused by cancer, 19 by pneumonia (12 by broncho-pneumonia, 2 by lobar pneumonia, and 5 by pneumonia, type not distinguished), 14 by organic diseases of the heart, and 40 by bronchitis.

Among deaths of infants under one year old, 3 were ascribed to convulsions, one to congenital malformation, 4 to prematurity, and 3 to congenital debility.

There were 6 accidental deaths including 2 (those of children under 5 years of age) caused by burns, one (that of an infant) by overlaying, and one was caused by a bomb explosion.

Sixty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 31 being infants under one year, of whom 11 were under one month old.

Of the 211 deaths recorded, 87 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 16·9), was equal to an average annual death-rate of 16·9 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 19·6 per 1,000, the rate for Glasgow being 20·7, and for Edinburgh 18·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st April. From this Report it appears that of 82 cases notified, 30 were scarlet fever, 21 diphtheria, 13 pulmonary tuberculosis, 12 other forms of tuberculosis, 4 erysipelas, one enteric fever and one cerebro-spinal fever. Among the 496 cases of infectious diseases in hospital at the close of the week were 135 of pulmonary tuberculosis, 246 of scarlet fever, 74 of diphtheria, 17 of measles, 5 of enteric fever, 5 of cerebro-spinal fever, and 3 of erysipelas.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 1st April, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending.	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Mar. 11,	.	—	—	7	.	.	5	.	.	7	2	.	—	—	.	—	.	12	33
	Mar. 18,	.	—	—	7	.	.	4	.	.	4	3	.	—	—	.	—	.	13	31
	Mar. 25,	.	—	—	10	.	.	3	.	.	10	.	.	—	—	.	—	.	17	40
	April 1,	.	—	—	10	.	.	6	.	.	4	1	.	—	—	.	—	.	7	28
Rathmines and Rathgar Urban District	Mar. 11,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Mar. 18,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
	Mar. 25,	.	—	—	.	.	.	1	.	.	.	4	.	—	—	—	—	—	—	5
	April 1,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Mar. 11,	.	3	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	2	5
	Mar. 18,	.	1	1	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1	4
	Mar. 25,	.	1	.	.	.	.	.	.	.	.	2	.	—	.	.	—	—	1	4
	April 1,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	.	—	—	.	3
Blackrock Urban District.	Mar. 11,	.	1	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	Mar. 18,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Mar. 25,	.	3	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	3
	April 1,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Mar. 18,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	.	2
	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
	April 1,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
City of Belfast.	Mar. 11,	.	—	—	27	.	.	2	.	.	1	1	.	—	—	1	—	.	1	33
	Mar. 18,	.	—	—	29	.	.	5	.	.	.	6	.	—	—	1	—	.	1	42
	Mar. 25,	.	—	—	37	.	.	7	1	.	2	6	.	—	—	1	—	.	.	54
	April 1,	.	—	—	21	.	.	3	.	.	2	.	1	—	—	1	—	.	3	31
City of Cork.	Mar. 11,	.	2	—	3	.	.	1	1	.	.	.	.	—	—	—	.	—	—	7
	Mar. 18,	.	2	—	1	.	.	.	.	.	.	1	.	—	—	—	.	—	—	4
	Mar. 25,	.	1	—	3	.	.	.	.	.	1	2	.	—	—	—	.	—	—	7
	April 1,	.	5	—	4	.	.	2	1	1	1	1	.	—	—	—	.	—	—	15
City of Londonderry.	Mar. 11,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 18,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	—	—	5
	Mar. 25,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	April 1,	.	—	—	5	.	.	.	.	.	.	1	.	—	—	—	—	—	—	6
City of Limerick.	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	April 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford.	Mar. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	April 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st April, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 36; measles 16 and 52; scarlet fever 13 and 73*; and diphtheria 6 and 29. Nine cases of pneumonia were admitted during the week and 16 remained under treatment at its close. Of the deaths in hospitals during the week one was from each of enteric fever, scarlet fever, and diphtheria, and 3 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 1st April, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 1ST APRIL, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases.(b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY.(c) WEEK ENDING 1ST APRIL, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS,	1,148,168	20·2	31·2	26·0	2·2	688	572	91	156	1	...	...	18	2	13	5	...	75	26	30	51	91	8	1	12	13	171	23	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	33·1	26·9	2·0	260	211	31	62	1	...	...	4	...	5	1	...	34	8	10	19	4	5	...		2	87	5	(d) 57·0	26·6	40·3	0·05
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	39·0	28·7	2·5	234	172	26	45	1	...	...	4	...	4	1	...	28	8	5	16	36	5	...	5	2	78	5	(e) 57·2 (f) 58·8	31·0 27·2	42·4 41·4	0·06 0·09
Urban Districts: RATHMINES and RATHGAR, ...	39,541	23·1	17·1	21·1	1·3	13	16	3	7	...	..	...	...	...	1	...	...	2	...	1	3	2	...	...	1	...	3	..	..	...	...	...
Urban Districts: PEMBROKE, ...	30,538	19·4	12·0	15·4	.	7	9	...	3	...	..	...	...	..	...	...	...	3	..	2	...	1	...	...	...	...	3	...	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	22·6	11·3	.	4	2	...	2	...	..	...	...	...	...	...	..	...	...	...	...	...	...	.	...	...	...		...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	6·2	36·9		2	12	2	5	...	..	...	...	...	...	...	.	1	...	2	...	2	...	...	..	...	3	...	58	33	41·6	0·00
Urban Districts: BELFAST	403,000	27·0	32·5	23·0	3·1	251	178g	30	39	...	...	...	13	1	4	3	...	24	5	8	19	23	2	1	3	4	41	2	56·0	28·2	40·4	0·31
Urban Districts: CORK, ...	76,673	28·6	33·3	33·3	0·7	49	49	7	12	...	...	...	...	1	...	...	..	7	6	3	5	9	...	..	...	1	12	1	52	33	42·4	0·02
Urban Districts: LONDONDERRY	41,200	16·0	30·4	20·2	1·3	24	16	2	5	...	...	...	1	...	...	...	...	2	...	1	1	...	...	...	2	2	5	..	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	42·0	32·5	1·4	31	24	3	6	...	...	...	...	...	1	...	..	2	1	...	1	9	..	...	...	...	7	7	58·2	29·1	42·8	0·27
Urban Districts: WATERFORD, ...	27,464	19·1	22·8	20·9	.	12	11	2	4	...	...	...	...	...	...	...	...	...	...	..	1	1	...	...	...	1	3	...	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5				11	15	5	3	...	...	...	...	...	...	...	...	1	1	1		3	...	...	...	...	3	5	51	30	41	0·11
Urban Districts: DUNDALK, ...	13,128	9·5				6	6	3	2	...	...	...	...	...	...	...	...	...	..	1	1	1	...	...	...	...	...	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				4	8	1	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	2	60·0	27·9	42·2	0·34
Urban Districts: DROGHEDA, ...	12,501	8·4				8	7	1	5	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	..	..	1	...	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				2	8	2	2	...	...	...	...	...	1	1	...	...	1	...	.	...	...	...	1	1	3	...	60·0	27·9	42·2	0·34
Urban Districts: NEWRY, ...	11,963	17·0				5	13	...	5	...	...	...	...	...	1	...	...	1	2	1	2	2	...	...	..	2	...	...	60·0	27·9	42·2	0·34
Urban Districts: PORTADOWN, ...	11,727	15·3				4	4	1	1	...	...	...	...	...	1	...	...	1	..	1	..	...	...	...	...	..	1	...	60·0	27·9	42·2	0·34
Urban Districts: WEXFORD, ...	11,531	22·8				6	5	...	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				1	2	1	.	...	...	...	...	...	...	...	...	..	...	...	..	1	...	...	...	...	1	...	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				4	1	...	1	...	...	...	...	...	...	...	...	..	..	1	..	...	...	...	...	...	...	...	57	27	42·0	0·23
Urban Districts: KILKENNY, ...	10,514	11·4				3	5	...	3	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	2	1	58	28	40·1	0·07
Urban Districts: TRALEE, ...	10,300	17·4				3	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	...	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				4	6	2	1	...	...	...	...	...	...	...	...	2	...	1	...	1	1	...	...	...	4	...	...	...	...	...
The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.																																
LONDON, ...	4,516,612	—	—	16·9	—	2,173	1,465g	207	491	.	.	.	28	7	37	17	—	134	38	86	130	198	14	8	42	143	671	1	58	29	41·9	1·18
EDINBURGH, ...	329,200	—	—	18·7	1·0	121	118g	15	49	.	.	.	3	1	.	1	—	—	—	—	—	—	1	—	2	—	—	—	55·9	27·3	39·8	0·18
GLASGOW	1,091,600	—	—	20·7	2·2	548	433g	78	103	2	.	.	30	2	3	2	—	—	—	—	—	—	7	—	13	—	—	—	53·1	27·9	40·2	0·20

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 2 deaths from cerebro-spinal fever for Belfast, 3 for London, one for Edinburgh, and 2 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Average number of deaths in 13th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 1st April, 1916. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	204·4	228	12	20	16	16	6	5	7	.	10	18	22	32	41	23	211
Enteric Fever, ...	·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Typhus, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7·2	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	4
Scarlet Fever, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	5·4	5	.	1	2	2	.	.	.	.	.	.	.	.	.	.	5
Diphtheria, ...	3·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4·0	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	3
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis, ...	19·6	34	.	.	.	.	1	1	2	.	7	13	7	3	.	.	34
Tuberculous Meningitis, ...	3·4	5	.	.	.	.	3	2	.	.		.	.	.	.	.	4
Abdominal Tuberculosis, ...	2·6	3	.	.	.	1	.	.	1	.	1	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of other Organs,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis,...	2·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Venereal Diseases, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	13·0	13	.	.	.	.	.	.	.	.	.	.	3	3	5	2	10
Tumour, situation undefined,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	2·4	2	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1
Alcoholism, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	5·6	6	.	.	.	.	.	.	.	.	.	.	1	2	1	2	6
Softening of Brain, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Epilepsy, ...	·6	2	.	.	1	.	.	.	.	.	.	.	.	.	1	.	2
Convulsions (non-puerperal),	5·2	6	2	1	3	.	.	.	.	.	.	.	.	.	.	.	6
Other Diseases of Nervous System.	3·8	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1
Pericarditis, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Acute Endocarditis, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,	16·2	14	.	.	.	.	.	.	1	.	.	.	2	4	5	2	14
Embolism and Thrombosis (including Cerebral).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory system.	1·4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Diseases of the Larynx, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	30·0	40	1	4	5	.	.	.	.	.	.	2	2	7	16	3	40
Broncho-pneumonia, ...	12·6	12	.	5	2	3	.	.	.	.	.	.	1	1	.	.	12
Lobar pneumonia, ...	2·0	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2
Pneumonia (type not distinguished)	6·0	6	.	.	.	1	.	.	.	.	2	.	1	2	.	.	5
Pleurisy, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1

in the THIRTEENTH WEEK, ending Saturday, 1st April, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Average number of deaths in 13th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 1st April, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	2·4	3	.	1	.	.	.	.	.	.	.	.	.	2	.	.	3	
Diarrhœa and Enteritis of Children under 2 years.	3·2	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	5	
Diarrhœa 2 years and upwards,	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis 2 years and upwards,	·6	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	
Appendicitis and Typhlitis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Hernia and Intestinal Obstructions.	1·0	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	
Cirrhosis of Liver, ...	1·0	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	
Other Diseases of Liver, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Peritonitis (cause unknown),	1·0	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
Other Diseases of Digestive System.	1·0	3	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	
Acute Nephritis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Chronic Bright's Disease, ...	4·8	5	.	.	.	.	.	.	.	.	.	.	.	2	2	1	4	
Urinary Calculi, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Uterine Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ovarian Tumour (non-cancerous)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Genito-urinary System.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	
Puerperal Septicæmia, &c., ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Skin and Cellular Tissues.	1·2	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	2	
Diseases of Locomotor System,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Congenital Malformations, ...	1·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2	
Premature Birth, ...	2·0	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	4	
Congenital Debility, ...	3·6	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	
Old Age, ...	5·8	14	.	.	.	.	.	.	.	.	.	.	.	.	6	8	14	
Other Specified Diseases, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
ACCIDENT:																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds, ...	·6	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	
Drowning, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suffocation in Bed, ...	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
Other Deaths by Accident, ...	2·2	3	.	.	.	.	.	.	1	.	.	.	.	.	1	1	3	
Total Deaths from Accident,	3·6	6	.	1	1	1	.	.	1	.	.	.	.	.	1	1	6	
Included in above are Deaths in connection with—																		
Railways, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Vehicles and Horses, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Building Operations, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causes, ...	5·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	

TABLE IV.—Showing for the WEEK ENDED 1ST APRIL, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons, and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
					WEEK ENDED 1ST APRIL, 1916. DEATHS. CAUSED BY																													
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																		
NORTH CITY, No. 1, E.,	30,504	30·8	3·4	18	2	2	1	·	·	1	7	5	·	·	·	·	·	2	·	·	2	1	1	·	3	·	·	·	9	·	3	6	1
,, 1, W.,	41,685	48·8	3·8	39	10	4	4	1	·	6	5	9	·	·	·	·	·	1	·	·	5	2	·	6	11	2	·	1	11	·	6	6	·
,, 2,	27,883	24·3	·	13	3	·	·	·	·	1	3	6	·	·	·	·	·	·	·	·	1	·	2	1	5	·	·	·	4	·	2	4	1
,, 3,	35,887	26·2	2·9	18	2	1	4	1	3	1	2	4	1	·	·	·	·	·	·	·	2	·	·	2	2	1	·	2	8	1	4	4	·
CLONTARF AND HOWTH, No. 1, part of.	5,539	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK & DRUMCONDRA, part of	13,820	15·1	·	4	·	·	·	1	·	2	·	1	·	·	·	·	·	·	·	·	2	1	1	·	·	·	·	·	·	·	3	·	·
FINGLAS AND GLASNEVIN, part of.	10,829	4·8	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·
South City.																																		
SOUTH CITY, No. 1,	41,170	21·5	·	17	5	·	·	·	·	4	3	5	·	·	·	·	·	·	·	·	4	·	·	2	3	·	·	2	6	1	3	6	·
,, 2,	18,341	39·8	2·8	14	·	2	1	2	·	4	2	3	·	·	·	1	·	·	·	·	4	1	·	1	4	·	·	·	3	·	1	5	2
,, 3,	43,970	29·6	4·7	25	1	3	3	1	·	3	9	5	·	·	·	2	·	1	1	·	4	1	1	2	5	·	·	·	8	·	5	6	·
,, 4,	33,171	26·7	3·1	17	2	1	3	2	·	1	3	5	·	·	·	1	·	·	·	·	3	1	·	2	2	1	·	·	7	·	3	6	1
NEW KILMAINHAM,	9,948	31·4	5·2	6	1	1	·	·	·	1	1	2	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·	·	3	·	3	1	·
Urban Districts.																																		
RATHMINES AND RATHGAR,	39,541	21·1	1·3	16	3	2	·	·	·	·	4	7	·	·	·	·	·	1	·	·	2	·	1	3	2	·	·	1	6	·	3	·	·
PEMBROKE,	30,538	15·4	·	9	·	·	·	·	1	·	5	3	·	·	·	·	·	·	·	·	3	·	2	·	1	·	·	·	3	·	3	·	·
BLACKROCK,	9,233	11·3	·	2	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
KINGSTOWN,	16,941	36·9	·	12	2	·	·	·	·	2	3	5	·	·	·	·	·	·	·	·	1	·	2	·	2	·	·	·	7	·	2	1	·
TOTAL CITY. North,	166,147	29·2	2·2	93	17	7	9	3	4	11	17	25	1	·	·	·	·	3	·	·	12	5	4	9	21	3	·	3	32	1	19	20	2
TOTAL CITY. South,	146,600	28·1	2·8	79	9	7	7	5	·	13	18	20	·	·	·	4	·	1	1	·	16	3	1	7	15	2	·	2	27	1	15	24	3
TOTAL CITY. North and South	312,747	28·7	2·5	172	26	14	16	8	4	24	35	45	1	·	·	4	·	4	1	·	28	8	5	16	36	5	·	5	59	2	34	44	5
Total Urban Districts,	96,253	21·1	0·5	39	5	2	·	·	1	2	12	17	·	·	·	·	·	1	·	·	6	·	5	3	5	·	·	1	18	·	8	1	·
Total Registration Area,	409,000	26·9	2·0	211	31	16	16	8	5	26	47	62	1	·	·	4	·	5	1	·	34	8	10	19	41	5	·	6	77	2	42	45	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				17	1	·	·	3	2	2	7	2	·	·	·	·	·	·	·	·	·	2	3	1	·	·	·	·	11	·	16	1	·

* See note (*a*) at foot of Table II.

† See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st April, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST APRIL, 1916

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	228	64	11	7	28	54	41	23	1	.	.	4	.	5	1	.	34	10	13	6	20	41	5	.	6	82	5
	CLASSES. Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	28·5	8	.	.	.	.	2	1	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	7	.
II.	MIDDLE CLASS, ...	101,798	18·4	36	5	2	3	3	7	12	4	.	.	.	.	.	.	.	.	4	1	7	.	2	3	.	.	2	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	23·1	48	13	4	.	6	16	7	2	1	.	.	2	.	2	.	.	7	2	1	1	7	8	.	.	.	17	3
IV.	GENERAL SERVICE CLASS, ...	167,479	28·0	90	42	4	4	10	18	7	5	.	.	.	2	.	3	1	.	14	6	.	5	9	15	3	.	4	28	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	46	4	1	.	9	11	14	7	.	.	.	.	.	.	.	.	9	1	4	.	2	15	2	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	6	.	.	.	.	2	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	5	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	—	7	.	1	.	.	1	4	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	33,249	—	9	1	1	2	2	2	.	1	.	.	.	.	.	.	.	.	2	1	2	.	2	1	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	16	1	.	1	1	3	8	2	.	.	.	.	.	.	.	.	2	.	3	.	.	1	.	.	1	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	3	1	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.
	9. Building and Furnishing Trades, ...	28,823	—	15	5	1	.	2	3	4	.	.	.	.	1	.	1	.	.	2	1	.	1	1	3	.	.	.	5	1
	10. Clothing Trades, ...	20,026	—	6	.	.	.	1	2	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	4	.
	11. Food Supply Trades	8,952	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	20	6	2	.	2	9	1	.	.	.	.	1	.	.	.	.	4	1	1	.	5	1	.	.	.	7	2
	13. Petty Shopkeepers	6,772	—	3	1	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	14	3	2	2	1	4	2	.	.	.	.	.	.	.	.	.	3	1	.	1	1	1	.	.	2	5	.
	15. Domestic Servants, ...	36,041	—	7	2	.	1	3	1	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	1	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	6	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	63	34	1	1	5	12	5	5	.	.	.	2	.	3	1	.	7	3	.	3	8	11	2	.	2	21	2
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	46	4	1	.	9	11	14	7	.	.	.	.	.	.	.	.	9	1	4	.	2	15	2	.	.	13	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	Jan. 8.	Jan. 15.	Jan. 22	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.
No. of weeks in Annual Series	1	2	3	4	5	6	7	8	9	10	11	12	13	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered.	208	203	253	213	209	163	209	166	179	219	159	235	260	231	220	174	181	206	203	187	218	196	180	200	198	251
Average Births in corresponding week of previous 10 years, ...	228	231	207	220	238	229	214	206	225	225	207	216	225	256	209	225	219	219	216	211	205	226	214	221	220	216
Number of Deaths, ...	159	143	145	153	158	165	143	160	185	210	183	221	211	153	124	113	116	131	146	140	130	161	174	161	165	178
Annual Death-rate per 1,000, ...	20·3	18·2	18·5	19·5	20·1	21·0	18·2	20·4	23·6	26·8	23·3	28·2	26·9	19·8	16·0	14·6	15·0	16·9	18·9	18·1	16·8	20·8	22·5	20·8	21·3	23·0
Average Deaths in corresponding week of previous 10 years, ...	198	186	191	196	191	190	192	197	196	190	186	186	190	158	164	153	165	167	182	174	170	170	164	164	164	160
Ages, Under one year, ...	22	25	26	26	34	29	16	20	30	32	35	42	31	38	22	20	17	21	25	20	23	23	31	34	31	30
1— 5 years, ...	28	20	15	17	14	22	13	19	21	22	17	28	32	17	15	17	19	20	18	13	24	24	32	23	24	32
5—25 „ ...	13	11	10	14	22	14	13	11	13	17	7	15	13	18	10	13	12	14	13	18	13	17	17	11	14	12
25—45 „ ...	23	15	20	21	19	25	23	24	27	33	26	36	26	16	24	13	18	18	30	29	25	26	25	27	20	24
45—65 „ ...	35	40	40	41	32	43	42	36	45	43	40	39	47	44	30	25	28	35	31	26	24	43	35	33	40	41
65 and upwards, ...	38	32	34	34	37	32	36	50	49	63	58	61	62	20	23	25	22	28	29	34	21	28	34	33	36	39
Deaths from:—																										
Enteric Fever, ...	.	1	.	1	.	2	.	.	1	.	1	4	1	.	.	.	.	.	.	2	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	6	6	1	2	2	4	3	4	2	2	2	4	3	7	3	3	3	4	4	5	8	14	11	15	13
Scarlet Fever, ...	1	.	1	.	.	2	.	1	.	.	.	.	.	3	.	2	.	.	2	1	3	2	4	1	.	1
Whooping-cough, ...	1	2	1	1	2	4	3	1	3	1	3	8	5	2	1	5	3	6	5	3	4	8	5	4	4	4
Diphtheria, ...	2	.	2	1	.	1	.	1	2	1	.	.	1	1	.	.	1	2	1	1	1	.	3	1	1	3
Dysentery, ...	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	22	12	16	23	20	21	21	17	29	31	19	32	34	15	15	12	19	15	15	14	16	11	22	20	23	24
Tuberculosis { Other Forms,	6	6	2	7	7	10	6	8	4	10	6	7	8	4	6	10	4	3	7	9	8	10	6	8	5	5
Cancer, ...	6	4	11	4	7	11	10	5	13	8	9	10	10	5	3	5	8	8	9	9	7	10	6	10	1	8
Diseases of Respiratory System, { Pneumonia,	16	12	6	7	9	11	9	12	11	21	23	28	19	23	12	8	11	7	8	11	13	16	12	15	11	19
Diseases of Respiratory System, { Others, ...	21	20	16	14	21	21	16	25	32	36	33	35	41	22	17	10	12	12	19	14	14	12	15	19	24	23
Diarrhœa and Enteritis, under 2 years, ...	2	3	1	6	6	3	2	2	5	7	4	2	5	3	.	4	1	1	1	.	4	4	4	2	3	2
Diarrhœa, 2 years and upwards	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	1	.	.	.	1
Violent Deaths, ...	9	1	4	3	3	5	3	6	.	2	2	2	6	4	1	2	3	2	.	2	2	6	2	2	3	3
Number of Uncertified Deaths,	5	4	4	7	4	2	6	5	5	7	5	10	5	2	1	2	2	2	5	3	4	4	1	4	6	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st April, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	26·3	3·3	8	.	1	2	.	4	1	.	.	.	.	.	1	.	.	2	.	1	2	.	.	.	.	.	2	.
Do. 2 do.	49,500	34	22·1	4·2	21	4	4	2	1	6	4	.	.	.	1	.	.	2	.	2	.	.	1	2	1	.	.	.	4	.
Do. 3 do.	50,032	37	24·0	5·2	23	4	3	1	3	6	6	.	.	.	2	1	1	.	.	3	.	.	2	2	.	1	.	.	7	1
Do. 4 do.	32,637	12	36·7	6·4	23	4	5	1	5	5	3	.	.	.	3	.	1	.	.	.	1	2	4	2	.	.	1	1	10	.
Do. 5 do.	16,112	11	48·5	12·9	15	2	3	1	1	4	4	.	.	.	4	.	.	.	.	2	.	.	1	5	.	.	.	1	2	.
Do. 6 do.	37,293	17	21·0	1·4	15	1	2	2	1	2	7	.	.	.	1	.	.	.	.	2	1	2	2	.	.	.	.	.	1	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	22	10·7	.	5	1	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.
Do. 10 do.	28,958	30	21·6	3·6	12	3	1	1	1	3	3	.	.	.	1	.	.	1	.	2	.	2	1	1	.	.	1	.	2	.
Do. 11 do.	39,311	26	19·9	1·3	15	4	1	1	5	1	3	.	.	.	.	.	1	.	.	3	2	.	2	4	.	.	.	.	2	.
Do. 12 do.	38,076	34	21·9	1·4	16	4	4	1	3	4	.	.	.	.	.	.	.	.	.	5	.	.	.	5	1	.	.	.	5	.
Do. 13 do.	23,233	10	13·5	.	6	.	1	.	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	1
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	11	41·4	2·3	18	3	6	.	3	3	3	.	.	.	1	.	.	.	.	2	.	.	3	1	.	.	1	1	3	.
Total,	386,947	251	23·0	3·1	178	30	32	12	24	41	39	.	.	.	13	1	4	3	.	24	5	8	19	23	2	1	3	4	41	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	15·5	.	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Do. 2 do.	10,399	6	50·1	.	10	.	.	1	4	2	3	.	.	.	.	.	.	.	.	3	2	1	.	2	.	.	.	.	3	.
Do. 3 do.	9,793	8	16·0	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 4 do.	9,139	7	22·8	.	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
Do. 5 do.	6,250	2	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	10	31·5	4·5	7	.	1	.	2	2	2	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	.	.	2	1
Do. 7 do.	16,056	10	65·0	.	20	3	.	1	6	8	2	.	.	.	.	.	.	.	.	4	2	1	4	2	.	.	.	1	3	.
Total,	76,673	49	33·3	0·7	49	7	1	2	12	15	12	.	.	.	.	1	.	.	.	7	6	3	5	9	.	.	.	1	12	1

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st April, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 1, West, ...	.	4	.	.	2	.	.	.	.	.	.	.	2	8
„ „ 2, ...	.	.	.	.	.	.	.	.	.		.	.	2	2
„ „ 3, ...	.	1	.	.	.		.	.	.			.	.	1
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	.	.			.	.	2
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ..	.	1	.	.	1	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3, ...	.	2	.	.	2	.	.	3	1	.	.	.	1	9
„ „ 4, ...	.	.	.	.	1	.	.	1	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	10	..	.	6	.	.	4	1	.	.	.	7	28

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st April, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st April.			
	Mar. 11.	Mar. 18.	Mar. 25.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	42	37	41	3	7	1	36
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	67	69	66	16	30	.	52
Scarlet Fever, ...	78	69	72	13	11	1	73*
Diphtheria, ...	31	36	35	6	11	1	29
Pneumonia, ...	11	11	13	9	3	3	16

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13363. Wt. 6237. 375. 3 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LIMITED, 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, and other Foreign Countries of
T. FISHER UNWIN, LIMITED, LONDON, W.C.

1916.

Price 1½*d.*

VOL. LIII.] QUARTER ENDING SATURDAY, 1ST APRIL, 1916. [NO. 13A.

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the population thereof, estimated to the middle of 1915, being 409,000, there were registered during the thirteen weeks ended on Saturday, 1st April, 1916, 2,676 births—1,371 boys and 1,305 girls—being equal to an annual ratio of 1 in 38·2, or 26·2 in every 1,000 of the population.

The number of births registered in the city was 2,327, equivalent to an annual rate of 29·8 in every 1,000 of the population; and in the urban districts named above, 349, equal to an annual rate of 14·5 in every 1,000 of the population.

There were registered in London during the same period 25,443 births—being equal to an annual birth-rate of 22·5 in every 1,000 of the estimated population; in Glasgow there were registered 6,978, being equal to 25·6 per 1,000; and in Edinburgh, 1,488—a number affording an annual birth-rate of 18·1 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (154) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,236, are equivalent to an annual rate of 21·9 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 25·0. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,390—1,186 males and 1,204 females—affording an annual ratio of 1 in 42·8 or 23·4 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the first quarter of the ten years, 1906–1915, in the Dublin Registration Area was 26·9 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 954, representing an annual mortality of 23·0 in every 1,000 of the population; and the number in the south city districts was 886, equivalent to a rate

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

of 24·2 per 1,000. For the urban districts the number of deaths registered was 396, being equal to an annual death-rate of 16·5 in every 1,000.

The number of deaths registered in London during the same period was 17,196, a number equal to an annual rate of mortality of 15·2 in every 1,000 of the inhabitants; in Glasgow the number was 4,550, equal to 16·7 in every 1,000; and in Edinburgh 1,307, affording an annual death-rate of 15·9 in every 1,000 of the estimated population.

CAUSES OF DEATH IN DUBLIN REGISTRATION AREA.

The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 158, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·55.

Enteric Fever.—During the thirteen weeks ended 1st April there were registered 11 deaths from enteric fever, as against 6, 5 and 14, respectively, in the three preceding quarters, and an average of 14 for the first quarter of the five years 1911-15. Of the 11 deaths, 5 were those of residents of North City districts, 5 of South City districts, and one death was that of a resident of Blackrock urban district. Enteric fever patients under treatment in Dublin hospitals numbered 114, and of these 83 were admitted during the quarter, 70 were discharged, 8 died, and 36 remained under treatment at its close.

Typhus.—There was no death from this cause, nor was there any case under treatment in hospital.

Small-pox.—No case of this disease was reported.

Measles.—Forty-three deaths from measles were recorded, being equivalent to an annual rate of 0·42 per 1,000 of the population. Thirty-three of these deaths appertained to South City districts and only 6 to North City districts. Of the remaining deaths, 3 appertained to Pembroke urban district and one to Kingstown. The deaths during the last quarter are 5 in excess of the average for the first quarter of the five years preceding, the fatal cases registered during the second, third, and fourth quarters of 1915 amounting to 23, 10 and 80, respectively. The cases under treatment in Dublin hospitals during the quarter numbered 395, and they are accounted for as follows:—336 were discharged, 7 died, and 52 remained under treatment at the end of the quarter.

Scarlet Fever.—Only 5 deaths from scarlet fever were registered, being but one-third of the average (15) for the corresponding quarter of the preceding five years, the respective numbers for the second, third, and fourth quarters of 1915 being 4, 6, and 12. No less than 217 scarlet fever patients were under treatment in hospitals, and of these 140 were discharged, 4 died, and 73† remained under treatment at the close of the quarter.

Whooping-cough.—Deaths from whooping-cough, which had been 50, 13 and 20, respectively, in the second, third, and fourth quarters of last year, numbered 35 last quarter, the latter number, however, being 20 under the average for the first quarter of the five years 1911-15. Of the 35 deaths (equivalent to an annual rate of 0·34 per 1,000 of the population), 24 belonged to North City districts, only 6 to South City districts, one to Rathmines and Rathgar urban district, and 4 to Kingstown.

Diphtheria.—Twelve deaths from this cause were registered, being below those registered during the second, third, and fourth quarters of 1915, namely, 18, 16 and 14, and 13 below the average for the first quarter of the five years 1911-15. Four of the 12 deaths appertained to North City districts, 4 to South City districts, 2 to Rathmines and Rathgar urban district, one to Pembroke, and one was that of a person admitted to hospital from a locality outside the Registration Area. Of 102 patients under treatment for this disease in Dublin hospitals, 64 were discharged, 9 died, and 29 cases remained under treatment at the close of the quarter.

Diarrhœal Diseases.—Among the 49 fatalities from diarrhœal diseases 48 were those of children under 2 years of age, the average for the first quarter of the five years preceding being 56.

* See note (*) on page 138.
† See note (*) at foot of Table I.

Influenza.—Twenty-seven deaths from this malady were registered during the quarter, as against an average of 46 for the first quarter of the past five years.

Cerebro-spinal Fever.—This disease caused 3 deaths, being the same as the average for the first quarter of the five years 1911-15, the mortality in the second, third, and fourth quarters of 1915 being 6, one, and one.

Tuberculosis.—There were 417 deaths from all forms of tuberculous disease registered during the quarter, comprising 313 deaths from pulmonary tuberculosis, 46 from tuberculous meningitis, 18 from abdominal tuberculosis, and 40 from other forms of tuberculous disease. The 417 deaths are 18 above the average (399) for the corresponding quarter of the five years preceding, and represent an annual rate of 4·08 per 1,000 of the population, the numbers in the second, third, and fourth quarters of 1915 being 447, 323 and 359.

Of 417 deaths registered, 384 appertained to the Dublin Registration Area, the latter comprising 149 deaths (or 3.59 per 1,000) belonging to North City districts; 169 (or 4·61 per 1,000) to South City districts; 23 (or 2·33 per 1,000) to Rathmines and Rathgar urban district; 26 (or 3·41 per 1,000) to Pembroke, 4 (or 1·73 per 1,000) to Blackrock, and 13 (or 3·07 per 1,000) to Kingstown.

From pulmonary tuberculosis alone the deaths recorded for the Area are equivalent to an annual rate of 2·90 per 1,000 of the population, deaths for North City districts representing an annual rate of 2·38 per 1,000, those for South City districts, 3·96 per 1,000, and those for the urban districts named above 2·20 per 1,000.

Cancer.—This disease caused 126 deaths, being equivalent to an annual rate of 1.23 per 1,000 of the population. The corresponding rates for the second, third, and fourth quarters of 1915 were 1·15, 1·14 and 1·39, respectively.

Pneumonia.—The 188 deaths from pneumonia (affording an annual rate of 1·84 per 1,000 of the population) include 102 from broncho-pneumonia, 17 from lobar pneumonia, and 69 from pneumonia (type not distinguished). They are 62 under the average (250) for the corresponding period of the five years 1911-15.

Diseases of the Brain and Nervous System.—To this heading 247 deaths were referred, being 10 under the average for the first quarter of the preceding five years. These 247 deaths, representing an annual rate of 2·42 per 1,000 of the population, include 3 from cerebro-spinal fever (already referred to), 21 from simple meningitis, and 55 from convulsions, all of the latter being deaths of children under 5 years of age.

Diseases of the Circulatory System.—There were 240 deaths registered during the quarter as from these diseases, and afford an annual rate of 2.35 per 1,000. The 240 deaths, which are 21 under the average for the first quarter of the five years preceding, include 211 deaths from organic diseases of the heart.

Bronchitis.—Deaths from bronchitis, numbering 315, are 113 under the average (428) for the first quarter of the five preceding years, and represent an annual rate of 3.08 per 1,000 of the population.

Congenital Conditions.—Fifteen deaths were ascribed to congenital malformations, 62 to prematurity, and 67 to congenital debility.

Violence.—To accidental causes 48 deaths were assigned, and include 16 deaths (9 being those of children under 5 years of age) by burns or scalds, 2 by drowning, one by overlaying, 2 by railways, and 6 by vehicles and horses.

One death of a soldier was caused by wounds received in battle.

One case of homicide was recorded.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 1st April, 1916.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	31	83	70	8	36
Typhus, ...	–	–	–	–	–
Small-pox, ...	–	–	–	–	–
Measles, ...	62	333	336	7	52
Scarlet Fever, ...	55	162	140	4	73*
Diphtheria, ...	22	80	64	9	29
Pneumonia, ...	19	74	64	13	16

* Exclusive of 21 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 69 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 69 cases, 36 (or 52 per cent.) were deaths of children under 5 years of age; these 36 deaths form 5·5 per cent. of the total number of deaths of children of that age-period. Of the deaths of 134 infants under one month old registered, there were 21 (or 15·7 per cent.) regarding which the cause was uncertified.

From Table II., on page 135, it will be seen that, excluding 154 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,236, equal to an annual rate of 21·9 per 1,000 of the estimated population, and that 156 of these deaths, representing an annual rate of 1·5 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 23·5 per 1,000, and for the urban districts 16·5 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·8, and in the urban districts 0·7, the rates for the several districts varying from 0.0 in Clontarf and Howth No. 1, part of, to 3.5 in North City No. 1 E., the 215 deaths from all causes for that district including 3 from measles, 15 from whooping-cough and 9 from diarrhœa and enteritis of children under 2 years.

OCCUPATIONS.—Table III., on page 136 shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 15·3 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 16·7 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 18·2; and in the "General Service Class" it was 22·9.

AGES.—Of the 2,390 persons whose deaths were registered in the Dublin Registration Area during the quarter, 655 were under 5 years of age, including 383 infants under one year of age, the latter representing a rate of 143 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 64·0 in every 1,000 children at that age (according to the Census of 1911); 91 were between the ages of 5 and 15, representing an annual rate of 5·1 per 1,000 persons at that age-period; 113 were between the ages of 15 and 25, equivalent to an annual rate of 5·6 per 1,000; the total number under 25 years being equal to an annual mortality of 17·9 per 1,000 of the population at that age-period (according to the Census of 1911); 354, or 11·4 per 1,000 persons, were between 25 and 45; 556, or 37·8 per 1,000, between 45 and 65; 370, or 87·7 per 1,000, between 65 and 75; and 251, or 179·5 per 1,000, were aged 75 and upwards, including 16 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 2,390 deaths recorded during the quarter, 1,034, or 43·3 per cent., occurred in public institutions, viz., 576 in the various hospitals, prisons, and lunatic asylums; 190 in the North Dublin Union Workhouse; 263 in the South Dublin Union Workhouse; and 5 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 41·1°. At Greenwich, for the quarter, it was 41·7°; at Glasgow 40·0°; and at Edinburgh, 39·1°.

The rainfall at Dublin during the thirteen weeks measured 9·04 inches; at Greenwich, 9·29 inches; at Glasgow, 10·46 inches; and at Edinburgh, 8·70 inches.

† See note (*) p. 138.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 1st April, 1916,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRATION OF DEATHS QUARTER (13 WEEKS) ENDED 1ST APRIL, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Deaths. Ages at Death: Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions: Hospitals, Prisons and Lunatic Asylums.	In Institutions: Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E.,	30,504	28·2	3·5	215	39	14	16	7	7	31	56	45	.	.	.	3	.	15	.	.	22	7	9	14	30	9	.	7	99	5	37	41	11
,, 1, W.,	41,685	27·5	1·6	287	56	19	12	8	13	40	69	70	1	.	.	.	1	4	.	.	38	13	9	25	48	10	1	8	129	10	58	58	12
,, 2,	27,883	26·5	1·3	185	44	13	9	7	4	20	47	41	1	.	.	.	1	3	.	.	15	20	15	19	24	4	.	4	79	4	41	40	4
,, 3,	35,887	18·6	1·1	167	36	7	12	8	8	21	40	35	1	.	.	3	2	1	2	.	13	7	5	19	25	1	.	3	85	2	39	33	3
CLONTARF AND HOWTH, No. 1, part of.	5,539	11·6	.	16	3	.	.	.	.	3	3	7	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	12	.	1	.	2
COOLOCK AND DRUMCONDRA, part of,	13,820	13·3	0·6	46	3	.	4	1	1	9	9	19	.	.	.	.	.	1	1	.	6	2	5	3	3	.	.	.	25	.	12	2	1
FINGLAS AND GLASNEVIN, part of,	10,829	14·0	1·5	38	3	3	.	1	4	9	5	13	2	.	.	.	.	.	1	.	4	1	.	4	4	1	.	.	21	.	9	2	1
South City.																																	
SOUTH CITY, No. 1,	41,170	26·7	2·1	275	50	19	20	4	10	46	56	70	.	.	.	14	.	1	2	.	48	4	5	22	45	5	.	5	124	5	37	84	5
,, 2,	18,341	30·1	2·0	138	18	9	7	7	3	24	39	31	1	.	.	4	.	1	.	.	23	3	2	7	23	3	.	4	67	3	27	43	8
,, 3,	43,970	23·1	2·2	254	34	24	25	10	7	40	57	57	2	.	.	13	.	2	1	.	35	10	18	26	52	6	.	1	88	2	60	56	8
,, 4,	33,171	21·9	1·2	182	27	8	12	14	10	23	36	52	1	.	.	2	.	1	1	2	37	7	4	16	30	3	.	3	75	6	37	44	5
NEW KILMAINHAM,	9,948	14·9	2·0	37	11	5	3	3	.	5	5	5	1	.	.	.	1	1	.	.	2	.	2	4	5	2	.	2	17	2	8	7	1
Urban Districts.																																	
RATHMINES AND RATHGAR,	39,541	16·6	0·5	164	22	5	3	1	7	20	38	68	.	.	.	.	.	1	2	.	21	2	11	12	18	2	.	2	93	3	29	7	3
PEMBROKE,	30,538	16·0	0·7	122	9	2	5	5	13	15	37	36	.	.	.	3	.	.	1	.	20	6	11	5	14	1	.	5	56	2	39	12	2
BLACKROCK,	9,233	12·1	0·9	28	3	2	.	3	.	6	4	10	1	.	.	.	.	.	.	.	3	1	2	3	.	1	.	.	17	1	4	2	2
KINGSTOWN,	16,941	19·4	1·2	82	10	2	8	3	4	6	22	27	.	.	.	1	.	4	.	.	9	4	8	4	10	.	.	2	40	1	8	3	1
Total City. North,	166,147	23·0	1·7	954	184	56	53	32	37	133	229	230	5	.	.	6	4	24	4	.	99	50	45	85	134	25	1	22	450	21	197	176	34
Total City. South,	146,600	24·2	1·9	886	140	65	67	38	30	138	193	215	5	.	.	33	1	6	4	2	145	24	31	75	155	19	.	15	371	18	169	234	27
Total City. North and South,	312,747	23·5	1·8	1,840	324	121	120	70	67	271	422	445	10	.	.	39	5	30	8	2	244	74	76	160	289	44	1	37	821	39	366	410	61
Total Urban Districts,	96,253	16·5	0·7	396	44	11	16	12	24	47	101	141	1	.	.	4	.	5	3	.	53	13	32	24	42	4	.	9	206	7	80	24	8
Total Registration Area,	409,000	21·9	1·5	2,236	368	132	136	82	91	318	523	586	11	.	.	43	5	35	11	2	297	87	108	184	331	48	1	46	1,027	46	446	434	69
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				154	15	2	2	9	22	36	33	35	.	.	.	.	.	.	1	1	16	17	18	4	13	.	.	3	81	1	130	24	.

* See note (*) at foot of Table IV.

† See note (*) on page 138.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 1st April, 1916;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 1ST APRIL, 1916. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS, ...	397,957	—	2,390	655	91	113	354	556	370	251	11	.	.	43	5	35	12	3	313	104	126	55	188	314	48	1	49	1,053	69
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	15·3	56	3	1	1	9	8	13	21	.	.	.	.	2	.	.	.	3	1	8	.	2	6	.	.		34	.
II.	MIDDLE CLASS, ...	101,798	16·7	425	53	12	28	73	103	85	71	3	.	.	3	.	4	2	.	46	13	39	4	29	38	1	.	9	234	9
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	18·2	492	128	19	24	78	127	68	48	2	.	.	11	2	8	5	1	70	16	26	14	40	59	7	.	5	226	21
IV.	GENERAL SERVICE CLASS, ...	167,479	22·9	959	416	48	49	118	193	80	55	6	.	.	29	1	23	5	2	127	59	29	37	97	135	34	1	33	341	39
V.	INMATES OF WORKHOUSES, ...	5,602	—	458	55	11	11	76	125	124	56	.	.	.	.	.	.	.	.	67	15	24	.	20	106	6	.	2	218	
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	44	3	1	1	9	6	8	16	.	.	.	.	2	.	.	.	3	1	6	.	2	6	.	.	.	24	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	10	.	.	.	.	2	4	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	9	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	42	11	.	.	4	9	9	9	.	.	.	.	.	1	1	.	1	2	2	.	3	3	1	.	2	26	2
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	—	99	11	2	4	15	38	14	15	1	.	.	1	.	.	.	.	5	2	7	1	8	7	.	.	1	66	.
	6. Clerks and Commercial Assistants, ...	33,249	—	111	17	5	15	34	23	10	7	.	.	.	1	.	3	.	.	29	5	10	2	10	9	.	.	.	42	4
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	33,827	—	173	14	5	9	20	33	52	40	2	.	.	1	.	.	1	.	11	4	20	1	8	19	.	.	6	100	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	33	17	1	1	5	3	6	.	.	.	.	.	2	2	1	.	1	1	2	1	5	3	.	.	.	15	3
	9. Building and Furnishing Trades, ...	28,823	—	125	41	5	4	20	26	20	9	.	.	.	5	.	4	1	.	17	4	7	5	12	16	.	.	1	53	4
	10. Clothing Trades, ...	20,026	—	72	14	5	8	12	17	8	8	.	.	.	1	.	.	.	.	17	4	2	3	5	6	2	.	.	32	5
	11. Food Supply Trades, ...	8,952	—	27	5	1	1	5	6	4	5	.	.	.	.	.	1	1	.	5	2	1	1	2	4	.	.	.	10	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	203	45	5	10	33	66	23	21	1	.	.	4	.	1		.	26	5	13	4	14	21	5	.	4	103	8
	13. Petty Shopkeepers, ...	6,772	—	32	6	2	.	3	9	7	5	1	.	.	1	.		.	1	4	.	1	.	2	9	.	.	.	13	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	—	180	101	14	8	15	25	10	7	1	.	.	7	1	4	.	.	15	18	6	9	26	23	7	.	8	55	3
	15. Domestic Servants, ...	36,041	—	83	18	3	9	19	18	9	7	1	.	.	.	.	2	.	2	18	4	4	2	5	9	3	1	1	31	3
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	70	22	5	4	12	12	11	4	.	.	.	.	.	.	1	.	13	7	4	1	3	12	1	.	.	28	2
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	626	275	26	28	72	138	50	37	4	.	.	22	.	17	4	.	81	30	15	25	63	91	23	.	24	227	31
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	458	55	11	11	76	125	124	56	.		.	.	.	.	.	.	67	15	24	.	20	106	6	.	2	218	

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 1st April, 1916,** in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts.	Population. Total.*	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by Births.	Annual Rate per 1,000 persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 persons Represented by Deaths. From certain Epidemic Diseases.†	Registration—Quarter (13 weeks) ended 1st April, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 Year of Age.	Deaths. At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	25·1	20·5	1·7	7,196	5,894	917	1,552	22	...	...	153	31	122	35	2	710	240	273	452	806	102	12	122	170	1,866	247
DUBLIN REGISTRATION AREA:— TOTAL (a)	409,000	29·8	26·2	21·9	1·5	2,676	2,236a	368	586	11	...	...	43	5	35	11	2	297	87	108	184	331	48	1	46	46	880	69
Urban Districts. CITY OF DUBLIN, ...	312,747	39·5	29·8	23·5	1·8	2,327	1,849	324	445	10	...	...	39	5	30	8	2	244	74	76	160	289	44	1	37	39	776	61
RATHMINES AND RATHGAR, ...	39,541	23·1	14·4	16·6	0·5	142	164	22	68	...	...	...	...	...	1	2	...	21	2	11	12	18	2	...	2	3	36	3
PEMBROKE, ...	30,538	19·4	15·6	16·0	0·7	119	122	9	36	...	...	...	3	...	...	1	...	20	6	11	5	14	1	...	5	2	51	2
BLACKROCK, ...	9,233	8·5	11·7	12·1	0·9	27	28	3	10	1	...	...	...	...	...	...	...	3	1	2	3	...	1	...	...	1	6	2
KINGSTOWN, ...	16,941	11·6	14·4	19·4	1·2	61	82	10	27	...	...	...	1	...	4	...	...	9	4	8	4	10	...	..	2	1	11	1
Urban Districts. BELFAST, ...	403,000	27·0	26·3	18·8	2·2	2,645	1,892a	335	372	2	...	...	93	19	54	15	...	221	85	89	166	213	29	6	37	64	458	38
CORK, ...	76,673	28·6	23·6	23·2	1·4	453	444	57	134	3	..	...	5	4	1	5	...	54	22	19	35	46	6	2	7	12	179	21
LONDONDERRY, ...	41,200	16·0	24·7	19·0	0·5	254	196	15	62	..	...	...	1	3	...	...	...	18	10	10	5	40	...	1	6	9	32	11
LIMERICK, ...	38,518	16·1	21·3	22·4	1·3	205	216	26	56	1	...	...	...	..	12	...	...	23	3	1	12	59	...	...	4	7	81	32
WATERFORD, ...	27,464	19·1	18·5	21·3	1·5	127	146	17	42	1	...	...	...	...	...	1	...	15	7	8	9	21	7	1	2	5	56	6
GALWAY, ...	13,255	2·5	25·6	15·7	...	85	52	11	24	...	...	...	...	...	...	...	...	7	2	1	2	8	...	...	...	...	16	11
DUNDALK, ...	13,128	9·5	19·8	18·3	0·9	65	60	8	19	...	..	...	1	...	...	...	...	6	...	2	7	7	2	...	2	5	6	4
LURGAN, ...	12,553	14·7	23·9	18·8	0·3	75	59	4	27	...	...	...	...	...	...	...	...	6	...	2	1	9	1	...	1	...	18	4
DROGHEDA, ...	12,501	8·4	25·0	22·1	1·0	78	69	5	31	1	...	...	...	...	2	...	...	4	1	5	2	6	...	...	1	3	17	3
LISBURN, ...	12,388	10·9	19·1	22·0	3·2	59	68	13	20	2	...	...	1	...	3	2	...	8	1	1	3	5	2	...	6	6	18	2
NEWRY, ...	11,963	17·0	23·1	28·4	3·7	69	85a	7	27	...	...	...	9	...	2	...	...	7	4	1	6	12	...	...	2	4	12	1
PORTADOWN, ...	11,727	15·3	18·1	21·8	3·4	53	64	12	17	1	...	...	...	...	8	...	...	8	7	3	1	3	1	...	...	...	7	4
WEXFORD, ...	11,531	22·8	21·5	25·3	0·7	62	73	9	30	...	...	...	...	..	...	1	...	7	6	6	1	15	1	...	...	...	16	13
BALLYMENA, ...	11,381	9·3	20·7	17·6	1·8	59	50	10	19	...	...	...	...	...	5	...	...	5	...	2	6	4	...	...	3	2	4	8
SLIGO, ...	11,163	3·8	21·5	22·2	0·4	60	62	8	29	...	...	...	...	...	...	...	...	4	1	5	4	11	1	...	3	4	21	9
KILKENNY, ...	10,514	11·4	22·8	21·3	...	60	56	4	27	..	...	...	...	..	...	...	...	6	3	6	2	12	...	...	1	1	24	8
TRALEE, ...	10,300	17·4	21·4	14·0	0·8	55	36	...	15	...	...	...	...	...	...	...	...	9	1	2	2	...	1	1	...	1	10	...
CLONMEL, ...	10,209	7·8	21·9	11·8	1·2	56	30	8	9	...	...	...	...	...	...	...	...	5	...	2	...	4	3	...	1	1	11	3

*For the Dublin Registration Area and its component parts, and for the cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns is according to the Census of 1911.

† See note (*) on page 138.

(a) Including three deaths from cerebro-spinal fever for Dublin, 4 from cerebro-spinal fever or cerebro-spinal meningitis for Belfast, and one from cerebro-spinal fever for Newry.

Nineteen Principal Town Districts of Ireland.—The annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 20·5 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Clonmel, 11·8 ; Tralee, 14·0 ; Galway, 15·7 ; Ballymena, 17·6 ; Dundalk, 18·3 ; Lurgan, 18·8 ; Belfast, 18·8 ; Londonderry, 19·0 ; Kilkenny, 21·3 ; Waterford, 21·3 ; Portadown, 21·8 ; Dublin Registration Area, 21·9 ; Lisburn, 22·0 ; Drogheda, 22·1 ; Sligo, 22·2 ; Limerick, 22·4 ; Cork, 23·2 ; Wexford, 25·3 ; and Newry, 28·4.

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 1·7 per 1,000 of the population, the rates varying from 0·0 in 2 of the districts to 3·7 in Newry, the 85 deaths from all causes for that district including 9 from measles and 2 from whooping-cough.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *eighteen provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for that quarter :—

Enteric Fever.—Of 11 deaths, 2 appertained to Belfast, 3 to Cork, 2 to Lisburn and one to each of Limerick, Waterford, Drogheda, and Portadown.

Typhus.—No deaths from this disease were recorded.

Small-pox.—There was no mortality from small-pox.

Measles.—For Belfast 93 deaths were recorded, for Newry 9, and for Cork 5 deaths.

Scarlet Fever.—The 26 deaths from this disease comprise 19 for Belfast, 4 for Cork, and 3 for Londonderry.

Whooping-Cough.—Fifty-four deaths belonged to Belfast, 12 to Limerick, 8 to Portadown, 5 to Ballymena, and 3 to Lisburn.

Diphtheria.—Of 24 deaths from this disease, 15 appertained to Belfast, 5 to Cork, 2 to Lisburn, and one to each of Waterford and Wexford.

Diarrhœal Diseases.—Included in 65 deaths under this heading were 54 of children under 2 years of age. Of the latter, 29 were assigned to Belfast, 7 to Waterford, 6 to Cork, and 3 to Clonmel.

Pulmonary Tuberculosis.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 2·5 per 1,000 of the estimated population ; for the Dublin Registration Area it was 2·9 per 1,000, for Belfast county borough 2·2 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast), it was 2·3 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 1st April, 1916,** Deaths in Public Institutions of persons *admitted from without each City being omitted,* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of **1911,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	95	21·7	1·0	86	13	10	9	19	19	16	.	.	.	.	.	2	.	.	17	.	8	11	1	2	.	6	8	30	1
Do. 2 do.	49,500	311	17·5	1·5	216	31	25	20	32	55	53	.	.	.	4	2	6	3	.	28	13	11	13	23	4	.	3	5	63	1
Do. 3 do.	50,032	363	18·5	2·7	232	44	39	18	40	50	41	.	.	.	16	1	6	1	.	33	8	6	21	29	8	2	4	7	47	9
Do. 4 do.	32,637	267	23·8	4·2	194	37	42	16	28	40	31	.	.	.	23	2	5	1	.	13	12	7	15	21	3	.	1	3	76	6
Do. 5 do.	16,112	134	25·8	4·2	104	17	14	10	22	21	20	1	.	.	13	1	1	.	.	14	4	3	10	15	.	1	4	6	40	.
Do. 6 do.	37,293	169	18·1	2·0	169	30	16	18	20	38	47	.	.	.	7	4	7	.	.	16	6	9	25	10	.	1	.	.	31	2
Do. 7 do.	2,681	12	9·0	.	6	2	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 8 do.	5,964	30	15·4	.	23	4	1	.	6	9	3	.	.	.	.	.	.	.	.	6	.	4	.	3	.	.	.	.	2	.
Do. 9 do.	24,427	156	17·2	1·5	105	14	19	13	14	23	17	.	.	.	7	.	1	1	.	14	7	7	18	15	.	.	3	5	17	1
Do. 10 do.	28,958	200	20·2	3·0	146	22	24	18	22	29	31	.	.	.	14	1	2	1	.	17	9	6	4	21	4	.	2	4	26	5
Do. 11 do.	39,311	246	16·8	1·7	165	28	22	23	25	32	35	1	.	.	.	2	7	5	.	19	7	6	15	17	2	.	3	6	33	4
Do. 12 do.	38,076	355	20·3	2·1	193	56	31	15	19	46	26	.	.	.	.	4	11	.	.	21	3	6	14	41	4	1	4	10	45	2
Do. 13 do.	23,233	152	15·3	1·4	89	12	4	9	15	25	24	.	.	.	.	1	2	2	.	9	3	10	2	5	2	1	2	3	15	4
Do. 14 do.	175	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	152	28·9	2·6	164	25	30	13	28	42	26	.	.	.	9	1	4	1	.	14	13	6	18	11	.	.	5	7	33	3
Total,	386,947	2,645	18·8	2·2	1,892	335	278	182	290	435	372	2	.	.	93	19	54	15	.	221	85	89	166	213	29	6	37	64	458	38
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	69	17·2	0·3	58	6	3	8	4	15	22	.	.	.	.	.	.	.	.	3	1	1	3	9	1	.	1	3	20	2
Do. 2 do.	10,399	71	20·8	2·3	54	9	7	4	10	9	15	.	.	.	.	.	.	2	.	8	2	3	6	8	2	2	.	2	15	1
Do. 3 do.	9,793	55	20·8	0·8	51	2	4	7	14	13	11	.	.	.	.	1	.	.	.	12	3	5	.	5	1	.	1	1	22	.
Do. 4 do.	9,139	53	26·3	3·1	60	15	7	5	6	10	17	3	.	.	2	1	.	.	.	7	6	3	6	7	1	.	.	.	33	2
Do. 5 do.	6,250	16	12·8	0·6	20	5	2	.	4	3	6	.	.	.	1	.	.	.	.	3	1	.	.	.	.	.	.	.	7	.
Do. 6 do.	11,581	60	28·3	1·4	82	7	16	8	9	14	28	.	.	.	1	2	1	.	.	5	5	4	3	8	.	.	2	3	33	8
Do. 7 do.	16,056	129	29·6	1·2	119	13	14	8	22	27	35	.	.	.	1	.	.	3	.	16	4	3	17	9	1	.	3	3	49	8
Total,	76,673	453	23·2	1·4	444	57	53	40	69	91	134	3	.	.	5	4	1	5	.	54	22	19	35	46	6	2	7	12	179	21

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
20th April, 1916.

*The rates for the total of Belfast City are calculated on the estimated population. See note (*) Table IV.
†See note (*) on page 138.

WILLIAM J. THOMPSON
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 13408. Wt. . 3, 375. 4. 1916

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C

No. 14. VOL. LIII.] WEEK ENDING SATURDAY, 8TH APRIL, 1916. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 10*th April,* 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 21·5 and 23·3; Dublin Registration Area, 22·6 and 25·2; Dublin City, 22·8 and 26·7; Belfast, 19·1 and 21·1; Cork, 20·4 and 27·0; Londonderry, 22·8 and 20·3; Limerick, 31·1 and 25·7; and Waterford, 32·3 and 25·2.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·9 per 1,000. Among the 148 deaths from all causes for Belfast are one from enteric fever, 8 from measles, one from scarlet fever, 7 from whooping-cough, and 3 from diarrhœal diseases. The 30 deaths from all causes for Cork include one from scarlet fever and 2 from whooping-cough. Three of the 23 deaths from all causes for Limerick are from whooping-cough. Included in the 6 deaths from all causes for Newry are one from measles and one from whooping-cough; and among the 7 deaths recorded for Portadown is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 194—100 boys and 94 girls—and the deaths to 182—82 males and 100 females.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·6 per 1,000 of the population. During the fourteen weeks ending with Saturday last, the death-rate averaged 22·0, and was 3·1 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the fourteen weeks was 23·4, and for the corresponding period of the preceding ten years, 26·4.

The 177 deaths appertaining to the Area include 4 from measles; 2 from whooping-cough; one from diphtheria; one from influenza; and 5 of children under 2 years from diarrhœa and enteritis. In the three preceding weeks deaths from measles numbered 2, 2, and 4; from whooping-cough 3, 8, and 5; from diphtheria 0, 0, and one; from influenza 4, 3, and 3; and the deaths of children under 2 years from diarrhœa and enteritis were 4, 2, and 5, respectively.

Tuberculous disease caused 26 deaths (including 21 from pulmonary tuberculosis, one from tuberculous meningitis, and 4 from other forms of the disease), as against 25, 39, and 42 in the three weeks preceding.

Eight deaths were caused by cancer, 19 by pneumonia (12 by broncho-pneumonia, and 7 by pneumonia, type not distinguished), 15 by organic diseases of the heart, and 30 by bronchitis.

Among deaths of infants under one year old, 7 were ascribed to convulsions, 2 to prematurity, and 4 to congenital debility.

There were 4 accidental deaths including 3 (2 being those of children under 5 years of age) caused by burns, and one was caused by a fall.

Fifty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 39 being infants under one year, of whom 7 were under one month old.

Of the 177 deaths recorded, 70 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 17·1), was equal to an average annual death-rate of 17·7 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 20·5 per 1,000, the rate for Glasgow being 21·7, and for Edinburgh 21·9.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th April. From this Report it appears that of 71 cases notified, 31 were scarlet fever, 15 pulmonary tuberculosis, 15 other forms of tuberculosis, 7 diphtheria, 2 erysipelas, and one cerebro-spinal fever. Among the 490 cases of infectious diseases in hospital at the close of the week were 133 of pulmonary tuberculosis, 242 of scarlet fever, 66 of diphtheria, 14 of measles, 5 of cerebro-spinal fever, 4 of enteric fever, and 3 of erysipelas.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 8th April, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Mar. 18,	.	—	—	7	.	.	4	.	.	4	3	.	—	—	.	—	.	13	31
	Mar. 25,	.	—	—	10	.	.	3	.	.	10	.	.	—	—	.	—	.	17	40
	April 1,	.	—	—	10	.	.	6	.	.	4	1	.	—	—	.	—	.	7	28
	April 8,	.	—	—	6	.	.	5	.	.	2	1	.	—	—	.	—	.	23	37
Rathmines and Rathgar Urban District	Mar. 18,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	—	3
	Mar. 25,	.	—	—	.	.	.	1	.	.	.	4	.	—	—	—	—	—	—	5
	April 1,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	April 8,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	Mar. 18,	.	1	1	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1	4
	Mar. 25,	.	1	.	.	.	.	.	.	.	.	2	.	—	.	.	—	—	1	4
	April 1,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	.	—	—	.	3
	April 8,	.	.	1	2	.	.	.	.	.	.	1	.	—	.	.	—	—	1	5
Blackrock Urban District.	Mar. 18,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Mar. 25,	.	3	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	3
	April 1,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	April 8,	.	1	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
Kingstown Urban District.	Mar. 18,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	.	2
	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
	April 1,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
	April 8,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1	2
City of Belfast.	Mar. 18,	.	—	—	29	.	.	5	.	.	.	6	.	—	—	1	—	.	1	42
	Mar. 25,	.	—	—	37	.	.	7	1	.	2	6	.	—	—	1	—	.	.	54
	April 1,	.	—	—	21	.	.	3	.	.	2	.	1	—	—	1	—	.	3	31
	April 8,	.	—	—	19	.	.	5	.	.	1	.	.	—	—	.	—	.	3	28
City of Cork.	Mar. 18,	.	2	—	1	.	.	.	.	.	.	1	.	—	—	—	.	—	—	4
	Mar. 25,	.	1	—	3	.	.	.	.	.	1	2	.	—	—	—	.	—	—	7
	April 1,	.	5	—	4	.	.	2	1	1	1	1	.	—	—	—	.	—	—	15
	April 8,	.	2	—	5	.	.	1	1	.	.	1	.	—	—	—	.	—	—	10
City of Londonderry.	Mar. 18,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	—	—	5
	Mar. 25,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	April 1,	.	—	—	5	.	.	.	.	.	.	1	.	—	—	—	—	—	—	6
	April 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
City of Limerick.	Mar. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	April 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	April 8,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
City of Waterford	Mar. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	April 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	April 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th April, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 6 and 31; measles 14 and 47; scarlet fever 10 and 60*; and diphtheria 6 and 27. Eight cases of pneumonia were admitted during the week and 21 remained under treatment at its close. Of the deaths in hospitals during the week 2 were from enteric fever, and one was from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 8th April, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	POPULATION. Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 8TH APRIL, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. (e) WEEK ENDING 8TH APRIL, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	23·4	21·5	1·9	515	474	84	116	1	...	...	13	2	16	1	...	44	19	19	49	71	8	1	12	15	155	13	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	24·7	22·6	1·5	191	177	39	49	...	...	...	4	...	2	1	...	21	5	8	19	33	5	...	4	3	70	5	(d) 55·7	23·5	40·4	0·22
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	25·5	22·8	2·0	153	137	35	31	...	...	...	4	...	2	1	...	17	5	4	17	27	5	...	4	3	61	4	(c) 56·9 (f) 52·9	31·9 27·0	43·3 41·2	0·17 0·18
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	25·1	27·7	.	19	21	2	10	...	..	...	...	...	...	...	...	1	...	1	...	3	...	...	...	...	6	1	...	...	...	...
Urban Districts: PEMBROKE, ...	30,538	19·4	27·3	13·7	.	16	8	1	4	...	..	...	...	.	...	...	...	1	..	2	...	1	...	...	...	...	2	...	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	11·3	33·9	.	2	6	1	2	...	..	...	...	...	...	...	..	1	...	1	2	...	...	.	...	...	1	..	...	...	...	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	12·3	15·4	.	4	5	...	2	..	..	...	...	.	...	...	.	1	...	...	...	2	...	...	..	...	...	...	55	31	48·9	0·18
Urban Districts: BELFAST	403,000	27·0	24·3	19·1	2·6	188	148	27	21	1	...	...	8	1	7	...	...	15	6	6	17	21	2	1	8	11	35	3	...	...	...	...
Urban Districts: CORK, ...	76,673	28·6	18·4	20·4	2·0	27	30	4	8	...	...	...	...	1	2	...	.	1	2	...	4	4	...	..	...	..	12	1	53	35	44·7	0·51
Urban Districts: LONDONDERRY	41,200	16·0	27·8	22·8	1·3	22	18	2	8	.	.	...	...	...	...	...	...	...	...	2	2	1	1	...	...	1	5	...	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	17·6	31·1	4·1	13	23	4	3	...	...	...	...	...	3	...	..	...	...	.	1	2	..	...	...	...	7	..	52·9	27·0	41·5	0·44
Urban Districts: WATERFORD, ...	27,464	19·1	24·7	32·3	.	13	17	1	5	...	...	...	...	...	...	...	..	1	2	3	2	3	...	...	...	...	11	...	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	35	44	0·29
Urban Districts: DUNDALK, ...	13,128	9·5				7	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				4	4	...	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	57·7	28·2	42·9	0·11
Urban Districts: DROGHEDA, ...	12,501	8·4				5	5	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	...	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				4	5	1	2	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	2	1	57·7	28·2	42·9	0·11
Urban Districts: NEWRY, ...	11,963	17·0				5	6	...	2	...	...	...	1	...	1	...	...	...	...	...	..	1	...	...	..	...	2	...	57·7	28·2	42·9	0·11
Urban Districts: PORTADOWN, ...	11,727	15·3				5	7	...	1	...	...	...	...	...	1	...	...	3	2	...	...	...	...	...	...	...	3	...	57·7	28·2	42·9	0·11
Urban Districts: WEXFORD, ...	11,531	22·8				3	5	...	4	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	1	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				4	6	1	1	...	...	...	...	...	...	...	...	2	1	...	1	1	...	...	...	...	...	...	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				5	6	2	2	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	...	...	2	56	28	42·0	0·68
Urban Districts: KILKENNY, ...	10,514	11·4				4	5	1	1	...	...	...	...	...	...	...	...	..	..	...	...	1	...	...	...	...	3	...	58	29	41·7	0·29
Urban Districts: TRALEE, ...	10,300	17·4				5	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				1	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	...	...
LONDON, ...	4,516,612	—	—	17·1	—	2,202	1,481(g)	183	502	1	.	.	33	2	31	12	—	140	31	102	132	194	16	5	42	144	681	3	68	31	45·2	0·35
EDINBURGH, ...	329,200	—	—	21·9	0·8	114	138	9	62	.	.	.	2	1	.	2	—	—	—	—	—	—	.	—	11	—	—	—	58·5	33·9	43·2	0·00
GLASGOW	1,091,600	—	—	21·7	2·0	523	454(g)	59	114	.	.	..	21	8	5	1	—	—	—	—	—	—	6	—	12	—	—	—	59·2	34·3	43·2	0·04

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 9 deaths from cerebro-spinal fever for London, and 2 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Average number of deaths in 14th Week of the 5 years 1911–1915.	Deaths registered during week ending Saturday, 8th April, 1916.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	211·8	182	7	33	9	8	3	4	7	2	11	10	18	20	31	19		177
Enteric Fever, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Typhus, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles, ...	6·8	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.		4
Scarlet Fever, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough, ...	3·8	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.		2
Diphtheria, ...	2·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza, ...	4·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus, ...	·2	.	.		.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis, ...	28·0	21	.	.	.	.	.	1	4	1	5	4	4	2	.	.		21
Tuberculous Meningitis, ...	2·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Abdominal Tuberculosis, ...	1·2	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.		2
Tuberculosis of the Spinal Column.	·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs,	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis....	3·2	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.		2
Venereal Diseases, ...	1·0	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.		2
Cancer, ...	9·4	8	.	.	.	1	.	.	.	.	.	.	2	2	2	1		8
Tumour, situation undefined,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes, ...	1·0	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.		3
Anæmia, Leucocythæmia, ...	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Other General Diseases, ...	2·0	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.		2
Alcoholism, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis, ...	2·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Cerebral Hæmorrhage, Apoplexy.	7·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Softening of Brain, ...	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Paralysis, without specified cause.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Epilepsy, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Convulsions (non-puerperal),	2·6	7	2	5	.	.	.	.	.	.	.	.	.	.	.	.		7
Other Diseases of Nervous System.	2·6	5	.	.	.	1	.	.	1	.	1	.	.	.	2	.		5
Pericarditis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis, ...	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart,	17·0	15	.	.	.	.	.	.	.	.	.	1	1	5	4	4		15
Embolism and Thrombosis (including Cerebral).	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Other Diseases of Circulatory system.	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Diseases of the Larynx, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Bronchitis, ...	29·2	30	.	7	2	.	.	.	.	.	.	.	3	5	8	5		30
Broncho-pneumonia, ...	14·6	12	.	6	2	1	1	.	.	.	.	.	1	.	.	1		12
Lobar pneumonia, ...	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pneumonia (type not distinguished)	6·0	8	.	1	.	.	.	.	.	.	2	1	3	.	1	.		7
Pleurisy, ...	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Other Diseases of Respiratory System.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1

in the FOURTEENTH WEEK, ending Saturday, 8th April, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Average number of deaths in 14th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 8th April, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	3·0	4	.	1	1	.	.	.	.	1	.	.	.	1	.	.	3	
Diarrhœa and Enteritis of Children under 2 years.	3·4	5	.	4	1	.	.	.	.	.	.	.	.	.	.	.	5	
Diarrhœa 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis 2 years and upwards,	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	
Appendicitis and Typhlitis, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Hernia and Intestinal Obstructions.	1·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cirrhosis of Liver, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Liver, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	
Peritonitis (cause unknown),	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Digestive System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Nephritis, ...	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Chronic Bright's Disease, ...	4·6	6	.	.	.	.	.	.	.	.	1	.	1	2	2	.	6	
Urinary Calculi, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Uterine Tumour (non-cancerous).	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
Ovarian Tumour (non-cancerous)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Genito-urinary System,	1·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
Puerperal Septicæmia, &c., ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
Diseases of Skin and Cellular Tissues.	·8	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	
Diseases of Locomotor System,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
Congenital Malformations, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Premature Birth, ...	2·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	
Congenital Debility, ...	3·4	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	4	
Old Age, ...	8·2	7	.	.	.	.	.	.	.	.	.	.	.	.	2	5	7	
Other Specified Diseases, ...	1·8	3	2	.	.	.	.	.	1	.	.	.	.	.	.	.	3	
ACCIDENT:																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds, ...	1·6	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	3	
Drowning, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suffocation in Bed, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Deaths by Accident, ...	2·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	
Total Deaths from Accident,	4·2	4	.	.	.	2	.	1	.	.	.	.	.	.	1	.	4	
Included in above are Deaths in connection with—																		
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Vehicles and Horses, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Building Operations, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suicide, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causes, ...	5·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	

TABLE IV.—Showing for the WEEK ENDED 8TH APRIL, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Prisons, Hospitals, and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E.,	30,504	12·0	1·7	7	3	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	3	.	.	2	1
,, 1, W.,	41,685	16·3	.	13	4	1	1	.	1	3	2	1	.	.	.	.	.	.	.	.	1	2	.	3	2	.	.	1	4	.	1	4	.
,, 2,	27,883	35·5	1·9	19	2	1	3	1	.	3	9	.	.	.	.	.	.	.	1	.	4	1	1	2	3	.	.	1	6	.	5	5	1
,, 3,	35,887	27·6	2·9	19	6	1	1	2	3	2	1	3	.	.	.	.	.	.	.	.	2	1	2	5	1	2	.	.	6	1	6	3	.
CLONTARF AND HOWTH, No. 1, part of.	5,539	9·4	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
COOLOCK & DRUMCONDRA, part of	13,820	15·1	.	4	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	1	.	.
FINGLAS AND GLASNEVIN, part of,	10,829	14·4	4·8	3	.	1	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
South City.																																	
SOUTH CITY, No. 1,	41,170	22·8	2·5	18	6	3	.	.	.	.	3	6	.	.	.	2	.	.	.	.	.	.	.	3	8	.	.	.	5	.	.	9	.
,, 2,	18,341	39·8	2·8	14	3	.	.	.	1	.	4	6	.	.	.	.	.	.	.	.	1	.	1	.	5	1	.	1	5	1	2	5	.
,, 3,	43,970	23·7	2·4	20	6	1	.	2	.	.	5	6	.	.	.	.	.	2	.	.	1	1	.	1	3	.	.	1	11	1	5	4	.
,, 4,	33,171	22·0	3·1	14	4	1	.	.	1	3	3	2	.	.	.	1	.	.	.	.	5	.	.	.	1	1	.	.	6	.	2	4	2
NEW KILMAINHAM,	9,948	26·2	.	5	.	.	1	.	.	3	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	2	.	2	1	.
Urban Districts.																																	
RATHMINES AND RATHGAR,	39,541	27·7	.	21	2	.	.	.	.	4	5	10	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	16	.	5	1	1
PEMBROKE,	30,538	13·7	.	8	1	.	1	.	.	1	1	4	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	4	.	1	1	.
BLACKROCK,	9,233	33·9	.	6	1	.	.	.	1	1	1	2	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	2	.	1	.	.
KINGSTOWN,	16,941	15·4	.	5	.	.	.	1	.	.	2	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	2	.	.	.	.
TOTAL CITY. North,	166,147	20·7	1·6	66	16	4	6	3	5	8	13	11	.	.	.	1	.	.	1	.	8	4	3	12	10	3	.	2	22	1	13	14	2
TOTAL CITY. South,	146,600	25·3	2·5	71	19	5	1	2	2	6	16	20	.	.	.	3	.	2	.	.	9	1	1	5	17	2	.	2	29	2	11	23	2
TOTAL CITY. North and South	312,747	22·8	2·0	137	35	9	7	5	7	14	29	31	.	.	.	4	.	2	1	.	17	5	4	17	27	5	.	4	51	3	24	37	4
Total Urban Districts,	96,253	21·7	.	40	4	.	1	1	1	6	9	18	.	.	.	.	.	.	.	.	4	.	4	2	6	.	.	.	24	.	7	2	1
Total Registration Area,	409,000	22·6	1·5	177	39	9	8	6	8	20	38	49	.	.	.	4	.	2	1	.	21	5	8	19	33	5	.	4	75	3	31	39	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				5	1	.	.	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3	.	3	2	.

* See note (a) at foot of Table II. † See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th April, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH APRIL, 1916.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	182	57	7	9	21	38	31	19	.	.	.	4	.	2	1	.	21	6	8	7	20	33	5	.	4	71	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	28·5	8	.	.	.	.	4	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	6	1
II.	MIDDLE CLASS, ...	101,798	13·3	26	7	1	.	2	5	3	8	.	.	.	2	.	.	.	.	1	1	.	1	2	5	1	.	.	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	18·3	38	14	1	2	3	10	7	1	.	.	.	2	.	.	.	.	7	.	4	.	7	4	.	.	1	13	.
IV.	GENERAL SERVICE CLASS, ...	167,479	21·5	69	33	4	5	8	9	7	3	.	.	.	.	.	2	1	.	5	3	3	5	8	11	4	.	3	24	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	41	3	1	2	8	10	14	3	.	.	.	.	.	.	.	.	7	2	.	1	3	13	.	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	8	.	.	.	.	4	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	6	1
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	—	10	2	.	.	.	1	2	5	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.	6	1
	6. Clerks and Commercial Assistants, ...	33,249	—	11	5	.	.	2	2	.	2	.	.	.	1	.	.	.	.	1	.	.	1	.	2	1	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	5	3	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	—	10	2	1	.	2	3	1	1	.	.	.	.	.	.	.	.	2	.	2	.	2	1	.	.	.	3	.
	10. Clothing Trades, ...	20,026	—	10	3	.	1	1	3	2	.	.	.	.	1	.	.	.	.	3	.	.	.	.	2	.	.	1	3	.
	11. Food Supply Trades	8,952	—	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	9	3	.	1	.	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	4	.
	13. Petty Shopkeepers	6,772	—	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	16	9	1	.	3	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	2	2	1	.	1	7	1
	15. Domestic Servants, ...	36,041	—	8	2	.	1	1	2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	4	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	43	21	2	4	4	5	6	1	.	.	.	.	.	2	1	.	3	2	2	4	4	7	3	.	2	13	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	41	3	1	2	8	10	14	3	.	.	.	.	.	.	.	.	7	2	.	1	3	13	.	.	.	15	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area. Week ending													Belfast City. Week ending												
	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.
No. of weeks in Annual Series	2	3	4	5	6	7	8	9	10	11	12	13	14	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered.	203	253	213	209	163	209	166	179	219	159	235	260	194	220	174	181	206	203	187	218	196	180	200	198	251	188
Average Births in corresponding week of previous 10 years, ...	231	207	220	238	229	214	206	225	225	207	216	225	224	209	225	219	219	216	211	205	226	214	221	220	216	232
Number of Deaths, ...	143	145	153	158	165	143	160	185	210	183	221	211	177	124	113	116	131	146	140	130	161	171	161	165	178	148
Annual Death-rate per 1,000, ...	18·2	18·5	19·5	20·1	21·0	18·2	20·4	23·6	26·8	23·3	28·2	26·9	22·6	16·0	14·6	15·0	16·9	18·9	18·1	16·8	20·8	22·5	20·8	21·3	23·0	19·1
Average Deaths in corresponding week of previous 10 years, ...	186	191	196	191	190	192	197	196	190	186	186	190	194	164	153	165	167	182	174	170	170	164	164	164	160	168
Ages, Under one year, ...	25	26	26	34	29	16	20	30	32	35	42	31	39	22	20	17	21	25	20	23	23	31	34	31	30	27
1— 5 years, ...	20	15	17	14	22	13	19	21	22	17	28	32	17	15	17	19	20	18	13	24	24	32	23	24	32	25
5—25 " ...	11	10	14	22	14	13	11	13	17	7	15	13	14	10	13	12	14	13	18	13	17	17	11	14	12	13
25—45 " ...	15	20	21	19	25	23	24	27	33	26	36	26	20	24	13	18	13	30	29	25	26	25	27	20	24	28
45—65 " ...	40	40	41	32	43	42	36	45	43	40	39	47	38	30	25	28	35	31	26	24	43	35	33	40	41	34
65 and upwards, ...	32	34	34	37	32	36	50	49	63	58	61	62	49	23	25	22	28	29	34	21	28	34	33	36	39	21
Deaths from:—																										
Enteric Fever, ...	1	.	1	.	2	.	.	1	.	1	4	1	.	.	.	.	.	.	2	.	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	6	1	2	2	4	3	4	2	2	2	4	4	7	3	3	3	4	4	5	8	14	11	15	13	8
Scarlet Fever, ...	.	1	.	.	2	.	1	.	.	.	.	.	.	.	2	.	.	2	1	3	2	4	1	.	1	1
Whooping-cough, ...	2	1	1	2	4	3	1	3	1	3	8	5	2	1	5	3	6	5	3	4	8	5	4	4	4	7
Diphtheria, ...	.	2	1	.	1	.	1	2	1	.	.	1	1	.	.	1	2	1	1	1	.	3	1	1	3	.
Dysentery, ...	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	12	16	23	20	21	21	17	29	31	19	32	34	21	15	12	19	15	15	14	16	11	22	20	23	24	15
Tuberculosis { Other Forms,	6	2	7	7	10	6	8	4	10	6	7	8	5	6	10	4	3	7	9	8	10	6	8	5	5	6
Cancer, ...	4	11	4	7	11	10	5	13	8	9	10	10	8	3	5	8	8	9	9	7	10	6	10	1	8	6
Diseases of Respiratory System, { Pneumonia,	12	6	7	9	11	9	12	11	21	23	28	19	19	12	8	11	7	8	11	13	16	12	15	11	19	17
Diseases of Respiratory System, { Others, ...	20	16	14	21	21	16	25	32	36	33	35	41	33	17	10	12	12	19	14	14	12	15	19	24	23	21
Diarrhœa and Enteritis, under 2 years, ...	3	1	6	6	3	2	2	5	7	4	2	5	5	.	4	1	1	1	.	4	4	4	2	3	2	2
Diarrhœa, 2 years and upwards	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	1	1
Violent Deaths, ...	1	4	3	3	5	3	6	.	2	2	2	6	4	1	2	3	2	.	2	2	6	2	2	3	3	8
Number of Uncertified Deaths,	4	4	7	4	2	6	5	5	7	5	10	5	5	1	2	2	2	5	3	4	4	1	4	6	2	3

TABLE VII.--Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th April, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	29·6	3·3	9	2	.	1	2	4	.	.	.	.	.	.	1	.	.	1	.	1	.	1	.	.	5	5	2	.
Do. 2 do.	49,500	27	23·2	2·1	22	4	4	2	4	4	4	.	.	.	1	.	1	.	.	1	1	.	2	1	.	.	2	2	4	1
Do. 3 do.	50,032	22	25·0	6·3	24	4	5	3	4	6	2	.	.	.	3	.	2	.	.	2	3	3	1	1	1	.	.	.	6	1
Do. 4 do.	32,637	20	20·8	1·6	13	4	2	2	3	.	2	.	.	.	1	.	.	.	.	.	.	.	2	2	.	.	.	2	4	.
Do. 5 do.	16,112	10	32·4	3·2	10	2	2	.	1	4	1	1	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	3	1
Do. 6 do.	37,293	13	23·8	7·0	17	3	3	.	2	4	5	.	.	.	3	1	.	.	.	1	1	1	3	1	1	.	.	.	3	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	22	21·3	.	10	1	2	.	1	3	3	.	.	.	.	.	.	.	.	1	1	.	2	4	.	.	.	.	.	.
Do. 10 do.	28,958	10	14·4	1·8	8	1	3	2	1	1	.	.	.	.	.	.	1	.	.	2	.	.	1	3	.	.	.	.	2	.
Do. 11 do.	39,311	13	11·9	1·3	9	.	1	1	2	3	2	.	.	.	.	.	.	.	.	2	.	1	1	1	.	1	.	.	1	.
Do. 12 do.	38,076	22	17·8	1·4	13	2	1	2	5	2	1	.	.	.	.	.	1	.	.	2	.	.	1	3	.	.	1	2	5	.
Do. 13 do.	23,233	10	11·2	.	5	2	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	18·4	2·3	8	2	1	.	3	1	1	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	.	.	4	.
Total,	386,947	188	19·1	2·6	148	27	25	13	28	34	21	1	.	.	8	1	7	.	.	15	6	6	17	21	2	1	8	11	35	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	7·8	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 2 do.	10,399	6	20·1	.	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	2	.
Do. 3 do.	9,793	3	16·0	10.6	3	1	1	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	2	11·4	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Do. 5 do.	6,250	1	16·7	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 6 do.	11,581	5	54·0	4·5	12	1	2	.	3	2	4	.	.	.	.	1	.	.	.	1	.	.	1	2	.	.	.	.	6	.
Do. 7 do.	16,056	5	16·2	.	5	1	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Total,	76,673	27	20·4	2·0	30	4	4	4	4	6	8	.	.	.	.	1	2	.	.	1	2	.	4	4	.	.	.	.	12	1

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th April, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West, ...	.	.	.	.	.	.	.	.	.	.	.	.	6	6
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 3, ...	.	1	.	.	2	.	.	.	.	.	.	.	4	7
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of), ..	.	.	.	.	1	.	.	.	.	.	.	.	1	2
South City No. 1, ...	.	.	.	.	1	.	.	.	.	.	.	.	4	5
" " 2, ...	.		.	.	1	.	.	.	.	.	.	.	.	1
" " 3, ...	.	4	.	.	.	.	.	.	1	.	.	.	2	7
" " 4, ...	.	.	.	.	.	.	.	2	.	.	.	.	3	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	6	.	.	5	.	.	2	1	.	.	.	23	37

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th April, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th April.			
	Mar. 18.	Mar. 25.	April 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	37	41	36	6	9	2	31
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	69	66	52	14	19	.	47
Scarlet Fever, ...	69	72	73	10	23	.	60*
Diphtheria, ...	36	35	29	6	7	1	27
Pneumonia, ...	11	13	16	8	3	.	21

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13400. Wt. 6237. 375. 4. 1916. G. III. Sch. c. 7.

(*FOR OFFICIAL USE.*)

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
BY ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C

No. 15. VOL. LIII.] WEEK ENDING SATURDAY, 15TH APRIL, 1916. [PRICE 1½*d*.

General Register Office, Charlemont House,
Dublin, 17th April, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,148,468, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 21·3 and 23·3; Dublin Registration Area, 23·6 and 25·3; Dublin City, 23·8 and 26·5; Belfast, 19·7 and 20·8; Cork, 21·8 and 26·0; Londonderry, 22·8 and 21·2; Limerick, 16·2 and 24·0; and Waterford, 13·3 and 23·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·5 per 1,000. Among the 152 deaths from all causes for Belfast are 12 from measles, one from scarlet-fever, 2 from whooping-cough, 2 from diarrhœal diseases, and one from cerebro-spinal meningitis. One of the 32 deaths from all causes for Cork was caused by measles; and one of the 12 deaths recorded for Lisburn was from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 221—123 boys and 98 girls—and the deaths to 193—104 males and 89 females.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·6 per 1,000 of the population. During the fifteen weeks ending with Saturday last, the death-rate averaged 22·1, and was 2·9 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the fifteen weeks was 23·5, and for the corresponding period of the preceding ten years, 26·3.

The 185 deaths appertaining to the Area include 2 from enteric fever; 3 from measles; 6 from whooping-cough; and one of a child under 2 years from diarrhœa and enteritis. In the three preceding weeks deaths from enteric fever numbered 4, one, and 0; from measles 2, 4, and 4; from whooping-cough 8, 5, and 2; and the deaths of children under 2 years from diarrhœa and enteritis were 2, 5, and 5, respectively.

Tuberculous disease caused 29 deaths (including 21 from pulmonary tuberculosis, 5 from tuberculous meningitis, and 3 from other forms of the disease), as against 39, 42, and 26 in the three weeks preceding.

Eleven deaths were caused by cancer, 21 by pneumonia (13 by broncho-pneumonia, 3 by lobar-pneumonia, and 5 by pneumonia, type not distinguished), 5 by meningitis (not tuberculous), 18 by organic diseases of the heart, and 23 by bronchitis.

Among deaths of infants under one year old, 3 were ascribed to convulsions, 2 to congenital malformations, 6 to prematurity, and 11 to congenital debility.

There were 2 deaths attributed to drowning.

Sixty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 45 being infants under one year, of whom 14 were under one month old.

Of the 185 deaths recorded, 73 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III., and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 17·3), was equal to an average annual death-rate of 17·4 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 17·6 per 1,000, the rate for Glasgow being 17·7, and for Edinburgh 22·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th April. From this Report it appears that of 87 cases notified, 36 were scarlet fever, 21 diphtheria, 14 pulmonary tuberculosis, 8 other forms of tuberculosis, 5 erysipelas, 2 cerebro-spinal fever and one puerperal fever. Among the 521 cases of infectious diseases in hospital at the close of the week were 140 of pulmonary tuberculosis, 256 of scarlet fever, 68 of diphtheria, 15 of measles, 5 of erysipelas, 4 of cerebro-spinal fever, 4 of enteric fever, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 15th April, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis	Total.
City of Dublin.	Mar. 25,	.	—	—	10	.	.	3	.	.	10	.	.	—	—	.	—	.	17	40
	April 1,	.	—	—	10	.	.	6	.	.	4	1	.	—	—	.	—	.	7	28
	April 8,	.	—	—	6	.	.	5	.	.	2	1	.	—	—	.	—	.	23	37
	April 15,	.	—	—	11	.	.	4	.	.	3	.	.	—	—	.	—	.	19	37
Rathmines and Rathgar Urban District	Mar. 25,	.	—	—	.	.	.	1	.	.	.	4	.	—	—	—	—	—	—	5
	April 1,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	April 8,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	—	—	—	4
	April 15,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Mar. 25,	.	1	.	.	.	.	.	.	.	.	2	.	—	.	.	—	—	1	4
	April 1,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	.	—	—	.	3
	April 8,	.	.	1	2	.	.	.	.	.	.	1	.	—	.	.	—	—	1	5
	April 15,	.	2	2	.	.	.	.	.	.	1	.	.	—	.	.	—	—	1	6
Blackrock Urban District.	Mar 25,	.	3	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	3
	April 1,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	April 8,	.	1	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	April 15,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
	April 1,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
	April 8,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1	2
	April 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Mar. 25,	.	—	—	37	.	.	7	1	.	2	6	.	—	—	1	—	.	.	54
	April 1,	.	—	—	21	.	.	3	.	.	2	.	1	—	—	1	—	.	3	31
	April 8,	.	—	—	19	.	.	5	.	.	1	.	.	—	—	.	—	.	3	28
	April 15,	.	—	—	25	.	.	5	.	.	2	.	.	—	—	1	—	.	4	37
City of Cork.	Mar. 25,	.	1	—	3	.	.	.	.	.	1	2	.	—	—	—	.	—	—	7
	April 1,	.	5	—	4	.	.	2	1	1	1	1	.	—	—	—	.	—	—	15
	April 8,	.	2	—	5	.	.	1	1	.	.	1	.	—	—	—	.	—	—	10
	April 15,	.	.	—	3	.	.	1	1	.	.	1	.	—	—	—	.	—	—	6*a*
City of Londonderry.	Mar. 25,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	April 1,	.	—	—	5	.	.	.	.	.	.	1	.	—	—	—	—	—	—	6
	April 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	April 15,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
City of Limerick.	Mar. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	April 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	April 8,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	April 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	April 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	April 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April 15,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	.	3

(*a*) Not including one case of cerebro-spinal fever.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th April, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 28; measles 29 and 58; scarlet fever 15 and 63*; and diphtheria 7 and 28. Ten cases of pneumonia were admitted during the week and 21 remained under treatment at its close. Of the deaths in hospitals during the week one was from each of enteric fever, scarlet fever and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 15th April, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWN DISTRICTS.	POPULATION. Total.(a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 15TH APRIL, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases.(b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY.(c) WEEK ENDING 15TH APRIL, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS, ...	1,148,468	20·2	25·1	21·3	1·5	552	469	85	109	2	...	...	16	1	9	...	...	57	17	23	56	63	5	1	6	13	149	11	...	...	...	...
DUBLIN REGISTRATION AREA, ...	409,000	29·8	28·2	23·6	1·5	221	185	45	48	2	...	...	3	...	6	...	...	21	8	11	21	27	1	...	2	6	73	5	(d) 56·9	30·2	45·2	0·63
Urban Districts: CITY OF DUBLIN, ...	312,747	39·5	31·3	23·8	1·2	188	143	37	37	2	...	...	1	...	3	...	...	15	8	7	17	22	1	...	2	4	57	4	(e) 56·2 / (f) 57·8	36·3 / 33·0	45·8 / 45·6	0·53 / 0·66
Urban Districts: RATHMINES and RATHGAR. ...	39,541	23·1	19·8	26·4	6·6	15	20	5	7	...	..	...	2	...	3	...	...	4	...	2	1	2	...	...	...	...	6	1	...	...	...	...
Urban Districts: PEMBROKE, ...	30,538	19·4	13·7	22·2	.	8	13	2	3	...	..	...	...	...	...	...	...	1	..	1	2	2	...	...	...	1	7	...	...	...	...	...
Urban Districts: BLACKROCK, ...	9,233	8·5	11·3	11·3	.	2	2	...	1	...	..	...	...	...	...	...	..	...	...	1	...	...	...	.	...	...	...	...	...	...	..	...
Urban Districts: KINGSTOWN, ...	16,941	11·6	24·6	21·5	.	8	7	1	...	...	..	...	...	...	...	...	...	1	...	...	1	1	...	...	..	1	3	...	58	36	47·2	0·61
Urban Districts: BELFAST	403,000	27·0	25·5	19·7	2·2	197	152(g)	25	21	...	...	...	12	1	2	...	...	19	6	6	25	13	1	1	2	4	38	1	55·0	35·0	44·1	1·00
Urban Districts: CORK, ...	76,673	28·6	17·0	21·8	0·7	25	32	2	9	...	...	...	1	...	...	...	...	7	2	1	1	9	...	...	...	1	18	1	57	36	46·8	0·51
Urban Districts: LONDONDERRY	41,200	16·0	2·0	22·8	.	19	18	1	6	...	...	...	...	...	...	...	...	2	...	2	2	1	..	...	...	...	3	1	...	...	...	...
Urban Districts: LIMERICK, ...	38,518	16·1	13·5	16·2	.	10	12	2	4	...	...	...	...	...	...	...	...	1	...	1	...	3	...	...	...	...	4	..	54·2	34·2	44·9	0·68
Urban Districts: WATERFORD, ...	27,464	19·1	28·5	13·3	1·9	15	7	...	2	...	...	...	...	...	...	...	...	...	...	1	2	1	1	...	...	...	3	...	...	...	...	...
Urban Districts: GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			3	3	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1	55	34	45	0·54
Urban Districts: DUNDALK, ...	13,128	9·5				5	7	1	1	...	...	...	...	...	...	...	...	...	..	..	1	...	1	...	1	1	2	...	...	...	...	...
Urban Districts: LURGAN, ...	12,553	14·7				9	6	1	3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	1	1	1	1	58·0	34·1	45·2	1·05
Urban Districts: DROGHEDA, ...	12,501	8·4				2	3	...	...	...	...	...	...	...	...	..	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...
Urban Districts: LISBURN	12,388	10·9				6	12	2	1	...	...	...	...	...	1	...	...	.	...	...	1	2	...	...	...	...	2	...	58·0	34·1	45·2	1·05
Urban Districts: NEWRY, ...	11,963	17·0				4	5	1	3	...	...	...	...	...	...	...	...	1	...	...	..	1	...	...	..	..	...	...	58·0	34·1	45·2	1·05
Urban Districts: PORTADOWN, ...	11,727	15·3				8	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	58·0	34·1	45·2	1·05
Urban Districts: WEXFORD, ...	11,531	22·8				3	5	3	1	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...
Urban Districts: BALLYMENA	11,381	9·3				1	3	...	1	...	...	...	...	...	...	...	...	1	...	...	..	...	...	...	...	...	...	...	...	...	...	...
Urban Districts: SLIGO, ...	11,163	3·8				5	5	1	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	2	...	57	32	44·0	1·77
Urban Districts: KILKENNY, ...	10,514	11·4				12	5	1	1	...	...	...	...	...	...	...	...	...	..	...	1	1	...	...	...	...	2	1	57	28	46·2	0·63
Urban Districts: TRALEE, ...	10,300	17·4				5	6	...	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
Urban Districts: CLONMEL, ...	10,209	7·8				2	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...
LONDON, ...	4,516,612	—	—	17·3	—	1,975	1,433(g)	190	501	1	.	.	33	3	45	13	—	129	42	106	148	175	16	9	47	128	614	.	57	34	47·1	0·43
EDINBURGH, ...	329,200	—	—	22·2	—	154	140	—	—	.	.	.	3	1	.	2	—	—	—	—	—	—	.	—	—	—	—	—	.	.	.	.
GLASGOW	1,091,600	—	—	17·7	—	587	370	—	—	.	.	.	27	4	4	1	—	—	—	—	—	—	6	—	—	—	—	—	.	.	.	.

(a) For the Dublin Registration Area and its component parts, and for the Cities of Belfast and Londonderry, the population estimated to the middle of 1915 is adopted provisionally for the purposes of this Report; the population given for the other towns of Ireland is according to the Census of 1911. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phoenix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis for Belfast, and 5 for London.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding Week of

CAUSES OF DEATH.	Average number of deaths in 15th Week of the 5 years 1911–1915.	Deaths registered during week ending Saturday, 15th April, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
ALL CAUSES.	201·0	193	14	31	12	6	4	2	10	3	9	12	19	22	24	25		185
Enteric Fever, ...	·4	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.		2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles, ...	11·2	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.		3
Scarlet Fever, ...	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough, ...	3·4	6	.	4	2	.	.	.	.	.	.	.	.	.	.	.		6
Diphtheria, ...	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza, ...	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Dysentery, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases, ...	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Tetanus, ...	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis, ...	25·8	21	.	.	.	1	.	.	4	2	6	7	4	.	.	.		21
Tuberculous Meningitis, ...	3·4	5	.	.	1	2	2	.	.	.	.	.	.	.	.	.		5
Abdominal Tuberculosis, ...	2·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis,...	1·4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.		2
Venereal Diseases, ...	1·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Cancer, ...	9·6	12	.	.	.	.	.	.	.	.	.	.	4	4	3	1		11
Tumour, situation undefined,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Anæmia, Leucocythæmia, ...	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Other General Diseases, ...	2·2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1		2
Alcoholism, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis, ...	2·0	5	.	1	2	1	.	1	.	.	.	.	.	.	.	.		5
Cerebral Hæmorrhage, Apoplexy.	5·0	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2		3
Softening of Brain, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	3·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Epilepsy, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Convulsions (non-puerperal),	3·2	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.		3
Other Diseases of Nervous System.	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pericarditis, ...	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		1
Acute Endocarditis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart,	16·4	19	.	.	.	.	.	.	.	.	.	1	1	6	4	7		18
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory system.	1·2	4	.	.	.	.	.	.	.	.	.	1	1	1	1	.		4
Diseases of the Larynx, ...	·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Bronchitis, ...	26·2	23	.	2	1	.	.	.	.	.	1	.	2	6	6	5		23
Broncho-pneumonia, ...	11·4	13	.	8	2	1	.	.	.	.	.	.	.	1	.	1		13
Lobar pneumonia, ...	2·4	3	.	.	1	.	1	.	.	.	.	.	.	.	1	.		3
Pneumonia (type not distinguished)	6·6	5	.	1	.	.	.	.	2	.	.	.	.	.	1	1		5
Pleurisy, ...	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.		2
Other Diseases of Respiratory System.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.

in the FIFTEENTH WEEK, ending Saturday, 15th April, 1916, with the average deaths from each cause the Five Years 1911–1915.

CAUSES OF DEATH.	Average number of deaths in 15th Week of the 5 years, 1911–1915.	Deaths registered during week ending Saturday, 15th April, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under a year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach, ...	3·0	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.		2
Diarrhœa and Enteritis of Children under 2 years.	4·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Diarrhœa 2 years and upwards,	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·2	5	.	.	.	.	.	1	1	.	.	.	.	2	1	.		4
Cirrhosis of Liver, ...	·6	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.		2
Other Diseases of Liver, ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown),	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		.
Acute Nephritis, ...	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Chronic Bright's Disease, ...	6·2	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.		3
Urinary Calculi, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous)	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c., ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Causes incident to Pregnancy and Childbirth.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	·6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1		2
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations, ...	·4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.		2
Premature Birth, ...	4·2	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.		6
Congenital Debility, ...	4·0	11	6	5	.	.	.	.	.	.	.	.	.	.	.	.		11
Old Age, ...	5·0	6	.	.	.	.	.	.	.	.	.	.	.	.	1	5		5
Other Specified Diseases, ...	2·0	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.		2
ACCIDENT:																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning, ...	·2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.		2
Suffocation in Bed, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Deaths by Accident, ...	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Total Deaths from Accident,	2·4	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.		2
Included in above are Deaths in connection with—																		
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE OTHER THAN ACCIDENTAL:																		
Homicide, ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes, ...	3·8	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.		2

TABLE IV.—Showing for the WEEK ENDED 15TH APRIL, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases†; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population,*	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases†	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Ca.	In Institutions. In Hospitals, Prisons, and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
					WEEK ENDED 15TH APRIL, 1916. DEATHS. CAUSED BY																												
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E,	30,504	23·9	1·7	14	8	2	1	1	.	.	1	1	.	.	.	.	.	1	.	.	.	1	.	4	.	.	.	.	8	.	.	1	2
,, 1, W.,	41,685	35·0	3·8	28	6	2	.	2	2	4	6	6	.	.	.	.	.	2	.	.	5	.	.	2	4	1	.	.	14	1	9	7	.
,, 2,	27,883	18·7	.	10	1	2	.	.	.	1	2	4	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	.	4	.	1	2	1
,, 3,	35,887	17·4	1·5	12	4	.	.	.	.	2	3	3	1	.	.	.	.	.	.	.	.	.	1	2	3	.	.	.	5	.	2	1	.
CLONTARF AND HOWTH, No. 1, part of.	5,539	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK & DRUMCONDRA, part of	13,820	41·5	.	11	1	.	.	1	.	2	4	3	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	5	1	2	1	.
FINGLAS AND GLASNEVIN, part of,	10,829	4·8	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
South City.																																	
SOUTH CITY, No. 1,	41,170	26·6	.	21	10	.	1	.	1	2	3	4	.	.	.	.	.	.	.	.	3	.	1	3	2	.	.	.	12	.	1	5	1
,, 2,	18,341	17·1	.	6	1	.	1	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	2	.	.	4	.
,, 3,	43,970	17·8	.	15	.	.	1	1	2	1	4	6	.	.	.	.	.	.	.	.	3	2	3	2	2	.	.	.	3	.	4	2	.
,, 4,	33,171	31·4	3·1	20	4	3	1	1	1	2	3	5	1	.	.	1	.	.	.	.	1	2	.	2	3	.	.	1	9	2	8	6	.
NEW KILMAINHAM,	9,948	26·2	.	5	2	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2	.	.	1	.
Urban Districts.																																	
RATHMINES AND RATHGAR,	39,541	26·4	6.6	20	5	1	1	.	1	1	4	7	.	.	.	2	.	3	.	.	4	.	2	1	2	.	.	.	6	.	5	1	1
PEMBROKE,	30,538	22·2	.	13	2	1	.	.	2	2	3	3	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	.	7	1	6	1	.
BLACKROCK,	9,233	11·3	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
KINGSTOWN,	16,941	21·5	.	7	1	1	.	.	2	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	4	1	3	.	.
TOTAL CITY. North,	166,147	23·9	1·6	76	20	6	1	4	2	9	16	18	1	.	.	.	.	3	.	.	7	3	2	9	12	1	.	1	37	2	14	12	3
TOTAL CITY. South,	146,600	23·8	0·7	67	17	3	4	2	4	7	11	19	1	.	.	1	.	.	.	.	8	5	5	8	10	.	.	1	28	2	13	18	1
TOTAL CITY. North and South	312,747	23·8	1·2	143	37	9	5	6	6	16	27	37	2	.	.	1	.	3	.	.	15	8	7	17	22	1	.	2	65	4	27	30	4
Total Urban Districts,	96,253	22·8	2·7	42	8	3	1	.	5	4	10	11	.	.	.	2	.	3	.	.	6	.	4	4	5	.	.	.	18	2	14	2	1
Total Registration Area,	409,000	23·6	1·5	185	45	12	6	6	11	20	37	48	2	.	.	3	.	6	.	.	21	8	11	21	27	1	.	2	83	6	41	32	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				8	.	.	.	.	2	1	4	1	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	4	.	5	3	.

* See note (*a*) at foot of Table II.

† See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th April, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH APRIL, 1916.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	193	63	6	13	21	41	24	25	2	.	.	3	.	6	.	.	24	8	12	3	21	27	1	.	2	84	5
	CLASSES. Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14·2	4	1	.	.	.	.	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	16·4	32	10	1	5	2	4	1	9	.	.	.	2	.	1	.	.	4	.	2	.	2	1	.	.	.	20	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	20·2	42	11	1	3	7	10	3	7	.	.	.	1	.	2	.	.	6	2	3	.	5	8	1	.	.	14	1
IV.	GENERAL SERVICE CLASS, ...	167,479	24·9	80	37	3	4	8	13	12	3	2	.	.	.	.	2	.	.	8	6	4	3	14	9	.	.	2	30	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	35	4	1	1	4	14	6	5	.	.	.	.	.	.	.	.	6	.	3	.	.	9	.	.	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	1	.	.	.	.	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	25,199	—	9	3	.	.	1	2	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	7	1
	6. Clerks and Commercial Assistants, ...	33,249	—	10	2	1	2	.	1	.	4	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	7	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	3	.	3	.	.	.	3	.	.	.	2	.	1	.	.	2	.	.	.	.	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	28,823	—	9	3	1	.	2	1	.	2	.	.	.	.	.	2	.	.	1	1	1	.	.	2	.	.	.	2	.
	10. Clothing Trades, ...	20,026	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	11. Food Supply Trades	8,952	—	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	23	6	.	3	4	5	2	3	.	.	.	1	.	.	.	.	5	.	1	.	5	2	1	.	.	8	1
	13. Petty Shopkeepers	6,772	—	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	17	11	.	.	2	2	2	.	.	.	.	.	.	.	.	.	2	3	2	2	3	3	.	.	.	2	.
	15. Domestic Servants, ...	36,041	—	6	1	1	.	1	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	4	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	—	2	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	—	55	25	2	4	4	10	8	2	1	.	.	.	.	2	.	.	4	3	2	1	11	5	.	.	2	24	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	35	4	1	1	4	14	6	5	.	.	.	.	.	.	.	.	6	.	3	.	.	9	.	.	.	17	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

—	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	Apr. 1.	Apr. 8.	Apr. 15.
No of weeks in Annual Series	3	4	5	6	7	8	9	10	11	12	13	14	15	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered.	253	213	209	163	209	166	179	219	159	235	200	194	221	174	181	206	203	187	218	196	180	200	198	251	188	197
Average Births in corresponding week of previous 10 years, ...	207	220	238	229	214	206	225	225	207	216	225	224	217	225	219	219	216	211	205	226	214	221	220	216	232	229
Number of Deaths, ...	145	153	158	165	143	160	185	210	183	221	211	177	185	113	116	131	146	140	130	161	174	161	165	178	148	152
Annual Death-rate per 1,000, ...	18·5	19·5	20·1	21·0	18·2	20·4	23·6	26·8	23·3	28·2	26·9	22·6	23·6	14·6	15·0	16·9	18·9	18·1	16·8	20·8	22·5	20·8	21·3	23·0	19·1	19·7
Average Deaths in corresponding week of previous 10 years, ...	191	196	191	190	192	197	196	190	186	186	190	194	187	153	165	167	182	174	170	170	164	164	164	160	168	164
Ages, Under one year, ...	26	26	34	29	16	20	30	32	35	42	31	39	45	20	17	21	25	20	23	23	31	34	31	30	27	25
1— 5 years, ...	15	17	14	22	13	19	21	22	17	28	32	17	18	17	19	20	18	13	24	24	32	23	24	32	25	32
5—25 " ...	10	14	22	14	13	11	13	17	7	15	13	14	17	13	12	14	13	18	13	17	17	11	14	12	13	27
25—45 " ...	20	21	19	25	23	24	27	33	26	36	26	20	20	13	18	13	30	29	25	26	25	27	20	24	28	15
45—65 " ...	40	41	32	43	42	36	45	43	40	39	47	38	37	25	28	35	31	26	24	43	35	33	40	41	34	32
65 and upwards, ...	34	34	37	32	36	50	49	63	58	61	62	49	48	25	22	28	29	34	21	28	34	33	36	39	21	21
Deaths from:—																										
Enteric Fever, ...	.	1	.	2	.	.	1	.	1	4	1	.	2	.	.	.	.	2	.	.	.	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	1	2	2	4	3	4	2	2	2	4	4	3	3	3	3	4	4	5	8	14	11	15	13	8	12
Scarlet Fever, ...	1	.	.	2	.	1	.	.	.	.	.	.	.	2	.	.	2	1	3	2	4	1	.	1	1	1
Whooping-cough, ...	1	1	2	4	3	1	3	1	3	8	5	2	6	5	3	6	5	3	4	8	5	4	4	4	7	2
Diphtheria, ...	2	1	.	1	.	1	2	1	.	.	1	1	.	.	1	2	1	1	1	.	3	1	1	3	.	.
Dysentery, ...	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	16	23	20	21	21	17	29	31	19	32	34	21	21	12	19	15	15	14	16	11	22	20	23	24	15	19
Tuberculosis { Other Forms,	2	7	7	10	6	8	4	10	6	7	8	5	8	10	4	3	7	9	8	10	6	8	5	5	6	6
Cancer, ...	11	4	7	11	10	5	13	8	9	10	10	8	11	5	8	8	9	9	7	10	6	10	1	8	6	6
Diseases of Respiratory System, { Pneumonia,	6	7	9	11	9	12	11	21	23	28	19	19	21	8	11	7	8	11	13	16	12	15	11	19	17	25
Diseases of Respiratory System, { Others, ...	16	14	21	21	16	25	32	36	33	35	41	33	27	10	12	12	19	14	14	12	15	19	24	23	21	13
Diarrhœa and Enteritis, under 2 years, ...	1	6	6	3	2	2	5	7	4	2	5	5	1	4	1	1	1	.	4	4	4	2	3	2	2	1
Diarrhœa, 2 years and upwards	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	1	1	1
Violent Deaths, ...	4	3	3	5	3	6	.	2	2	2	6	4	2	2	3	2	.	2	2	6	2	2	3	3	8	2
Number of Uncertified Deaths,	4	7	4	2	6	5	5	7	5	10	5	5	5	2	2	2	5	3	4	4	1	4	6	2	3	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th April, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.†	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	2	13·1	.	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
Do. 2 do.	49,500	22	24·2	1·1	23	3	6	4	2	2	6	.	.	.	1	.	.	.	.	2	1	.	4	1	.	.	.	.	6	1
Do. 3 do.	50,032	19	19·8	6·3	19	3	7	2	3	3	1	.	.	.	5	.	1	.	.	2	.	1	5	.	.	.	1	1	4	.
Do. 4 do.	32,637	24	22·4	3·2	14	2	4	1	4	3	.	.	.	.	2	.	.	.	.	1	1	1	2	2	.	.	.	.	7	.
Do. 5 do.	16,112	8	25·9	3·2	8	.	3	3	.	2	.	.	.	.	1	.	.	.	.	5	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	37,293	22	22·4	1·4	16	2	1	5	1	6	1	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	.	1	5	.
Do. 7 do.	2,681	2	19·4	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	8·7	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 do.	24,427	14	23·5	4·3	11	4	1	2	.	3	1	.	.	.	1	.	.	.	.	1	1	1	1	1	1	.	.	.	2	.
Do. 10 do.	28,958	16	14·4	.	8	1	2	1	.	3	1	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	1	.
Do. 11 do.	39,311	19	10·6	2·7	8	1	.	.	2	1	4	.	.	.	.	.	1	.	.	1	.	1	.	.	.	1	.	.	1	.
Do. 12 do.	38,076	24	24·6	1·4	18	4	3	6	.	2	3	.	.	.	.	1	.	.	.	3	1	.	4	2	.	.	1	2	3	.
Do. 13 do.	23,233	13	4·5	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	10	41·4	2·3	18	3	3	3	3	4	2	.	.	.	1	.	.	.	.	1	.	.	5	1	.	.	.	.	5	.
Total,	386,947	197	19·7	2·2	152	25	32	27	15	32	21	.	.	.	12	1	2	.	.	19	6	6	25	13	1	1	2	4	38	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	15·5	.	4	.	.	.	2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	1
Do. 2 do.	10,399	4	35·1	.	7	.	1	1	.	4	1	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	5	.
Do. 3 do.	9,793	6	26·6	.	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	1	.	.
Do. 4 do.	9,139	1	11·4	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
Do. 5 do.	6,250	2	8·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	2	27·0	.	6	.	.	1	.	3	2	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	3	.
Do. 7 do.	16,056	5	22·7	3·2	7	1	.	.	2	1	3	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	.	6	.
Total,	76,673	25	21·8	0·7	32	2	1	3	7	10	9	.	.	.	1	.	.	.	.	7	2	1	1	9	.	.	.	1	18	1

* The rates for the total of Belfast City are calculated on the estimated population (see note (*a*) Table II).

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th April, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
,, ,, 1, West, ...	.	4	.	.	.	.	.	.	.	.	.	.	2	6
,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
,, ,, 3, ...	.	2	.	.	3	.	.	.	.	.	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	3	.	.	.	.	.	1	.	.	.	.	.	4
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	2	3
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	1	.	.	1	.	.	.	.	4	6
,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
,, ,, 3, ...	.	.	.	.	.	.	.	1	.	.	.	.	4	5
,, ,, 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	11	.	.	4	.	.	3	.	.	.	.	19	37

TABLE IX.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th April, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th April.			
	Mar. 25.	April 1.	April. 8.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	41	36	31	2	4	1	28
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	66	52	47	29	18	.	58
Scarlet Fever, ...	72	73	60	15	11	1	63*
Diphtheria, ...	35	29	27	7	6	.	28
Pneumonia, ...	13	16	21	10	9	1	21

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

13421. Wt. 6237. 375. 4. 1916. G. III. Sch. c. 7.

For insertion after page 160, *accounting for absence of Nos.* 16 *to* 26, *from page* 161 *to page* 271, *inclusive.*

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

Vol. LIII., Nos. 16 to 26. Pages 161 to 271.

Owing to the destruction of the printers' premises and plant the weekly numbers from 16 to 26 were not published. The information was, however, collected and compiled, and the particulars for the full thirteen weeks of the Quarter ending 1st July, 1916, are summarised in the number commencing at page 272.

The following are the numbers omitted :—

No. 16.—	Week	ending	Saturday,	22nd	April,	1916,	pages	161-170.
17	,,	,,	,,	29th	,,	,,	,,	171-180.
18	,,	,,	,,	6th	May,	,,	,,	181-190.
19	,,	,,	,,	13th	,,	,,	,,	191-200.
20	,,	,,	,,	20th	,,	,,	,,	201-210.
21	,,	,,	,,	27th	,,	,,	,,	211-220.
22	,,	,,	,,	3rd	June,	,,	,,	221-230.
23	,,	,,	,,	10th	,,	,,	,,	231-240.
24	,,	,,	,,	17th	,,	,,	,,	241-250.
25	,,	,,	,,	24th	,,	,,	,,	251-260.
26	,,	,,	,,	1st	July,	,,	,,	261-271.

WILLIAM J. THOMPSON,
Registrar-General.

GENERAL REGISTER OFFICE,
CHARLEMONT HOUSE,
DUBLIN,

1*st July*, 1916.

(896). Wt. 2802-71/142. 3, 350. 8. 1916. A. T. & Co., Ltd.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO., LIMITED.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LIMITED, 29, BREAMS BUILDINGS, FETTER LANE, EC., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, and other Foreign Countries of
T. FISHER UNWIN, LIMITED, LONDON, W.C.

1916.

Price 1½*d.*

VOL. LIII.] QUARTER ENDING SATURDAY, 1ST JULY, 1916. [NO. 26A.

Owing to the destruction of the printers' premises and plant the weekly numbers from 16 to 26 were not published. The information was, however, collected and compiled and the particulars for the full thirteen weeks are summarised in the present number.

DUBLIN REGISTRATION AREA.—BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin, and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the population thereof, estimated to the middle of 1916, being 397,000, there were registered during the thirteen weeks ended on Saturday, 1st July, 1916, 2,553 births—1,336 boys and 1,217 girls—being equal to an annual ratio of 1 in 38·9 or 25·7 in every 1,000 of the population.

The number of births registered for the city was 2,058, equivalent to an annual rate of 27·1 in every 1,000 of the population; and for the urban districts named above, 495, equal to an annual rate of 21·2 in every 1,000 of the population.

There were registered in London during the same period 27,279 births—being equal to an annual birth-rate of 25·3 in every 1,000 of the estimated population; in Glasgow there were registered 7,410, being equal to 27·2 per 1,000; and in Edinburgh, 1,676—a number affording an annual birth-rate of 20·4 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (179) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,200, are equivalent to an annual rate of 22·2 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 21·1. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,379—1,288 males and 1,091 females—affording an annual ratio of 1 in 41·7 or 24·0 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the second quarter of the ten years, 1906–1915, in the Dublin Registration Area was 22·4 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 901, representing an annual mortality of 22·4 in every 1,000 of the population; and the number in the south city districts was 905, equivalent to a rate of 25·4 per 1,000. For the urban districts the number of deaths registered was 394, being equal to an annual death-rate of 16·9 in every 1,000.

The number of deaths registered in London during the same period was 14,816, a number equal to an annual rate of mortality of 13·8 in every 1,000 of the inhabitants, in Glasgow the number was 4,256, equal to 15·6 in every 1,000; and in Edinburgh 1,281, affording an annual death-rate of 15·6 in every 1,000 of the estimated population.

CAUSES OF DEATH IN DUBLIN REGISTRATION AREA.

The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 118, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·19.

Enteric Fever.—There were 11 deaths from enteric fever registered during the 13 weeks ended 1st July, 1916, as compared with 5, 14, and 11, respectively, in the three preceding quarters, and an average of 8 in the second quarter of the five years 1911–15. Five of the 11 deaths were those of residents of North City districts, 4 of South City districts, and the remaining 2 were of persons admitted into Institutions from without the Registration Area. Eighty-seven enteric fever patients underwent treatment in Dublin Hospitals during the quarter. Of these 51 were admitted during the quarter as against 61 discharged and 7 deaths occurred thus reducing the number under treatment from 36 at the beginning of the quarter to 19 at its close.

Typhus.—One death was registered during the quarter. There was no death from this disease in the four preceding quarters, although there was an average of one death in the second quarter of the five years 1911–1915. Altogether there were 3 persons admitted into hospital suffering from typhus, one died and the other two were still under treatment at the close of the quarter.

Small-pox.—No case of small-pox was reported.

Measles.—The deaths from measles, numbering 28, represent an annual rate of 0·28 per 1,000 of the population, and are well below the average (110) for the corresponding quarter of the previous five years. The numbers for the last September December, and March quarters were 10, 80, and 43, respectively. Of the 28 deaths, 7 were of residents of North City districts, 15 of the South City districts, 5 of Rathmines and Rathgar, and one of Pembroke. The cases under treatment in hospitals also showed a diminution, being but 270, as against 395 in the previous quarter; of the 270 cases only 34 remained under treatment on the 1st July, as compared with 52 on the 1st April.

Scarlet Fever.—Eight persons died from scarlet fever—of whom 4 were residents of the North City districts, 2 of the South City districts, one of Rathmines and Rathgar, and one of Kingstown. The average for this quarter in the five previous years was 11; 6, 12, and 5 deaths, respectively, were registered in the 3 preceding quarters. In hospitals 73 were under treatment at the beginning of the quarter, 135 were admitted, 142 discharged, 5 died, and 61‡ remained under treatment at the close of the quarter.

Whooping-cough.—Twenty deaths were registered from whooping-cough as against 13, 20, and 35, in the three preceding quarters, and an average of 31 in the second quarter of the 5 years 1911–15. Nine appertained to North City districts, 5 to South City districts, 4 to Rathmines and Rathgar, and 2 to Kingstown.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

† See note (*) on page 279.
‡ See note at foot of Table I.

Diphtheria.—The deaths from diphtheria, which numbered 16, 14, and 12, respectively, in the 3 preceding quarters fell to 8 in the period under notice—6 of these being of residents of North City districts and 2 of South City districts. The average for the corresponding quarter of the previous 5 years was 23. Ninety-six patients were treated in Dublin hospitals of whom 66 were discharged, 8 died, and 22 remained under treatment on 1st July.

Diarrhœal Diseases.—The total deaths from the diseases thus grouped were 42 in number, including the death of one child who was not a resident of the Dublin Registration area. Of the remaining 41, 24 appertained to North City districts, 15 to South City districts and 2 to Pembroke. The total is considerably below the average (51) for the corresponding quarter of the previous 5 years, and also compares favourably with the 3 quarters ended 1st April last when the numbers recorded were 192, 132, and 49, respectively. Three of the 42 deaths were from dysentery, and 37 were of children under 2 years of age.

Influenza.—Nine deaths were returned as having been caused by influenza, as compared with 6, 16, and 27, respectively, in the 3 previous quarters and an average of 23 in the June quarter of the 5 years, 1911–15.

Cerebro-spinal Fever.—One death only was registered during the quarter, the returns for the 3 previous quarters showing one, one, and 3 respectively.

Tuberculosis.—The mortality from all forms of this disease which showed a gradual rise in the three previous quarters, when it totalled 323, 359, and 417, respectively, declined to 396 in the period under review, comprising 299 deaths from pulmonary tuberculosis, 32 from tuberculous meningitis, 32 from abdominal tuberculosis, and 33 from all other forms of the disease. The 396 deaths correspond to an annual rate of 3·99 per 1,000 of the population, and are somewhat less than the average (401) for the June quarter of the 5 years 1911–15. Thirty-eight deaths were of persons from outside the Registration area and the remaining 358 resided as follows:—149 in North City districts, equal to an annual rate of 3·70 per 1,000 of the population of these districts; 158 or 4·44 per 1,000 in South City districts, 21 or 2·15 in Rathmines and Rathgar; 16 or 2·20 in Pembroke; 3 or 1·35 in Blackrock; and 11 or 2·68 in Kingstown. From pulmonary tuberculosis alone 98 or 2·43 per 1,000 of the population appertained to North City districts; 127 or 3·57 to South City districts, and 46 or 1·97 to the four suburban areas.

Cancer.—Malignant diseases caused 113 deaths equivalent to an annual rate of 1·14 per 1,000 of the population, the corresponding rates for the 3 previous quarters being 1·14, 1·39 and 1·23 respectively.

Pneumonia.—The deaths, 155 in number, from pneumonia are below the average for the June quarter in the 5 years 1911–15, which was 188. The former figure is equal to an annual rate of 1·56 per 1,000 of the population and comprises 73 deaths from broncho-pneumonia, 15 from lobar-pneumonia, and 67 from pneumonia, type not distinguished.

Diseases of the Brain and Nervous System.—The deaths which resulted from diseases classified under this heading reached a total of 197, the corresponding annual rate being 1·98. They include one death (already referred to) from cerebro-spinal fever, 28 from simple meningitis, and 46 (equal to an annual rate of 0·46 per 1,000 of the population) from convulsions.

Diseases of the Circulatory System.—Two hundred and twenty-two deaths were caused by diseases of the circulatory organs, affording an annual rate of 2·24 per 1,000 of the population. A similar number represents the average for the corresponding quarter in the last five years.

Bronchitis.—There were 226 deaths from bronchitis as compared with 94, 284, and 315, respectively in the 3 previous quarters.

Congenital Conditions.—The number of deaths due to congenital malformations was 11, the number due to premature birth was 49 and the number due to congenital debility was 59.

Violence.—The large number of 346 deaths was registered as having been caused by violence during the quarter, 290 of these being due to gunshot wounds. Of the remainder, 8 were caused by burns or scalds, 8 by drowning, 3 by vehicles and horses, 2 by poisons or poisonous vapours, one each by suffocation, railways, and in building operations, while there were 2 cases of suicide, one of homicide, and 3 executions registered during the quarter.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 1st July, 1916.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
ENTERIC FEVER	36	51	61	7	19
TYPHUS	.	3	.	1	2
SMALL-POX, ...	.	.	.	.	.
MEASLES, ...	52	218	233	3	34
SCARLET FEVER, ...	73	135	142	5	61
DIPHTHERIA, ...	29	67	66	8	22
PNEUMONIA, ...	16	82	69	14	15

* Exclusive of 9 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital

In 184 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 184 cases, 34 (or 18·5 per cent.) were deaths of children under 5 years of age; these 34 deaths form 6·8 per cent. of the total number of deaths of children of that age-period. Of the deaths of 116 infants under one month old registered, there were 20 (or 17·2 per cent.) regarding which the cause was uncertified.

From Table II., on page 276, it will be seen that, excluding 179 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,200, equal to an annual rate of 22·2 per 1,000 of the estimated population, and that 115 of these deaths, representing an annual rate of 1·2 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 23·8 per 1,000, and for the urban districts 16·9 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·3, and in the urban districts 0·7, the rates for the several districts varying from 0·0 in two of the districts to 2·3 in North City No. 1 East, the 180 deaths from all causes for that district including 2 from enteric, fever 2 from scarlet fever, 2 from diphtheria, 6 from whooping cough, and 5 from diarrhœa and enteritis of children under 2 years.

OCCUPATIONS.—Table III., on page 277, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 17·2 per 1,000 of the persons in that class according to the Census of 1911; the rate for the "Middle Class was also 17·2 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 18·6; and in the "General Service Class" it was 22·2.

AGES.—Of the 2,379 persons whose deaths were registered in the Dublin Registration Area during the quarter, 502 were under 5 years of age, including 333 infants under one year of age, the latter representing a rate of 130 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 49·1 in every 1,000 children at that age (according to the Census of 1911); 131 were between the ages of 5 and 15, representing an annual rate of 7·4 per 1,000 persons at that age-period; 210 were between the ages of 15 and 25, equivalent to an annual rate of 10·5 per 1,000; the total number under 25 years being equal to an annual mortality of 17·6 per 1,000 of the population at that age-period (according to the Census of 1911); 456, or 14·6 per 1,000 persons, were between 25 and 45; 557, or 37·8 per 1,000, between 45 and 65; 306, or 72·5 per 1,000, between 65 and 75; and 217, or 155·2 per 1,000, were aged 75 and upwards, including 14 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 2,379 deaths recorded during the quarter, 1,111, or 46·7 per cent., occurred in public institutions, viz., 710 in the various hospitals, prisons, and lunatic asylums; 154 in the North Dublin Union Workhouse; 237 in the South Dublin Union Workhouse; and 10 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 49·3°. At Greenwich, for the quarter, it was 53·5°; at Glasgow 49·8°; and at Edinburgh, 48·1°.

The rainfall at Dublin during the thirteen weeks measured 9·11 inches; at Greenwich, 5·24 inches; at Glasgow, 10·60 inches; and at Edinburgh, 9·31 inches.

† See note (*) p. 279.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 1st July, 1916,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases* ; with the Mortality from some of the principal causes ; also the Deaths at certain age-periods, and the number of Uncertified Deaths ; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRATION OF DEATHS QUARTER (13 WEEKS) ENDED 1ST JULY, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.*	Annual Rate of Mortality per 1000 Living represented by Deaths. From All Causes.	From certain Epidemic Diseases.†	Total Deaths.	Ages at Death. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Deaths from. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	In Institutions. Hospitals, Prisons and Lunatic Asylums.	Workhouse Hospitals.	Inquest Cases.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1 E. ..	29,400	24·5	2·3	180	36	11	8	15	14	30	35	31	2	·	·	·	2	6	2	·	20	12	3	12	15	5	·	30	71	47	18	2	24
,, 1 W. ..	40,200	23·1	1·3	232	36	8	8	11	20	39	63	47	·	·	·	·	1	2	·	1	22	11	7	14	23	8	1	39	103	62	36	4	26
,, 2	26,900	30·6	1·8	206	23	13	6	13	24	48	50	29	1	·	·	2	·	1	3	1	26	17	6	5	30	3	1	55	55	50	44	2	43
,, 3 ..	35,200	19·5	1·1	172	33	10	9	9	21	31	29	30	1	·	·	3	1	·	1	·	17	8	7	18	12	4	·	22	78	52	38	4	14
CLONTARF AND HOWTH, No. 1, part of.	5,400	9·6	0·7	13	·	·	·	·	2	2	4	5	1	·	·	·	·	·	·	·	2	·	1	1	1	·	·	·	7	3	·	1	1
COOLOCK AND DRUMCONDRA, part of.	13,300	18·6	·	62	6	·	·	6	2	11	12	25	·	·	·	·	·	·	·	·	7	2	3	2	10	·	·	5	33	14	4	2	·
FINGLAS AND GLASNEVIN, part of	10,800	13·3	0·7	36	1	3	1	3	4	5	10	9	·	·	·	2	·	·	·	·	4	1	4	5	5	·	·	6	9	10	4	2	1
South City.																																	
SOUTH CITY, No. 1	40,100	24·9	1·5	250	39	9	14	19	17	38	61	53	1	·	·	8	1	·	2	·	31	6	10	17	34	3	·	30	107	48	63	4	15
,, 2	17,800	28·5	1·1	127	18	5	5	1	9	27	31	31	·	·	·	2	·	·	·	·	14	4	6	4	21	3	·	26	47	25	38	8	11
,, 3	42,400	24·9	1·0	264	36	13	9	23	15	40	65	63	1	·	·	2	1	3	·	1	37	14	14	21	39	3	·	27	101	68	59	3	9
,, 4	32,000	27·1	1·1	217	33	8	5	10	24	42	47	48	2	·	·	3	·	·	·	·	34	6	7	15	25	4	·	36	85	63	38	7	18
NEW KILMAINHAM	10,100	18·6	1·6	47	7	2	2	3	2	17	5	9	1	·	·	·	·	2	·	·	11	1	·	3	4	1	·	5	19	10	10	1	2
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	17·6	1·0	172	22	4	2	4	12	24	47	57	·	·	·	5	1	4	·	·	17	4	10	8	20	·	·	16	87	37	10	2	7
PEMBROKE	29,100	16·8	0·4	122	22	3	2	1	13	23	29	29	·	·	·	1	·	·	·	·	16	·	6	11	12	2	·	16	58	41	10	3	4
BLACKROCK	8,900	11·7	·	26	4	·	·	2	1	5	4	10	·	·	·	·	·	·	·	·	3	·	2	5	·	·	·	2	14	3	5	·	1
KINGSTOWN	16,400	18·0	0·7	74	8	2	2	3	6	12	17	24	·	·	·	·	1	2	·	·	10	1	4	9	9	·	·	1	37	16	6	1	5
Total City. North, ...	161,200	22·4	1·4	901	135	45	32	57	87	166	203	176	5	·	·	7	4	9	6	2	98	51	31	57	96	20	2	157	356	238	144	17	109
Total City. South, ...	142,400	25·4	1·2	905	133	37	35	56	67	164	209	204	4	1	·	15	2	5	2	1	127	31	37	60	123	14	·	124	359	214	208	23	55
Total City. North and South,	303,600	23·8	1·3	1,806	268	82	67	113	154	330	412	380	9	1	·	22	6	14	8	3	225	82	68	117	219	34	2	281	715	452	352	40	164
Total Urban Districts, ..	93,400	16·9	0·7	394	56	9	6	10	32	64	97	120	·	·	·	6	2	6	·	·	46	5	22	33	41	2	·	35	196	97	31	6	17
Total Registration Area, ..	397,000	22·2	1·2	2,200	324	91	73	123	186	394	509	500	9	1	·	28	8	20	8	3	271	87	90	150	260	36	2	316	911	549	383	46	181
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				179	9	1	4	8	24	62	48	23	2	·	·	·	·	·	·	·	28	10	23	5	6	1	·	30	74	161	18	3	3

* See note (*) on page 278. † See note (*) on page 279.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATION or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 1st July, 1916** ; the Annual Death Rate represented by the Deaths Registered ; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 1ST JULY, 1916. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 Years	5 and under 15.	15 and under 25	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	ALL PERSONS.	397,957	·	2,379	502	131	210	456	557	306	217	11	1	·	28	8	20	8	3	299	97	113	46	155	266	37	2	346	939	184
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,..	14,658	17·2	63	3	·	4	9	16	11	20	·	·	·	·	·	2	·	·	4	·	6	·	5	2	·	·	10	34	3
II.	MIDDLE CLASS	101,798	17·2	438	53	28	36	80	111	61	69	2	·	·	6	4	2	2	1	45	13	29	5	26	28	1	·	62	212	27
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS..	108,420	18·6	505	100	23	52	111	120	56	43	2	·	·	11	·	5	·	·	77	17	27	5	33	53	6	·	81	188	45
IV.	GENERAL SERVICE CLASS	167,479	22·2	972	300	67	98	188	187	89	43	6	1	·	11	4	11	6	1	104	50	29	35	74	97	24	2	182	335	107
V.	INMATES OF WORKHOUSES	5,602	·	401	46	13	20	68	123	89	42	1	·	·	·	·	·	·	1	69	17	22	1	17	86	6	·	11	170	2
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal and other Professions; Naval and Military Officers, and Heads of Public Departments ..	7,868	·	56	3	·	4	9	14	10	16	·	·	·	·	·	2	·	·	4	·	5	·	5	2	·	·	10	28	3
	2. Merchants and Manufacturers, Higher Class	1,347	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described	5,443	·	7	·	·	·	·	2	1	4	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	6	·
II.	MIDDLE CLASS.																														
	4 General Body of Officials—Civil Service, Banking, &c.	9,523	·	42	7	1	4	4	16	5	5	·	·	·	·	·	·	·	·	3	2	5	·	5	6	·	·	6	15	2
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	·	121	15	1	2	20	30	26	27	1	·	·	3	1	·	·	·	7	1	8	2	5	10	·	·	16	67	9
	6 Clerks and Commercial Assistants ..	33,249	·	139	23	10	18	36	30	9	13	1	·	·	1	3	1	2	1	18	6	2	3	7	8	1	·	27	58	11
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above	33,827	·	136	8	16	12	20	35	21	24	·	·	·	2	·	1	·	·	17	4	14	·	9	4	·	·	13	72	5
III.	ARTISAN CLASS AND PETTYSHOPKEEPERS.																														
	8. Working Engineers Engravers, Printers, Watchmakers, and Jewellers ..	11,777	·	48	11	1	10	5	13	4	4	·	·	·	1	·	·	·	·	6	2	2	1	4	·	3	·	12	17	4
	9. Building and Furnishing Trades ..	28,823	·	101	28	8	5	23	22	5	10	·	·	·	2	·	2	·	·	13	3	3	3	5	12	1	·	13	44	9
	10. Clothing Trades	20,026	·	69	11	1	8	17	13	13	6	·	·	·	2	·	·	·	·	17	2	1	·	1	10	·	·	7	29	6
	11. Food Supply Trades	8,952	·	32	8	·	1	9	7	4	3	·	·	·	2	·	1	·	·	5	2	2	1	2	4	·	·	5	8	3
	12. Other Trades and Callings ranking with Trades	32,070	·	225	34	12	27	51	56	27	18	2	·	·	4	·	2	·	·	34	6	16	·	16	22	2	·	38	83	19
	13. Petty Shopkeepers	6,772	·	30	8	1	1	6	9	3	2	·	·	·	·	·	·	·	·	2	2	3	·	5	5	·	·	6	7	4
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	·	185	72	10	27	39	18	10	9	1	·	·	3	1	4	·	·	12	8	6	9	22	11	5	·	43	60	11
	15. Domestic Servants	36,041	·	69	10	2	7	20	15	9	6	·	·	·	·	·	·	·	·	16	2	2	1	1	9	2	·	5	31	7
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	·	73	12	6	5	17	20	9	4	1	·	·	·	·	·	1	·	7	3	3	3	8	10	1	·	17	19	12
	17. Hawkers, Porters, Labourers, &c. ..	103,081	·	645	206	49	59	112	134	61	24	4	1	·	8	3	7	5	1	69	37	18	22	43	67	16	2	117	225	77
V.	18. INMATES OF WORKHOUSES. Workhouse Inmates	5,602	·	401	46	13	20	68	123	89	42	1	·	·	·	·	·	·	1	69	17	22	1	17	86	6	·	11	170	2

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 1st July, 1916,** in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the the number of Uncertified Deaths.

TOWNS AND DISTRICTS	POPULATION. Total.*	Persons to an Acre.	Annual Rate 1,000 persons Represented by BIRTHS.	DEATHS. From all Causes	DEATHS. From certain Epidemic Diseases.†	BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 years of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
						REGISTRATION—QUARTER (13 WEEKS) ENDED 1ST JULY, 1916. NUMBERS REGISTERED. DEATHS. Caused by																						
TOTAL OF 19 TOWN DISTRICTS ..	1,122,268	19·7	24·8	19·2	1·3	6,958	5,390	747	1 260	14	1	·	98	28	106	20	3	742	254	240	398	591	66	15	371	130	1.849	276
DUBLIN REGISTRATION AREA :—																												
TOTAL	397,000	28·9	25·7	22·2	1·2	2,553	2,200a	324	500	9	1	·	28	8	20	8	3	271	87	90	150	260	36	2	316	46	932	181
Urban Districts. CITY OF DUBLIN	303.600	38 4	27·1	23·8	1·3	2,058	1,806	268	380	9	1	·	22	6	14	8	3	225	82	68	117	219	34	2	281	40	804	164
Urban Districts. RATHMINES AND RATHGAR ..	39,000	22·8	21·4	17·6	1·0	209	172	22	57	·	·	·	5	1	4	·	·	17	4	10	8	20	·	·	16	2	47	7
Urban Districts. PEMBROKE	29,100	18·5	24·2	16·8	0·4	176	122	22	29	·	·	·	1	·	·	·	·	16	·	6	11	12	2	·	16	3	51	4
Urban Districts. BLACKROCK	8,900	8·2	15·3	11·7	·	34	26	4	10	·	·	·	·	·	·	·	·	3	·	2	5	·	·	·	2	·	8	1
Urban Districts. KINGSTOWN	16.400	11·2	18·5	18·0	0·7	76	74	8	24	·	·	·	·	1	2	·	·	10	1	4	9	9	·	·	1	1	22	5
Urban Districts. BELFAST	390,000	26·1	26·1	17·3	1·6	2,540	1,687a	253	304	3	·	·	67	16	44	4	·	264	95	77	151	175	19	6	35	51	439	32
Urban Districts. CORK	76,673	28·6	22·0	19·3	1·0	422	369	40	103	1	·	·	1	2	8	3	·	50	25	17	31	39	2	2	2	8	153	9
Urban Districts. LONDONDERRY	40,000	15·5	25·9	16·8	0·3	259	168	15	50	·	·	·	1	·	·	1	·	24	6	10	12	29	1	·	1	3	30	2
Urban Districts. LIMERICK	38,518	16·1	25·3	17·8	0·8	244	171	23	39	·	·	·	·	2	5	·	·	21	5	5	12	24	·	1	·	·	65	11
Urban Districts. WATERFORD	27 464	19·1	23·9	21·6	2·5	164	148	19	44	·	·	·	·	·	12	3	·	20	6	9	11	15	2	·	2	5	60	5
Urban Districts. GALWAY	13,255	2·5	22·9	16·0	·	76	53	6	20	·	·	·	·	·	·	·	·	6	3	5	6	1	·	·	·	·	19	2
Urban Districts. DUNDALK	13,128	9·5	26·8	15·8	0·3	88	52	11	11	·	·	·	·	·	·	·	·	8	·	2	5	2	1	·	2	2	13	6
Urban Districts. LURGAN	12,553	14·7	18·2	13·7	·	57	43a	5	17	·	·	·	·	·	·	·	·	5	2	2	2	3	·	·	3	3	8	1
Urban Districts. DROGHEDA	12,501	8·4	18·6	18·6	0·6	58	58	1	23	·	·	·	·	·	1	·	·	10	1	6	3	2	·	1	·	2	16	3
Urban Districts. LISBURN	12,388	10·9	19·1	17·8	0·6	59	55	7	21	·	·	·	·	·	1	1	·	6	·	·	1	7	·	·	1	1	11	3
Urban Districts. NEWRY	11,963	17·0	19·7	22·7	4·0	59	68	9	21	·	·	·	1	·	10	·	·	7	3	5	1	9	·	1	1	2	12	2
Urban Districts. PORTADOWN	11,727	15·3	22·2	17·7	1·4	65	52	4	18	1	·	·	·	·	3	·	·	7	6	1	1	2	·	·	·	·	12	1
Urban Districts. WEXFORD	11,531	22·8	23·9	15·6	1·0	69	45	8	12	·	·	·	·	·	·	·	·	8	5	·	5	2	2	1	·	·	·	7
Urban Districts. BALLYMENA	11,381	9·3	15·8	15·8	0·7	45	45a	5	18	·	·	·	·	·	2	·	·	7	2	3	4	3	·	·	2	2	7	4
Urban Districts. SLIGO	11,163	3·8	18·3	14·3	·	51	40	7	11	·	·	·	·	·	·	·	·	4	3	2	·	3	·	·	2	2	15	4
Urban Districts. KILKENNY	10,514	11·4	19·4	16·4	·	51	43	3	16	·	·	·	·	·	·	·	·	7	1	3	2	5	·	·	·	·	20	2
Urban Districts. TRALEE	10,300	17·4	22·5	16·3	0·8	58	42	3	16	·	·	·	·	·	·	·	·	8	3	·	·	5	1	1	·	·	12	·
Urban Districts. CLONMEL	10,209	7·8	15·7	20·0	0·8	40	51	4	16	·	·	·	·	·	·	·	·	9	1	3	1	5	2	·	4	3	25	1

* According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population is that estimated to the middle of 1916. † See note (*) on page 279.

(a) Including one death from cerebro-spinal fever for the Dublin Registration Area, 6 for Belfast, one for Lurgan and one for Ballymena.

Nineteen Principal Town Districts of Ireland.—The annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 19·2 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Lurgan, 13·7 ; Sligo, 14·3 ; Wexford, 15·6 ; Ballymena, 15·8 ; Dundalk, 15.8 ; Galway, 16·0 ; Tralee, 16·3 ; Kilkenny, 16·4 ; Londonderry, 16·8 ; Belfast, 17·3 ; Portadown, 17·7 ; Limerick, 17·8 ; Lisburn, 17·8 ; Drogheda, 18·6 ; Cork, 19·3 ; Clonmel, 20·0 ; Waterford, 21·6 ; Dublin Registration Area, 22·2 ; and Newry, 22·7.

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 1·3 per 1,000 of the population, the rates varying from 0·0 in 4 of the districts to 4·0 in Newry, the 68 deaths from all causes for that district including one from measles and 10 from whooping-cough.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *eighteen provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for that quarter :—

Enteric Fever.—Of 5 deaths from enteric fever, 3 belonged to Belfast and one each to Cork and Portadown.

Measles.—There were 70 deaths from measles including 67 for Belfast, and one each for Cork, Londonderry and Newry.

Scarlet Fever.—For Belfast 16 deaths were returned ; for Cork and Limerick, 2 deaths each.

Whooping-Cough.—There were 86 deaths from whooping-cough ; 44 of these appertained to Belfast ; 12 to Waterford ; 10 to Newry ; 8 to Cork ; 5 to Limerick ; 3 to Portadown ; 2 to Ballymena ; and one each to Drogheda and Lisburn.

Diphtheria.—Four deaths were recorded from Belfast ; 3 each for Cork and Waterford and one each for Londonderry and Lisburn.

Diarrhœal Diseases.—There were 30 deaths from diarrhœa and enteritis under 2 years of age ; 19 in Belfast ; 2 each in Cork, Waterford, Wexford, and Clonmel ; and one each in Londonderry, Dundalk, and Tralee.

Typhus and Small Pox.—There was no mortality from these diseases.

Pulmonary Tuberculosis.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 2·6 per 1,000 of the estimated population ; for the Dublin Registration Area it was 2·7 per 1,000, for Belfast county borough 2·7 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast), it was 2·5 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

TABLE V.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK Registered during the **Quarter** (13 weeks) **ended 1st July, 1916**, Deaths in Public Institutions of persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from all Causes and from certain Epidemic Diseases; † Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 years and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	103	19·9	2·3	79	11	13	6	14	19	16	·	·	·	3	·	6	·	·	15	2	5	7	10	·	·	7	8	24	1
Do. 2 do.	49,500	327	18·8	2·0	233	29	31	29	42	47	55	·	·	·	13	2	6	3	·	27	10	12	23	21	1	·	7	9	64	4
Do. 3 do.	50,032	322	20·2	2·6	253	37	41	35	44	53	43	·	·	·	18	1	8	·	·	39	20	13	18	27	4	1	6	10	53	7
Do. 4 do.	32,637	188	21·7	2·2	177	35	23	23	29	32	35	·	·	·	8	2	1	·	·	25	8	8	16	17	7	·	2	5	85	1
Do. 5 do.	16,112	129	21·1	1·7	85	10	11	12	18	23	11	2	·	·	4	·	1	·	·	12	5	1	8	12	·	·	·	1	29	3
Do. 6 do.	37,293	195	13·7	0·9	128	15	10	19	24	32	28	·	·	·	4	2	1	·	·	15	8	5	9	12	1	·	2	3	27	1
Do. 7 do.	2,681	17	7·5	·	5	·	1	1	3	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	1	·
Do. 8 do.	5,964	26	14·1	0·7	21	3	4	3	2	6	3	·	·	·	·	1	·	·	·	3	1	1	3	6	·	·	1	1	3	·
Do. 9 do.	24,427	178	17·2	1·1	105	13	10	16	16	25	25	·	·	·	3	1	1	1	·	13	4	3	14	18	1	·	·	·	21	1
Do. 10 do.	28,958	210	17·3	1·7	125	16	22	22	21	33	11	·	·	·	6	·	3	·	·	24	8	9	12	15	·	3	3	1	19	4
Do. 11 do.	39,311	239	12·6	1·4	124	23	10	19	22	26	24	·	·	·	3	4	3	·	·	26	5	7	7	8	2	2	1	3	27	3
Do. 12 do.	38,076	316	18·2	1·9	173	36	24	31	32	31	19	1	·	·	2	3	10	·	·	30	10	3	15	17	2	·	4	7	48	3
Do. 13 do.	23,233	152	12·9	0·5	75	13	2	5	15	22	18	·	·	·	·	·	2	·	·	15	2	4	4	6	1	·	1	2	8	·
Do. 14 do.	175	2	45·5	·	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Do. 15 do.	22,669	136	18·0	0·9	102	12	15	16	19	24	16	·	·	·	3	·	2	·	·	18	11	5	15	6	·	·	1	1	30	3
Total, ...	386,947	2,540	17·3	1·6	1,687	253	217	238	301	374	304	3	·	·	67	16	44	4	·	264	95	77	151	175	19	6	35	51	439	32
City of Cork.																														
CORK URBAN No. 1 DISTRICT, ..	13,455	63	13·4	·	45	5	·	6	9	9	16	·	·	·	·	·	·	·	·	5	1	2	2	4	·	·	1	1	19	3
Do. 2 do. ..	10,399	83	20·8	1·9	54	3	8	8	7	17	11	·	·	·	·	1	1	1	·	5	5	6	4	7	·	2	·	·	20	·
Do. 3 do. ..	9,793	57	20·4	2·0	50	8	5	12	5	10	10	·	·	·	·	·	4	·	·	13	3	1	2	8	1	·	1	3	17	3
Do. 4 do. ..	9,139	44	23·6	·	54	5	10	6	13	6	14	·	·	·	·	·	·	·	·	8	8	2	7	7	·	·	·	1	25	1
Do. 5 do. ..	6,250	37	14·1	0·6	22	5	4	1	3	3	6	·	·	·	·	·	·	·	·	4	·	·	3	4	1	·	·	·	5	·
Do. 6 do. ..	11,581	54	21·4	0·7	62	6	7	5	10	12	22	·	·	·	·	1	1	·	·	7	3	3	4	5	·	·	·	·	26	2
Do. 7 do. ..	16,056	84	20·4	1·5	82	8	10	8	17	15	24	1	·	·	1	·	2	2	·	8	5	3	9	4	·	·	·	3	41	·
Total, ...	76,673	422	19·3	1·0	369	40	44	46	64	72	103	1	·	·	1	2	8	3	·	50	25	17	31	39	2	2	2	8	153	9

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916. † See note (*) on page 279.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
12th August, 1916.

WILLIAM J. THOMPSON,
Registrar-General.

(10023). Wt. 328. 3, 375. 7/1916 A. T. & Co., Ltd.

(FOR OFFICIAL USE.)

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 27. Vol. LIII.] Week ending Saturday, 8th July, 1916. [Price 1½d.

General Register Office, Charlemont House,
Dublin, 10th July, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·5 and 15·5; Dublin Registration Area, 17·6 and 17·6; Dublin City, 18·4 and 18·9; Belfast, 12·4 and 14·1; Cork, 14·3 and 14·8; Londonderry, 7·8 and 13·0; Limerick, 10·8 and 11·2; and Waterford 24·7 and 23·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·1 per 1,000. Among the 93 deaths from all causes for Belfast are 2 from measles, one from whooping-cough, and 3 from diarrhœal diseases. Of the 13 deaths from all causes for Waterford one was from whooping-cough and 2 were from diphtheria; and of the 4 deaths recorded for Lisburn one was from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 240—124 boys and 116 girls—and the deaths to 143—63 males and 80 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·6 per 1,000 of the population. During the twenty-seven weeks ending with Saturday last, the death-rate averaged 21·6, and was 1·2 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the twenty-seven weeks was 23·2, and for the corresponding period of the preceding ten years, 24·1.

The 134 deaths appertaining to the Area include one from enteric fever; 2 from scarlet fever; one from whooping-cough; 8 of children under 2 years from diarrhœa and enteritis; one from influenza; and one from chicken-pox. In the three preceding weeks deaths from enteric fever numbered 0, one, and 0; deaths from scarlet fever numbered one, one, and one; from whooping-cough 0, one, and 0; from diarrhœa and enteritis of children under 2 years 3, 2, and one; and from influenza one, 0, and 0, respectively.

Tuberculous disease caused 26 deaths (comprising 23 from pulmonary tuberculosis and 3 from tuberculous meningitis), as against 27, 33, and 27 in the three weeks preceding.

Nine deaths were caused by cancer, 9 by pneumonia (7 by broncho-pneumonia, one by lobar pneumonia, and one by pneumonia, type not distinguished), 10 by organic diseases of the heart, and 10 by bronchitis.

Among deaths of infants under one year old, 2 were ascribed to convulsions, 5 to prematurity, and 7 to congenital debility.

Thirty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 28 being infants under one year, of whom 12 were under one month old.

Of the 134 deaths recorded, 48 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 10·7), wa equal to an average annual death-rate of 11·1 per 1,000 persons living. The average rate for 16 principa towns of Scotland was 12·4 per 1,000, the rate for Glasgow being 12·9, and for Edinburgh 12·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Healt for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th July From this Report it appears that of 54 cases notified, 28 were scarlet fever, 11 diphtheria, 9 pulmonar tuberculosis, 3 other forms of tuberculosis and 3 of erysipelas. Among the 464 cases of infectious disease in hospital at the close of the week, were 151 of pulmonary tuberculosis, 170 of scarlet fever, 98 c diphtheria, 21 of measles, 2 of erysipelas, 4 of cerebro-spinal fever, 4 of enteric fever, and one of whooping cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registratio Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford during the week ended 8th July, 1916, and each of the preceding three weeks, as furnished b the respective Sanitary Authorities. A dash (—) denotes that the disease in question is no notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	June 17,	·	—	—	11	·	·	5	·	·	·	1	1	—	—	·	—	·	15	33
	June 24,	·	—	—	16	2	·	2	·	1	3	3	·	—	—	·	—	·	21	48
	July 1,	·	—	—	4	·	·	1	1	·	5	2	·	—	—	·	—	·	17	30
	July 8,	·	—	—	6	·	·	7	·	·	2	2	·	—	—	·	—	·	13	30
Rathmines and Rathgar Urban District.	June 17,	·	—	—	3	·	·	·	·	·	1	·	·	—	—	—	—	—	—	4
	June 24,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	—	1
	July 1,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	July 8,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	—	—	—	—	3
Pembroke Urban District.	June 17,	·	7	·	·	·	·	·	·	·	·	·	·	—	2	·	—	—	·	9
	June 24,	·	4	·	1	·	·	·	·	·	·	·	·	—	3	·	—	—	·	8
	July 1,	·	4	3	·	·	·	·	·	·	·	·	·	—	1	·	—	—	·	8
	July 8,	·	1	·	·	·	·	·	·	·	·	1	·	—	·	·	—	—	·	2
Blackrock Urban District.	June 17,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	June 24,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	July 1,	·	3	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	3
	July 8,	·	·	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	·	2
Kingstown Urban District.	June 17,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	June 24,	·	—	—	·	·	·	·	·	·	·	1	·	—	—	—	—	—	·	1
	July 1,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	July 8,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	—	—	—	·	2
City of Belfast	June 17,	·	—	—	18	·	·	1	·	·	2	1	·	—	—	1	—	·	·	23
	June 24,	·	—	—	8	·	·	5	·	·	1	1	·	—	—	·	—	·	2	17
	July 1,	·	—	—	17	·	·	1	·	·	1	·	·	—	—	·	—	·	·	19
	July 8,	·	—	—	23	·	·	4	·	·	4	2	·	—	—	·	—	·	1	34
City of Cork	June 17,	·	1	—	3	·	·	·	·	·	·	1	·	—	—	—	·	—	—	5*a*
	June 24,	·	2	—	2	·	·	·	·	·	·	1	·	—	—	—	·	—	—	5*b*
	July 1,	·	1	—	2	·	·	·	·	·	·	2	·	—	—	—	·	—	—	5
	July 8,	·	2	—	·	·	·	2	·	·	·	·	·	—	—	—	1	—	—	6
City of Londonderry	June 17,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	June 24,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	July 1,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	July 8,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	·	—	—	—	2
City of Limerick	June 17,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	June 24,	·	—	—	4	·	·	·	·	·	·	·	·	—	—	·	—	—	—	4
	July 1,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	July 8,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
City of Waterford.	June 17,	·	—	—	·	·	·	·	·	·	·	1	·	—	—	—	—	—	·	1
	June 24,	·	—	—	·	·	·	1	·	·	1	·	·	—	—	—	—	—	·	2
	July 1,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	July 8,	·	—	—	2	·	·	1	·	·	·	·	·	—	—	—	—	—	·	3

(*a*) Not including one case of pulmonary tuberculosis.
(*b*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th July, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever 3 and 20 ; measles 11 and 35 ; scarlet fever 13 and 60* ; and diphtheria 7 and 23. Two cases of typhus remained under treatment in hospital at the close of the week. Three cases of pneumonia were admitted during the week and 10 remained under treatment at its close. There were two deaths in hospitals during the week from scarlet fever.

* See note (*) at foot of Table IX.

TABLE II. BIRTHS and DEATHS registered during the week ending Saturday, 8th July, 1916, in the Dublin Registration Area, the City of Belfast, the City of Londonderry, and the Towns in which the Population is 10,000 and upwards (including Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 8th July, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
Total of 19 Town Districts.	1,122,268	19·7	27·0	14·5	1·1	581	313	50	85	1	·	·	2	2	4	2	·	55	12	19	16	20	10	2	3	6	103	7	·	·	·	·
Dublin Registration Area.	397,000	28·9	31·5	17·6	1·6	240	134	28	39	1	·	·	·	2	1	·	·	23	3	9	9	14	8	·	2	1	48	4	(d) 63·7	43·9	55·0	0·89
Urban Districts. City of Dublin,	303,600	38·4	34·3	18·4	1·9	200	107	25	29	1	·	·	·	1	1	·	·	20	3	7	7	12	8	·	1	1	44	3	(e)62·8 (f)65·2	47·0 44·6	55·5 55·9	0·90 0·44
Urban Districts. Rathmines and Rathgar.	39,000	22·8	22·7	10·7	1·3	17	8	1	3	·	·	·	·	1	·	·	·	1	·	·	1	·	·	·	·	·	2	·	·	·	·	·
Urban Districts. Pembroke, ..	29,100	18·5	21·5	21·5	·	12	12	1	3	·	·	·	·	·	·	·	·	2	·	2	1	1	·	·	1	·	1	·	·	·	·	·
Urban Districts. Blackrock, ..	8,900	8·2	29·2	5·8	·	5	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Kingstown, ..	16,400	11·2	19·1	19·1	·	6	6	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	64	48	55·6	0·61
Urban Districts. Belfast, ..	390,000	26·1	26·6	12·4	0·8	199	93	14	24	·	·	·	2	·	1	·	·	20	5	5	2	5	1	·	1	1	24	2	64·0	46·0	54·5	2·13
Urban Districts. Cork, ...	76,673	28·6	23·8	14·3	·	35	21	·	7	·	·	·	·	·	·	·	·	6	·	2	2	·	·	·	·	1	7	·	66	49	57·2	1·02
Urban Districts. Londonderry, ..	40,000	15·5	36·5	7·8	·	28	6	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	1	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	10·8	10·8	·	8	8	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·
Urban Districts. Waterford, ..	27,464	19·1	15·2	24·7	5·7	8	13	1	2	·	·	·	·	·	1	2	·	1	1	1	1	·	·	·	·	1	7	·	·	·	·	·
Urban Districts. Galway, ..	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			3	5	·	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	4	·	65	48	56	0·00
Urban Districts. Dundalk, ..	13,128	9·5				11	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	66·2	44·3	54·2	0·20
Urban Districts. Drogheda, ..	12,501	8·4				6	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				3	4	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	66·2	44·3	54·2	0·20
Urban Districts. Newry, ..	11,963	17·0				6	6	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	66·2	44·3	54·2	0·20
Urban Districts. Portadown, ..	11,727	15·3				10	5	1	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	66·2	44·3	54·2	0·20
Urban Districts. Wexford, ..	11,531	22·8				2	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Sligo, ..	11,163	3·8				4	5	1	1	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	1	·	·	64	41	53·0	0·65
Urban Districts. Kilkenny, ..	10,514	11·4				4	5	·	2	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	3	·	66	46	55·7	1·26
Urban Districts. Tralee, ..	10,300	17·4				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
London, ...	4,310,030	—	—	10·7	—	1,910	(g)887	126	278	1	·	·	13	2	11	14	—	95	28	82	57	38	19	12	26	78	445	·	·	·	·	·
Edinburgh, ...	329,200	—	—	12·4	—	116	78	7	31	·	·	·	2	·	·	2	—	—	—	—	—	—	·	—	2	—	—	—	62·7	44·9	51·5	3·82
Glasgow, ...	1,091,600	—	—	12·9	—	518	269	32	63	1	·	·	10	3	5	1	—	—	—	—	—	—	3	—	13	—	—	—	63·7	44·1	53·7	2·15

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 5 deaths from cerebro-spinal fever.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 27th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 8th July, 1916.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	133·2	143	12	17	2	4	2	3	4	6	11	15	12	13	23	19	134
Enteric Fever ..	·6	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	3·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scarlet Fever ..	·8	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	2
Whooping-cough ..	·8	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Diphtheria	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	1·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Dysentery	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Pyæmia and Septicæmia (non-puerperal).	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	15·6	24	·	·	·	1	·	1	1	3	8	7	2	1	·	·	23
Tuberculous Meningitis	2·2	3	·	·	·	·	1	·	1	·	·	1	·	·	·	·	3
Abdominal Tuberculosis	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of the Spinal Column.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Venereal Diseases ..	·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Cancer	9·8	12	·	·	·	·	·	·	·	·	·	·	5	2	5	·	9
Tumour, situation undefined.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diabetes	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anæmia, Leucocythæmia.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other General Diseases	1·0	2	·	·	·	·	·	1	·	·	·	·	·	·	1	·	2
Alcoholism ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	1·8	3	·	·	·	1	·	·	·	1	·	1	·	·	·	·	2
Cerebral Hæmorrhage, Apoplexy.	3·6	5	·	·	·	·	·	·	·	·	·	·	1	1	3	·	5
Softening of Brain ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Epilepsy	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Convulsions (non-puerperal).	5·6	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Other Diseases of Nervous System.	2·8	3	·	·	·	·	·	·	·	·	·	·	1	·	·	2	3
Pericarditis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	11·2	11	·	·	·	·	·	·	1	·	·	·	·	·	6	4	10
Embolism and Thrombosis (including Cerebral).	·2	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	2
Other Diseases of Circulatory System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of the Larynx	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	9·0	10	·	2	·	·	·	·	·	·	·	·	1	2	2	3	10
Broncho-pneumonia ..	5·2	7	·	1	1	1	·	·	·	·	·	·	·	·	1	3	7
Lobar pneumonia ..	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Pneumonia (type not distinguished).	2·6	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Pleurisy	·6	2	·	·	·	·	·	·	·	·	1	1	·	·	·	·	2
Pulmonary Congestion, Pulmonary Apoplexy.	·8	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	2
Other Diseases of Respiratory System.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·

in the TWENTY-SEVENTH WEEK, ending Saturday, 8th July, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 27th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 8th July, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	4·6	9	1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	8
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·6	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
Appendicitis and Typhlitis.	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ..	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	·6	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2
Chronic Bright's Disease	2·8	4	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	4
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·4	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2
Diseases of Skin and Cellular Tissues.	1·8	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Diseases of Locomotor System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	4·0	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Congenital Debility ..	3·4	7	2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	7
Old Age	2·6	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	4
Other Specified Diseases	1·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds &c.	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Not included in above—																		
Homicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	2·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1

TABLE IV.—Showing for the WEEK ENDED 8TH JULY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes.	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No. 1, E.,	29,400	17·7	·	10	1	·	·	·	·	2	2	5	·	·	·	·	·	·	·	·	3	·	·	·	2	·	·	·	5	·	·	2	1
" 1, W.,	40,200	16·9	2·6	13	3	·	1	1	·	4	1	3	·	·	·	·	·	·	·	·	3	·	·	2	1	2	·	·	5	·	5	1	·
" 2,	26,900	19·4	3·9	10	4	1	·	·	·	1	1	3	·	·	·	·	·	·	·	·	1	·	·	2	1	2	·	·	4	·	3	3	1
" 3,	35,200	17·8	·	12	4	·	1	·	·	4	1	2	·	·	·	·	·	·	·	·	3	1	·	·	·	·	·	·	8	·	3	1	·
Clontarf and Howth, No. 1, part of	5,400	9·7	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Coolock and Drumcondra, part of	13,300	19·6	·	5	·	·	·	·	1	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	4	·	1	·	·
Finglas and Glasnevin, part of	10,800	4·8	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
South City.																																	
South City, No. 1,	40,100	28·6	6·5	22	5	1	·	3	3	4	1	5	1	·	·	·	1	1	·	·	5	1	·	1	3	2	·	1	6	1	5	7	·
" 2,	17,800	17·6	·	6	·	·	·	·	1	·	3	2	·	·	·	·	·	·	·	·	·	1	2	·	1	·	·	·	2	·	1	1	·
" 3,	42,400	20·9	2·5	17	6	·	·	·	·	4	3	4	·	·	·	·	·	·	·	·	2	·	2	2	1	2	·	·	8	·	3	5	·
" 4,	32,000	14·7	·	9	2	·	1	·	2	·	2	2	·	·	·	·	·	·	·	·	2	·	2	·	2	·	·	·	3	·	1	2	1
New Kilmainham,	10,100	5·2	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Urban Districts.																																	
Rathmines and Rathgar,	39,000	10·7	1·3	8	1	·	1	1	·	1	1	3	·	·	·	·	1	·	·	·	1	·	·	1	·	·	·	·	5	·	2	·	·
Pembroke,	29,100	21·5	·	12	1	·	·	·	1	1	6	3	·	·	·	·	·	·	·	·	2	·	2	1	1	·	·	1	5	·	·	1	·
Blackrock,	8,900	5·8	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Kingstown	16,400	19·1	·	6	1	·	·	·	·	1	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	5	·	1	·	1
TOTAL CITY. North,	161,200	16·8	1·3	52	12	1	2	1	1	14	5	16	·	·	·	·	·	·	·	·	11	1	1	4	5	4	·	·	26	·	12	7	2
South,	142,400	20·1	2·6	55	13	1	1	3	6	8	10	13	1	·	·	·	1	1	·	·	9	2	6	3	7	4	·	1	20	1	10	15	1
North and South,	303,600	18·4	1·9	107	25	2	3	4	7	22	15	29	1	·	·	·	1	1	·	·	20	3	7	7	12	8	·	1	46	1	22	22	3
Total Urban Districts,	93,400	15·1	0·6	27	3	·	1	1	1	3	8	10	·	·	·	·	1	·	·	·	3	·	2	2	2	·	·	1	16	·	3	1	1
Total Registration Area,	397,000	17·6	1·6	134	28	2	4	5	8	25	23	39	1	·	·	·	2	1	·	·	23	3	9	9	14	8	·	2	62	1	25	23	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	1	·	·	·	2	1	2	3	·	·	·	·	·	·	·	·	1	·	3	·	·	1	·	·	4	·	8	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th July, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH JULY, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	143	35	5	10	26	25	23	19	1	·	·	·	2	1	·	·	24	3	12	2	9	14	9	·	2	64	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	24·9	7	·	·	·	·	3	3	1	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	4	·
II.	MIDDLE CLASS	101,798	13·8	27	4	2	5	3	1	6	6	1	·	·	·	1	·	·	·	·	1	4	·	2	2	1	·	·	15	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	16·4	34	7	1	3	8	7	4	4	·	·	·	·	·	1	·	·	8	1	2	·	1	3	1	·	1	16	1
IV	GENERAL SERVICE CLASS	167,479	15·9	51	16	1	·	11	12	6	5	·	·	·	·	1	·	·	·	9	1	4	1	6	4	3	·	1	21	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	24	8	1	2	4	2	4	3	·	·	·	·	·	·	·	·	7	·	1	1	·	3	4	·	·	8	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	6	·	·	·	·	2	3	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	4	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	4	1	·	·	2	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	2	·
	6. Clerks and Commercial Assistants,	33,249	—	6	1	1	·	1	1	1	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	5	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	15	1	1	4	·	·	5	4	1	·	·	·	·	·	·	·	·	1	4	·	2	·	1	·	·	6	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
	9. Building and Furnishing Trades, ..	28,823	—	13	3	1	·	3	2	4	·	·	·	·	·	·	1	·	·	·	1	1	·	1	·	1	·	1	7	·
	10. Clothing Trades, ...	20,026	—	4	·	·	1	3	·	·	·	·	·	·	·	·	·	·	·	4	·	·	·	·	·	·	·	·	·	·
	11. Food Supply Trades, ...	8,952	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	13	3	·	2	2	5	·	1	·	·	·	·	·	·	·	·	4	·	1	·	·	3	·	·	·	5	1
	13. Petty Shopkeepers, ...	6,772	—	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	6	3	·	·	1	2	·	·	·	·	·	·	·	·	·	·	2	·	1	·	1	·	·	·	·	2	·
	15. Domestic Servants, ...	36,041	—	3	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	1	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	1	1	·	1	1	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	1	·	·	·	·	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	38	12	·	·	9	7	5	5	·	·	·	·	·	·	·	·	5	1	3	1	4	2	3	·	1	18	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	24	8	1	2	4	2	4	3	·	·	·	·	·	·	·	·	7	·	1	1	·	3	4	·	·	8	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	Apr. 15.	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	Apr. 15.	Apr. 22.	Apr. 29	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17	June 24.	July 1.	July 8.
No. of weeks in Annual Series ..	15	16	17	18	19	20	21	22	23	24	25	26	27	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered	221	160	24	57	286	293	236	228	219	203	263	169	240	197	161	205	189	211	217	192	237	192	163	185	203	199
Average Births in corresponding week of previous 10 years, ...	217	222	220	260	232	206	220	248	211	223	209	246	204	229	230	237	234	229	228	236	220	221	223	210	216	210
Number of Deaths, ...	185	164	27	215	351	235	155	151	139	140	125	136	134	152	156	145	118	133	128	128	124	126	117	108	104	93
Annual Death-rate per 1,000 ..	24·2	21·5	3·5	28·2	46·1	30·9	20·4	19·8	18·3	18·4	16·4	17·9	17·6	20·3	20·9	19·4	15·8	17·8	17·1	17·1	16·6	16·8	15·6	14·4	13·9	12·4
Average Deaths in corresponding week of previous 10 years, ...	187	194	184	170	170	151	158	143	142	146	133	130	126	164	159	159	143	142	145	140	132	129	125	120	118	112
Ages, .. Under one year, ..	45	21	4	25	39	32	21	14	22	26	15	21	28	25	21	27	22	24	16	13	11	21	15	16	15	14
1— 5 years, ..	18	21	3	11	10	18	9	10	15	9	12	11	6	32	16	15	17	21	18	13	19	7	10	16	8	6
5—25 ,, ..	17	16	3	32	71	45	17	14	16	23	24	17	13	27	22	19	17	18	15	20	14	28	17	10	18	15
25—45 ,, ..	20	27	1	38	91	40	31	35	24	22	20	25	25	15	28	30	20	22	28	17	27	22	21	19	24	15
45—65 ,, ..	37	33	9	53	67	57	41	45	36	29	29	35	23	32	30	26	21	26	29	41	26	24	32	31	22	19
65 and upwards, ..	48	46	7	56	73	43	36	33	26	31	25	27	39	21	39	28	21	22	22	24	27	24	22	16	17	24
Deaths from :—																										
Enteric Fever, ...	2	.	.	.	3	3	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	2	1	2	5	1	2	2	1	3	1	.	12	5	8	7	7	3	3	4	3	2	3	2	2
Scarlet Fever, ...	.	3	.	.	.	.	1	.	1	1	1	1	2	1	1	3	.	2	2	.	2	1	2	1	.	.
Whooping cough, ...	6	1	.	2	2	1	2	2	1	.	1	.	1	2	2	4	2	4	9	2	6	1	3	2	.	1
Diphtheria.	.	.	1	.	1	1	1	.	.	2	.	1	.	.	.	.	1	.	.	2	1	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	21	17	2	25	19	30	19	31	20	22	24	20	23	19	25	24	15	26	23	24	17	24	17	15	20	20
Other Forms, ..	8	9	.	7	8	8	9	3	9	5	9	7	3	6	8	7	6	8	8	12	4	10	9	4	7	5
Cancer, ...	11	7	1	4	11	10	6	2	7	7	7	9	9	6	4	7	2	6	10	5	7	7	9	6	2	5
Diseases of Respiratory System, { Pneumonia ..	21	23	2	14	20	17	9	2	6	6	2	9	9	25	17	14	13	7	11	8	11	4	10	10	4	2
Others, ..	27	27	3	30	28	21	24	17	17	9	9	15	14	13	25	11	16	13	12	12	16	8	12	8	8	5
Diarrhœa and Enteritis, under 2 years, ...	1	2	1	3	6	4	2	3	3	3	2	1	8	1	2	.	2	2	2	1	.	1	2	4	.	1
Diarrhœa, 2 years and upwards..	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.	2
Violent Deaths, ...	2	4	.	38	158	52	14	16	7	10	8	3	2	2	2	2	1	1	3	2	2	.	1	2	2	1
Number of Uncertified Deaths, ..	5	4	.	16	80	27	12	11	2	9	6	4	4	1	3	5	.	3	2	4	3	3	4	1	.	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th July, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	19·7	·	6	1	·	1	·	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 2 do.	49,500	21	10·5	1·1	10	·	1	2	2	1	4	·	·	·	1	·	·	·	·	1	2	1	·	1	·	·	·	·	2	·
Do. 3 do.	50,032	36	15·6	1·0	15	2	1	3	3	2	4	·	·	·	·	·	·	·	·	1	1	1	·	·	·	1	·	·	4	1
Do. 4 do.	32,637	13	12·8	1·6	8	3	1	1	2	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1	·	·	3	·
Do. 5 do.	16,112	9	12·9	·	4	·	·	1	2	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	37,293	18	11·2	2·8	8	1	1	·	·	1	5	·	·	·	1	·	1	·	·	·	·	1	1	·	·	·	·	·	1	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	3	8·7	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,327	12	12·8	·	6	1	·	1	1	1	2	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	3	·
Do. 10 do.	28,958	8	10·8	1·8	6	1	·	1	1	3	·	·	·	·	·	·	·	·	·	1	·	1	1	1	1	·	·	·	·	·
Do. 11 do.	39,311	27	9·3	·	7	1	·	2	1	1	2	·	·	·	·	·	·	·	·	3	·	1	·	1	·	·	·	·	2	·
Do. 12 do.	38,076	21	15·1	·	11	1	·	1	3	3	3	·	·	·	·	·	·	·	·	5	·	·	·	1	·	·	1	1	4	1
Do. 13 do.	23,233	8	6·7	·	3	1	·	1	·	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	12	18·4	·	8	1	2	1	·	3	1	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	2	·
Total,	386,947	199	12·4	0·8	93	14	6	15	15	19	24	·	·	·	2	·	1	·	·	20	5	5	2	5	1	2	1	1	24	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	3	7·8	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 2 do.	10,399	9	15·0	·	3	·	·	·	2	1	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	2	·
Do. 3 do.	9,793	6	21·3	·	4	·	·	1	1	2	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·
Do. 4 do.	9,139	6	11·4	·	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·
Do. 5 do.	6,250	2	16·7	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·
Do. 6 do.	11,581	3	9·0	·	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 7 do.	16,056	6	19·5	·	6	·	·	·	·	2	4	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	1	·
Total	76,673	35	14·3	·	21	·	·	2	6	6	7	·	·	·	·	·	·	·	·	6	·	2	2	·	·	·	·	1	7	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th July, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	1	.	.	.	.	.	1	.	.	.	.	4	6
„ „ 1, West ..	.	.	.	.	1	.	.	.	1	.	.	.	1	3
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	2	.	.	.	.	.	.	1	.	.	.	2	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	1	.	.	.	.	.	.	.	1	2
South City No. 1	.	3	.	.	3	.	.	.	.	.	.	.	1	7
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ „ 3, ...	.	.	.	.	1	.	.	.	.	.	.	.	3	4
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	1	.	.	1	.	.	.	.	.	2
Total, ...	.	6	.	.	7	.	.	2	2	.	.	.	13	30

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th July, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 8th July.			
	June 17.	June 24.	July 1.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	14	17	19	3	2	.	20
Typhus, ...	.	2	2	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	44	33	34	11	10	.	35
Scarlet Fever	42	50	61	13	12	2	60*
Diphtheria, ...	26	28	22	7	6	.	23
Pneumonia, ...	18	17	15	3	8	.	10

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237. 375. 1916. G. III. Sch. c. 7.

(FOR OFFICIAL USE.)

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 28. Vol. LIII.] Week ending Saturday, 15th July, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 17th July, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 15·0 and 15·1; Dublin Registration Area, 18·8 and 17·7; Dublin City, 20·6 and 18·9; Belfast, 14·7 and 13·9; Cork, 6·8 and 12·8; Londonderry, 13·0 and 12·4; Limerick, 23·0 and 14·9; and Waterford 7·6 and 19·[illegible].

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·9 per 1,000. Among the 110 deaths from all causes for Belfast are one from enteric fever, 4 from measles, 2 from scarlet fever, one from whooping-cough, and one of a child under 2 years from diarrhœa and enteritis. One of the 17 deaths from all causes for Limerick, and 2 of the 4 deaths from all causes for Waterford were from whooping-cough; and of the 7 deaths recorded for Portadown one was ascribed to diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 182—91 boys and 91 girls—and the deaths to 151—88 males and 63 females.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·8 per 1,000 of the population. During the twenty-eight weeks ending with Saturday last, the death-rate averaged 21·5, and was 1·2 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the twenty-eight weeks was 23·1, and for the corresponding period of the preceding ten years, 23·9.

The 143 deaths appertaining to the Area include one from measles; one from scarlet fever; 2 from whooping-cough; one of a child under 2 years from diarrhœa and enteritis; and one from influenza.

In the 3 preceding weeks deaths from measles numbered 3, one, and 0; deaths from scarlet fever numbered one, one, and 2; from whooping-cough one, 0, and one; from diarrhœa and enteritis of children under 2 years, 2, one, and 8; and from influenza 0, 0, and one.

Tuberculous disease caused 20 deaths (comprising 16 from pulmonary tuberculosis, 3 from tuberculous meningitis and one from disseminated tuberculosis), as against 33, 27, and 26 in the three weeks preceding.

Eight deaths were caused by cancer, 9 by pneumonia (2 by broncho-pneumonia, 3 by lobar pneumonia, and 4 by pneumonia, type not distinguished), 13 by organic diseases of the heart, and 8 by bronchitis.

Among deaths of infants under one year old, one was due to congenital malformations 5 to prematurity, and 4 to congenital debility.

Twenty-nine deaths were due to violence, 27 of these being caused by gunshot wounds and 2 by drowning.

Twenty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 17 being infants under one year, of whom 10 were under one month old.

Of the 143 deaths recorded, 55 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 10·8), was equal to an average annual death-rate of 10·7 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 12·6 per 1,000, the rate for Glasgow being 13·7, and for Edinburgh 13·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th July. From this Report it appears that of 57 cases notified, 19 were scarlet fever, 13 pulmonary tuberculosis, 14 other forms of tuberculosis, 10 diphtheria, and one of enteric fever. Among the 430 cases of infectious diseases in hospital at the close of the week, were 153 of pulmonary tuberculosis, 151 of scarlet fever, 87 of diphtheria, 15 of measles, 2 of erysipelas, 4 of cerebro-spinal fever, 5 of enteric fever, and one of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 15th July, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	June 24,	·	—	—	16	2	·	2	·	1	3	3	·	—	—	·	—	·	21	48
	July 1,	·	—	—	4	·	·	1	1	·	5	2	·	—	—	·	—	·	17	30
	July 8,	·	—	—	6	·	·	7	·	·	2	2	·	—	—	·	—	·	13	30
	July 15,	·	—	—	7	·	·	3	·	·	1	1	·	—	—	·	—	·	19	31
Rathmines and Rathgar Urban District.	June 24,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	—	1
	July 1,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	July 8,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	—	—	—	—	3
	July 15,	·	—	—	1	·	·	·	·	·	2	1	·	—	—	—	—	—	—	4
Pembroke Urban District.	June 24,	·	4	·	1	·	·	·	·	·	·	·	·	—	3	·	—	—	·	8
	July 1,	·	4	3	·	·	·	·	·	·	·	·	·	—	1	·	—	—	·	8
	July 8,	·	1	·	·	·	·	·	·	·	·	1	·	—	·	·	—	—	·	2
	July 15,	·	4	·	1	·	·	1	·	·	·	·	·	—	·	·	—	—	2	8
Blackrock Urban District.	June 24,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	July 1,	·	3	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	3
	July 8,	·	·	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	·	2
	July 15,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	1	1
Kingstown Urban District.	June 24,	·	—	—	·	·	·	·	·	·	·	1	·	—	—	—	—	—	·	1
	July 1,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	July 8,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	—	—	—	·	2
	July 15,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
City of Belfast	June 24,	·	—	—	8	·	·	5	·	·	1	1	·	—	—	·	—	·	2	17
	July 1,	·	—	—	17	·	·	1	·	·	1	·	·	—	—	·	—	·	·	19
	July 8,	·	—	—	23	·	·	4	·	·	4	2	·	—	—	·	—	·	1	34
	July 15,	·	—	—	18	·	·	3	·	·	·	1	·	—	—	·	—	·	·	22
City of Cork.	June 24,	·	2	—	2	·	·	·	·	·	·	1	·	—	—	—	·	—	—	5*a*
	July 1,	·	1	—	2	·	·	·	·	·	·	2	·	—	—	—	·	—	—	5
	July 8,	·	2	—	·	·	·	2	·	·	·	·	1	—	—	—	1	—	—	6
	July 15,	·	2	—	3	·	·	·	·	·	1	·	·	—	—	—	·	—	—	6
City of Londonderry	June 24,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	July 1,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	July 8,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	·	—	—	—	2
	July 15,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
City of Limerick	June 24,	·	—	—	4	·	·	·	·	·	·	·	·	—	—	·	—	—	—	4
	July 1,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	July 8,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	July 15,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
City of Waterford.	June 24,	·	—	—	·	·	·	1	·	·	1	·	·	—	—	—	—	—	·	2
	July 1,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	July 8,	·	—	—	2	·	·	1	·	·	·	·	·	—	—	—	—	—	·	3
	July 15,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th July, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever 6 and 25 ; measles 8 and 27 ; scarlet fever 12 and 57* ; and diphtheria 5 and 23. Two cases of typhus remained under treatment in hospital at the close of the week. Two cases of pneumonia were admitted during the week and 6 remained under treatment at its close. Of the deaths in hospitals during the week one was from measles, 2 were from scarlet fever, and one from pneumonia.

* See note (*) at foot of Table IX,

Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 15TH JULY, 1916. NUMBERS REGISTERED. DEATHS.

TOWNS AND DISTRICTS.	Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Deaths. Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 15th July, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	22·6	15·0	0·9	487	322	44	62	1	·	·	5	3	6	1	·	49	10	17	19	26	3	·	34	9	102	47	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	23·9	18·8	0·7	182	143	17	29	·	·	·	1	1	2	·	·	16	4	8	9	11	1	·	29	2	55	33	(d) 67·6	45·7	56·9	0·72
Urban Districts. CITY OF DUBLIN.	303,600	38·4	23·4	20·6	0·5	136	120	15	23	·	·	·	1	·	2	·	·	12	4	5	6	11	·	·	28	1	45	33	(e) 67·4 (f) 69·8	47·0 47·0	57·4 57·9	0·71 0·68
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	18·7	8·0	1·3	14	6	2	2	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	4	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	21·5	14·3	1·8	12	8	·	1	·	·	·	·	1	·	·	·	2	·	·	1	·	·	·	1	1	2	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	23·4	11·7	·	4	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	50·9	22·3	·	16	7	·	3	·	·	·	·	·	·	·	·	1	·	2	1	·	·	·	·	·	4	·	69	50	58·7	0·51
Urban Districts. BELFAST, ..	390,000	26·1	22·1	14·7	1·2	165	110	15	19	1	·	·	4	2	1	·	·	21	4	5	8	9	1	·	4	7	31	2	64·0	45·0	55·2	0·86
Urban Districts. CORK, ..	76,673	28·6	25·2	6·8	·	37	10	2	2	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	·	3	2	66	48	57·4	0·63
Urban Districts. LONDONDERRY, ..	40,000	15·5	33·9	13·0	1·3	26	10	2	2	·	·	·	·	·	·	·	·	2	·	·	1	3	1	·	·	·	2	1	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	12·2	23·0	1·4	9	17	3	2	·	·	·	·	·	1	·	·	4	·	1	·	1	·	·	1	·	5	6	68·8	43·4	57·2	0·36
Urban Districts. WATERFORD, ..	27,464	19·1	15·2	7·6	3·8	8	4	1	·	·	·	·	·	·	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5				8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	66	47	56	0·40
Urban Districts. DUNDALK, ..	13,128	9·5				9	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				2	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	65·3	47·0	56·0	0·98
Urban Districts. DROGHEDA, ..	12,501	8·4				3	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				5	3	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	65·3	47·0	56·0	0·98
Urban Districts. NEWRY, ..	11,963	17·0				3	4	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	1	65·3	47·0	56·0	0·98
Urban Districts. PORTADOWN, ..	11,727	15·3				4	7	2	2	·	·	·	·	·	·	1	·	·	·	·	·	2	·	·	·	·	2	·	65·3	47·0	56·0	0·98
Urban Districts. WEXFORD, ..	11,531	22·8				4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ..	11,163	3·8				6	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	64·0	47·0	55·0	1·28
Urban Districts. KILKENNY, ..	10,514	11·4				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	69·0	45·0	58·1	0·17
Urban Districts. TRALEE, ..	10,300	17·4				8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				3	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·
LONDON, ..	4,310,030	—	—	10·8	—	1,936	889g	135	280	1	·	·	18	4	8	13	—	90	28	105	54	63	16	8	43	96	478	2	72	57	59·4	0·31
EDINBURGH, ..	329,200	—	—	13·3	—	112	84g	6	30	·	·	·	·	1	·	·	—	—	—	—	—	—	1	—	3	—	—	—	63·4	46·3	53·9	0·60
GLASGOW, ..	1,091,600	—	—	13·7	—	550	286g	48	64	·	3	·	13	5	5	2	—	—	—	—	—	—	4	—	8	—	—	—	65·8	48·3	54·3	0·41

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 4 deaths from cerebro-spinal fever for London, one for Edinburgh, and 2 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 28th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 15th July, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	141·8	151	10	7	4	9	3	6	4	9	17	15	14	23	19	11	143
Enteric Fever ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·8	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	1·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Whooping-cough ..	1·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	2	.	.	.	.	1	.	.	.	1	.	.	.	.	.	2
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	15·6	17	.	.	.	1	.	1	1	3	5	4	1	1	.	.	16
Tuberculous Meningitis	1·8	4	.	1	.	1	.	1	1	.	.	.	.	.	.	.	3
Abdominal Tuberculosis	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Venereal Diseases ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·0	9	.	.	.	.	.	.	.	.	.	1	3	4	1	.	8
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Alcoholism ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·6	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	4
Cerebral Hæmorrhage, Apoplexy.	4·8	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Epilepsy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	13·4	14	.	.	.	.	.	.	.	.	2	.	1	4	3	4	13
Embolism and Thrombosis (including Cerebral).	·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Other Diseases of Circulatory System.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	9·4	8	.	.	.	1	1	.	.	.	1	.	1	1	1	2	8
Broncho-pneumonia ..	4·8	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	2
Lobar pneumonia ..	1·6	3	.	.	.	.	.	.	.	1	.	.	.	1	1	.	3
Pneumonia (type not distinguished).	3·4	4	.	.	.	.	.	1	.	.	.	1	1	.	1	.	4
Pleurisy	·2	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2
Pulmonary Congestion, Pulmonary Apoplexy.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

in the TWENTY-EIGHTH WEEK, ending Saturday, 15th July, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 28th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 15th July, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2,	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Diseases of Stomach ..	1·8	3	·	1	·	1	·	·	·	·	·	1	·	·	·	·	3
Diarrhœa and Enteritis of Children under 2 years.	5·8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cirrhosis of Liver ..	1·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Other Diseases of Liver	·4	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·	2
Peritonitis (cause unknown).	·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Other Diseases of Digestive System.	·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Acute Nephritis ..	1·6	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Chronic Bright's Disease	3·4	3	·	·	·	·	·	·	·	·	1	·	·	·	2	·	3
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·0	2	·	·	·	·	·	·	·	1	·	·	·	·	·	1	2
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	·6	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Diseases of Locomotor System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·8	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	3·2	5	4	1	·	·	·	·	·	·	·	·	·	·	·	·	5
Congenital Debility ..	4·0	4	3	1	·	·	·	·	·	·	·	·	·	·	·	·	4
Old Age	3·8	5	·	·	·	·	·	·	·	·	·	·	·	·	1	4	5
Other Specified Diseases	2·0	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	1·0	2	·	·	·	·	·	·	1	·	·	·	·	1	·	·	2
Suffocation in Bed, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds &c.	—	28	·	·	·	1	·	1	·	3	6	6	4	5	2	·	27
Other Violent Deaths	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																	
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	3·6	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1

TABLE IV.—Showing for the WEEK ENDED 15TH JULY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	37·2	3·5	21	2	1	2	·	3	6	6	1	·	·	·	·	·	2	·	·	·	1	·	·	·	·	·	15	3	·	1	1	17
,, 1, W., ...	40,200	19·5	·	15	3	·	1	1	3	2	3	2	·	·	·	·	·	·	·	·	2	2	·	2	2	·	·	2	5	1	4	4	2
,, 2, ...	26,900	34·9	1·9	18	·	1	2	2	2	4	4	3	·	·	·	1	·	·	·	·	1	1	1	2	2	·	·	6	4	·	9	2	7
,, 3, ...	35,200	14·8	·	10	1	·	1	1	·	3	3	1	·	·	·	·	·	·	·	·	2	·	1	·	3	·	·	·	4	·	2	2	1
CLONTARF AND HOWTH, No. 1, part of	5,400	19·3	·	2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	7·8	·	2	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	10,800	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	18·2	·	14	3	1	1	·	·	4	2	3	·	·	·	·	·	·	·	·	3	·	1	1	2	·	·	1	6	·	1	7	·
,, 2, ...	17,800	17·6	·	6	·	·	·	·	·	2	1	3	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	4	·	·	1	1
,, 3, ...	42,400	32·0	·	26	4	·	1	3	·	3	8	7	·	·	·	·	·	·	·	·	2	·	2	·	2	·	·	1	19	·	4	5	3
,, 4, ...	32,000	9·8	·	6	1	1	·	·	·	1	1	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	3	·	2	·	2
NEW KILMAINHAM, ...	10,100	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	8·0	1·3	6	2	·	·	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	3	·	2	2	·
PEMBROKE, ...	29,100	14·3	1·8	8	·	·	·	·	2	3	2	1	·	·	·	·	1	·	·	·	2	·	·	1	·	·	·	1	3	1	2	·	·
BLACKROCK, ...	8,900	11·7	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·
KINGSTOWN	16,400	22·3	·	7	·	·	·	·	1	1	2	3	·	·	·	·	·	·	·	·	1	·	2	1	·	·	·	·	3	·	4	·	·
TOTAL CITY. North, ...	161,200	22·0	1·0	68	7	2	6	5	8	15	17	8	·	·	·	1	·	2	·	·	5	4	2	5	7	·	·	23	19	1	16	9	27
TOTAL CITY. South, ...	142,400	19·0	·	52	8	2	2	3	·	10	12	15	·	·	·	·	·	·	·	·	7	·	3	1	4	·	·	5	32	·	7	13	6
TOTAL CITY. North and South, ..	303,600	20·6	0·5	120	15	4	8	8	8	25	29	23	·	·	·	1	·	2	·	·	12	4	5	6	11	·	·	28	51	1	23	22	33
Total Urban Districts, ...	93,400	12·8	1·1	23	2	·	·	·	4	5	6	6	·	·	·	·	1	·	·	·	4	·	3	3	·	1	·	1	10	1	8	2	·
Total Registration Area, ..	397,000	18·8	0·7	143	17	4	8	8	12	30	35	29	·	·	·	1	1	2	·	·	16	4	8	9	11	1	·	29	61	2	31	24	33
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				8	·	·	1	1	1	2	2	1	·	·	·	1	·	·	·	·	1	1	1	·	·	·	·	1	3	·	8	·	·

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th July, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH JULY, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	151	30	9	13	32	37	19	11	·	·	·	2	1	2	·	·	17	5	9	·	9	11	1	·	30	64	33
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	7·1	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
II.	MIDDLE CLASS	101,798	13·8	27	4	4	1	7	6	4	1	·	·	·	·	1	·	·	·	4	·	2	·	2	·	·	·	2	16	4
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·0	27	5	4	3	4	6	2	3	·	·	·	·	·	·	·	·	5	1	2	·	1	3	·	·	1	14	·
IV.	GENERAL SERVICE CLASS	167,479	22·1	71	15	1	9	16	18	9	3	·	·	·	2	·	2	·	·	3	2	3	·	5	4	·	·	26	24	29
V.	INMATES OF WORKHOUSES, ...	5,602	—	24	6	·	·	5	7	4	2	·	·	·	·	·	·	·	·	5	2	2	·	1	4	1	·	1	8	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	·	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	4	1	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	·
	6. Clerks and Commercial Assistants,	33,249	—	12	2	2	1	4	3	·	·	·	·	·	·	1	·	·	·	4	·	·	·	1	·	·	·	·	6	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	8	1	1	·	2	3	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	2	4	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
	9. Building and Furnishing Trades, ..	28,823	—	9	2	3	·	1	1	·	2	·	·	·	·	·	·	·	·	·	1	·	·	1	2	·	·	1	4	·
	10. Clothing Trades, ...	20,026	—	5	1	·	·	·	3	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	4	·
	11. Food Supply Trades, ...	8,952	—	2	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	7	2	·	3	1	·	·	1	·	·	·	·	·	·	·	·	4	·	·	·	·	·	·	·	·	3	·
	13. Petty Shopkeepers, ...	6,772	—	3	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	7	3	·	1	1	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	2	3	2
	15. Domestic Servants, ...	36,041	—	4	·	·	·	1	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	1	·	·	2	2	·	·	·	·	·	1	·	·	·	·	·	·	2	·	·	1	·	·	·	1	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	55	11	1	8	12	14	8	1	·	·	·	1	·	2	·	·	1	2	1	·	4	3	·	·	24	17	26
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	24	6	·	·	5	7	4	2	·	·	·	·	·	·	·	·	5	2	2	·	1	4	1	·	1	8	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	Apr. 22.	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	Apr. 22.	Apr. 29	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17	June 24.	July 1.	July 8.	July 15
No. of weeks in Annual Series ..	16	17	18	19	20	21	22	23	24	25	26	27	28	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered	160	24	57	286	293	236	228	219	203	263	169	240	182	161	205	189	211	217	192	237	192	163	185	203	199	145
Average Births in corresponding week of previous 10 years, ...	222	220	260	232	206	220	248	211	223	209	246	204	212	230	237	234	229	228	236	220	221	223	210	216	210	200
Number of Deaths, ...	164	27	215	351	235	155	151	139	140	125	136	134	143	156	145	118	133	128	128	124	126	117	108	104	93	110
Annual Death-rate per 1,000 ..	21·5	3·5	28·2	46·1	30·9	20·4	19·8	18·3	18·4	16·4	17·9	17·6	18·8	20·9	19·4	15·8	17·8	17·1	17·1	16·6	16·8	15·6	14·4	13·9	12·4	14·7
Average Deaths in corresponding week of previous 10 years, ...	194	184	170	170	151	158	143	142	146	133	130	126	135	159	159	143	142	145	140	132	129	125	120	118	112	113
Ages, .. Under one year, ..	21	4	25	39	32	21	14	22	26	15	21	28	17	21	27	22	24	16	13	11	21	15	16	15	14	15
1— 5 years, ..	21	3	11	10	18	9	10	15	9	12	11	6	12	16	15	17	21	18	13	19	7	10	16	8	6	9
5—25 ,, ..	16	3	32	71	45	17	14	16	23	24	17	13	20	22	19	17	18	15	20	14	28	17	10	18	15	20
25—45 ,, ..	27	1	38	91	40	31	35	24	22	20	25	25	30	28	30	20	22	28	17	27	22	21	19	24	15	22
45—65 ,, ..	33	9	53	67	57	41	45	36	29	29	35	23	35	30	26	21	26	29	41	26	24	32	31	22	19	25
65 and upwards, ..	46	7	56	73	43	36	33	26	31	25	27	39	29	39	28	21	22	22	24	27	24	22	16	17	24	19
Deaths from :—																										
Enteric Fever, ...	·	·	·	3	3	·	·	·	·	1	·	1	·	·	·	·	1	·	·	·	·	·	1	·	·	1
Typhus, ...	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	2	1	2	5	1	2	2	1	3	1	·	1	5	8	7	7	3	3	4	3	2	3	2	2	4
Scarlet Fever, ...	3	·	·	·	·	1	·	1	1	1	1	2	1	1	3	·	2	2	·	2	1	2	1	·	·	2
Whooping cough, ...	1	·	2	2	1	2	2	1	·	1	·	1	2	2	4	2	4	9	2	6	1	3	2	·	1	1
Diphtheria, ...	·	1	·	1	1	1	·	·	2	·	1	·	·	·	·	1	·	·	2	1	·	·	·	·	·	·
Dysentery, ...	·	·	·	·	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	17	2	25	19	30	19	31	20	22	24	20	23	16	25	24	15	26	23	24	17	24	17	15	20	20	21
Tuberculosis { Other Forms, ..	9	·	7	8	8	9	3	9	5	9	7	3	4	8	7	6	8	8	12	4	10	9	4	7	5	4
Cancer, ...	7	1	4	11	10	6	2	7	7	7	9	9	8	4	7	2	6	10	5	7	7	9	6	2	5	5
Diseases of Respiratory System, { Pneumonia ..	23	2	14	20	17	9	2	6	6	2	9	9	9	17	14	13	7	11	8	11	4	10	10	4	2	8
Diseases of Respiratory System, { Others, ..	27	3	30	28	21	24	17	17	9	9	15	14	11	25	11	16	13	12	12	16	8	12	8	8	5	9
Diarrhœa and Enteritis, under 2 years, ...	2	1	3	6	4	2	3	3	3	2	1	8	1	2	·	2	2	2	1	·	1	2	4	·	1	1
Diarrhœa, 2 years and upwards..	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	1	·	1	·	1	·	·	·	2	·
Violent Deaths, ...	4	·	38	158	52	14	16	7	10	8	3	2	29	2	2	1	1	3	2	2	·	1	2	2	1	4
Number of Uncertified Deaths, ..	4	·	16	80	27	12	11	2	9	6	4	4	33	3	5	·	3	2	4	3	3	4	1	·	2	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th July, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	23·0	6·6	7	1	2	2	.	.	2	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.	.	.	3	.
Do. 2 do.	49,500	22	13·7	2·1	13	.	2	3	5	1	2	.	.	.	1	.	1	.	.	3	1	1	.	2	.	.	.	1	2	.
Do. 3 do.	50,032	18	13·5	1·0	13	3	1	2	1	3	3	1	.	.	.	.	.	.	.	2	.	.	2	1	.	.	1	2	6	1
Do. 4 do.	32,637	15	20·8	1·6	13	1	.	3	3	4	2	.	.	.	.	1	.	.	.	3	.	.	1	1	.	.	.	.	7	.
Do. 5 do.	16,112	5	35·6	.	11	2	1	1	2	5	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	1	1	.
Do. 6 do.	37,293	14	18·2	.	13	2	1	1	3	3	3	.	.	.	.	.	.	.	.	3	.	2	2	.	.	.	.	.	3	.
Do. 7 do.	2,681	.	19·4	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 8 do.	5,964	3	26·2	8·7	3	1	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	2	1	.
Do. 9 do.	24,427	6	8·5	.	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
Do. 10 do.	28,958	13	16·2	.	9	.	1	2	1	4	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	1	2	1
Do. 11 do.	39,311	14	11·9	1·3	9	1	.	1	2	3	2	.	.	.	1	.	.	.	.	2	.	1	.	.	.	.	.	.	1	.
Do. 12 do.	38,076	22	8·2	.	6	1	.	2	.	1	2	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	4	.
Do. 13 do.	23,233	14	9·0	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	13	9·2	2·3	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
Total,	386,947	165	14·7	1·2	110	15	9	20	22	25	19	1	.	.	4	2	1	.	.	21	4	5	8	9	1	.	4	7	31	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	7	3·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 2 do.	10,399	4	10·0	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 3 do.	9,793	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	4	5·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,250	3	16·7	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	9	4·5	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,056	7	9·7	.	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Total	76,673	37	6·8	.	10	2	.	1	3	2	2	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	3	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th July, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 1, West ..	.	1	.	.	.	.	.	1	.	.	.	.	6	8
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	4	.	.	2	.	.	.	.	.	.	.	1	7
" " " 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	1	2
" " " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	5	6
" " " 4, ...	.	.	.	.	.	.	.	.	1	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	3	.	.	1	1	.	.	.	19	31

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th July, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 15th July.			
	June 24.	July 1.	July 8.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	17	19	20	6	1	.	25
Typhus, ...	2	2	2	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	33	34	35	8	15	1	27
Scarlet Fever	50	61	60	12	13	2	57*
Diphtheria, ...	28	22	23	5	5	..	23
Pneumonia, ...	17	15	10	2	5	1	6

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237. 375. 7. 1916. G. III. Sch. c. 7.

(FOR OFFICIAL USE.)

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 29. Vol. LIII.] Week ending Saturday, 22nd July, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 24th July, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·5 and 14·9; Dublin Registration Area, 15·2 and 17·4; Dublin City, 16·8 and 19·0; Belfast, 14·6 and 13·9; Cork, 8·8 and 10·2; Londonderry, 7·8 and 11·1; Limerick, 13·5 and 16·9; and Waterford, 15·2 and 20·4.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·7 per 1,000. Among the 109 deaths from all causes for Belfast are one from enteric fever, one from typhus, 2 from measles, one from whooping-cough, and one from diarrhœa. Of the 10 deaths from all causes for Limerick one was due to scarlet fever, and the 8 deaths recorded for Waterford include 2 from whooping-cough, and one from diarrhœa and enteritis of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 206—100 boys and 106 girls—and the deaths to 125—59 males and 66 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·2 per 1,000 of the population. During the twenty-nine weeks ending with Saturday last, the death-rate averaged 21·3, and was 1·2 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the twenty-nine weeks was 22·9, and for the corresponding period of the preceding ten years, 23·8.

The 116 deaths appertaining to the Area include one from measles; one from diphtheria; 3 of children under 2 years from diarrhœa and enteritis; and one from influenza.

In the 3 preceding weeks deaths from measles numbered one, 0, and one; deaths from diphtheria numbered one, 0, and 0; from diarrhœa and enteritis of children under 2 years, one, 8, and one; and from influenza 0, one, and one, respectively.

Tuberculous disease caused 23 deaths (comprising 20 from pulmonary tuberculosis, and 3 from other forms of the disease), as against 27, 26, and 20 in the three weeks preceding.

Seven deaths were caused by cancer, 4 by pneumonia (one by broncho-pneumonia, and 3 by pneumonia, type not distinguished), 18 by organic diseases of the heart, and 10 by bronchitis.

Among deaths of infants under one year old, 3 were due to convulsions, 3 to prematurity, and 8 to congenital debility.

Seven deaths were due to violence, 3 of these being caused by gunshot wounds, one by drowning, and one execution.

Twenty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 23 being infants under one year, of whom 4 were under one month old.

Of the 116 deaths recorded, 51 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 10·8), was equal to an average annual death-rate of 11·1 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 11·2 per 1,000, the rate for Glasgow being 11·1, and for Edinburgh 13·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd July. From this Report it appears that of 69 cases notified, 21 were scarlet fever, 21 diphtheria, 20 pulmonary tuberculosis, 6 other forms of tuberculosis, and one of erysipelas. Among the 442 cases of infectious diseases in hospital at the close of the week, were 153 of pulmonary tuberculosis, 148 of scarlet fever, 89 of diphtheria, 18 of measles, 5 of enteric fever, 4 of cerebro-spinal fever, 3 of whooping-cough, and 2 of erysipelas.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 22nd July, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	July 1,	·	—	—	4	·	·	1	1	·	5	2	·	—	—	·	—	·	17	30
	July 8,	·	—	—	6	·	·	7	·	·	2	2	·	—	—	·	—	·	13	30
	July 15,	·	—	—	7	·	·	3	·	·	1	1	·	—	—	·	—	·	19	31
	July 22,	·	—	—	7	·	·	8	·	·	3	2	·	—	—	·	—	·	17	37
Rathmines and Rathgar Urban District.	July 1,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	July 8,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	—	—	—	—	3
	July 15,	·	—	—	1	·	·	·	·	·	2	1	·	—	—	—	—	—	—	4
	July 22,	·	—	—	·	·	·	3	·	·	·	·	·	—	—	—	—	—	—	3
Pembroke Urban District.	July 1,	·	4	3	·	·	·	·	·	·	·	·	·	—	1	·	—	—	·	8
	July 8,	·	1	·	·	·	·	·	·	·	·	1	·	—	·	·	—	—	·	2
	July 15,	·	4	·	1	·	·	1	·	·	·	·	·	—	·	·	—	—	2	8
	July 22,	·	6	·	·	·	·	1	·	·	·	1	·	—	3	·	—	—	·	11
Blackrock Urban District.	July 1,	·	3	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	3
	July 8,	·	·	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	·	2
	July 15,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	1	1
	July 22,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
Kingstown Urban District.	July 1,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	July 8,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	—	—	—	·	2
	July 15,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	July 22,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
City of Belfast	July 1,	·	—	—	17	·	·	1	·	·	1	·	·	—	—	·	—	·	·	19
	July 8,	·	—	—	23	·	·	4	·	·	4	2	·	—	—	·	—	·	1	34
	July 15,	·	—	—	18	·	·	3	·	·	·	1	·	—	—	·	—	·	·	22
	July 22,	·	—	—	10	2	·	3	·	·	1	·	·	—	—	·	—	·	·	16
City of Cork	July 1,	·	1	—	2	·	·	·	·	·	·	2	·	—	—	—	·	—	—	5
	July 8,	·	2	—	·	·	·	2	·	·	·	·	1	—	—	—	1	—	—	6
	July 15,	·	2	—	3	·	·	·	·	·	1	·	·	—	—	—	·	—	—	6
	July 22,	·	·	—	1	·	·	3	·	·	·	·	1	—	—	—	2	—	—	7
City of Londonderry	July 1,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	July 8,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	·	—	—	—	2
	July 15,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	July 22,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	—	2
City of Limerick	July 1,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	July 8,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	July 15,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	July 22,	·	—	—	3	·	·	·	·	·	1	·	·	—	—	·	—	—	—	4
City of Waterford.	July 1,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	July 8,	·	—	—	2	·	·	1	·	·	·	·	·	—	—	—	—	—	·	3
	July 15,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	July 22,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd July, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 23; measles 10 and 25; scarlet fever 7 and 59*; and diphtheria 7 and 22. Two cases of typhus remained under treatment in hospital at the close of the week. Three cases of pneumonia were admitted during the week and 7 remained under treatment at its close. Of the deaths in hospitals during the week one was from diphtheria

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 22nd July, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 22nd July, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 22nd July, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS,	1,122,268	19·7	23·7	13·5	0·7	510	290	52	63	1	1	·	3	1	3	1	·	45	10	20	14	25	4	1	10	11	96	20	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	27·1	15·2	0·7	206	116	23	25	·	·	·	1	·	·	1	·	20	3	7	4	12	3	·	6	3	51	10	(d) 74·0	42·6	61·0	0·04
Urban Districts. CITY OF DUBLIN,	303,600	38·4	27·7	16·8	0·9	161	98	23	19	·	·	·	1	·	·	1	·	17	3	5	4	10	3	·	6	3	48	10	(e)72·2 (f)73·7	47·3 44·0	61·8 61·7	0·02 0·05
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	21·4	8·0	·	16	6	·	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	2	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	30·5	12·5	·	17	7	·	3	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	1	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	11·7	5·8	·	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	31·8	12·7	·	10	4	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	71	48	67·6	0·00
Urban Districts. BELFAST, ..	390,000	26·1	22·1	14·6	0·8	165	109	16	23	1	1	·	2	·	1	·	·	16	5	8	9	10	·	1	2	3	32	·	73·2	49·5	60·4	0·07
Urban Districts. CORK, ...	76,673	28·6	21·8	8·8	·	32	13	2	2	·	·	·	·	·	·	·	·	2	2	2	1	1	·	·	·	·	5	·	·	·	·	·
Urban Districts. LONDONDERRY, ..	40,000	15·5	35·2	7·8	·	27	6	·	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	2	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	12·2	13·5	1·4	9	10	1	3	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2	3	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	17·1	15·2	5·7	9	8	4	1	·	·	·	·	·	2	·	·	1	·	·	·	·	1	·	·	1	1	2	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			4	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	1	1	78	45	60	0·00
Urban Districts. DUNDALK, ..	13,128	9·5				3	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				9	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	79·0	43·0	61·4	0·06
Urban Districts. DROGHEDA, ..	12,501	8·4				5	6	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	79·0	43·0	61·4	0·06
Urban Districts. NEWRY, ...	11,963	17·0				5	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	79·0	43·0	61·4	0·06
Urban Districts. PORTADOWN, ..	11,727	15·3				6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	79·0	43·0	61·4	0·06
Urban Districts. WEXFORD, ..	11,531	22·8				4	4	3	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				4	3	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	1	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	78	39	59·0	0·18
Urban Districts. KILKENNY, ..	10,514	11·4				10	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	78·0	43·0	62·0	0·19
Urban Districts. TRALEE, ...	10,300	17·4				1	4	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	1	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON, ...	4,310,030	—	—	10·8	—	2,031	896g	110	268	·	·	·	16	5	8	8	—	110	33	99	47	52	12	7	51	102	436	·	77	50	61·7	0·20
EDINBURGH, ...	329,200	—	—	13·3	—	125	84	12	31	·	·	·	2	·	·	2	—	—	—	—	—	—	·	—	4	—	—	—	70·7	47·6	59·0	0·25
GLASGOW, ...	1,091,600	—	—	11·1	—	571	232g	36	55	1	·	·	9	1	2	·	—	—	—	—	—	—	5	—	11	—	—	—	78·1	48·0	60·9	0·10

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 4 deaths from cerebro-spinal fever for London, and 4 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 29th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 22nd July, 1916.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.														
			0—5.														
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
ALL CAUSES.	136·4	125	4	19	4	2	6	4	10	3	11	8	10	18	12	14	116
Enteric Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	2·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·4	23	.	.	.	1	.	1	6	2	6	3	1	3	.	.	20
Tuberculous Meningitis	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	2·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Venereal Diseases ..	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	10·2	8	.	.	.	.	.	.	.	.	.	1	4	3	.	.	7
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Diabetes	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other General Diseases	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·0	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	5·0	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Softening of Brain ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Epilepsy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·6	4	.	3	.	.	.	1	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·0	18	.	.	.	.	1	1	1	.	1	1	2	2	5	4	18
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other Diseases of Circulatory System.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	7·4	10	.	2	2	.	.	.	.	.	.	.	.	2	2	2	10
Broncho-pneumonia ..	2·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Lobar pneumonia ..	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	3·6	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	3
Pleurisy	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

in the TWENTY-NINTH WEEK, ending Saturday, 22nd July, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 29th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 22nd July, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx, Tonsillitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Diarrhœa and Enteritis of Children under 2 years.	7·6	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Appendicitis and Typhlitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Cirrhosis of Liver ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Peritonitis (cause unknown).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	3·4	4	.	.	.	.	.	.	.	.	.	.	1	3	.	.	4
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	4·2	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility ..	2·8	8	1	7	.	.	.	.	.	.	.	.	.	.	.	.	8
Old Age	5·0	5	.	.	.	.	.	.	.	.	.	.	.	.	2	3	5
Other Specified Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Suffocation in Bed, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	—	3	.	.	.	.	.	.	1	1	.	1	.	.	.	.	2
Other Violent Deaths	1·0	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2
Not included in above—																	
Homicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Ill-defined, &c., Causes,	3·2	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2

TABLE IV.—Showing for the WEEK ENDED 22ND JULY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population,	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
					WEEK ENDED 22ND JULY, 1916. DEATHS. CAUSED BY																												
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	21·3	1·8	12	5	·	·	1	4	1	·	1	·	·	·	·	·	·	·	·	1	1	·	·	1	1	·	3	5	1	1	3	4
" 1, W., ...	40,200	16·9	1·3	13	6	·	·	2	1	2	·	2	·	·	·	·	·	·	1	·	2	2	·	·	·	·	·	·	8	·	5	3	·
" 2, ...	26,900	15·5	1·9	8	2	·	·	2	1	·	2	1	·	·	·	1	·	·	·	·	1	·	·	·	1	·	·	·	5	·	3	2	1
" 3, ...	35,200	14·8	1·5	10	2	·	·	1	·	2	5	·	·	·	·	·	·	·	·	·	1	·	2	·	2	1	·	1	3	1	3	2	·
CLONTARF AND HOWTH, No. 1, part of	5,400	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	19·6	·	5	1	1	·	·	1	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	4	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	10,800	4·8	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	11·7	·	9	·	·	1	·	·	3	2	3	·	·	·	·	·	·	·	·	3	·	·	1	2	·	·	·	3	·	1	1	1
" 2, ...	17,800	23·4	·	8	1	·	1	·	·	2	4	·	·	·	·	·	·	·	·	·	3	·	1	·	·	·	·	·	4	·	1	5	·
" 3, ...	42,400	22·1	·	18	3	2	·	1	1	1	3	7	·	·	·	·	·	·	·	·	3	·	1	2	2	·	·	·	10	·	2	8	1
" 4, ...	32,000	21·1	1·6	13	3	·	·	1	2	1	2	4	·	·	·	·	·	·	·	·	2	·	·	1	2	1	·	1	6	1	3	4	3
NEW KILMAINHAM, ...	10,100	5·2	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	8·0	·	6	·	·	·	1	·	·	4	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	4	·	1	1	·
PEMBROKE, ...	29,100	12·5	·	7	·	1	·	·	·	2	1	3	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	4	·	·	1	·
BLACKROCK, ...	8,900	5·8	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
KINGSTOWN	16,400	12·7	·	4	·	·	·	·	1	2	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	2	·	·	·	·
TOTAL CITY. North, ...	161,200	15·8	1·3	49	16	1	·	6	7	5	9	5	·	·	·	1	·	·	1	·	6	3	3	·	4	2	·	4	25	2	13	10	5
TOTAL CITY. South, ...	142,400	17·9	0·4	49	7	2	2	2	3	8	11	14	·	·	·	·	·	·	·	·	11	·	2	4	6	1	·	2	23	1	7	18	5
TOTAL CITY. North and South, ..	303,600	16·8	0·9	98	23	3	2	8	10	13	20	19	·	·	·	1	·	·	1	·	17	3	5	4	10	3	·	6	48	3	20	28	10
Total Urban Districts, ...	93,400	10·0	·	18	·	1	·	1	1	4	5	6	·	·	·	·	·	·	·	·	3	·	2	·	2	·	·	·	11	·	1	2	·
Total Registration Area, ..	397,000	15·2	0·7	116	23	4	2	9	11	17	25	25	·	·	·	1	·	·	1	·	20	3	7	4	12	3	·	6	59	3	21	30	10
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	·	·	·	1	2	2	3	1	·	·	·	·	·	·	·	·	3	1	1	·	·	·	·	1	3	1	9	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd July, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND JULY, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	125	29	10	13	19	28	12	14	.	.	.	1	.	.	1	.	23	4	8	4	4	12	3	.	7	58	10
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS	101,798	9·2	18	1	.	2	5	6	1	3	.	.	.	.	.	.	.	.	3	.	4	.	.	1	.	.	3	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	14·4	30	10	1	4	5	8	2	.	.	.	.	.	.	.	.	.	7	1	1	1	2	1	1	.	3	13	2
IV.	GENERAL SERVICE CLASS	167,479	13·4	43	12	7	5	6	5	3	5	.	.	.	1	.	.	1	.	8	1	1	3	.	2	1	.	1	24	7
V.	INMATES OF WORKHOUSES, ...	5,602	—	30	6	2	2	2	7	6	5	.	.	.	.	.	.	.	.	4	2	2	.	2	7	1	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6. Clerks and Commercial Assistants,	33,249	—	9	1	.	1	2	3	.	2	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	1	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	5	.	.	1	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	11	4	.	2	.	3	2	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	1	5	1
	10. Clothing Trades, ...	20,026	—	6	2	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.	.	2	.
	11. Food Supply Trades, ...	8,952	—	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	8	2	1	1	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	4	1
	13. Petty Shopkeepers, ...	6,772	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	9	3	.	1	2	2	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	1	.	.	4	2
	15. Domestic Servants, ...	36,041	—	4	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	28	8	6	2	4	2	2	4	.	.	.	1	.	.	1	.	4	1	.	1	.	1	.	.	1	18	4
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	30	6	2	2	2	7	6	5	.	.	.	.	.	.	.	.	4	2	2	.	2	7	1	.	.	12	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	Apr. 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	Apr. 29	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17	June 24.	July 1.	July 8.	July 15	July 22.
No. of weeks in Annual Series ..	17	18	19	20	21	22	23	24	25	26	27	28	29	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered	24	57	286	293	236	228	219	203	263	169	240	182	206	205	189	211	217	192	237	192	163	185	203	199	145	165
Average Births in corresponding week of previous 10 years, ...	220	260	232	206	220	248	211	223	209	246	204	212	217	237	234	229	228	236	220	221	223	210	216	210	200	223
Number of Deaths, ...	27	215	351	235	155	151	139	140	125	136	134	143	116	145	118	133	128	128	124	126	117	108	104	93	110	109
Annual Death-rate per 1,000 ..	3·5	28·2	46·1	30·9	20·4	19·8	18·3	18·4	16·4	17·9	17·6	18·8	15·2	19·4	15·8	17·8	17·1	17·1	16·6	16·8	15·6	14·4	13·9	12·4	14·7	14·6
Average Deaths in corresponding week of previous 10 years, ...	184	170	170	151	158	143	142	146	133	130	126	135	134	159	143	142	145	140	132	129	125	120	118	112	113	117
Ages, .. Under one year, ..	4	25	39	32	21	14	22	26	15	21	28	17	23	27	22	24	16	13	11	21	15	16	15	14	15	16
1— 5 years, ..	3	11	10	18	9	10	15	9	12	11	6	12	6	15	17	21	18	13	19	7	10	16	8	6	9	9
5—25 ,, ..	3	32	71	45	17	14	16	23	24	17	13	20	20	19	17	18	15	20	14	28	17	10	18	15	20	8
25—45 ,, ..	1	38	91	40	31	35	24	22	20	25	25	30	17	30	20	22	28	17	27	22	21	19	24	15	22	17
45—65 ,, ..	9	53	67	57	41	45	36	29	29	35	23	35	25	26	21	26	29	41	26	24	32	31	22	19	25	36
65 and upwards, ..	7	56	73	43	36	33	26	31	25	27	39	29	25	28	21	22	22	24	27	24	22	16	17	24	19	23
Deaths from :—																										
Enteric Fever, ...	·	·	3	3	·	·	·	·	1	·	1	·	·	·	·	1	·	·	·	·	·	1	·	·	1	1
Typhus, ...	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	2	1	2	5	1	2	2	1	3	1	·	1	1	8	7	7	3	3	4	3	2	3	2	2	4	2
Scarlet Fever, ...	·	·	·	·	1	·	1	1	1	1	2	1	·	3	·	2	2	·	2	1	2	1	·	·	2	·
Whooping cough, ...	·	2	2	1	2	2	1	·	1	·	1	2	·	4	2	4	9	2	6	1	3	2	·	1	1	1
Diphtheria, ...	1	·	1	1	1	·	·	2	·	1	·	·	1	·	1	·	·	2	1	·	·	·	·	·	·	·
Dysentery, ...	·	·	·	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	2	25	19	30	19	31	20	22	24	20	23	16	20	24	15	26	23	24	17	24	17	15	20	20	21	16
Tuberculosis { Other Forms, ..	·	7	8	8	9	3	9	5	9	7	3	4	3	7	6	8	8	12	4	10	9	4	7	5	4	5
Cancer, ...	1	4	11	10	6	2	7	7	7	9	9	8	7	7	2	6	10	5	7	7	9	6	2	5	5	8
Diseases of Respiratory System, { Pneumonia ..	2	14	20	17	9	2	6	6	2	9	9	9	4	14	13	7	11	8	11	4	10	10	4	2	8	9
Diseases of Respiratory System, { Others, ..	3	30	28	21	24	17	17	9	9	15	14	11	12	11	16	13	12	12	16	8	12	8	8	5	9	10
Diarrhœa and Enteritis, under 2 years, ...	1	3	6	4	2	3	3	3	2	1	8	1	3	·	2	2	2	1	·	1	2	4	·	1	1	·
Diarrhœa, 2 years and upwards..	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	1	·	1	·	1	·	·	·	2	·	1
Violent Deaths, ...	·	38	158	52	14	16	7	10	8	3	2	29	6	2	1	1	3	2	2	·	1	2	2	1	4	2
Number of Uncertified Deaths, ..	·	16	80	27	12	11	2	9	6	4	4	33	10	5	·	3	2	4	3	3	4	1	·	2	2	·

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd July, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	16·4	·	5	1	·	1	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·
Do. 2 do.	49,500	14	11·6	2·1	11	1	2	·	3	4	1	·	·	·	1	·	1	·	·	1	1	2	·	·	·	·	·	·	2	·
Do. 3 do.	50,032	25	15·6	1·0	15	2	1	1	1	4	6	·	·	·	·	·	·	·	·	·	1	2	·	1	·	1	·	·	6	·
Do. 4 do.	32,637	19	16·0	·	10	2	2	·	2	2	2	·	·	·	·	·	·	·	·	3	·	·	3	1	·	·	1	1	4	·
Do. 5 do.	16,112	4	16·2	·	5	·	·	·	1	2	2	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	·	4	·
Do. 6 do.	37,293	11	18·2	1·4	13	1	1	1	1	5	4	1	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	4	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	5	17·5	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	8	8·5	·	4	·	·	·	3	·	1	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	1	·
Do. 10 do.	28,958	14	21·6	1·8	12	3	1	2	2	3	1	·	1	·	·	·	·	·	·	5	1	·	·	·	·	·	·	·	3	·
Do. 11 do.	39,311	23	13·3	1·3	10	3	1	·	·	2	4	·	·	·	1	·	·	·	·	1	·	·	2	1	·	·	·	·	1	·
Do. 12 do.	38,076	13	9·6	·	7	1	·	1	2	2	1	·	·	·	·	·	·	·	·	·	·	1	1	2	·	·	1	1	3	·
Do. 13 do.	23,233	13	9·0	·	4	1	·	1	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	8	25·3	·	11	·	1	1	2	7	·	·	·	·	·	·	·	·	·	1	2	1	1	1	·	·	·	1	2	·
Total,	386,947	165	14·6	0·8	109	16	9	8	17	36	23	1	1	·	2	·	1	·	·	16	5	8	9	10	·	1	2	3	32	·
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	3	3·9	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do 2 do.	10,399	4	15·0	·	3	1	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·
Do. 3 do.	9,793	4	5·3	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 4 do.	9,139	2	11·4	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·
Do. 5 do.	6,250	1	8·3	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 6 do.	11,581	8	4·5	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 7 do.	16,056	10	13·0	·	4	1	·	1	1	1	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	1	·
Total	76,673	32	8·8	·	13	2	·	2	1	6	2	·	·	·	·	·	·	·	·	2	2	2	1	1	·	·	·	·	5	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd July, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	3	.	.	3	.	.	.	.	.	.	.	2	8
,, ,, 1, West ..	.	1	.	.	2	.	.	.	.	.	.	.	3	6
,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
,, ,, 3, ...	.	1	.	.	2	.	.	.	.	.	.	.	1	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	1	.	.	1	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1	.	1	.	.	.	.	.	.	.	.	.	.	2	3
,, ,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
,, ,, ,, 3, ...	.	1	.	.	.	.	.	.	2	.	.	.	4	7
,, ,, ,, 4, ...	.	.	.	.	.	.	.	2	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	8	.	.	3	2	.	.	.	17	37

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd July, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 22nd July.			
	July 1.	July 8.	July 15.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	19	20	25	1	3	.	23
Typhus, ...	2	2	2	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	34	35	27	10	12	.	25
Scarlet Fever	61	60	57	7	5	.	59*
Diphtheria, ...	22	23	23	7	7	1	22
Pneumonia, ...	15	10	6	3	2	.	7

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237 375. 7. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 30. Vol. LIII.] Week ending Saturday, 29th July, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 31st July, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·4 and 14·1; Dublin Registration Area, 14·4 and 16·5; Dublin City, 15·1 and 17·7; Belfast, 12·4 and 13·5; Cork, 10·2 and 10·0; Londonderry, 5·2 and 8·5; Limerick, 12·2 and 14·9; and Waterford, 20·9 and 17·1.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·6 per 1,000. Among the 93 deaths from all causes for Belfast are one from each of measles, scarlet fever, whooping-cough, and diarrhœa and enteritis of a child under 2 years. One of the 15 deaths from all causes for Cork was from whooping-cough. Enteric fever caused one of the 4 deaths recorded for Londonderry, and the 6 deaths from all causes for Sligo include one from each of enteric fever and diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 193—106 boys and 87 girls—and the deaths to 116—53 males and 63 females.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·4 per 1,000 of the population. During the thirty weeks ending with Saturday last, the death-rate averaged 21·0, and was 1·3 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the thirty weeks was 22·6, and for the corresponding period of the preceding ten years, 23·6.

The 110 deaths appertaining to the Area include 4 of children under 2 years from diarrhœa and enteritis; and one from cerebro-spinal meningitis.

In the 3 preceding weeks deaths from diarrhœa and enteritis of children under 2 years numbered 8, one, and 3, and from cerebro-spinal meningitis 0, 0, and 0, respectively.

Tuberculous disease caused 18 deaths (comprising 15 from pulmonary tuberculosis, 2 from tuberculous meningitis, and one from abdominal tuberculosis, as against 26, 20, and 23 in the three weeks preceding.

Seven deaths were caused by cancer, 4 by pneumonia (one by broncho-pneumonia, and 3 by pneumonia, type not distinguished), 12 by organic diseases of the heart, and 7 by bronchitis.

Among deaths of infants under one year old, 5 were due to convulsions, 4 to prematurity, and 3 to congenital debility.

Three deaths were due to violence, one of these being caused by burns, one by drowning, and one by a fall.

Twenty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 22 being infants under one year, of whom 10 were under one month old.

Of the 110 deaths recorded, 49 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 10·6), was equal to an average annual death-rate of 10·4 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 12·5 per 1,000, the rate for Glasgow being 12·8, and for Edinburgh 12·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th July. From this Report it appears that of 40 cases notified, 21 were scarlet fever, 9 diphtheria, 2 pulmonary tuberculosis, 5 other forms of tuberculosis, and 3 of erysipelas. Among the 433 cases of infectious diseases in hospital at the close of the week, were 159 of pulmonary tuberculosis, 149 of scarlet fever, 82 of diphtheria, 13 of measles, 5 of enteric fever, 3 of cerebro-spinal fever, 3 of whooping-cough, and 2 of erysipelas.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 29th July, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	July 8,	·	—	—	6	·	·	7	·	·	2	2	·	—	—	·	—	·	13	30
	July 15,	·	—	—	7	·	·	3	·	·	1	1	·	—	—	·	—	·	19	31
	July 22,	·	—	—	7	·	·	8	·	·	3	2	·	—	—	·	—	·	17	37
	July 29,	·	—	—	6	·	·	5	·	·	4	1	·	—	—	·	—	·	24	40
Rathmines and Rathgar Urban District.	July 8,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	—	—	—	—	3
	July 15,	·	—	—	1	·	·	·	·	·	2	1	·	—	—	—	—	—	—	4
	July 22,	·	—	—	·	·	·	3	·	·	·	·	·	—	—	—	—	—	—	3
	July 29,	·	—	—	1	·	·	·	·	·	·	1	·	—	—	—	—	—	—	2
Pembroke Urban District.	July 8,	·	1	·	·	·	·	·	·	·	·	1	·	—	·	·	—	—	·	2
	July 15,	·	4	·	1	·	·	1	·	·	·	·	·	—	·	·	—	—	2	8
	July 22,	·	6	·	·	·	·	1	·	·	·	1	·	—	3	·	—	—	·	11
	July 29,	·	8	·	·	·	·	·	·	·	·	·	·	—	1	·	—	—	·	9
Blackrock Urban District.	July 8,	·	·	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	·	2
	July 15,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	1	1
	July 22,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	July 29,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
Kingstown Urban District.	July 8,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	—	—	—	·	2
	July 15,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	July 22,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
City of Belfast	July 8,	·	—	—	23	·	·	4	·	·	4	2	·	—	—	·	—	·	1	34
	July 15,	·	—	—	18	·	·	3	·	·	·	1	·	—	—	·	—	·	·	22
	July 22,	·	—	—	10	2	·	3	·	·	1	·	·	—	—	·	—	·	·	16
	July 29,	·	—	—	10	2	·	1	·	·	1	3	·	—	—	·	—	·	·	17
City of Cork	July 8,	·	2	—	·	·	·	2	·	·	·	·	1	—	—	—	1	—	—	6
	July 15,	·	2	—	3	·	·	·	·	·	1	·	·	—	—	—	·	—	—	6
	July 22,	·	·	—	1	·	·	3	·	·	·	·	1	—	—	—	2	—	—	7
	July 29,	·	·	—	2	·	·	1	·	·	·	3	1	—	—	—	4	—	—	11*a*
City of Londonderry	July 8,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	·	—	—	—	2
	July 15,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	July 22,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	—	2
	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
City of Limerick	July 8,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	July 15,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	July 22,	·	—	—	3	·	·	·	·	·	1	·	·	—	—	·	—	—	—	4
	July 29,	·	—	—	3	·	·	·	·	·	1	·	·	—	—	·	—	—	—	4
City of Waterford.	July 8,	·	—	—	2	·	·	1	·	·	·	·	·	—	—	—	—	—	·	3
	July 15,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	July 22,	·	—	—	·	·	·	·	·	·	·	1	·	—	—	—	—	—	·	1
	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1

(*a*) Not including 2 cases of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th July, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 4 and 21; measles 8 and 22; scarlet fever 9 and 55*; and diphtheria 3 and 21. Two cases of typhus were discharged from hospital during the week. Five cases of pneumonia were admitted during the week and 9 remained under treatment at its close. Of the deaths in hospitals during the week one was from each of scarlet fever and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 29th July, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 29th July, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 29th July, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	22·7	13·4	0·6	489	288	54	57	2	·	·	1	1	2	1	·	41	14	17	11	20	6	·	11	13	112	9	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	25·3	14·4	0·5	193	110g	22	25	·	·	·	·	·	·	·	·	15	3	7	4	9	4	·	3	4	49	4	(d) 76·2	45·0	61·9	0·02
Urban Districts. CITY OF DUBLIN,	303,600	38·4	25·4	15·1	0·7	148	88	20	19	·	·	·	·	·	·	·	·	12	2	7	2	6	4	·	3	4	42	4	(e)75·6 (f)76·5	51·6 46·0	63·4 62·6	0·00 0·02
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	21·4	12·0	·	16	9	·	4	·	·	·	·	·	·	·	·	2	1	·	1	2	·	·	·	·	2	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	32·3	10·8	·	18	6	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	23·4	5·8	·	4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	22·3	19·1	·	7	6	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	3	·	73	53	62·3	0·02
Urban Districts. BELFAST, ..	390,000	26·1	20·7	12·4	0·5	155	93	17	18	·	·	·	1	1	1	·	·	11	5	4	6	6	1	·	5	6	34	1	76·2	46·8	64·0	0·04
Urban Districts. CORK, ...	76,673	28·6	21·1	10·2	0·7	31	15	5	2	·	·	·	·	·	1	·	·	2	1	1	·	1	·	·	·	·	6	2	·	·	·	·
Urban Districts. LONDONDERRY, ..	40,000	15·5	33·9	5·2	1·3	26	4	·	·	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	17·6	12·2	·	13	9	3	·	·	·	·	·	·	·	·	·	2	·	1	·	2	·	·	1	1	5	·	77·8	43·1	62·3	0·00
Urban Districts. WATERFORD, ..	27,464	19·1	13·3	20·9	·	7	11	2	2	·	·	·	·	·	·	·	·	1	1	·	·	2	·	·	·	·	5	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			10	8	·	2	·	·	·	·	·	·	·	·	2	·	2	·	·	·	·	·	·	3	2	78	46	61	0·12
Urban Districts. DUNDALK, ..	13,128	9·5				9	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	4	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	79·0	47·3	63·6	0·22
Urban Districts. DROGHEDA, ..	12,501	8·4				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				8	6	2	3	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	79·0	47·3	63·6	0·22
Urban Districts. NEWRY, ...	11,963	17·0				4	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	79·0	47·3	63·6	0·22
Urban Districts. PORTADOWN, ..	11,727	15·3				8	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	79·0	47·3	63·6	0·22
Urban Districts. WEXFORD, ..	11,531	22·8				4	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	2	1	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				4	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				6	6	·	1	1	·	·	·	·	·	1	·	1	1	·	·	·	·	·	·	·	3	·	76	43	60·0	0·27
Urban Districts. KILKENNY, ..	10,514	11·4				·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	80	47	64·4	0·22
Urban Districts. TRALEE, ...	10,300	17·4				1	4	·	·	·	·	·	·	·	·	·	·	3	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				3	5	1	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	3	·	·	·	·	·
LONDON, ...	4,310,030	—	—	10·6	—	1935	878g	123	259	2	·	·	14	3	4	12	—	92	27	89	37	53	16	4	40	102	404	·	79	47	61·3	0·00
EDINBURGH, ...	329,200	—	—	12·7	—	115	80g	10	26	·	·	·	·	·	·	2	—	—	—	—	—	—	3	—	2	—	—	—	75·5	50·1	62·4	0·00
GLASGOW, ...	1,091,600	—	—	12·8	—	496	267g	44	66	·	·	·	5	3	4	2	—	—	—	—	—	—	9	—	18	—	—	—	79·3	50·2	63·4	0·09

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis for Dublin, 5 deaths from cerebro-spinal fever for London, one for Edinburgh, and 2 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 30th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 29th July, 1916. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	135·6	116	10	12	4	1	5	5	1	2	12	13	10	15	13	13	110
Enteric Fever ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	3·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scarlet Fever ..	·4	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Whooping-cough ..	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diphtheria	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Dysentery	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·4	15	·	·	1	·	·	4	·	1	3	3	·	2	1	·	15
Tuberculous Meningitis	4·2	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	2
Abdominal Tuberculosis	2·0	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Tuberculosis of the Spinal Column.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Venereal Diseases ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cancer	7·4	8	·	·	·	·	·	·	·	·	2	1	1	3	1	·	7
Tumour, situation undefined.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Diabetes	1·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Anæmia, Leucocythæmia.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other General Diseases	·2	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2
Alcoholism ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Simple Meningitis ..	2·6	6	·	2	1	·	2	·	·	1	·	·	·	·	·	·	6
Cerebral Hæmorrhage, Apoplexy.	3·6	3	·	·	·	·	·	·	·	·	·	·	·	1	·	2	3
Softening of Brain ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	·8	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	2
Epilepsy	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Convulsions (non-puerperal).	3·8	7	1	4	1	1	·	·	·	·	·	·	·	·	·	·	7
Other Diseases of Nervous System.	2·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	11·6	14	·	·	·	·	·	·	·	·	1	1	1	3	5	3	12
Embolism and Thrombosis (including Cerebral).	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of the Larynx	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	6·4	7	·	·	·	·	·	·	·	·	1	3	1	1	·	1	7
Broncho-pneumonia ..	3·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Lobar pneumonia ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pneumonia (type not distinguished).	2·8	3	1	·	·	·	·	·	·	·	·	1	1	·	·	·	3
Pleurisy	·4	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	1
Pulmonary Congestion, Pulmonary Apoplexy.	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Other Diseases of Respiratory System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·

in the THIRTIETH WEEK, ending Saturday, 29th July, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 30th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 29th July, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·2	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	2	
Diarrhœa and Enteritis of Children under 2 years.	12·2	4	1	3	·	·	·	·	·	·	·	·	·	·	·	·	4	
Diarrhœa 2 years and upwards.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Enteritis 2 years and upwards.	·6	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	
Appendicitis and Typhlitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Hernia and Intestinal Obstructions.	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	
Cirrhosis of Liver ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Peritonitis (cause unknown).	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Digestive System.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Acute Nephritis ..	1·0	4	·	·	·	·	·	·	·	·	3	·	·	1	·	·	4	
Chronic Bright's Disease	3·2	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	2	
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Puerperal Septicæmia, &c.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other causes incident to Pregnancy and Childbirth.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	
Diseases of Skin and Cellular Tissues.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diseases of Locomotor System.	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Congenital Malformations.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Premature Birth ..	4·6	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4	
Congenital Debility ..	4·6	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	3	
Old Age	4·8	7	·	·	·	·	·	·	·	·	·	·	·	·	2	5	7	
Other Specified Diseases	·6	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	·2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	
Drowning	·8	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Violent Deaths	·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	2·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	

TABLE IV.—Showing for the WEEK ENDED 29TH JULY, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	17·7	·	10	1	·	·	2	·	4	1	2	·	·	·	·	·	·	·	·	3	1	1	·	·	·	·	1	4	1	1	4	1
,, 1, W., ...	40,200	14·3	3·9	11	3	1	·	·	·	2	4	1	·	·	·	·	·	·	·	·	·	·	·	·	2	3	·	·	6	·	·	4	·
,, 2, ...	26,900	17·4	·	9	3	·	1	·	·	2	1	2	·	·	·	·	·	·	·	·	1	·	1	·	3	·	·	·	4	1	4	4	·
,, 3, ...	35,200	13·3	·	9	2	·	·	1	·	3	1	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	7	·	3	3	·
CLONTARF AND HOWTH, No. 1, part of	5,400	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	7·8	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	10,800	14·5	·	3	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	1	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	16·9	·	13	2	1	·	·	·	2	3	5	·	·	·	·	·	·	·	·	2	·	3	·	·	·	·	·	8	·	·	2	1
,, 2, ...	17,800	17·6	·	6	3	·	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	1	3	1	1	2	·
,, 3, ...	42,400	16·0	·	13	3	·	·	1	·	3	3	3	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	10	·	2	5	1
,, 4, ...	32,000	16·3	1·6	10	2	1	·	·	1	2	1	3	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	7	1	4	2	1
NEW KILMAINHAM, ...	10,100	10·3	·	2	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	1	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	12·0	·	9	·	·	·	·	·	5	·	4	·	·	·	·	·	·	·	·	2	1	·	1	2	·	·	·	3	·	2	·	·
PEMBROKE, ...	29,100	10·8	·	6	1	1	·	1	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	5	·	·	2	·
BLACKROCK, ...	8,900	5·8	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
KINGSTOWN	16,400	19·1	·	6	·	·	·	2	1	·	3	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	4	·	2	1	·
TOTAL CITY. North, ...	161,200	14·2	1·0	44	10	1	1	3	1	12	8	8	·	·	·	·	·	·	·	·	9	1	2	·	5	3	·	1	23	2	8	15	1
South, ...	142,400	16·1	0·4	44	10	2	·	3	1	8	9	11	·	·	·	·	·	·	·	·	3	1	5	2	1	1	·	2	29	2	8	11	3
North and South, ..	303,600	15·1	0·7	88	20	3	1	6	2	20	17	19	·	·	·	·	·	·	·	·	12	2	7	2	6	4	·	3	52	4	16	26	4
Total Urban Districts, ...	93,400	12·3	·	22	2	1	·	3	1	5	4	6	·	·	·	·	·	·	·	·	3	1	·	2	3	·	·	·	13	·	4	3	·
Total Registration Area, ..	397,000	14·4	0·5	110	22	4	1	9	3	25	21	25	·	·	·	·	·	·	·	·	15	3	7	4	9	4	·	3	65	4	20	29	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				6	·	·	·	1	·	·	4	1	·	·	·	·	1	·	·	·	·	·	1	·	1	·	·	·	3	·	6	·	·

Saturday, 29th July, 1916. The Annual Death Rate represented by the Deaths registered, the Number of Deaths in Age, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH JULY, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	116	27	10	3	25	25	13	13	.	.	.	.	1	.	.	.	15	3	8	7	4	10	4	.	3	61	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	Professional and Independent Class,	14,658	14·2	4	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
II.	Middle Class	101,798	8·7	17	2	.	1	4	4	2	4	.	.	.	.	.	.	.	.	2	1	.	.	1	2	1	.	1	9	.
III.	Artisan Class and Petty Shopkeepers,	108,420	10·6	22	7	2	1	4	4	2	2	.	.	.	.	.	.	.	.	5	1	1	1	1	1	2	.	1	9	.
IV.	General Service Class	167,479	21·2	41	13	7	1	10	6	4	3	.	.	.	.	1	.	.	.	7	1	6	4	1	1	.	.	1	22	4
V.	Inmates of Workhouses, ...	5,602	—	29	5	1	.	7	11	3	2	.	.	.	.	.	.	.	.	1	.	1	2	1	6	1	.	.	17	.
I.	Professional and Independent Class.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	Middle Class.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants,	33,249	—	6	2	.	1	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	6	.	.	.	1	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	5	.
III.	Artisan Class and Petty Shopkeepers.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	5	2	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	2	.
	10. Clothing Trades, ...	20,026	—	5	2	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	1	.
	11. Food Supply Trades, ...	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	10	2	1	.	3	1	2	1	.	.	.	.	.	.	.	.	4	.	.	.	.	1	1	.	.	4	.
	13. Petty Shopkeepers, ...	6,772	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	General Service Class.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,041	—	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	35	10	6	.	7	5	4	3	.	.	.	.	1	.	.	.	6	1	2	3	1	1	.	.	1	19	3
	Inmates of Workhouses.																													
V.	18. Workhouse Inmates, ...	5,602	—	29	5	1	.	7	11	3	2	.	.	.	.	.	.	.	.	1	.	1	2	1	6	1	.	.	17	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17	June 24.	July 1.	July 8.	July 15	July 22.	July 29
No. of weeks in Annual Series ..	18	19	20	21	22	23	24	25	26	27	28	29	30	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered	57	286	293	236	228	219	203	263	169	240	182	206	193	189	211	217	192	237	192	163	185	203	199	145	165	155
Average Births in corresponding week of previous 10 years, ...	260	232	206	220	248	211	223	209	246	204	212	217	216	234	229	228	236	220	221	223	210	216	210	200	223	220
Number of Deaths, ...	215	351	235	155	151	139	140	125	136	134	143	116	110	118	133	128	128	124	126	117	108	104	93	110	109	93
Annual Death-rate per 1,000 ..	28·2	46·1	30·9	20·4	19·8	18·3	18·4	16·4	17·9	17·6	18·8	15·2	14·4	15·8	17·8	17·1	17·1	16·6	16·8	15·6	14·4	13·9	12·4	14·7	14·6	12·4
Average Deaths in corresponding week of previous 10 years, ...	170	170	151	158	143	142	146	133	130	126	135	134	132	143	142	145	140	132	129	125	120	118	112	113	117	115
Ages, .. Under one year, ..	25	39	32	21	14	22	26	15	21	28	17	23	22	22	24	16	13	11	21	15	16	15	14	15	16	17
1— 5 years, ..	11	10	18	9	10	15	9	12	11	6	12	6	5	17	21	18	13	19	7	10	16	8	6	9	9	6
5—25 ,, ..	32	71	45	17	14	16	23	24	17	13	20	20	12	17	18	15	20	14	28	17	10	18	15	20	8	11
25—45 ,, ..	38	91	40	31	35	24	22	20	25	25	30	17	25	20	22	28	17	27	22	21	19	24	15	22	17	10
45—65 ,, ..	53	67	57	41	45	36	29	29	35	23	35	25	21	21	26	29	41	26	24	32	31	22	19	25	36	31
65 and upwards, ..	56	73	43	36	33	26	31	25	27	39	29	25	25	21	22	22	24	27	24	22	16	17	24	19	23	18
Deaths from :—																										
Enteric Fever, ...	·	3	3	·	·	·	·	1	·	1	·	·	·	·	1	·	·	·	·	·	1	·	·	1	1	·
Typhus, ...	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	2	5	1	2	2	1	3	1	·	1	1	·	7	7	3	3	4	3	2	3	2	2	4	2	1
Scarlet Fever, ...	·	·	·	1	·	1	1	1	1	2	1	·	·	·	2	2	·	2	1	2	1	·	·	2	·	1
Whooping cough, ...	2	2	1	2	2	1	·	1	·	1	2	·	·	2	4	9	2	6	1	3	2	·	1	1	1	1
Diphtheria, ...	·	1	1	1	·	·	2	·	1	·	·	1	·	1	·	·	2	1	·	·	·	·	·	·	·	·
Dysentery, ...	·	·	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	25	19	30	19	31	20	22	24	20	23	16	20	15	15	26	23	24	17	24	17	15	20	20	21	16	11
Tuberculosis { Other Forms, ..	7	8	8	9	3	9	5	9	7	3	4	3	3	6	8	8	12	4	10	9	4	7	5	4	5	5
Cancer, ...	4	11	10	6	2	7	7	7	9	9	8	7	7	2	6	10	5	7	7	9	6	2	5	5	8	4
Diseases of Respiratory System, { Pneumonia ..	14	20	17	9	2	6	6	2	9	9	9	4	4	13	7	11	8	11	4	10	10	4	2	8	9	6
Diseases of Respiratory System, { Others, ..	30	28	21	24	17	17	9	9	15	14	11	12	9	16	13	12	12	16	8	12	8	8	5	9	10	6
Diarrhœa and Enteritis, under 2 years, ...	3	6	4	2	3	3	3	2	1	8	1	3	4	2	2	2	1	·	1	2	4	·	1	1	·	1
Diarrhœa, 2 years and upwards..	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	2	·	1	·
Violent Deaths, ...	38	158	52	14	16	7	10	8	3	2	29	6	3	1	1	3	2	2	·	1	2	2	1	4	2	5
Number of Uncertified Deaths, ..	16	80	27	12	11	2	9	6	4	4	33	10	4	·	3	2	4	3	3	4	1	·	2	2	·	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th July, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	3	3·3	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 2 do.	49,500	17	12·6	·	12	4	1	1	·	3	3	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	2	2	2	1
Do. 3 do.	50,032	24	11·5	2·1	11	3	·	1	1	6	·	·	·	·	·	·	1	·	·	2	·	·	2	·	1	·	1	1	1	·
Do. 4 do.	32,637	9	14·4	·	9	1	·	·	1	5	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	1	·	9	·
Do. 5 do.	16,112	6	19·4	·	6	·	·	1	1	1	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	3	·
Do. 6 do.	37,293	13	8·4	1·4	6	1	2	·	1	1	1	·	·	·	·	1	·	·	·	·	·	1	1	·	·	·	·	·	2	·
Do 7 do.	2,681	·	19·4	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	2	26·2	8·7	3	·	1	1	·	·	1	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	7	14·9	·	7	1	·	2	1	1	2	·	·	·	·	·	·	·	·	1	1	·	·	2	·	·	·	·	1	·
Do. 10 do.	28,958	15	10·8	·	6	2	·	1	1	2	·	·	·	·	·	·	·	·	·	·	2	·	1	1	·	·	·	·	2	·
Do. 11 do.	39,311	18	5·3	·	4	·	·	2	1	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	·
Do. 12 do.	38,076	21	23·3	·	17	2	2	1	2	6	4	·	·	·	·	·	·	·	·	3	1	1	·	1	·	·	1	1	7	·
Do. 13 do.	23,233	10	2·2	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	10	20·7	·	9	3	·	·	1	4	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	1	4	·
Total,	386,947	155	12·4	0·5	93	17	6	11	10	31	18	·	·	·	1	1	1	·	·	11	5	4	6	6	1	·	5	6	34	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	7·8	·	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Do 2 do.	10,399	3	5·0	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 3 do.	9,793	4	10·6	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 4 do.	9,139	4	22·8	5·7	4	2	·	·	·	1	1	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	3	·
Do. 5 do.	6,250	·	16·7	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Do. 6 do.	11,581	5	9·0	·	2	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 7 do.	16,056	10	6·5	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	2	·
Total	76,673	31	10·2	0·7	15	5	1	4	1	2	2	·	·	·	·	·	1	·	·	2	1	1	·	1	·	·	·	·	6	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th July, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	2	.	.	1	1	.	.	.	4	8
„ „ 1, West ..	.	.	.	.	.	.	.	1	.	.	.	.	7	8
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3, ...	.	1	.	.	.	.	.	2	.	.	.	.	3	6
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1	.	1	.	.	.	.	.	.	.	.	.	.	2	3
„ „ „ 2, ...	.	1	.	.	1	.	.	.	.	.	.	.	3	5
„ „ „ 3, ...	.	3	.	.	1	.	.	.	.	.	.	.	1	5
„ „ „ 4, ...	.	.	.	.	1	.	.	.	.	.	.	.	2	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	6	.	.	5	.	.	4	1	.	.	.	24	40

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th July, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 29th July.			
	July 8.	July 15.	July 22.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	20	25	23	4	6	.	21
Typhus, ...	2	2	2	.	2	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	35	27	25	8	11	.	22
Scarlet Fever	60	57	59	9	12	1	55*
Diphtheria, ...	23	23	22	3	4	.	21
Pneumonia, ...	10	6	7	5	2	1	9

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237 375. 7. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., LIMITED, 8 AND 9 CROW STREET.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H. M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C.

No. 31. VOL. LIII.] WEEK ENDING SATURDAY, 5TH AUGUST, 1916. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 9th August, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·1 and 13·8; Dublin Registration Area, 14·1 and 15·6; Dublin City, 15·8 and 17·1; Belfast, 12·7 and 13·6; Cork, 10·2 and 9·0; Londonderry, 9·1 and 8·8; Limerick, 16·2 and 16·2; and Waterford, 9·5 and 13·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·7 per 1,000. Among the 95 deaths from all causes for Belfast are one from typhus, 2 from measles, 2 from scarlet fever, 2 from diphtheria, and 2 of children under 2 years of age from diarrhœa and enteritis. Included in the 15 deaths from all causes for Cork is one from diphtheria; and one of the 5 deaths appertaining to Dundalk was caused by enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 207—106 boys and 101 girls—and the deaths to 113—60 males and 53 females.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·1 per 1,000 of the population. During the thirty-one weeks ending with Saturday last, the death-rate averaged 20·8, and was 1·3 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the thirty-one weeks was 22·4, and for the corresponding period of the preceding ten years, 23·4.

The 107 deaths appertaining to the Area include one from paratyphoid fever, one from measles, and 3 of children under 2 years from diarrhœa and enteritis.

In the 3 preceding weeks deaths from measles were one, one and 0, and deaths from diarrhœa and enteritis of children under 2 years numbered one, 3 and 4. There were no deaths from enteric fever during the 3 preceding weeks.

Tuberculous disease caused 20 deaths (comprising 15 from pulmonary tuberculosis, 3 from tuberculous meningitis, and 2 from other forms of the disease), as against 20, 23 and 18 in the three weeks preceding.

Six deaths were caused by cancer, 5 by pneumonia (3 by broncho-pneumonia, and 2 by pneumonia, type not distinguished), 10 by organic diseases of the heart, and 13 by bronchitis.

Among deaths of infants under one year old, one was due to congenital malformations, 2 were due to prematurity, and 3 to congenital debility.

Seven deaths were due to violence, 2 of these being caused by drowning, one by a fall off a van, 3 by gun shot wounds, and there was one homicidal death.

Twenty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 12 being infants under one year, of whom 6 were under one month old.

Of the 107 deaths recorded, 63 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·3), was equal to an average annual death-rate of 10·8 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 11·2 per 1,000, the rate for Glasgow being 11·0, and for Edinburgh 10·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th August. From this Report it appears that of 44 cases notified, 17 were scarlet fever, 11 diphtheria, 6 pulmonary tuberculosis, 9 other forms of tuberculosis, and one of cerebro-spinal fever. Among the 399 cases of infectious diseases in hospital at the close of the week, were 158 of pulmonary tuberculosis, 141 of scarlet fever, 65 of diphtheria, 11 of measles, 4 of enteric fever, 4 of cerebro-spinal fever, one of whooping-cough, and one of erysipelas.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 5th August, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	July 15,	·	—	—	7	·	·	3	·	·	1	1	·	—	—	·	—	·	19	31
	July 22,	·	—	—	7	·	·	8	·	·	3	2	·	—	—	·	—	·	17	37
	July 29,	·	—	—	6	·	·	5	·	·	4	1	·	—	—	·	—	·	24	40
	August 5,	·	—	—	5	·	·	5	·	·	2	3	·	—	—	·	—	·	14	29
Rathmines and Rathgar Urban District.	July 15,	·	—	—	1	·	·	·	·	·	2	1	·	—	—	—	—	—	—	4
	July 22,	·	—	—	·	·	·	3	·	·	·	·	·	—	—	—	—	—	—	3
	July 29,	·	—	—	1	·	·	·	·	·	·	1	·	—	—	—	—	—	—	2
	August 5,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
Pembroke Urban District.	July 15,	·	4	·	1	·	·	1	·	·	·	·	·	—	·	·	—	—	2	8
	July 22,	·	6	·	·	·	·	1	·	·	·	1	·	—	3	·	—	—	·	11
	July 29,	·	8	·	·	·	·	·	·	·	·	·	·	—	1	·	—	—	·	9
	August 5,	·	2	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	·	5
Blackrock Urban District.	July 15,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	1	1
	July 22,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	July 29,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	August 5,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
Kingstown Urban District.	July 15,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	July 22,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	August 5,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	—	—	—	·	2
City of Belfast	July 15,	·	—	—	18	·	·	3	·	·	·	1	·	—	—	·	—	·	·	22
	July 22,	·	—	—	10	2	·	3	·	·	1	·	·	—	—	·	—	·	·	16
	July 29,	·	—	—	10	2	·	1	·	·	1	3	·	—	—	·	—	·	·	17
	August 5,	·	—	—	18	3	·	·	·	·	·	2	·	—	—	·	—	·	1	24
City of Cork	July 15,	·	2	—	3	·	·	·	·	·	1	·	·	—	—	—	·	—	—	6
	July 22,	·	·	—	1	·	·	3	·	·	·	·	1	—	—	—	2	—	—	7
	July 29,	·	·	—	2	·	·	1	·	·	·	3	1	—	—	—	4	—	—	11*a*
	August 5,	·	·	—	·	·	·	1	·	·	·	·	·	—	—	—	8	—	—	9*b*
City of Londonderry	July 15,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	July 22,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	—	2
	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	August 5,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
City of Limerick	July 15,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	July 22,	·	—	—	3	·	·	·	·	·	1	·	·	—	—	·	—	—	—	4
	July 29,	·	—	—	3	·	·	·	·	·	1	·	·	—	—	·	—	—	—	4
	August 5,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
City of Waterford.	July 15,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	July 22,	·	—	—	·	·	·	·	·	·	·	1	·	—	—	—	—	—	·	1
	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	August 5,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1

(*a*) Not including 2 cases of varicella.
(*b*) Not including 3 cases of varicella and one of cerebro-spinal fever,

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th August, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 15; measles 2 and 17; scarlet fever 6 and 46*; and diphtheria 6 and 24. Six cases of pneumonia were admitted during the week and 11 remained under treatment at its close. Of the deaths in hospitals during the week 2 were from enteric fever.

* See note (*) at foot of Table IX.

Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall for the week**; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 5TH AUGUST, 1916.

TOWNS AND DISTRICTS.	POPULATION. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	From certain Epidemic Diseases. (b)	BIRTHS.	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 5TH AUGUST, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	23·6	13·1	0·7	507	281	40	63	2	1	·	3	2	·	3	·	29	21	19	13	29	5	·	13	12	123	12	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	27·2	14·1	0·7	207	107	12	30	1	·	·	1	·	·	·	·	15	5	6	5	16	3	·	7	3	63	4	(d) 75·7	50·7	63·5	0·09
Urban Districts. CITY OF DUBLIN,	303,600	38·4	30·1	15·8	0·9	175	92	10	25	1	·	·	1	·	·	·	·	12	4	6	3	14	3	·	6	3	56	4	(e)74·2 (f)76·9	57·6 53·0	65·0 64·8	0·10 0·08
RATHMINES and RATHGAR.	39,000	22·8	21·4	5·3	·	16	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	3	·	·	·	·	·
PEMBROKE, ..	29,100	18·5	14·3	10·8	·	8	6	2	1	·	·	·	·	·	·	·	·	1	1	·	1	1	·	·	·	·	2	·	·	·	·	·
BLACKROCK, ..	8,900	8·2	11·7	5·8	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	16,400	11·2	19·1	12·7	·	6	4	·	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	·	74	55	64·4	00·3
Urban Districts. BELFAST, ..	390,000	26·1	20·3	12·7	1·2	152	95	20	18	·	1	·	2	2	·	2	·	5	7	9	4	11	2	·	5	9	28	2	74·5	54·0	64·8	0·35
CORK, ...	76,673	28·6	19·7	10·2	0·7	29	15	·	3	·	·	·	·	·	·	1	·	2	2	1	2	·	·	·	·	·	5	·	74	56	63·9	0·08
LONDONDERRY, ..	40,000	15·5	33·9	9·1	·	26	7	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·
LIMERICK, ..	38,518	16·1	17·6	16·2	·	13	12	4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	4	79·6	47·9	65·6	0·16
WATERFORD, ..	27,464	19·1	5·7	9·5	·	3	5	·	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	3	·	·	·	·	·
GALWAY, ...	13,255	2·5				6	3	·	1	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	·	·	·	·
DUNDALK, ..	13,128	9·5				4	5	·	·	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	5	·	·	·	·	·
LURGAN, ..	12,553	14·7				7	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	76·0	52·1	65·0	0·29
DROGHEDA, ..	12,501	8·4				3	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·
LISBURN, ..	12,388	10·9				6	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	76·0	52·1	65·0	0·29
NEWRY, ...	11,963	17·0				6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	76·0	52·1	65·0	0·29
PORTADOWN, ..	11,727	15·3				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	76·0	52·1	65·0	0·29
WEXFORD, ..	11,531	22·8				1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				20	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
SLIGO, ...	11,163	3·8				8	5	·	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	1	·	74	47	63·0	0·15
KILKENNY, ..	10,514	11·4				3	5	1	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	·	78	51	65·2	0·06
TRALEE, ...	10,300	17·4				5	5	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	4	·	·	·	·	·
CLONMEL, ..	10,209	7·8				6	5	1	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	5	·	·	·	·	·
LONDON, ...	4,310,030	—	—	11·3	—	1893	936g	133	293	2	·	·	24	2	5	16	—	96	22	106	51	48	18	10	53	92	460	1	84	51	68·1	0·00
EDINBURGH, ...	329,200	—	—	10·5	—	115	66	5	25	·	·	·	1	·	·	·	—	—	—	—	—	—	1	—	1	—	—	—	79·0	49·0	61·6	0·01
GLASGOW, ...	1,091,600	—	—	11·0	—	549	231	40	56	·	·	·	1	1	1	1	—	—	—	—	—	—	6	—	16	—	—	—	75·1	50·9	62·1	0·02

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 3 deaths from cerebro-spinal fever.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 31st Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 5th August, 1916.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	142·2	113	6	6	8	4	·	3	3	4	8	17	14	10	18	12	107
Enteric Fever ..	1·2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Typhus	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	3·2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Scarlet Fever ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diphtheria	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Dysentery	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·0	15	·	·	·	·	·	·	1	1	5	6	2	·	·	·	15
Tuberculous Meningitis	2·6	3	·	1	·	1	·	1	·	·	·	·	·	·	·	·	3
Abdominal Tuberculosis	2·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Tuberculosis of the Spinal Column.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	1·6	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Venereal Diseases ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cancer	9·2	6	·	·	·	·	·	·	·	·	·	3	·	1	2	·	6
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diabetes	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anæmia, Leucocythæmia.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other General Diseases	1·6	2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	2
Alcoholism ..	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebral Hæmorrhage, Apoplexy.	4·0	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	2
Softening of Brain ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Epilepsy	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	3·8	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Other Diseases of Nervous System.	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pericarditis ..	·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Acute Endocarditis ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	9·6	11	·	·	·	·	·	·	·	·	·	2	2	2	3	2	10
Embolism and Thrombosis (including Cerebral).	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	1·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Diseases of the Larynx	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Bronchitis	7·2	13	·	·	·	·	·	·	·	·	·	·	3	3	5	2	13
Broncho-pneumonia ..	1·6	3	·	·	1	2	·	·	·	·	·	·	·	·	·	·	3
Lobar pneumonia ..	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Pneumonia (type not distinguished).	2·4	2	·	·	1	·	·	·	·	·	·	·	·	·	·	1	2
Pleurisy	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Respiratory System.	·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1

in the THIRTY-FIRST WEEK, ending Saturday, 5th August, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 31st Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 5th August, 1916.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diarrhœa and Enteritis of Children under 2 years.	14·6	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2
Appendicitis and Typhlitis.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ..	1·2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2
Other Diseases of Liver	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1·0	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Acute Nephritis ..	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Chronic Bright's Disease	3·2	6	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.
Urinary Calculi ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2
Puerperal Septicæmia, &c.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	1·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of Locomotor System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	3·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Debility ..	4·6	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Old Age	2·6	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
Other Specified Diseases	1·4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·2	3	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	2
Suffocation in Bed, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	—	5	.	.	.	.	.	.	1	3	.	.	1	.	.	.	.	4
Other Violent Deaths	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not included in above—																		
Homicide, ..	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Suicide, ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	3·6	2	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2

TABLE IV.—Showing for the WEEK ENDED 5TH AUGUST, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 5TH AUGUST, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population,	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No. 1, E., ...	29,400	12·4	·	7	1	1	·	·	·	1	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	5	·	1	3	1
" 1, W., ...	40,200	14·3	·	11	·	·	1	·	1	2	2	5	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	8	·	4	6	·
" 2, ...	26,900	31·0	·	16	1	1	2	·	1	4	5	2	·	·	·	·	·	·	·	·	2	2	1	1	2	·	·	2	6	·	6	4	1
" 3, ...	35,200	11·9	1·5	8	1	1	·	·	1	1	1	3	·	·	·	·	·	·	·	·	2	·	·	1	2	1	·	·	2	·	2	2	·
Clontarf and Howth, No. 1, part of	5,400	19·3	·	2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
Coolock and Drumcondra, part of ..	13,300	11·8	·	3	·	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·	·	·	·
Finglas and Glasnevin, part of ..	10,800	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
South City.																																	
South City, No. 1, ..	40,100	18·2	1·3	14	3	1	1	1	1	3	3	1	·	·	·	·	·	·	·	·	2	·	2	1	1	1	·	1	6	1	4	3	1
" 2, ...	17,800	26·4	·	9	·	·	·	·	·	2	3	4	·	·	·	·	·	·	·	·	1	·	2	·	3	·	·	1	2	1	3	4	1
" 3, ...	42,400	9·8	1·2	8	1	·	·	2	·	2	1	2	1	·	·	·	·	·	·	·	2	1	·	·	2	·	·	·	2	·	2	4	·
" 4, ...	32,000	17·9	1·6	11	2	1	·	·	·	3	1	4	·	·	·	1	·	·	·	·	1	·	·	·	1	·	·	1	7	1	2	4	·
New Kilmainham, ...	10,100	15·5	5·2	3	·	1	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	2	·
Urban Districts.																																	
Rathmines and Rathgar, ..	39,000	5·3	·	4	·	·	·	·	1	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	2	·	2	1	·
Pembroke, ...	29,100	10·8	·	6	2	1	·	·	·	2	·	1	·	·	·	·	·	·	·	·	1	1	·	1	1	·	·	·	2	·	1	1	·
Blackrock, ...	8,900	5·8	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Kingstown	16,400	12·7	·	4	·	·	·	·	·	2	·	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	2	·	2	·	·
TOTAL CITY. North, ...	161,200	15·2	0·3	47	4	4	3	·	3	9	10	14	·	·	·	·	·	·	·	·	6	3	2	2	6	1	·	3	24	·	13	15	2
South, ...	142,400	16·5	1·5	45	6	3	1	3	1	10	10	11	1	·	·	1	·	·	·	·	6	1	4	1	8	2	·	3	18	3	11	17	2
North and South, ..	303,600	15·8	0·9	92	10	7	4	3	4	19	20	25	1	·	·	1	·	·	·	·	12	4	6	3	14	3	·	6	42	3	24	32	4
Total Urban Districts, ...	93,400	8·4	·	15	2	1	·	·	1	5	1	5	·	·	·	·	·	·	·	·	3	1	·	2	2	·	·	1	6	·	5	2	·
Total Registration Area, ..	397,000	14·1	0·7	107	12	8	4	3	5	24	21	30	1	·	·	1	·	·	·	·	15	5	6	5	16	3	·	7	48	3	29	34	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				6	·	·	·	·	2	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	3	2	1	5	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th August, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH AUGUST, 1916.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	113	24	3	7	25	24	18	12	1	·	·	1	·	·	·	·	15	5	6	1	6	16	3	·	10	49	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	3·6	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
II.	MIDDLE CLASS	101,798	5·6	11	3	·	1	2	1	1	3	·	·	·	·	·	·	·	·	1	1	·	1	1	1	1	·	3	2	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	12·5	26	6	1	2	10	4	3	·	·	·	·	·	·	·	·	·	4	1	1	·	1	2	1	·	5	11	3
IV.	GENERAL SERVICE CLASS	167,479	12·5	40	11	2	3	7	8	7	2	1	·	·	1	·	·	·	·	5	2	2	·	2	2	1	·	2	22	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	35	4	·	1	6	10	7	7	·	·	·	·	·	·	·	·	5	1	3	·	2	11	·	·	·	13	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	6. Clerks and Commercial Assistants,	33,249	—	4	2	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	·	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	1	·	·	1	1	1	3	·	·	·	·	·	·	·	·	1	·	·	·	1	1	1	·	1	2	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	9. Building and Furnishing Trades, ..	28,823	—	9	4	·	2	2	·	1	·	·	·	·	·	·	·	·	·	3	1	·	·	1	·	·	·	1	3	·
	10. Clothing Trades, ...	20,026	—	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1
	11. Food Supply Trades, ...	8,952	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	10	2	1	·	4	3	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	1	1	·	2	4	1
	13. Petty Shopkeepers, ...	6,772	—	3	·	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
IV	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	7	4	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	4	·
	15. Domestic Servants, ...	36,041	—	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	·	1	·	2	2	·	·	1	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	1	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	27	7	1	1	4	5	7	2	·	·	·	1	·	·	·	·	2	2	2	·	1	2	1	·	·	16	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	35	4	·	1	6	10	7	7	·	·	·	·	·	·	·	·	5	1	3	·	2	11	·	·	·	13	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug 5.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17	June 24.	July 1.	July 8.	July 15	July 22.	July 29	Aug. 5.
No. of weeks in Annual Series ..	19	20	21	22	23	24	25	26	27	28	29	30	31	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered	286	293	236	228	219	203	263	169	240	182	206	193	207	211	217	192	237	192	163	185	203	199	145	165	155	152
Average Births in corresponding week of previous 10 years, ...	232	206	220	248	211	223	209	246	204	212	217	216	221	229	228	236	220	221	223	210	216	210	200	223	220	218
Number of Deaths, ...	351	235	155	151	139	140	125	136	134	143	116	110	107	133	128	128	124	126	117	108	104	93	110	109	93	95
Annual Death-rate per 1,000 ..	46·1	30·9	20·4	19·8	18·3	18·4	16·4	17·9	17·6	18·8	15·2	14·4	14·1	17·8	17·1	17·1	16·6	16·8	15·6	14·4	13·9	12·4	14·7	14·6	12·4	12·7
Average Deaths in corresponding week of previous 10 years, ...	170	151	158	143	142	146	133	130	126	135	134	132	129	142	145	140	132	129	125	120	118	112	113	117	115	109
Ages, .. Under one year, ..	39	32	21	14	22	26	15	21	28	17	23	22	12	24	16	13	11	21	15	16	15	14	15	16	17	20
1— 5 years, ..	10	18	9	10	15	9	12	11	6	12	6	5	12	21	18	13	19	7	10	16	8	6	9	9	6	10
5—25 ,, ..	71	45	17	14	16	23	24	17	13	20	20	12	8	18	15	20	14	28	17	10	18	15	20	8	11	14
25—45 ,, ..	91	40	31	35	24	22	20	25	25	30	17	25	24	22	28	17	27	22	21	19	24	15	22	17	10	14
45—65 ,, ..	67	57	41	45	36	29	29	35	23	35	25	21	21	26	29	41	26	24	32	31	22	19	25	36	31	19
65 and upwards, ..	73	43	36	33	26	31	25	27	39	29	25	25	30	22	22	24	27	24	22	16	17	24	19	23	18	18
Deaths from :—																										
Enteric Fever, ...	3	3	.	.	.	.	1	.	1	.	.	.	1	1	.	.	.	.	.	1	.	.	1	1	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	5	1	2	2	1	3	1	.	1	1	.	1	7	3	3	4	3	2	3	2	2	4	2	1	2
Scarlet Fever, ...	.	.	1	.	1	1	1	1	2	1	.	.	.	2	2	.	2	1	2	1	.	.	2	.	1	2
Whooping-cough, ...	2	1	2	2	1	.	1	.	1	2	.	.	.	4	9	2	6	1	3	2	.	1	1	1	1	.
Diphtheria, ...	1	1	1	.	.	2	.	1	.	.	1	.	.	.	.	2	1	.	.	.	.	.	.	.	.	2
Dysentery, ...	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	19	30	19	31	20	22	24	20	23	16	20	15	15	26	23	24	17	24	17	15	20	20	21	16	11	5
Tuberculosis { Other Forms, ..	8	8	9	3	9	5	9	7	3	4	3	3	5	8	8	12	4	10	9	4	7	5	4	5	5	7
Cancer, ...	11	10	6	2	7	7	7	9	9	8	7	7	6	6	10	5	7	7	9	6	2	5	5	8	4	9
Diseases of Respiratory System, { Pneumonia ..	20	17	9	2	6	6	2	9	9	9	4	4	5	7	11	8	11	4	10	10	4	2	8	9	6	4
Diseases of Respiratory System, { Others, ..	28	21	24	17	17	9	9	15	14	11	12	9	16	13	12	12	16	8	12	8	8	5	9	10	6	11
Diarrhœa and Enteritis, under 2 years, ...	6	4	2	3	3	3	2	1	8	1	3	4	3	2	2	1	.	1	2	4	.	1	1	.	1	2
Diarrhœa, 2 years and upwards..	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	2	.	1	.	.
Violent Deaths, ...	158	52	14	16	7	10	8	3	2	29	6	3	7	1	3	2	2	.	1	2	2	1	4	2	5	5
Number of Uncertified Deaths, ..	80	27	12	11	2	9	6	4	4	33	10	4	4	3	2	4	3	3	4	1	.	2	2	.	1	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th August, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	3·3	3·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 2 do.	49,500	18	17·9	2·1	17	3	4	2	2	5	1	.	.	.	1	.	.	1	.	1	1	2	.	1	.	.	1	1	6	.
Do. 3 do.	50,032	15	13·5	.	13	2	.	4	1	2	4	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	1	1	4	1
Do. 4 do.	32,637	13	14·4	1·6	9	4	.	.	2	1	2	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	1	6	.
Do. 5 do.	16,112	8	19·4	3·2	6	1	2	.	.	3	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	1	2	4	.
Do. 6 do.	37,293	8	8·4	.	6	2	.	.	1	.	3	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	.	.	.
Do. 7 do.	2,681	.	38·9	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Do. 8 do.	5,964	3	17·5	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	15	8·5	2·1	4	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Do. 10 do.	28,958	14	7·2	1·8	4	2	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 11 do.	39,311	10	11·9	1·3	9	2	.	4	1	.	2	.	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	1	.
Do. 12 do.	38,076	18	17·8	1·4	13	1	2	.	4	3	3	.	.	.	1	.	.	.	.	2	.	2	1	1	.	.	.	1	2	1
Do. 13 do.	23,233	10	4·5	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	13	16·1	.	7	.	1	2	.	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	2	1	.
Total,	386,947	152	12·7	1·2	95	20	10	14	14	19	18	.	1	.	2	2	.	2	.	5	7	9	4	11	2	.	5	9	28	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.	10,399	8	25·1	5·0	5	.	.	3	.	2	.	.	.	.	.	.	.	1	.	.	2	.	1	.	.	.	.	.	.	.
Do. 3 do.	9,793	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,250	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	3	27·0	.	6	.	.	.	1	4	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3	.
Do. 7 do.	16,056	8	13·0	.	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Total	76,673	29	10·2	0·7	15	.	.	3	1	8	3	.	.	.	.	.	.	1	.	2	2	1	2	.	.	.	.	.	5	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th August, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	2	.	.	.	.	.	1	2	.	.	.	.	5
,, ,, 1, West ..	.	.	.	.	.	.	.	1	.	.	.	.	3	4
,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
,, ,, 3, ...	.	1	.	.	1	.	.	.	1	.	.	.	1	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	2	.	.	.	.	.	.	.	.	.	.	2	4
,, ,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, ,, ,, 3, ...	.	.	.	.	2	.	.	.	.	.	.	.	4	6
,, ,, ,, 4, ...	.	.	.	.	1	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	5	.	.	5	.	.	2	3	.	.	.	14	29

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th August, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No of Cases in Hospital at close of week ended			Week ended 5th August.			
	July 15.	July 22.	July 29.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	25	23	21	1	5	2	15
Typhus, ...	2	2	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	27	25	22	2	7	.	17
Scarlet Fever	57	59	55	6	15	.	46*
Diphtheria, ...	23	22	21	6	3	.	24
Pneumonia, ...	6	7	9	6	4	.	11

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237 375. 7. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 32. Vol. LIII.] Week ending Saturday, 12th August, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 14th August, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·8 and 13·5; Dublin Registration Area, 16·5 and 15·0; Dublin City, 18·0 and 16·4; Belfast, 11·6 and 12·8; Cork, 15·0 and 11·1; Londonderry, 13·0 and 8·8; Limerick, 13·5 and 13·8; and Waterford, 9·5 and 13·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·1 per 1,000. Among the 87 deaths from all causes for Belfast are one from measles, one from scarlet fever, and 3 of children under 2 years of age from diarrhœa and enteritis; and the 4 deaths from all causes for Lisburn include one from enteric fever and one from diarrhœa and enteritis of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 181—93 boys and 88 girls—and the deaths to 139—78 males and 61 females.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·5 per 1,000 of the population. During the thirty-two weeks ending with Saturday last, the death-rate averaged 20·7, and was 1·3 below the mean rate for the corresponding portions of the 10 years 1906–15. The rate for all deaths registered during the thirty-two weeks was 22·2, and for the corresponding period of the preceding ten years, 23·2.

The 126 deaths appertaining to the Area include one from each of enteric fever, scarlet fever, and whooping-cough, and 11 of children under 2 years from diarrhœa and enteritis.

In the 3 preceding weeks deaths from enteric fever were 0, 0 and one, and deaths from diarrhœa and enteritis of children under 2 years numbered 3, 4 and 3. There were no deaths from scarlet fever or whooping-cough during the 3 preceding weeks.

Tuberculous disease caused 23 deaths (comprising 18 from pulmonary tuberculosis, 4 from tuberculous meningitis, and one from abdominal tuberculosis), as against 23, 18, and 20 in the three weeks preceding.

Seven deaths were caused by cancer; 5 by pneumonia (2 by broncho-pneumonia, and 3 by lobar pneumonia), 14 by organic diseases of the heart, and 3 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, one to congenital malformations, 2 to prematurity, and 5 to congenital debility.

Six deaths were due to violence, 3 of these being caused by drowning, one by gun-shot wounds, and one by a van.

Thirty-five of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 20 being infants under one year, of whom 8 were under one month old.

Of the 126 deaths recorded, 57 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 10·6), was equal to an average annual death-rate of 10·6 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 12·2 per 1,000, the rate for Glasgow being 11·9, and for Edinburgh 12·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th August. From this Report it appears that of 42 cases notified, 20 were scarlet fever, 10 pulmonary tuberculosis, 6 erysipelas, 5 diphtheria, and one of cerebro-spinal fever. Among the 390 cases of infectious diseases in hospital at the close of the week, were 153 of pulmonary tuberculosis, 137 of scarlet fever, 57 of diphtheria, 10 of measles, 5 of cerebro-spinal fever, 4 of enteric fever, 4 of erysipelas, and one of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 12th August, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	July 22,	·	—	—	7	·	·	8	·	·	3	2	·	—	—	·	—	·	17	37
	July 29,	·	—	—	6	·	·	5	·	·	4	1	·	—	—	·	—	·	24	40
	Aug. 5,	·	—	—	5	·	·	5	·	·	2	3	·	—	—	·	—	·	14	29
	Aug. 12,	·	—	—	4	·	·	1	·	1	5	3	·	—	—	·	—	·	10	24
Rathmines and Rathgar Urban District	July 22,	·	—	—	·	·	·	3	·	·	·	·	·	—	—	—	—	—	—	3
	July 29,	·	—	—	1	·	·	·	·	·	·	1	·	—	—	—	—	—	—	2
	Aug. 5,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	Aug. 12,	·	—	—	1	·	·	4	·	·	·	·	·	—	—	—	—	—	—	5
Pembroke Urban District.	July 22,	·	6	·	·	·	·	1	·	·	·	1	·	—	3	·	—	—	·	11
	July 29,	·	8	·	·	·	·	·	·	·	·	·	·	—	1	·	—	—	·	9
	Aug. 5,	·	2	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	·	5
	Aug. 12,	·	9	·	·	·	·	·	·	·	·	·	·	—	2	·	—	—	·	11
Blackrock Urban District.	July 22,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	July 29,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Aug. 5,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Aug. 12,	·	·	—	·	·	·	·	·	·	·	1	·	—	—	·	—	—	·	1
Kingstown Urban District.	July 22,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Aug. 5,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	—	—	—	·	2
	Aug. 12,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
City of Belfast	July 22,	·	—	—	10	2	·	3	·	·	1	·	·	—	—	·	—	·	·	16
	July 29,	·	—	—	10	2	·	1	·	·	1	3	·	—	—	·	—	·	·	17
	Aug. 5,	·	—	—	18	3	·	·	·	·	·	2	·	—	—	·	—	·	1	24
	Aug. 12,	·	—	—	6	2	·	2	·	·	·	·	1	—	—	·	—	·	·	11
City of Cork.	July 22,	·	·	—	1	·	·	3	·	·	·	·	1	—	—	—	2	—	—	7
	July 29,	·	·	—	2	·	·	1	·	·	·	3	1	—	—	—	4	—	—	11*a*
	Aug. 5,	·	·	—	·	·	·	1	·	·	·	·	·	—	—	—	8	—	—	9*b*
	Aug. 12,	·	1	—	·	·	·	1	·	·	·	·	·	—	—	—	8	—	—	10*c*
City of Londonderry	July 22,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	—	2
	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Aug. 5,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Aug. 12,	·	—	—	·	1	·	·	·	·	·	·	·	—	—	·	—	—	—	1
City of Limerick	July 22,	·	—	—	3	·	·	·	·	·	1	·	·	—	—	·	—	—	—	4
	July 29,	·	—	—	3	·	·	·	·	·	1	·	·	—	—	·	—	—	—	4
	Aug. 5,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Aug. 12,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
City of Waterford.	July 22,	·	—	—	·	·	·	·	·	·	·	1	·	—	—	—	—	—	·	1
	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	Aug. 5,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	Aug. 12,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

(*a*) Not including 2 cases of varicella.
(*b*) Not including 3 cases of varicella and one of cerebro-spinal fever.
(*c*) Not including one case of cerebro-spinal fever.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th August, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 7 and 21; measles 6 and 11; scarlet fever 9 and 46*; and diphtheria 7 and 30. Four cases of pneumonia were admitted during the week and 11 remained under treatment at its close. Of the deaths in hospitals during the week one was from scarlet fever.

* See note (*) at foot of Table IX.

statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 12th August, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 12th August, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
Total of 19 Town Districts,	1,122,268	19·7	23·5	13·8	1·1	505	297	37	77	2	·	·	1	2	1	·	·	47	12	21	11	22	16	1	8	15	110	5	·	·	·	·
Dublin Registration Area.	397,000	28·9	23·8	16·5	2·0	181	126	20	34	1	·	·	·	1	1	·	·	18	5	7	5	8	11	1	6	6	57	·	(d) 74·5	43·8	61·7	0·04
Urban Districts. City of Dublin,	303,600	38·4	25·8	18·0	2·6	150	105	18	25	1	·	·	·	1	1	·	·	13	4	6	4	6	11	1	6	6	51	·	(e)74·0	53·1	63·5	0·04
																													(f)76·6	46·0	62·1	0·03
Urban Districts. Rathmines and Rathgar.	39,000	22·8	20·1	10·7	·	15	8	1	4	·	·	·	·	·	·	·	·	4	·	1	1	·	·	·	·	·	4	·	·	·	·	·
Urban Districts. Pembroke,	29,100	18·5	16·1	16·1	·	9	9	1	4	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	·	·	·	·
Urban Districts. Blackrock,	8,900	8·2	17·5	5·8	·	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Kingstown,	16,400	11·2	12·7	9·5	·	4	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	·	74	51	63·2	0·16
Urban Districts. Belfast,	390,000	26·1	22·2	11·6	0·7	166	87	11	19	·	·	·	1	1	·	·	·	15	3	7	4	9	3	·	1	5	26	1	73·5	49·0	62·4	0·07
Urban Districts. Cork,	76,673	28·6	25·8	15·0	·	38	22	·	9	·	·	·	·	·	·	·	·	5	2	1	·	·	·	·	·	·	9	1	71	56	64·6	0·24
Urban Districts. Londonderry,	40,000	15·5	15·6	13·0	·	12	10	·	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	1	2	1	·	·	·	·
Urban Districts. Limerick,	38,518	16·1	47·4	13·5	·	35	10	1	3	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	1	4	1	81·8	50·1	64·4	0·41
Urban Districts. Waterford,	27,464	19·1	26·6	9·5	·	14	5	·	·	·	·	·	·	·	·	·	·	1	·	2	1	·	·	·	·	·	2	·	·	·	·	·
Urban Districts. Galway,	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			5	5	1	3	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	3	·	·	·	·	·
Urban Districts. Dundalk,	13,128	9·5				·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lurgan,	12,553	14·7				8	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	75·3	43·9	62·1	0·70
Urban Districts. Drogheda,	12,501	8·4				6	3	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. Lisburn,	12,388	10·9				3	4	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	1	1	·	75·3	43·9	62·1	0·70
Urban Districts. Newry,	11,963	17·0				3	7	1	2	·	·	·	·	·	·	·	·	2	1	·	·	1	1	·	·	1	·	·	75·3	43·9	62·1	0·70
Urban Districts. Portadown,	11,727	15·3				1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	75·3	43·9	62·1	0·70
Urban Districts. Wexford,	11,531	22·8				10	5	·	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. Ballymena,	11,381	9·3				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Sligo,	11,163	3·8				3	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	81	48	63·0	0·30
Urban Districts. Kilkenny,	10,514	11·4				7	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	80	49	63·4	0·18
Urban Districts. Tralee,	10,300	17·4				6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Clonmel,	10,209	7·8				5	5	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·
London,	4,310,030	—	—	10·6	—	1892	87 g	125	257	2	·	·	15	1	7	8	—	109	27	98	42	46	31	7	52	104	391	·	84·0	50·0	6[illegible]·0	0·04
Edinburgh,	329,200	—	—	12·5	—	114	79	3	31	·	·	·	1	·	·	·	—	—	—	—	—	—	2	—	2	—	—	—	74·0	47·0	59·3	0·01
Glasgow,	1,091,600	—	—	11·9	—	517	248	40	55	·	1	·	1	1	9	3	—	—	—	—	—	—	12	—	10	—	—	—	74·4	49·2	62·5	0·05

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 2 deaths from cerebro-spinal fever.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 32nd Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 12th August, 1916. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	144·4	139	9	12	10	5	3	2	8	5	8	14	15	12	22	14	126
Enteric Fever ..	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	1·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	1·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·4	19	.	1	1	.	.	.	1	3	3	6	3	.	1	.	18
Tuberculous Meningitis	1·8	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	4
Abdominal Tuberculosis	1·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Venereal Diseases ..	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Cancer	9·2	8	.	.	.	.	.	.	.	1	1	.	1	1	3	1	7
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·0	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Other General Diseases	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Alcoholism ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·8	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	3
Cerebral Hæmorrhage, Apoplexy.	4·0	5	.	.	.	.	.	.	.	.	.	.	.	1	2	2	5
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·8	3	.	.	.	.	.	.	.	.	.	2	.	.	1	.	3
Epilepsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	1·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	14·0	14	.	.	.	.	.	.	.	.	1	.	2	4	5	2	14
Embolism and Thrombosis (including Cerebral).	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Other Diseases of Circulatory System.	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	7·4	3	.	.	.	1	.	.	.	.	1	.	.	1	.	.	3
Broncho-pneumonia ..	1·4	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
Lobar pneumonia ..	1·6	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	3
Pneumonia (type not distinguished).	3·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pleurisy	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Respiratory System.	·6	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	3

in the THIRTY-SECOND WEEK, ending Saturday, 12th August, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 32nd Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 12th August, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Diseases of Stomach ..	2·4	5	·	1	2	·	·	·	·	·	·	1	·	1	·	·	4
Diarrhœa and Enteritis of Children under 2 years.	18·6	12	2	6	4	·	·	·	·	·	·	·	·	·	·	·	11
Diarrhœa 2 years and upwards.	1·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Enteritis 2 years and upwards.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cirrhosis of Liver ..	1·6	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Other Diseases of Liver	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	1·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Chronic Bright's Disease	5·2	7	·	·	·	·	·	·	·	·	·	·	·	1	4	2	6
Urinary Calculi ..	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·2	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	2
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	2·4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Congenital Debility ..	4·2	5	3	2	·	·	·	·	·	·	·	·	·	·	·	·	5
Old Age	2·6	5	·	·	·	·	·	·	·	·	·	·	·	·	2	3	5
Other Specified Diseases	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																	
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·4	4	·	·	·	·	·	·	2	1	·	·	1	·	·	·	3
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	1·6	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Other Violent Deaths	1·6	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Not included in above—																	
Homicide, ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	3·0	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1

TABLE IV.—Showing for the WEEK ENDED 12TH AUGUST, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 12TH AUGUST, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes.	From certain Epidemic Diseases*	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 Years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	21·3	1·8	12	4	·	·	1	2	1	2	2	·	·	·	·	·	·	·	·	2	·	1	·	1	1	·	2	5	1	4	2	·
,, 1, W., ...	40,200	20·8	6·5	16	2	4	·	·	2	5	·	3	1	·	·	·	·	1	·	·	1	·	·	1	2	2	1	1	6	2	5	3	·
,, 2, ...	26,900	31·0	5·8	16	5	1	2	·	·	3	2	3	·	·	·	·	·	·	·	·	1	2	·	·	2	3	·	·	8	·	·	4	·
,, 3, ...	35,200	4·4	·	3	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	1	·	·
CLONTARF AND HOWTH, No. 1, part of	5,400	9·7	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	23·5	·	6	·	·	·	·	·	2	·	4	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	3	·	2	1	·
FINGLAS AND GLASNEVIN, part of ..	10,800	4·8	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	20·8	5·2	16	3	2	·	·	2	1	4	4	·	·	·	·	·	·	·	·	2	1	2	1	·	4	·	·	6	·	1	4	·
,, 2, ...	17,800	17·6	·	6	·	·	·	·	1	2	·	3	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	3	·	2	3	·
,, 3, ...	42,400	22·1	2·5	18	3	1	2	1	·	3	6	2	·	·	·	·	1	·	·	·	2	1	1	1	·	1	·	1	10	1	7	7	·
,, 4, ...	32,000	6·5	·	4	1	·	·	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	3	1	1	1	·
NEW KILMAINHAM, ...	10,100	31·0	·	6	·	1	·	·	2	1	2	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	1	2	1	1	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	10·7	·	8	1	·	·	·	·	1	2	4	·	·	·	·	·	·	·	·	4	·	1	1	·	·	·	·	2	·	3	1	·
PEMBROKE, ...	29,100	16·1	·	9	1	1	1	1	·	·	1	4	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	8	·	2	·	·
BLACKROCK, ...	8,900	5·8	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
KINGSTOWN	16,400	9·5	·	3	·	·	·	·	1	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	·	·	·
TOTAL CITY. North, ...	161,200	17·8	2·9	55	11	5	2	1	4	11	6	15	1	·	·	·	·	1	·	·	6	2	1	1	6	6	1	3	27	3	12	12	·
TOTAL CITY. South, ...	142,400	18·3	2·2	50	7	4	2	2	5	7	13	10	·	·	·	·	1	·	·	·	7	2	5	3	·	5	·	3	24	3	12	15	·
TOTAL CITY. North and South, ..	303,600	18·0	2·6	105	18	9	4	3	9	18	19	25	1	·	·	·	1	1	·	·	13	4	6	4	6	11	1	6	51	6	24	27	·
Total Urban Districts, ...	93,400	11·7	·	21	2	1	1	1	1	1	5	9	·	·	·	·	·	·	·	·	5	1	1	1	2	·	·	·	11	·	5	1	·
Total Registration Area, ..	397,000	16·5	2·0	126	20	10	5	4	10	19	24	34	1	·	·	·	1	1	·	·	18	5	7	5	8	11	1	6	62	6	29	28	·
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				13	1	·	·	1	3	3	3	2	·	·	·	·	·	·	·	·	1	2	1	·	·	1	·	1	7	1	11	2	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th August, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH AUGUST, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	139	36	5	13	22	27	22	14	1	·	·	·	1	1	·	·	19	7	8	2	5	8	12	1	7	67	·
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	28·5	8	·	·	·	1	1	3	3	·	·	·	·	·	·	·	·	·	·	2	·	1	1	·	·	·	4	·
II.	MIDDLE CLASS	101,798	12·3	24	4	·	3	2	6	5	4	·	·	·	·	·	·	·	·	2	·	1	·	1	2	1	1	1	15	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·6	22	5	1	2	4	2	7	1	·	·	·	·	·	·	·	·	4	2	·	1	1	2	1	·	1	10	·
IV.	GENERAL SERVICE CLASS	167,479	17·1	55	23	3	7	5	10	3	4	1	·	·	·	1	1	·	·	7	3	4	1	2	1	8	·	5	21	·
V.	INMATES OF WORKHOUSES, ...	5,602	—	30	4	1	1	10	8	4	2	·	·	·	·	·	·	·	·	6	2	1	·	·	2	2	·	·	17	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	7	·	·	·	1	·	3	3	·	·	·	·	·	·	·	·	·	·	2	·	1	1	·	·	·	3	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	1	·	1	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	4	·
	6. Clerks and Commercial Assistants,	33,249	—	9	3	·	2	·	3	·	1	·	·	·	·	·	·	·	·	2	·	·	·	1	1	1	·	·	4	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	·	·	·	2	2	4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	6	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	7	3	·	·	·	1	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	4	·
	9. Building and Furnishing Trades, ..	28,823	—	6	·	1	·	1	1	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	5	·
	10. Clothing Trades, ...	20,026	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	11. Food Supply Trades, ...	8,952	—	5	1	·	1	1	·	1	1	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	1	1	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	4	1	·	1	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	1	·	·	·	·
	13. Petty Shopkeepers, ...	6,772	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
IV	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	10	8	1	·	·	·	1	·	·	·	·	·	·	1	·	·	1	2	·	1	·	·	1	·	·	4	·
	15. Domestic Servants, ...	36,041	—	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	·	·	1	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	3	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	39	15	2	6	4	7	2	3	1	·	·	·	1	·	·	·	5	1	3	·	2	·	7	·	5	14	·
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	30	4	1	1	10	8	4	2	·	·	·	·	·	·	·	·	6	2	1	·	·	2	2	·	·	17	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	May 20.	May 27.	June 3.	June 10.	June 17	June 24.	July 1.	July 8.	July 15	July 22.	July 29	Aug. 5.	Aug. 12.
No. of weeks in Annual Series ..	20	21	22	23	24	25	26	27	28	29	30	31	32	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered	293	236	228	219	203	263	169	240	182	206	193	207	181	217	192	237	192	163	185	203	199	145	165	155	152	166
Average Births in corresponding week of previous 10 years, ...	206	220	248	211	223	209	246	204	212	217	216	221	205	228	236	220	221	223	210	216	210	200	223	220	218	212
Number of Deaths, ...	235	155	151	139	140	125	136	134	143	116	110	107	126	128	128	124	126	117	108	104	93	110	109	93	95	87
Annual Death-rate per 1,000 ..	30·9	20·4	19·8	18·3	18·4	16·4	17·9	17·6	18·8	15·2	14·4	14·1	16·5	17·1	17·1	16·6	16·8	15·6	14·4	13·9	12·4	14·7	14·6	12·4	12·7	11·6
Average Deaths in corresponding week of previous 10 years, ...	151	158	143	142	146	133	130	126	135	134	132	129	131	145	140	132	129	125	120	118	112	113	117	115	109	112
Ages, .. Under one year, ..	32	21	14	22	26	15	21	28	17	23	22	12	20	16	13	11	21	15	16	15	14	15	16	17	20	11
1— 5 years, ..	18	9	10	15	9	12	11	6	12	6	5	12	15	18	13	19	7	10	16	8	6	9	9	6	10	5
5—25 „ ..	45	17	14	16	23	24	17	13	20	20	12	8	14	15	20	14	28	17	10	18	15	20	8	11	14	12
25—45 „ ..	40	31	35	24	22	20	25	25	30	17	25	24	19	28	17	27	22	21	19	24	15	22	17	10	14	22
45—65 „ ..	57	41	45	36	29	29	35	23	35	25	21	21	24	29	41	26	24	32	31	22	19	25	36	31	19	18
65 and upwards, ..	43	36	33	26	31	25	27	39	29	25	25	30	34	22	24	27	24	22	16	17	24	19	23	18	18	19
Deaths from :—																										
Enteric Fever, ...	3	·	·	·	·	1	·	1	·	·	·	1	1	·	·	·	·	·	1	·	·	1	1	·	·	·
Typhus, ...	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	5	1	2	2	1	3	1	·	1	1	·	1	·	3	3	4	3	2	3	2	2	4	2	1	2	1
Scarlet Fever, ...	·	1	·	1	1	1	1	2	1	·	·	·	1	2	·	2	1	2	1	·	·	2	·	1	2	1
Whooping-cough, ...	1	2	2	1	·	1	·	1	2	·	·	·	1	9	2	6	1	3	2	·	1	1	1	1	·	·
Diphtheria, ...	1	1	·	·	2	·	1	·	·	1	·	·	·	·	2	1	·	·	·	·	·	·	·	·	2	·
Dysentery, ...	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	30	19	31	20	22	24	20	23	16	20	15	15	18	23	24	17	24	17	15	20	20	21	16	11	5	15
Tuberculosis { Other Forms, ..	8	9	3	9	5	9	7	3	4	3	3	5	5	8	12	4	10	9	4	7	5	4	5	5	7	3
Cancer, ...	10	6	2	7	7	7	9	9	8	7	7	6	7	10	5	7	7	9	6	2	5	5	8	4	9	7
Diseases of Respiratory System, { Pneumonia ..	17	9	2	6	6	2	9	9	9	4	4	5	5	11	8	11	4	10	10	4	2	8	9	6	4	4
Diseases of Respiratory System, { Others, ..	21	24	17	17	9	9	15	14	11	12	9	16	8	12	12	16	8	12	8	8	5	9	10	6	11	9
Diarrhœa and Enteritis, under 2 years, ...	4	2	3	3	3	2	1	8	1	3	4	3	11	2	1	·	1	2	4	·	1	1	·	1	2	3
Diarrhœa, 2 years and upwards..	1	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	2	·	1	·	·	·
Violent Deaths, ...	52	14	16	7	10	8	3	2	29	6	3	7	6	3	2	2	·	1	2	2	1	4	2	5	5	1
Number of Uncertified Deaths, ..	27	12	11	2	9	6	4	4	33	10	4	4	·	2	4	3	3	4	1	·	2	2	·	1	2	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th August, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	12	13·1	3·3	4	·	1	·	1	·	2	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 2 do.	49,500	17	14·7	·	14	·	1	5	5	2	1	·	·	·	·	·	·	·	·	6	·	2	·	·	·	·	·	·	5	·
Do. 3 do.	50,032	20	10·4	·	10	1	·	1	5	·	3	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	6	·
Do. 4 do.	32,637	7	11·2	·	7	3	·	·	·	2	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	5	·
Do. 5 do.	16,112	9	29·1	·	9	2	·	·	·	2	5	·	·	·	·	·	·	·	·	·	·	3	2	3	·	·	·	·	2	·
Do. 6 do.	37,293	16	14·0	·	10	·	1	2	4	1	2	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	2	·
Do. 7 do.	2,681	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	3	17·5	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 9 do.	24,427	6	14·9	4·3	7	1	1	·	1	3	1	·	·	·	·	1	·	·	·	1	·	1	·	1	1	·	·	1	2	·
Do. 10 do.	28,958	10	5·4	·	3	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Do. 11 do.	39,311	14	10·6	1·3	8	2	·	2	1	1	2	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·	1	1	2	·
Do. 12 do.	38,076	23	6·8	·	5	1	1	1	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	2	·	·
Do. 13 do.	23,233	18	4·5	2·2	2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	9	13·8	·	6	·	·	1	2	3	·	·	·	·	·	·	·	·	·	1	1	·	1	1	·	·	·	1	·	·
Total,	386,947	166	11·6	0·7	87	11	5	12	22	18	19	·	·	·	1	1	·	·	·	15	3	7	4	9	3	·	1	5	26	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	3·9	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 2 do.	10,399	5	15·0	·	3	·	1	1	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·
Do. 3 do.	9,793	9	16·0	·	3	·	·	·	1	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 4 do.	9,139	4	17·1	·	3	·	·	1	1	·	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·
Do. 5 do.	6,250	4	16·7	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1
Do. 6 do.	11,581	2	18·0	·	4	·	·	·	2	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	·
Do. 7 do.	16,056	8	19·5	·	6	·	·	1	2	·	3	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	3	·
Total	76,673	38	15·0	·	22	·	1	4	6	2	9	·	·	·	·	·	·	·	·	5	2	1	·	·	·	·	·	·	9	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th August, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	3	1	.	.	.	.	4
" " 1, West ..	.	.	.	.	.	.	1	2	1	.	.	.	2	6
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	3	4
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	4	4
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " " 3, ...	.	2	.	.	1	.	.	.	1	.	.	.	.	4
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	4	.	.	1	.	1	5	3	.	.	.	10	24

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th August, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 12th August.			
	July 22.	July 29.	Aug. 5.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	23	21	15	7	1	.	21
Typhus, ...	2	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	25	22	17	6	12	.	11
Scarlet Fever	59	55	46	9	8	1	46*
Diphtheria, ...	22	21	24	7	1	.	30
Pneumonia, ...	7	9	11	4	4	.	11

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237 375. 8. 1916. G. III. Sch. c. 7.

(FOR OFFICIAL USE.)

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 33. Vol. LIII.] Week ending Saturday, 19th August, 1916. [Price 1½d.

General Register Office, Charlemont House,
Dublin, 21st August, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·7 and 13·5; Dublin Registration Area, 16·4 and 15·4; Dublin City, 18·7 and 16·9; Belfast, 13·4 and 12·5; Cork, 10·2 and 11·4; Londonderry, 16·9 and 11·1; Limerick, 12·2 and 13·5; and Waterford, 15·2 and 13·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·7 per 1,000. Among the 100 deaths from all causes for Belfast are one from typhus, 3 from measles, one from scarlet fever, one from whooping-cough, one from diphtheria, and 6 from diarrhœa and enteritis of children under 2 years. Of the 13 deaths from all causes for Londonderry one was from whooping-cough and there were 3 (children under 2 years) from diarrhœa and enteritis. Diphtheria caused one of the two deaths recorded for Galway, and one of the 3 deaths from all causes for Kilkenny was also due to this disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 162—85 boys and 77 girls—and the deaths to 138—74 males and 64 females.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·4 per 1,000 of the population. During the thirty-three weeks ending with Saturday last, the death-rate averaged 20·6, and was 1·3 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the thirty-three weeks was 22·1, and for the corresponding period of the preceding ten years, 23·1.

The 125 deaths appertaining to the Area include one from each of measles, whooping-cough, and diphtheria, and 11 of children under 2 years from diarrhœa and enteritis.

In the 3 preceding weeks deaths from measles were 0, one and 0, deaths from whooping-cough 0, 0 and one, and deaths from diarrhœa and enteritis of children under 2 years numbered 4, 3 and 11. There were no deaths from diptheria during the 3 preceding weeks.

Tuberculous disease caused 25 deaths (comprising 21 from pulmonary tuberculosis, and 4 from abdominal tuberculosis), as against 18, 20, and 23 in the three weeks preceding.

Four deaths were caused by cancer, 9 by pneumonia (5 by broncho-pneumonia, and 4 by pneumonia, type not distinguished), 14 by organic diseases of the heart, and 13 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, one to prematurity, and 5 to congenital debility.

Two deaths were due to violence, one of these being caused by drowning, and one by a fall.

Forty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 27 being infants under one year, of whom 5 were under one month old.

Of the 125 deaths recorded, 54 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 10·2), was equal to an average annual death-rate of 10·5 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 11·7 per 1,000, the rate for Glasgow being 12·3, and for Edinburgh 11·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th August. From this Report it appears that of 49 cases notified, 20 were scarlet fever, 10 pulmonary tuberculosis, 4 other forms of tuberculosis, 8 diphtheria, 4 puerperal fever, 2 cerebro-spinal fever, and one erysipelas. Among the 388 cases of infectious diseases in hospital at the close of the week were 145 of pulmonary tuberculosis, 137 of scarlet fever, 58 of diphtheria, 7 of cerebro-spinal fever, 5 of measles, 5 of erysipelas, 4 of enteric fever, and 2 of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 19th August, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	July 29,	·	—	—	6	·	·	5	·	·	4	1	·	—	—	·	—	·	24	40
	Aug. 5,	·	—	—	5	·	·	5	·	·	2	3	·	—	—	·	—	·	14	29
	Aug. 12,	·	—	—	4	·	·	1	·	1	5	3	·	—	—	·	—	·	10	24
	Aug. 19,	·	—	—	·	·	·	3	·	1	10	3	·	—	—	·	—	·	8	25
Rathmines and Rathgar Urban District	July 29,	·	—	—	1	·	·	·	·	·	·	1	·	—	—	—	—	—	—	2
	Aug. 5,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	Aug. 12,	·	—	—	1	·	·	4	·	·	·	·	·	—	—	·	—	—	—	5
	Aug. 19,	·	—	—	1	·	·	3	·	·	·	·	·	—	—	—	—	—	—	4
Pembroke Urban District.	July 29,	·	8	·	·	·	·	·	·	·	·	·	·	—	1	·	—	—	·	9
	Aug. 5,	·	2	·	·	·	·	·	·	·	·	·	·	—	3	·	—	1	·	5
	Aug. 12,	·	9	·	·	·	·	·	·	·	·	·	·	—	2	·	—	—	·	11
	Aug. 19,	·	·	·	1	·	·	·	·	·	·	·	·	—	1	·	—	—	·	2
Blackrock Urban District.	July 29,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Aug. 5,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Aug. 12,	·	·	—	·	·	·	·	·	·	·	1	·	—	—	·	—	—	·	1
	Aug. 19,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	·	1
Kingstown Urban District.	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Aug. 5,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	—	—	—	·	2
	Aug. 12,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Aug. 19,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
City of Belfast	July 29,	·	—	—	10	2	·	1	·	·	1	3	·	—	—	·	—	·	·	17
	Aug. 5,	·	—	—	18	3	·	·	·	·	·	2	·	—	—	·	—	·	1	24
	Aug. 12,	·	—	—	6	2	·	2	·	·	·	·	1	—	—	·	—	·	·	11
	Aug. 19,	·	—	—	12	1	·	1	·	·	1	4	·	—	—	·	—	·	·	19
City of Cork	July 29,	·	·	—	2	·	·	1	·	·	·	3	1	—	—	—	4	—	—	11*a*
	Aug. 5,	·	·	—	·	·	·	1	·	·	·	·	·	—	—	—	8	—	—	9*b*
	Aug. 12,	·	1	—	·	·	·	1	·	·	·	·	·	—	—	—	8	—	—	10*c*
	Aug. 19,	·	·	—	2	·	·	1	·	1	2	1	·	—	—	—	18	—	—	25
City of Londonderry	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Aug. 5,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Aug. 12,	·	—	—	·	1	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	Aug. 19,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
City of Limerick	July 29,	·	—	—	3	·	·	·	·	·	1	·	·	—	—	·	—	—	—	4
	Aug. 5,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Aug. 12,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Aug. 19,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
City of Waterford.	July 29,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	Aug. 5,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	Aug. 12,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Aug. 19,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	·	1

(*a*) Not including 2 cases of varicella.
(*b*) Not including 3 cases of varicella and one of cerebro-spinal fever.
(*c*) Not including one case of cerebro-spinal fever.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th August, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 13 and 33; measles 5 and 8; scarlet fever 2 and 36*; and diphtheria 4 and 30. Four cases of pneumonia were admitted during the week and 13 remained under treatment at its close. Of the deaths in hospitals during the week one was from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 19th August, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 19th August, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 19th August, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS,	1,122,268	19·7	20·3	13·7	1·7	437	294	51	60	·	1	·	4	1	3	4	·	49	9	13	16	24	22	1	6	9	110	10	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	21·3	16·4	1·8	162	125	27	22	·	·	·	1	·	1	1	·	21	4	4	9	14	11	·	2	4	54	6	(d) 70·1	50·4	60·3	1·16
Urban Districts. CITY OF DUBLIN,	303,600	38·4	22·7	18·7	2·2	132	109	25	17	·	·	·	1	·	1	·	·	21	2	3	8	12	11	·	2	4	49	3	(e)71·2 (f)73·1	53·0 51·4	60·7 61·2	1·13 1·33
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	8·0	9·4	1·3	6	7	1	2	·	·	·	·	·	·	1	·	·	·	·	·	2	·	·	·	·	1	3	·	·	·	·
Urban Districts. PEMBROKE,	29,100	18·5	17·9	3·6	·	10	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	·	·	·	·
Urban Districts. BLACKROCK,	8,900	8·2	17·5	17·5	·	3	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. KINGSTOWN,	16,400	11·2	35·0	12·7	·	11	4	1	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	·	70	53	60·4	0·76
Urban Districts. BELFAST,	390,000	26·1	21·9	13·4	1·7	164	100	17	22	·	1	·	3	1	1	1	·	13	4	3	5	6	6	·	2	3	29	2	69·8	52·6	60·5	0·77
Urban Districts. CORK,	76,673	28·6	21·1	10·2	0·7	31	15	3	4	·	·	·	·	·	·	·	·	4	1	1	1	·	1	·	·	·	6	·	70	53	61·7	0·35
Urban Districts. LONDONDERRY,	40,000	15·5	10·4	16·9	5·2	8	13	3	2	·	·	·	·	·	1	·	·	3	·	1	·	2	3	·	·	·	2	·	·	·	·	·
Urban Districts. LIMERICK,	38,518	16·1	16·2	12·2	·	12	9	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	2	2	5	·	70·5	49·5	60·2	0·34
Urban Districts. WATERFORD,	27,464	19·1	13·3	15·2	1·9	7	8	·	3	·	·	·	·	·	·	·	·	2	·	2	1	1	·	1	·	·	3	·	·	·	·	·
Urban Districts. GALWAY,	13,255	2·5				7	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. DUNDALK,	13,128	9·5				4	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN,	12,553	14·7				9	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	69·8	51·1	59·8	1·72
Urban Districts. DROGHEDA,	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			2	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN,	12,388	10·9				3	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	69·8	51·1	59·8	1·72
Urban Districts. NEWRY,	11,963	17·0				5	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	69·8	51·1	59·8	1·72
Urban Districts. PORTADOWN,	11,727	15·3				·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	69·8	51·1	59·8	1·72
Urban Districts. WEXFORD,	11,531	22·8				3	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. BALLYMENA,	11,381	9·3				3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. SLIGO,	11,163	3·8				3	4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	·	68	53	58·0	2·67
Urban Districts. KILKENNY,	10,514	11·4				7	3	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	2	1	71	49	59·8	0·89
Urban Districts. TRALEE,	10,300	17·4				4	3	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	1	·	·	·	·
Urban Districts. CLONMEL,	10,209	7·8				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON,	4,310,030	—	—	10·2	—	1864	846g	141	233	2	·	·	15	1	3	14	—	100	17	73	45	33	42	14	42	93	421	3	77	54	63·9	1·14
EDINBURGH,	329,200	—	—	11·6	—	107	73	7	20	·	·	·	1	·	·	1	—	—	—	—	—	—	2	—	1	—	—	—	69·0	51·0	57·6	1·34
GLASGOW,	1,091,600	—	—	12·3	—	496	257	54	52	·	·	·	1	2	3	2	—	—	—	—	—	—	20	—	16	—	—	—	68·7	52·8	60·4	0·75

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 2 deaths from cerebro-spinal fever.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 33rd Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 19th August, 1916. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	152·4	138	6	22	8	10	1	5	4	6	10	10	13	18	19	6	125
Enteric Fever ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	0·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	1·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Influenza	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·4	21	.	1	1	1	.	1	2	3	2	5	2	3	.	.	21
Tuberculous Meningitis	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·6	4	.	.	.	1	.	1	.	.	2	.	.	.	.	.	4
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases ..	1·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Cancer	7·6	6	.	.	.	.	.	.	.	.	.	.	.	2	4	.	4
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	0·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·6	4	.	2	.	1	1	.	.	.	.	.	.	.	.	.	4
Cerebral Hæmorrhage, Apoplexy.	4·0	4	.	.	.	.	.	.	.	.	.	.	1	1	2	.	4
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	0·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Epilepsy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	3·0	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	10·6	15	.	.	.	.	.	.	.	.	2	1	3	4	4	1	14
Embolism and Thrombosis (including Cerebral).	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other Diseases of Circulatory System.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	8·4	13	.	3	.	.	.	.	.	.	.	1	2	4	2	1	13
Broncho-pneumonia ..	2·2	5	.	2	1	1	.	.	.	.	.	.	.	.	1	.	5
Lobar pneumonia ..	0·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	2·2	4	.	1	.	1	.	.	.	.	.	.	.	1	.	1	4
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

in the THIRTY-THIRD WEEK, ending Saturday, 19th August, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 33rd Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 19th August, 1916.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·2	2	·	·	·	·	·	·	·	·	·	1	·	·	·	1	2
Diarrhœa and Enteritis of Children under 2 years.	21·6	11	·	8	3	·	·	·	·	·	·	·	·	·	·	·	11
Diarrhœa 2 years and upwards.	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	2·8	2	·	·	·	1	·	·	·	·	·	·	1	·	·	·	2
Appendicitis and Typhlitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Cirrhosis of Liver ..	1·4	2	·	·	·	·	·	1	·	·	·	·	1	·	·	·	2
Other Diseases of Liver	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	1·0	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Acute Nephritis ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	4·0	3	·	·	·	·	·	·	·	·	·	·	1	1	1	·	3
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	..	·
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·4	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Diseases of Locomotor System.	·6	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	1
Congenital Malformations.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	4·2	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Congenital Debility ..	4·4	5	2	3	·	·	·	·	·	·	·	·	·	·	·	·	5
Old Age	4·8	4	·	·	·	·	·	·	·	·	·	·	·	·	2	2	4
Other Specified Diseases	1·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	1·0	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Suffocation in Bed, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	—	7	·	·	·	·	·	·	1	3	2	1	·	·	·	·	·
Other Violent Deaths	1·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Not included in above—																	
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	5·0	4	·	·	1	·	·	·	·	·	·	·	1	1	1	·	4

TABLE IV.—Showing for the WEEK ENDED 19TH AUGUST, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 19TH AUGUST, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	19·5	3·5	11	3	1	1	·	·	1	5	·	·	·	·	1	·	·	·	·	·	·	1	2	·	1	·	1	5	1	2	1	·
,, 1, W., ...	40,200	25·9	3·9	20	3	2	2	2	1	3	4	3	·	·	·	·	·	·	·	·	6	1	·	·	2	3	·	·	8	·	6	4	1
,, 2, ...	26,900	27·1	1·9	14	6	1	1	1	1	1	·	3	·	·	·	·	·	·	·	·	1	·	·	2	2	1	·	·	8	·	4	5	·
,, 3, ...	35,200	13·3	·	9	1	·	1	·	·	3	3	1	·	·	·	·	·	·	·	·	1	·	1	·	2	·	·	·	5	·	2	5	·
CLONTARF AND HOWTH, No. 1, part of	5,400	19·3	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	3·9	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	10,800	14·5	·	3	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	1	·	1	·	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	11·7	2·6	9	2	·	·	·	·	2	3	2	·	·	·	·	·	·	·	·	3	·	·	1	1	2	·	·	2	·	2	4	·
,, 2, ...	17,800	17·6	2·9	6	2	·	·	·	·	1	2	1	·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	·	2	·	1	3	·
,, 3, ...	42,400	20·9	2·5	17	4	2	1	1	1	·	7	1	·	·	·	·	·	·	·	·	4	·	·	1	1	2	·	1	8	2	1	2	·
,, 4, ...	32,000	19·6	1·6	12	1	·	1	1	1	·	4	4	·	·	·	·	·	·	·	·	1	1	1	·	2	1	·	·	6	1	4	1	2
NEW KILMAINHAM, ...	10,100	25·8	5·2	5	2	1	·	·	1	·	1	·	·	·	·	·	·	1	·	·	1	·	·	2	·	·	·	·	1	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	9·4	1·3	7	1	·	2	·	·	1	1	2	·	·	·	·	·	·	1	·	·	·	·	·	2	·	·	·	4	·	1	·	3
PEMBROKE, ...	29,100	3·6	·	2	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	2	·	·
BLACKROCK, ...	8,900	17·5	·	3	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	1	·	·
KINGSTOWN	16,400	12·7	·	4	1	1	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	2	·	1	·	·
TOTAL CITY. North, ...	161,200	19·4	1·9	60	14	4	5	3	3	9	13	9	·	·	·	1	·	·	·	·	11	1	2	4	6	5	·	1	29	1	16	15	1
TOTAL CITY. South, ...	142,400	17·9	2·6	49	11	3	2	2	3	3	17	8	·	·	·	·	·	1	·	·	10	1	1	4	6	6	·	1	19	3	8	10	2
TOTAL CITY. North and South, ..	303,600	18·7	2·2	109	25	7	7	5	6	12	30	17	·	·	·	1	·	1	·	·	21	2	3	8	12	11	·	2	48	4	24	25	3
Total Urban Districts, ...	93,400	8·9	0·6	16	2	1	2	1	·	4	1	5	·	·	·	·	·	·	1	·	·	2	1	1	2	·	·	·	9	·	5	·	3
Total Registration Area, ..	397,000	16·4	1·8	125	27	8	9	6	6	16	31	22	·	·	·	1	·	1	1	·	21	4	4	9	14	11	·	2	57	4	29	25	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				13	1	·	1	·	4	4	·	3	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	7	4	·	13	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th August, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH AUGUST, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	138	46	6	10	20	31	19	6	·	·	·	1	·	1	1	·	21	4	6	2	9	14	11	·	9	59	6
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·
II.	MIDDLE CLASS	101,798	10·8	21	4	2	·	6	3	4	2	·	·	·	·	·	·	·	·	2	3	4	1	·	1	1	·	2	7	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	17·3	36	11	·	4	4	11	6	·	·	·	·	·	·	1	·	·	7	·	1	1	4	2	4	·	·	16	3
IV.	GENERAL SERVICE CLASS	167,479	16·5	53	23	3	6	3	10	5	3	·	·	·	1	·	·	1	·	4	1	·	·	4	5	4	·	6	27	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	25	8	1	·	6	6	3	1	·	·	·	·	·	·	·	·	8	·	1	·	1	6	2	·	·	7	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	·	1	·	·	1	2	·	·	·	·	·	·	·	·	·	·	1	2	·	·	1	·	·	·	·	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	2	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	1	·	·	2	·
	6. Clerks and Commercial Assistants,	33,249	—	7	2	·	·	3	·	1	1	·	·	·	·	·	·	·	·	1	1	1	1	·	·	·	·	·	3	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	5	·	1	·	1	1	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	2	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	1	·	·	1	1	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	3	1
	9. Building and Furnishing Trades, ..	28,823	—	10	4	·	1	2	3	·	·	·	·	·	·	·	·	·	·	3	·	·	1	·	·	3	·	·	3	·
	10. Clothing Trades, ...	20,026	—	3	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·
	11. Food Supply Trades, ...	8,952	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	19	5	·	3	·	6	5	·	·	·	·	·	·	·	·	·	4	·	1	·	4	2	·	·	·	8	2
	13. Petty Shopkeepers, ...	6,772	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	16	5	·	4	2	2	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	6	7	1
	15. Domestic Servants, ...	36,041	—	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	7	2	1	·	·	3	·	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	5	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	28	16	2	2	1	3	3	1	·	·	·	1	·	·	1	·	3	·	·	·	3	4	2	·	·	14	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	25	8	1	·	6	6	3	1	·	·	·	·	·	·	·	·	8	·	1	·	1	6	2	·	·	7	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	May 27.	June 3.	June 10.	June 17	June 24.	July 1.	July 8.	July 15	July 22.	July 29	Aug. 5.	Aug. 12.	Aug. 19.
No. of weeks in Annual Series ..	21	22	23	24	25	26	27	28	29	30	31	32	33	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered	236	228	219	203	263	169	240	182	206	193	207	181	162	192	237	192	163	185	203	199	145	165	155	152	166	164
Average Births in corresponding week of previous 10 years, ...	220	248	211	223	209	246	204	212	217	216	221	205	218	236	220	221	223	210	216	210	200	223	220	218	212	204
Number of Deaths, ...	155	151	139	140	125	136	134	143	116	110	107	126	125	128	124	126	117	108	104	93	110	109	93	95	87	100
Annual Death-rate per 1,000 ..	20·4	19·8	18·3	18·4	16·4	17·9	17·6	18·8	15·2	14·4	14·1	16·5	16·4	17·1	16·6	16·8	15·6	14·4	13·9	12·4	14·7	14·6	12·4	12·7	11·6	13·4
Average Deaths in corresponding week of previous 10 years, ...	158	143	142	146	133	130	126	135	134	132	129	131	143	140	132	129	125	120	118	112	113	117	115	109	112	117
Ages, .. Under one year, ..	21	14	22	26	15	21	28	17	23	22	12	20	27	13	11	21	15	16	15	14	15	16	17	20	11	17
1— 5 years, ..	9	10	15	9	12	11	6	12	6	5	12	15	17	13	19	7	10	16	8	6	9	9	6	10	5	10
5—25 ,, ..	17	14	16	23	24	17	13	20	20	12	8	14	12	20	14	28	17	10	18	15	20	8	11	14	12	11
25—45 ,, ..	31	35	24	22	20	25	25	30	17	25	24	19	16	17	27	22	21	19	24	15	22	17	10	14	22	23
45—65 ,, ..	41	45	36	29	29	35	23	35	25	21	21	24	31	41	26	24	32	31	22	19	25	36	31	19	18	17
65 and upwards, ..	36	33	26	31	25	27	39	29	25	25	30	34	22	24	27	24	22	16	17	24	19	23	18	18	19	22
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	1	·	1	·	·	·	1	1	·	·	·	·	·	1	·	·	1	1	·	·	·	·
Typhus, ...	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	2	2	1	3	1	·	1	1	·	1	·	1	3	4	3	2	3	2	2	4	2	1	2	1	3
Scarlet Fever, ...	1	·	1	1	1	1	2	1	·	·	·	1	·	·	2	1	2	1	·	·	2	·	1	2	1	1
Whooping-cough, ...	2	2	1	·	1	·	1	2	·	·	·	1	1	2	6	1	3	2	·	1	1	1	1	·	·	1
Diphtheria, ...	1	·	·	2	·	1	·	·	1	·	·	·	1	2	1	·	·	·	·	·	·	·	·	2	·	1
Dysentery, ...	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	19	31	20	22	24	20	23	16	20	15	15	18	21	24	17	24	17	15	20	20	21	16	11	5	15	13
Tuberculosis { Other Forms, ..	9	3	9	5	9	7	3	4	3	3	5	5	4	12	4	10	9	4	7	5	4	5	5	7	3	4
Cancer, ...	6	2	7	7	7	9	9	8	7	7	6	7	4	5	7	7	9	6	2	5	5	8	4	9	7	3
Diseases of Respiratory System, { Pneumonia ..	9	2	6	6	2	9	9	9	4	4	5	5	9	8	11	4	10	10	4	2	8	9	6	4	4	5
Diseases of Respiratory System, { Others, ..	24	17	17	9	9	15	14	11	12	9	16	8	14	12	16	8	12	8	8	5	9	10	6	11	9	6
Diarrhœa and Enteritis, under 2 years, ...	2	3	3	3	2	1	8	1	3	4	3	11	11	1	·	1	2	4	·	1	1	·	1	2	3	6
Diarrhœa, 2 years and upwards..	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	2	·	1	·	·	·	·
Violent Deaths, ...	14	16	7	10	8	3	2	29	6	3	7	6	2	2	2	·	1	2	2	1	4	2	5	5	1	2
Number of Uncertified Deaths, ..	12	11	2	9	6	4	4	33	10	4	4	·	6	4	3	3	4	1	·	2	2	·	1	2	1	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th August, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	3	32·8	3·3	10	2	1	1	3	2	1	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	1	4	.
Do. 2 do.	49,500	19	13·7	2·1	13	2	2	1	4	2	2	.	.	.	1	.	1	.	.	.	1	1	1	.	.	.	.	.	2	.
Do. 3 do.	50,032	16	10·4	1·0	10	.	1	1	2	3	3	.	.	.	1	.	.	.	.	2	.	.	2	1	.	.	.	.	6	.
Do. 4 do.	32,637	17	19·2	.	12	5	1	1	2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4	.
Do. 5 do.	16,112	8	22·7	3·2	7	3	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.
Do. 6 do.	37,293	11	18·2	1·4	13	2	.	3	2	1	5	.	.	.	.	1	.	.	.	4	1	.	.	1	.	.	.	.	2	1
Do 7 do.	2,681	.	19·4	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	11	2·1	2·1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 10 do.	28,958	14	9·0	.	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 11 do.	39,311	21	6·6	.	5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	.
Do. 12 do.	38,076	24	20·5	5·5	15	.	5	2	3	3	2	.	.	.	1	.	.	1	.	1	1	2	.	1	2	.	1	1	4	.
Do. 13 do.	23,233	13	4·5	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	5	13·8	4·6	6	1	.	.	2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Total,	386,947	164	13·4	1·7	100	17	10	11	23	17	22	.	1	.	3	1	1	1	.	13	4	3	5	6	6	.	2	3	29	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	7	7·8	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 2 do.	10,399	4	5·0	5·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do 3 do.	9,793	4	16·0	.	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2	.
Do. 4 do.	9,139	4	22·8	.	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	1	8·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	6	4·5	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.	16,056	5	9·7	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Total	76,673	31	10·2	0·7	15	3	.	3	4	1	4	.	.	.	.	.	.	.	.	4	1	1	1	.	1	.	.	.	6	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th August, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	.	.	.	4	.	.	.	.	2	6
,, ,, 1, West ..	.	.	.	.	.	.	.	1	.	.	.	.	.	1
,, ,, 2, ...	.	.	.	.	1	.	.	1	.	.	.	.	1	3
,, ,, 3, ...	.	.	.	.	.	.	.	1	.	.	.	.	1	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1	.	.	.	.	.	.	.	1	.	.	.	.	.	1
.. .. .. 2, ...	.	.	.	.	.	.	.	2	.	.	.	..	1	3
,, ,, ,, 3, ...	.	.	.	.	2	.	.	.	3	.	.	.	.	5
,, ,, ,, 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	.	.	.	3	.	1	10	3	.	.	.	8	25

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th August, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 19th August.			
	July 29.	Aug. 5.	Aug. 12.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	15	21	13	1	.	33
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	22	17	11	5	8	.	8
Scarlet Fever	55	46	46	2	12	.	36*
Diphtheria, ...	21	24	30	4	3	1	30
Pneumonia, ...	9	11	11	4	2	.	13

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237 375. 8. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 34. Vol. LIII.] Week ending Saturday, 26th August, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 28th August, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·6 and 13·8; Dublin Registration Area, 14·4 and 15·4; Dublin City, 15·8 and 17·1; Belfast, 16·4 and 13·5; Cork, 12·2 and 11·9; Londonderry, 23·5 and 15·6; Limerick, 12·2 and 13·5; and Waterford, 13·3 and 11·9.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·2 per 1,000. Among the 123 deaths from all causes for Belfast are 2 from measles, 5 from whooping-cough, and 9 from diarrhœal diseases. Of the 18 deaths from all causes for Londonderry 3 were due to diarrhœa and enteritis of children under 2 years, and the 7 deaths from all causes for Waterford include 2 from the same disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 244—129 boys and 115 girls—and the deaths to 116—50 males and 66 females.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·4 per 1,000 of the population. During the thirty-four weeks ending with Saturday last, the death-rate averaged 20·4, and was 1·4 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the thirty-four weeks was 21·9, and for the corresponding period of the preceding ten years, 23·0.

The 110 deaths appertaining to the Area include 2 from measles, 3 from scarlet fever, one from whooping-cough, one from diphtheria, one from cerebro-spinal fever, and 17 of children under 2 years from diarrhœa and enteritis.

In the 3 preceding weeks deaths from measles were one, 0 and one; deaths from scarlet fever 0, one and 0; deaths from whooping-cough 0, one and one; deaths from diphtheria 0, 0 and one, and deaths from diarrhœa and enteritis of children under 2 years, numbered 3, 11 and 11. There were no deaths from cerebro-spinal fever during the 3 preceding weeks.

Tuberculous disease caused 16 deaths (comprising 14 from pulmonary tuberculosis, and 2 from other forms of the disease), as against 20, 23 and 25, respectively, in the three weeks preceding.

Eleven deaths were caused by cancer, 6 by pneumonia (one by broncho-pneumonia, 2 by lobar pneumonia, and 3 by pneumonia, type not distinguished), 8 by organic diseases of the heart, and 9 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions and 5 to congenital debility.

Two deaths were due to violence, one of these being caused by drowning.

Forty of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 23 being infants under one year, of whom 4 were under one month old.

Of the 110 deaths recorded, 38 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 10·3), was equal to an average annual death-rate of 10·9 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 11·7 per 1,000, the rate for Glasgow being 13·0, and for Edinburgh 11·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th August. From this Report it appears that of 57 cases notified, 15 were pulmonary tuberculosis, 7 other forms of tuberculosis, 14 scarlet fever, 14 diphtheria, 4 erysipelas, 2 enteric fever, and one puerperal fever. Among the 376 cases of infectious diseases in hospital at the close of the week were 150 of pulmonary tuberculosis, 118 of scarlet fever, 68 of diphtheria, 7 of cerebro-spinal fever, 6 of erysipelas, 6 of enteric fever, 4 of measles, and 2 of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 26th August, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Aug. 5,	·	—	—	5	·	·	5	·	·	2	3	·	—	—	·	—	·	14	29
	Aug. 12,	·	—	—	4	·	·	1	·	1	5	3	·	—	—	·	—	·	10	24
	Aug. 19,	·	—	—	·	·	·	3	·	1	10	3	·	—	—	·	—	·	8	25
	Aug. 26,	·	—	—	4	·	·	4	·	·	11	1	·	—	—	1	—	·	22	43
Rathmines and Rathgar Urban District	Aug. 5,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	Aug. 12,	·	—	—	1	·	·	4	·	·	·	·	·	—	—	—	—	—	—	5
	Aug. 19,	·	—	—	1	·	·	3	·	·	·	·	·	—	—	—	—	—	—	4
	Aug. 26,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	—	1
Pembroke Urban District.	Aug. 5,	·	2	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	·	5
	Aug. 12,	·	9	·	·	·	·	·	·	·	·	·	·	—	2	·	—	—	·	11
	Aug. 19,	·	·	·	1	·	·	·	·	·	·	·	·	—	1	·	—	—	·	2
	Aug. 26,	·	·	·	·	·	·	·	·	·	·	1	·	—	2	·	—	—	·	3
Blackrock Urban District.	Aug. 5,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Aug. 12,	·	·	—	·	·	·	·	·	·	·	1	·	—	—	·	—	—	·	1
	Aug. 19,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	·	1
	Aug. 26,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
Kingstown Urban District.	Aug. 5,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	—	—	—	·	2
	Aug 12,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Aug. 19,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
City of Belfast	Aug. 5,	·	—	—	18	3	·	·	·	·	·	2	·	—	—	·	—	·	1	24
	Aug. 12,	·	—	—	6	2	·	2	·	·	·	·	1	—	—	·	—	·	·	11
	Aug. 19,	·	—	—	12	1	·	1	·	·	1	4	·	—	—	·	—	·	·	19
	Aug. 26,	·	—	—	12	1	·	3	·	·	2	1	·	—	—	·	—	·	·	19
City of Cork	Aug. 5,	·	·	—	·	·	·	1	·	·	·	·	·	—	—	—	8	—	—	9*a*
	Aug. 12,	·	1	—	·	·	·	1	·	·	·	·	·	—	—	—	8	—	—	10*b*
	Aug. 19,	·	·	—	2	·	·	1	·	1	2	1	·	—	—	—	18	—	—	25
	Aug. 26,	·	·	—	2	·	·	·	·	·	3	·	·	—	—	—	15	—	—	20
City of Londonderry	Aug. 5,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Aug. 12,	·	—	—	·	1	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	Aug. 19,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
City of Limerick	Aug. 5,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Aug. 12,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Aug. 19,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
City of Waterford.	Aug. 5,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	1	1
	Aug. 12,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Aug. 19,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	·	1
	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

(*a*) Not including 3 cases of varicella and one of cerebro-spinal fever.
(*b*) Not including one case of cerebro-spinal fever.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th August, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 12 and 43; measles 3 and 6; scarlet fever 6 and 35*; and diphtheria 8 and 34. Four cases of pneumonia were admitted during the week and 13 remained under treatment at its close. Of the deaths in hospitals during the week 3 were from scarlet fever, and one was from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 26th August, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 78 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths, from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 26th August, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 26th August, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS,	1,122,268	19·7	24·2	14·6	2·2	520	314	59	54	·	·	·	4	3	6	1	·	44	14	19	17	23	32	2	6	10	91	9	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	32·0	14·4	3·3	244	110g	23	17	·	·	·	2	3	1	1	·	14	2	11	6	9	17	1	2	2	38	3	(d) 71·1	44·6	61·0	0·89
Urban Districts. CITY OF DUBLIN,	303,600	38·4	34·9	15·8	4·1	203	92	22	12	·	·	·	2	3	1	1	·	11	1	7	4	7	16	1	2	2	32	3	(e)70·0 (f)71·9	52·4 48·0	61·5 61·6	1·06 1·53
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	24·1	10·7	·	18	8	·	4	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	28·7	10·8	1·8	16	6	1	·	·	·	·	·	·	·	·	·	1	1	2	·	1	1	·	·	·	2	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	17·5	5·8	·	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	12·7	9·5	·	4	3	·	1	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	2	·	70	52	61·4	1·40
Urban Districts. BELFAST, ..	390,000	26·1	20·5	16·4	2·1	153	123	22	17	·	·	·	2	·	5	·	·	18	11	6	10	5	8	1	·	4	30	2	69	51	60·0	0·28
Urban Districts. CORK, ...	76,673	28·6	18·4	12·2	·	27	18	3	2	·	·	·	·	·	·	·	·	3	·	1	1	1	·	·	2	2	6	·	68	51	60·8	1·42
Urban Districts. LONDONDERRY, ..	40,000	15·5	23·5	23·5	3·9	18	18	4	7	·	·	·	·	·	·	·	·	1	·	·	·	5	3	·	1	1	3	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	10·8	12·2	·	8	9	1	1	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	1	·	4	·	73·5	42·1	61·5	0·61
Urban Districts. WATERFORD, ..	27,464	19·1	15·2	13·3	3·8	8	7	1	1	·	·	·	·	·	·	·	·	1	·	·	·	1	2	·	·	·	3	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				3	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	·	·	·	·
Urban Districts. DUNDALK, ..	13,128	9·5				8	3	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	1	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	70·0	49·9	60·5	0·44
Urban Districts. DROGHEDA, ..	12,501	8·4				6	6	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	70·0	49·9	60·5	0·44
Urban Districts. NEWRY, ...	11,963	17·0				3	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	70·0	49·9	60·5	0·44
Urban Districts. PORTADOWN, ..	11,727	15·3				8	5	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	2	·	70·0	49·9	60·5	0·44
Urban Districts. WEXFORD, ..	11,531	22·8				7	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				8	3	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	70	47	60·0	1·05
Urban Districts. KILKENNY, ..	10,514	11·4				3	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	73	44	53·2	1·10
Urban Districts. TRALEE, ...	10,300	17·4				·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
LONDON, ...	4,310,030	—	—	10·3	—	1796	853g	149	210	2	·	·	15	1	4	2	—	116	27	102	38	37	60	9	34	97	417	1	75	48	63·5	0·71
EDINBURGH, ...	329,200	—	—	11·4	—	109	72g	10	28	·	·	·	·	·	1	·	—	—	—	—	—	—	·	—	3	—	—	—	66·0	47·0	57·3	2·17
GLASGOW, ...	1,091,600	—	—	13·0	—	526	271g	70	56	·	·	·	2	2	2	·	—	—	—	—	—	—	28	—	16	—	—	—	69·3	49·1	58·5	2·69

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever for Dublin, one for London, one for Edinburgh, and 2 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 34th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 26th August, 1916. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	150·8	116	4	20	11	6	2	2	3	4	7	17	10	13	9	8	110
Enteric Fever	0·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2
Scarlet Fever	0·8	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	3
Whooping-cough	1·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	1·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·0	15	.	.	1	.	.	.	.	3	4	5	.	1	1	.	14
Tuberculous Meningitis	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Venereal Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·8	11	.	.	.	.	.	.	.	1	.	1	1	3	5	.	11
Tumour, situation undefined.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Rheumatic Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·2	3	.	.	.	.	.	.	1	.	.	1	.	1	.	.	3
Other General Diseases	0·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Simple Meningitis	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	4·4	4	.	.	.	.	.	.	.	.	.	2	.	2	.	.	3
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·4	5	1	3	1	.	.	.	.	.	.	.	.	.	.	.	5
Other Diseases of Nervous System.	1·8	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
Pericarditis	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	13·4	8	.	.	.	.	.	.	.	.	.	.	2	1	2	3	8
Embolism and Thrombosis (including Cerebral).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	8·8	9	.	1	1	.	1	.	.	.	.	1	3	2	.	.	9
Broncho-pneumonia	1·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Lobar pneumonia	0·6	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Pneumonia (type not distinguished).	4·8	3	.	.	.	.	.	.	.	.	.	2	1	.	.	.	3
Pleurisy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the THIRTY-FOURTH WEEK, ending Saturday, 26th August, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 34th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 26th August, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	21·0	17	1	11	5	.	.	.	.	.	.	.	.	.	.	.	.	17
Diarrhœa 2 years and upwards.	2·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Enteritis 2 years and upwards.	2·2	4	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.	4
Appendicitis and Typhlitis.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ..	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other Diseases of Liver	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	1·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	3·0	3	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	2
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Debility ..	3·8	5	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Old Age	3·6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Other Specified Diseases	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Suffocation in Bed, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths	1·0	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Not included in above—																		
Homicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	4·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

TABLE IV.—Showing for the WEEK ENDED 26TH AUGUST, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
					WEEK ENDED SATURDAY, 26TH AUGUST, 1916. DEATHS. CAUSED BY																												
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No. 1, E., ...	29,400	10·6	8·9	6	3	2	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.	1
" 1, W., ...	40,200	18·2	2·6	14	2	1	1	.	3	5	.	2	.	.	.	.	.	1	.	.	4	.	1	.	1	1	.	.	6	.	4	1	.
" 2, ...	26,900	19·4	5·8	10	2	.	2	1	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	1	1	4	1	1	2	.
" 3, ...	35,200	22·2	4·4	15	5	3	.	.	1	3	2	1	.	.	.	.	.	.	.	.	4	1	.	1	.	3	.	.	6	.	4	2	.
Clontarf and Howth, No. 1, part of	5,400	9·7	9·7	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Coolock and Drumcondra, part of ..	13,300	7·8	3·9	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Finglas and Glasnevin, part of ..	10,800	9·7	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1
South City.																																	
South City, No. 1, ..	40,100	13·0	2·6	10	2	1	.	1	1	3	1	1	.	.	.	.	.	.	.	.	1	.	.	2	1	2	.	.	4	.	2	3	1
" 2, ...	17,800	20·5	5·9	7	1	.	.	.	1	.	4	1	.	.	.	1	1	.	.	.	.	.	.	.	2	.	.	.	3	.	3	.	.
" 3, ...	42,400	16·0	2·5	13	3	.	1	.	.	2	3	4	.	.	.	.	1	.	.	.	.	.	2	1	1	1	.	.	7	.	2	3	.
" 4, ...	32,000	16·3	4·9	10	1	2	.	.	.	.	5	2	.	.	.	.	.	.	.	.	1	.	3	.	1	3	.	1	1	1	2	1	.
New Kilmainham, ...	10,100	10·3	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Urban Districts.																																	
Rathmines and Rathgar, ..	39,000	10·7	.	8	.	.	.	.	.	2	2	4	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	5	.	1	.	.
Pembroke, ...	29,100	10·8	1·8	6	1	1	1	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	.	.	.	.	2	.	.
Blackrock, ...	8,900	5·8	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
Kingstown	16,400	9·5	.	3	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	2	.	.
TOTAL CITY. North, ...	161,200	16·2	4·9	50	13	7	4	2	5	10	5	4	.	.	.	1	1	1	1	.	9	1	2	1	2	10	1	1	19	1	11	5	2
TOTAL CITY. South, ...	142,400	15·4	3·3	42	9	3	1	1	2	5	13	8	.	.	.	1	2	.	.	.	2	.	5	3	5	6	.	1	17	1	9	7	1
TOTAL CITY. North and South, ..	303,600	15·8	4·1	92	22	10	5	3	7	15	18	12	.	.	.	2	3	1	1	.	11	1	7	4	7	16	1	2	36	2	20	12	3
Total Urban Districts, ...	93,400	10·0	0·6	18	1	1	1	.	.	6	4	5	.	.	.	.	.	.	.	.	3	1	4	2	2	1	.	.	5	.	6	.	.
Total Registration Area, ..	397,000	14·4	3·3	110	23	11	6	3	7	21	22	17	.	.	.	2	3	1	1	.	14	2	11	6	9	17	1	2	41	2	26	12	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				6	1	.	.	1	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	5	.	5	1	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th August, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH AUGUST, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	116	41	4	7	24	23	9	8	.	.	.	2	3	1	1	.	15	2	11	5	6	9	17	1	2	41	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS	101,798	10·8	21	4	2	.	8	6	.	1	.	.	.	.	1	1	.	.	4	1	2	2	2	1	.	.	.	7	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	11·1	23	8	.	1	3	5	3	3	.	.	.	.	.	.	1	.	4	.	2	1	2	2	2	1	.	8	.
IV.	GENERAL SERVICE CLASS	167,479	17·4	56	27	2	4	8	9	2	4	.	.	.	2	2	.	.	.	5	1	4	2	1	5	14	.	2	18	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	13	2	.	2	4	2	3	.	.	.	.	.	.	.	.	.	2	.	3	.	1	1	1	.	.	5	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	4	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.
	6. Clerks and Commercial Assistants,	33,249	—	7	1	1	.	5	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	2	.	.	2	4	.	1	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.	.	4	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	7	2	.	1	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	1	.	2	.
	10. Clothing Trades, ...	20,026	—	3	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	9	4	.	.	1	2	1	1	.	.	.	.	.	.	1	.	1	.	1	.	1	2	.	.	.	3	.
	13. Petty Shopkeepers, ...	6,772	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	12	5	1	.	4	1	1	.	.	.	.	.	.	.	.	.	2	.	2	.	.	2	2	.	.	4	1
	15. Domestic Servants, ...	36,041	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	4	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	37	18	1	4	3	8	.	3	.	.	.	2	2	.	.	.	3	.	1	2	1	2	10	.	2	12	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	13	2	.	2	4	2	3	.	.	.	.	.	.	.	.	.	2	.	3	.	1	1	1	.	.	5	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	WEEK ENDING													WEEK ENDING												
	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	June 3.	June 10.	June 17	June 24.	July 1.	July 8.	July 15	July 22.	July 29	Aug 5.	Aug 12.	Aug. 19.	Aug. 26.
No. of weeks in Annual Series ..	22	23	24	25	26	27	28	29	30	31	32	33	34	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered	228	219	203	263	169	240	182	206	193	207	181	162	244	237	192	163	185	203	199	145	165	155	152	166	164	153
Average Births in corresponding week of previous 10 years, ...	248	211	223	209	246	204	212	217	216	221	205	218	214	220	221	223	210	216	210	200	223	220	218	212	204	193
Number of Deaths, ...	151	139	140	125	136	134	143	116	110	107	126	125	110	124	126	117	108	104	93	110	109	93	95	87	100	123
Annual Death-rate per 1,000 ..	19·8	18·3	18·4	16·4	17·9	17·6	18·8	15·2	14·4	14·1	16·5	16·4	14·4	16·6	16·8	15·6	14·4	13·9	12·4	14·7	14·6	12·4	12·7	11·6	13·4	16·4
Average Deaths in corresponding week of previous 10 years, ...	143	142	146	133	130	126	135	134	132	129	131	143	146	132	129	125	120	118	112	113	117	115	109	112	117	123
Ages, .. Under one year, ..	14	22	26	15	21	28	17	23	22	12	20	27	23	11	21	15	16	15	14	15	16	17	20	11	17	22
1— 5 years, ..	10	15	9	12	11	6	12	6	5	12	15	17	17	19	7	10	16	8	6	9	9	6	10	5	10	13
5—25 ,, ..	14	16	23	24	17	13	20	20	12	8	14	12	10	14	28	17	10	18	15	20	8	11	14	12	11	21
25—45 ,, ..	35	24	22	20	25	25	30	17	25	24	19	16	21	27	22	21	19	24	15	22	17	10	14	22	23	17
45—65 ,, ..	45	36	29	29	35	23	35	25	21	21	24	31	22	26	24	32	31	22	19	25	36	31	19	18	17	33
65 and upwards, ..	33	26	31	25	27	39	29	25	25	30	34	22	17	27	24	22	16	17	24	19	23	18	18	19	22	17
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	1	.	.	.	1	1	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	2	1	3	1	.	1	1	.	1	.	1	2	4	3	2	3	2	2	4	2	1	2	1	3	2
Scarlet Fever, ...	.	1	1	1	1	2	1	.	.	.	1	.	3	2	1	2	1	.	.	2	.	1	2	1	1	.
Whooping-cough, ...	2	1	.	1	.	1	2	.	.	.	1	1	1	6	1	3	2	.	1	1	1	1	.	.	1	5
Diphtheria, ...	.	.	2	.	1	.	.	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	2	.	1	.
Dysentery, ...	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	31	20	22	24	20	23	16	20	15	15	18	21	14	17	24	17	15	20	20	21	16	11	5	15	13	18
Tuberculosis { Other Forms, ..	3	9	5	9	7	3	4	3	3	5	5	4	2	4	10	9	4	7	5	4	5	5	7	3	4	11
Cancer, ...	2	7	7	7	9	9	8	7	7	6	7	4	11	7	7	9	6	2	5	5	8	4	9	7	3	6
Diseases of Respiratory System, { Pneumonia ..	2	6	6	2	9	9	9	4	4	5	5	9	6	11	4	10	10	4	2	8	9	6	4	4	5	10
Diseases of Respiratory System, { Others, ..	17	17	9	9	15	14	11	12	9	16	8	14	9	16	8	12	8	8	5	9	10	6	11	9	6	5
Diarrhœa and Enteritis, under 2 years, ...	3	3	3	2	1	8		3	4	3	11	11	17	.	1	2	4	.	1	1	.	1	2	3	6	8
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	2	.	1	.	.	.	.	1
Violent Deaths, ...	16	7	10	8	3	2	29	6	3	7	6	2	2	2	.	1	2	2	1	4	2	5	5	1	2	.
Number of Uncertified Deaths, ..	11	2	9	6	4	4	33	10	4	4	.	6	3	3	3	4	1	.	2	2	.	1	2	1	2	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th August, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	9·9	·	3	·	1	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	1	·
Do. 2 do.	49,500	19	10·5	1·1	10	4	1	2	1	1	1	·	·	·	·	·	1	·	·	·	1	·	2	1	·	·	·	1	3	1
Do. 3 do.	50,032	19	18·8	3·1	18	3	1	2	2	7	3	·	·	·	1	·	1	·	·	2	1	2	2	1	1	·	·	·	6	·
Do. 4 do.	32,637	13	14·4	·	9	1	·	3	2	2	1	·	·	·	·	·	·	·	·	2	2	·	·	1	·	·	·	·	1	·
Do. 5 do.	16,112	7	35·6	12·9	11	4	1	·	1	4	1	·	·	·	·	·	1	·	·	1	·	·	·	·	3	·	·	·	2	·
Do. 6 do.	37,293	9	12·6	·	9	1	·	1	·	4	3	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	2	·
Do 7 do.	2,681	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	2	8·7	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	12	17·1	6·4	8	2	1	·	1	3	1	·	·	·	·	·	1	·	·	1	·	·	2	·	1	1	·	·	2	·
Do. 10 do.	28,958	11	16·2	·	9	1	1	2	1	3	1	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	·	·	3	·
Do. 11 do.	39,311	13	14·6	·	11	2	·	3	3	2	1	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	1	3	1
Do. 12 do.	38,076	19	21·9	5·5	16	2	6	3	·	3	2	·	·	·	1	·	1	·	·	1	2	1	2	2	2	·	·	1	3	·
Do. 13 do.	23,233	7	11·2	2·2	5	2	·	·	1	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·
Do. 14 do.	175	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	10	29·9	·	13	·	1	4	3	3	2	·	·	·	·	·	·	·	·	3	3	·	1	·	·	·	·	·	4	·
Total,	386,947	153	16·4	2·1	123	22	13	21	17	33	17	·	·	·	2	·	5	·	·	18	11	6	10	5	8	1	·	4	30	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	11·6	·	3	1	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do 2 do.	10,399	1	10·0	·	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·
Do. 3 do.	9,793	4	16·0	·	3	·	·	·	1	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 4 do.	9,139	6	22·8	·	4	·	2	·	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	2	·
Do. 5 do.	6,250	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 6 do.	11,581	5	4·5	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 7 do.	16,056	4	16·2	·	5	1	·	·	1	3	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	1	1	2	·
Total	76,673	27	12·2	·	18	3	4	·	5	4	2	·	·	·	·	·	·	·	·	3	·	1	1	1	·	·	2	2	6	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th August, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	.	.	.	4	.	.	.	.	6	10
,, ,, 1, West ..	.	.	.	.	1	.	.	3	.	.	.	.	7	11
,, ,, 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	2
,, ,, 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	2	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	2	.	.	.	.	.	.	.	.	1	.	1	4
,, ,, ,, 2, ...	.	1	.	.	.	.	.	1	.	.	.	.	1	3
,, ,, ,, 3, ...	.	.	.	.	2	.	.	1	.	.	.	.	1	4
,, ,, ,, 4, ...	.	.	.	.	1	.	.	1	.	.	.	.	2	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	4	.	.	4	.	.	11	1	.	1	.	22	43

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th August, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 26th August.			
	Aug. 5.	Aug. 12.	Aug. 19.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	15	21	33	12	2	.	43
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	17	11	8	3	5	.	6
Scarlet Fever	46	46	36	6	4	3	35*
Diphtheria, ...	24	30	30	8	3	1	34
Pneumonia, ...	11	11	13	4	4	.	13

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237. 375. 8. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 35. Vol. LIII.] Week ending Saturday, 2nd September, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 4th September, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·7 and 14·7; Dublin Registration Area, 19·3 and 16·6; Dublin City, 21·5 and 18·5; Belfast, 15·6 and 14·3; Cork, 14·3 and 12·9; Londonderry, 16·9 and 17·6; Limerick, 20·3 and 14·6; and Waterford, 5·7 and 10·9.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 3·1 per 1,000. Among the 117 deaths from all causes for Belfast are one from typhus and 14 from diarrhœal diseases. The 21 deaths from all causes for Cork include one from typhus and 3 of children under 2 years from diarrhœa and enteritis. Of the 13 deaths from all causes for Londonderry 3 were of children under 2 years from diarrhœa and enteritis, and 2 of the 5 deaths recorded for Dundalk were also from this disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 152—71 boys and 81 girls—and the deaths to 187—114 males and 73 females.

The deaths registered, omitting the deaths (numbering 40) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·3 per 1,000 of the population. During the thirty-five weeks ending with Saturday last, the death-rate averaged 20·3, and was 1·4 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the thirty-five weeks was 22·0, and for the corresponding period of the preceding ten years, 23·0.

The 147 deaths appertaining to the Area include one from enteric fever, 2 from paratyphoid fever, one from measles, one from scarlet fever, 2 from whooping-cough, and 31 of children under 2 years from diarrhœa and enteritis.

In the 3 preceding weeks deaths from enteric fever were one, 0 and 0; deaths from measles 0, one and 2; deaths from scarlet fever one, 0 and 3; deaths from whooping-cough one, one and one, and deaths from diarrhœa and enteritis of children under 2 years numbered 11, 11 and 17.

Tuberculous disease caused 20 deaths (comprising 16 from pulmonary tuberculosis, one from abdominal tuberculosis, and 3 from other forms of the disease), as against 23, 25 and 16, respectively, in the three weeks preceding.

Fourteen deaths were caused by cancer, 6 by pneumonia (3 by broncho-pneumonia, one by lobar pneumonia, and 2 by pneumonia, type not distinguished), 11 by organic diseases of the heart, and 11 by bronchitis.

Among deaths of infants under one year old, 2 were due to congenital malformations, 2 to premature birth, and 3 to congenital debility.

Three deaths were due to violence, 2 of these being caused by drowning.

Fifty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 42 being infants under one year, of whom 6 were under one month old.

Of the 147 deaths recorded, 63 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 10·7), was equal to an average annual death-rate of 11·6 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 14·3 per 1,000, the rate for Glasgow being 14·9, and for Edinburgh 13·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd September. From this Report it appears that of 46 cases notified, 14 were pulmonary tuberculosis, 3 other forms of tuberculosis, 13 diphtheria, 11 scarlet fever, 3 erysipelas, one enteric fever, and one cerebro-spinal fever. Among the 373 cases of infectious diseases in hospital at the close of the week were 147 of pulmonary tuberculosis, 117 of scarlet fever, 68 of diphtheria, 7 of cerebro-spinal fever, 7 of enteric fever, 5 of measles, 3 of erysipelas, and 2 of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 2nd September, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Aug. 12,	·	—	—	4	·	·	1	·	1	5	3	·	—	—	·	—	·	10	24
	Aug. 19,	·	—	—	·	·	·	3	·	1	10	3	·	—	—	·	—	·	8	25
	Aug. 26,	·	—	—	4	·	·	4	·	·	11	1	·	—	—	1	—	·	22	43
	Sept. 2,	·	—	—	7	·	·	1	·	·	13	1	·	—	—	·	—	2	6	30
Rathmines and Rathgar Urban District.	Aug. 12,	·	—	—	1	·	·	4	·	·	·	·	·	—	—	—	—	—	—	5
	Aug. 19,	·	—	—	1	·	·	3	·	·	·	·	·	—	—	—	—	—	—	4
	Aug. 26,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	—	1
	Sept. 2,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	—	1
Pembroke Urban District.	Aug. 12,	·	9	·	·	·	·	·	·	·	·	·	·	—	2	·	—	—	·	11
	Aug. 19,	·	·	·	1	·	·	·	·	·	·	·	·	—	1	·	—	—	·	2
	Aug. 26,	·	·	·	·	·	·	·	·	·	·	1	·	—	2	·	—	—	·	3
	Sept. 2,	·	2	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	2	7
Blackrock Urban District.	Aug. 12,	·	·	—	·	·	·	·	·	·	·	1	·	—	—	·	—	—	·	1
	Aug. 19,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	·	1
	Aug. 26,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 2,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
Kingstown Urban District.	Aug. 12,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Aug. 19,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
City of Belfast	Aug. 12,	·	—	—	6	2	·	2	·	·	·	·	1	—	—	·	—	·	·	11
	Aug. 19,	·	—	—	12	1	·	1	·	·	1	4	·	—	—	·	—	·	·	19
	Aug. 26,	·	—	—	12	1	·	3	·	·	2	1	·	—	—	·	—	·	·	19
	Sept. 2,	·	—	—	10	·	·	4	·	·	·	2	·	—	—	·	—	·	·	16
City of Cork	Aug. 12,	·	1	—	·	·	·	1	·	·	·	·	·	—	—	—	8	—	—	10*a*
	Aug. 19,	·	·	—	2	·	·	1	·	1	2	1	·	—	—	—	18	—	—	25
	Aug. 26,	·	·	—	2	·	·	·	·	·	3	·	·	—	—	—	15	—	—	20
	Sept. 2,	·	·	—	2	·	·	·	·	·	·	1	·	—	—	—	20	—	—	23
City of Londonderry	Aug. 12,	·	—	—	·	1	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	Aug. 19,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
City of Limerick.	Aug. 12,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Aug. 19,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 2,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
City of Waterford.	Aug. 12,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Aug. 19,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	·	1
	Aug. 26.	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1

(*a*) Not including one case of cerebro-spinal fever.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd September, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 8 and 43; measles one and 3; scarlet fever 10 and 36*; and diphtheria 3 and 28. Two cases of pneumonia were admitted during the week and 11 remained under treatment at its close. Of the deaths in hospitals during the week 3 were from enteric fever, and one was from each of measles and diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 2nd September, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 78 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall for the week**; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 2nd September, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 2nd September, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS,	1,122,268	19·7	23·8	16·7	3·1	513	359	83	70	3	2	·	1	1	2	·	·	43	14	25	17	24	52	5	5	11	118	8	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	20·0	19·3	5·1	152	147	42	24	3	·	·	1	1	2	·	·	16	4	14	6	11	31	1	3	3	63	4	(d) 69·0	43·0	56·7	0·87
Urban Districts. CITY OF DUBLIN,	303,600	38·4	18·5	21·5	6·0	108	125	37	16	3	·	·	1	1	2	·	·	16	3	12	6	10	27	1	2	2	53	4	(e)70·0 (f)70·9	47·3 44·8	58·4 57·8	1·21 0·83
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	20·1	10·7	1·3	15	8	1	4	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	4	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	39·4	14·3	5·4	22	8	4	1	·	·	·	·	·	·	·	·	·	·	1	·	1	3	·	·	·	4	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	5·8	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	19·1	19·1	·	6	6	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	1	2	·	69	48	57·8	0·99
Urban Districts. BELFAST, ..	390,000	26·1	27·0	15·6	2·0	202	117	26	28	·	1	·	·	·	·	·	·	15	6	4	8	7	11	3	2	3	31	1	70	46	57·3	0·06
Urban Districts. CORK, ..	76,673	28·6	21·1	14·3	2·7	31	21	3	3	·	1	·	·	·	·	·	·	3	·	3	1	·	3	·	·	1	11	·	67	49	58·8	0·80
Urban Districts. LONDONDERRY, ..	40,000	15·5	26·1	16·9	3·9	20	13	3	2	·	·	·	·	·	·	·	·	2	1	2	·	2	3	·	·	·	1	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	48·7	20·3	·	36	15	3	1	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	1	1	1	69·5	42·5	57·3	0·61
Urban Districts. WATERFORD, ..	27,464	19·1	22·8	5·7	·	12	3	·	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	2	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5				8	5	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	4	1	65	44	55	0·32
Urban Districts. DUNDALK, h	13,128	9·5				10	5	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				8	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	68·0	42·3	56·0	0·34
Urban Districts. DROGHEDA, ..	12,501	8·4				8	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				2	5	1	2	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	68·0	42·3	56·0	0·34
Urban Districts. NEWRY, ..	11,963	17·0				2	3	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	68·0	42·3	56·0	0·34
Urban Districts. PORTADOWN, ..	11,727	15·3				2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	68·0	42·3	56·0	0·34
Urban Districts. WEXFORD, ..	11,531	22·8				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ..	11,163	3·8				6	6	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·	67	48	55·0	0·61
Urban Districts. KILKENNY, ..	10,514	11·4				4	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	1	1	69	42	55·7	0·16
Urban Districts. TRALEE, ..	10,300	17·4				5	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				1	6	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	2	2	·	·	·	·	·
LONDON, ..	4,310,030	—	—	10·7	—	1822	883	170	238	2	·	·	14	2	6	7	—	92	17	97	30	36	92	12	51	103	400	2	75	46	60·3	2·01
EDINBURGH, ..	329,200	—	—	13·3	—	114	84g	9	28	·	·	·	·	·	·	3	—	—	—	—	—	—	3	—	6	—	—	—	63·4	44·8	54·7	0·29
GLASGOW, ..	1,091,600	—	—	14·9	—	526	312g	78	64	2	·	·	4	1	·	2	—	—	—	—	—	—	51	—	14	—	—	—	65·7	43·2	56·2	0·33

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever for Edinburgh, and one for Glasgow. (h) The Registrar reports one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 35th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 2nd September, 1916. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	160·6	187	6	36	9	2	6	6	4	10	21	17	18	28	13	11	147
Enteric Fever ..	·8	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	3
Typhus	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	2·4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·2	19	.	.	.	1	2	2	2	2	3	1	3	3	.	.	16
Tuberculous Meningitis	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	2·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·8	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·8	14	.	.	.	.	.	.	.	.	.	4	2	3	2	3	14
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Anæmia, Leucocythæmia.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·6	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·6	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	5·6	6	.	.	.	.	.	.	.	.	.	1	.	.	2	3	6
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.	3
Epilepsy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Nervous System.	2·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Pericarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	10·2	12	.	.	.	.	.	.	.	.	1	2	1	7	1	.	11
Embolism and Thrombosis (including Cerebral).	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other Diseases of Circulatory System.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	7·2	11	.	2	.	.	.	.	.	.	.	.	1	3	2	3	11
Broncho-pneumonia ..	3·2	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	3
Lobar pneumonia ..	1·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Pneumonia (type not distinguished).	3·4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Pleurisy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.

in the THIRTY-FIFTH WEEK, ending Saturday, 2nd September, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 35th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 2nd September, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	3·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Diarrhœa and Enteritis of Children under 2 years.	26·6	31	·	25	6	·	·	·	·	·	·	·	·	·	·	·	·	31
Diarrhœa 2 years and upwards.	2·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Enteritis 2 years and upwards.	1·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Appendicitis and Typhlitis.	1·0	2	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	1
Hernia and Intestinal Obstructions.	1·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Cirrhosis of Liver ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Peritonitis (cause unknown).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	1·0	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	3·2	7	·	·	·	·	·	·	·	·	·	·	1	4	2	·	·	7
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·0	3	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	2
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	1·0	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	1·6	3	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	2
Diseases of Locomotor System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·2	3	2	·	·	·	1	·	·	·	·	·	·	·	·	·	·	3
Premature Birth ..	5·4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Congenital Debility ..	4·6	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Old Age	3·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Other Specified Diseases	·8	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·6	2	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	2
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·4	27	·	·	·	·	·	·	1	7	13	5	1	·	·	·	·	·
Other Violent Deaths		1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Not included in above—																		
Homicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	4·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1

TABLE IV.—Showing for the WEEK ENDED 2ND SEPTEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 2ND SEPTEMBER, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	24·8	10·6	14	6	1	·	1	2	2	2	·	1	·	·	1	·	·	·	·	2	·	2	·	·	4	·	·	4	·	4	4	·
" 1, W., ...	40,200	22·1	7·8	17	7	1	·	2	1	1	2	3	·	·	·	·	·	1	·	·	3	·	1	1	3	5	·	·	3	·	2	3	·
" 2, ...	26,900	19·4	7·8	10	2	1	·	1	·	·	4	2	·	·	·	·	·	·	·	·	1	·	·	2	1	3	1	·	2	·	1	4	1
" 3, ...	35,200	16·3	·	11	3	·	1	1	·	2	2	2	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	8	·	1	2	1
CLONTARF AND HOWTH, No. 1, part of	5,400	29·0	9·7	3	1	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	19·6	3·9	5	1	·	·	1	·	·	1	2	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	2	·	2	1	·
FINGLAS AND GLASNEVIN, part of ..	10,800	4·8	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	16·9	3·9	13	3	1	·	·	1	4	3	1	1	·	·	·	·	·	·	·	·	·	2	2	1	2	·	·	5	1	2	4	·
" 2, ...	17,800	26·4	5·9	9	2	·	·	1	·	·	6	·	·	·	·	·	·	1	·	·	2	·	1	·	·	1	·	·	4	·	·	6	·
" 3, ...	42,400	27·1	7·4	22	7	2	·	2	2	1	5	3	·	·	·	·	1	·	·	·	4	1	·	1	3	5	·	1	6	·	6	3	·
" 4, ...	32,000	26·1	8·1	16	4	2	1	1	·	3	4	1	·	·	·	·	·	·	·	·	1	1	2	·	1	5	·	·	6	·	6	2	2
NEW KILMAINHAM, ...	10,100	20·7	5·2	4	1	·	·	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1	1	1	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	10·7	1·3	8	1	1	·	·	·	·	2	4	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	6	·	2	2	·
PEMBROKE, ...	29,100	14·3	5·4	8	4	·	·	·	·	1	2	1	·	·	·	·	·	·	·	·	·	·	1	·	1	3	·	·	3	·	2	2	·
BLACKROCK, ...	8,900	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN	16,400	19·1	·	6	·	·	·	·	·	1	2	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	4	1	·	2	·
TOTAL CITY. North, ...	161,200	19·7	5·8	61	20	3	1	6	3	6	12	10	2	·	·	1	·	1	·	·	9	1	6	3	5	13	1	·	19	·	10	14	2
TOTAL CITY. South, ...	142,400	23·4	6·2	64	17	5	1	5	3	8	19	6	1	·	·	·	1	1	·	·	7	2	6	3	5	14	·	2	22	2	14	15	2
TOTAL CITY. North and South, ..	303,600	21·5	6·0	125	37	8	2	11	6	14	31	16	3	·	·	1	1	2	·	·	16	3	12	6	10	27	1	2	41	2	24	29	4
Total Urban Districts, ...	93,400	12·3	2·2	22	5	1	·	·	·	2	6	8	·	·	·	·	·	·	·	·	·	1	2	·	1	4	·	1	13	1	4	6	·
Total Registration Area, ..	397,000	19·3	5·1	147	42	9	2	11	6	16	37	24	3	·	·	1	1	2	·	·	16	4	14	6	11	31	1	3	54	3	28	35	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				40	·	·	·	1	8	22	9	·	·	·	·	·	·	·	·	·	3	·	·	·	1	·	·	27	9	·	40	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd September, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 2ND SEPTEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	187	53	12	14	38	46	13	11	3	·	·	1	1	2	·	·	19	4	14	1	6	12	31	1	30	62	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	28·5	8	·	·	·	5	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5	3	·
II.	MIDDLE CLASS	101,798	14·9	29	6	2	·	4	10	3	4	·	·	·	·	·	1	·	·	3	·	3	·	·	2	2	·	·	18	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·9	29	11	3	2	2	7	3	1	2	·	·	·	1	·	·	·	6	·	3	·	·	2	6	·	·	9	·
IV.	GENERAL SERVICE CLASS	167,479	26·8	86	31	7	11	23	12	1	1	1	·	·	1	·	1	·	·	8	2	3	1	3	5	21	1	25	14	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	35	5	·	1	4	17	5	3	·	·	·	·	·	·	·	·	2	2	5	·	3	3	2	·	·	18	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	7	·	·	·	5	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5	2	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	5	1	·	·	1	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	4	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	8	1	1	·	·	3	1	2	·	·	·	·	·	·	·	·	1	·	2	·	·	1	·	·	·	4	·
	6. Clerks and Commercial Assistants,	33,249	—	8	4	1	·	1	1	·	1	·	·	·	·	·	1	·	·	2	·	1	·	·	·	1	·	·	3	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	8	·	·	·	2	5	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	7	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	·	1	·	·	1	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·
	9. Building and Furnishing Trades, ..	28,823	—	9	4	1	·	·	2	1	1	1	·	·	·	·	·	·	·	1	·	2	·	·	1	1	·	·	3	·
	10. Clothing Trades, ...	20,026	—	4	2	·	1	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	2	·	·	·	·
	11 Food Supply Trades, ...	8,952	—	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	12	5	·	1	·	4	2	·	1	·	·	·	·	·	·	·	2	·	1	·	·	1	3	·	·	4	·
	13. Petty Shopkeepers, ...	6,772	—	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	36	6	3	9	15	2	1	·	·	·	·	·	·	1	·	·	2	·	·	·	1	1	4	·	23	4	·
	15. Domestic Servants, ...	36,041	—	4	1	·	1	·	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	·	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	8	5	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	4	·	·	1	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	38	19	4	1	7	6	·	1	1	·	·	1	·	·	·	·	5	1	3	1	1	2	13	·	2	8	3
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	35	5	·	1	4	17	5	3	·	·	·	·	·	·	·	·	2	2	5	·	3	3	2	·	·	18	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	June 10.	June 17	June 24.	July 1.	July 8.	July 15	July 22.	July 29	Aug. 5.	Aug 12.	Aug. 19.	Aug. 26.	Sept. 2.
No. of weeks in Annual Series ..	23	24	25	26	27	28	29	30	31	32	33	34	35	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered	219	203	263	169	240	182	206	193	207	181	162	244	152	192	163	185	203	199	145	165	155	152	166	164	153	202
Average Births in corresponding week of previous 10 years, ...	211	223	209	246	204	212	217	216	221	205	218	214	204	221	223	210	216	210	200	223	220	218	212	204	193	199
Number of Deaths, ...	139	140	125	136	134	143	116	110	107	126	125	110	147	126	117	108	104	93	110	109	93	95	87	100	123	117
Annual Death-rate per 1,000 ..	18·3	18·4	16·4	17·9	17·6	18·8	15·2	14·4	14·1	16·5	16·4	14·4	19·3	16·8	15·6	14·4	13·9	12·4	14·7	14·6	12·4	12·7	11·6	13·4	16·4	15·6
Average Deaths in corresponding week of previous 10 years, ...	142	146	133	130	126	135	134	132	129	131	143	146	148	129	125	120	118	112	113	117	115	109	112	117	123	126
Ages, .. Under one year, ..	22	26	15	21	28	17	23	22	12	20	27	23	42	21	15	16	15	14	15	16	17	20	11	17	22	26
1— 5 years, ..	15	9	12	11	6	12	6	5	12	15	17	17	11	7	10	16	8	6	9	9	6	10	5	10	13	8
5—25 ,, ..	16	23	24	17	13	20	20	12	8	14	12	10	17	28	17	10	18	15	20	8	11	14	12	11	21	7
25—45 ,, ..	24	22	20	25	25	30	17	25	24	19	16	21	16	22	21	19	24	15	22	17	10	14	22	23	17	26
45—65 ,, ..	36	29	29	35	23	35	25	21	21	24	31	22	37	24	32	31	22	19	25	36	31	19	18	17	33	22
65 and upwards, ..	26	31	25	27	39	29	25	25	30	34	22	17	24	24	22	16	17	24	19	23	18	18	19	22	17	28
Deaths from :—																										
Enteric Fever, ...	·	·	1	·	1	·	·	·	1	1	·	·	3	·	·	1	·	·	1	1	·	·	·	·	·	·
Typhus, ...	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	1
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	2	1	3	1	·	1	1	·	1	·	1	2	1	3	2	3	2	2	4	2	1	2	1	3	2	·
Scarlet Fever, ...	1	1	1	1	2	1	·	·	·	1	·	3	1	1	2	1	·	·	2	·	1	2	1	1	·	·
Whooping-cough, ...	1	·	1	·	1	2	·	·	·	1	1	1	2	1	3	2	·	1	1	1	1	·	·	1	5	·
Diphtheria, ...	·	2	·	1	·	·	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	2	·	1	·	·
Dysentery, ...	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	20	22	24	20	23	16	20	15	15	18	21	14	16	24	17	15	20	20	21	16	11	5	15	13	18	15
Tuberculosis { Other Forms, ..	9	5	9	7	3	4	3	3	5	5	4	2	4	10	9	4	7	5	4	5	5	7	3	4	11	6
Cancer, ...	7	7	7	9	9	8	7	7	6	7	4	11	14	7	9	6	2	5	5	8	4	9	7	3	6	4
Diseases of Respiratory System, { Pneumonia ..	6	6	2	9	9	9	4	4	5	5	9	6	6	4	10	10	4	2	8	9	6	4	4	5	10	8
Diseases of Respiratory System, { Others, ..	17	9	9	15	14	11	12	9	16	8	14	9	11	8	12	8	8	5	9	10	6	11	9	6	5	7
Diarrhœa and Enteritis, under 2 years, ...	3	3	2	1	8	·	3	4	3	11	11	17	31	1	2	4	·	1	1	·	1	2	3	6	8	11
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	2	·	1	·	·	·	·	1	3
Violent Deaths, ...	7	10	8	3	2	29	6	3	7	6	2	2	3	·	1	2	2	1	4	2	5	5	1	2	·	2
Number of Uncertified Deaths, ..	2	9	6	4	4	33	10	4	4	·	6	3	4	3	4	1	·	2	2	·	1	2	1	2	2	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd September, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	19·7	·	6	·	1	1	2	2	·	·	·	·	·	·	·	·	·	·	2	·	1	2	·	·	·	·	4	·
Do. 2 do.	49,500	35	14·7	1·1	14	4	·	1	1	4	4	·	·	·	·	·	·	·	·	2	·	1	·	1	·	1	·	·	3	·
Do. 3 do.	50,032	26	15·6	6·3	15	6	3	·	3	3	·	·	1	·	·	·	·	·	·	·	2	·	1	·	3	2	·	1	3	·
Do. 4 do.	32,637	10	19·2	·	12	·	·	1	3	3	5	·	·	·	·	·	·	·	·	3	·	·	·	1	·	·	·	·	5	·
Do. 5 do.	16,112	15	16·2	·	5	1	·	·	3	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1	1
Do. 6 do.	37,293	19	21·0	1·4	15	2	·	·	4	2	7	·	·	·	·	·	·	·	·	2	·	1	3	1	1	·	·	·	4	·
Do 7 do.	2,681	·	19·4	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·
Do. 8 do.	5,964	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	12	4·3	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 10 do.	28,958	14	19·8	1·8	11	4	2	·	1	1	3	·	·	·	·	·	·	·	·	1	1	·	2	1	1	·	·	·	2	·
Do. 11 do.	39,311	21	17·2	2·7	13	3	·	1	3	1	5	·	·	·	·	·	·	·	·	2	·	1	·	1	2	·	·	·	4	·
Do. 12 do.	38,076	23	11·0	4·1	8	4	·	·	1	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	3	·	·	·	1	·
Do. 13 do.	23,233	10	13·5	·	6	2	1	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·
Do. 14 do.	175	·	—	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	8	18·4	2·3	8	·	1	1	3	3	·	·	·	·	·	·	·	·	·	2	1	·	·	·	1	·	1	1	3	·
Total,	386,947	202	15·6	2·0	117	26	8	7	26	22	28	·	1	·	·	·	·	·	·	15	6	4	8	7	11	3	2	3	31	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	15·5	·	4	·	·	1	·	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	3	·
Do 2 do.	10,399	5	5·0	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Do. 3 do.	9,793	5	21·3	·	4	·	1	·	2	·	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	2	·
Do. 4 do.	9,139	2	11·4	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Do. 5 do.	6,250	2	8·3	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 6 do.	11,581	6	27·0	9·0	6	2	·	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	3	·
Do. 7 do.	16,056	5	9·7	6·5	3	1	·	·	·	2	·	·	1	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	2	·
Total	76,673	31	14·3	2·7	21	3	1	3	4	7	3	·	1	·	·	·	·	·	·	3	·	3	1	·	3	·	·	1	11	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd September, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	.	.	.	4	.	.	.	.	1	5
" " 1, West ..	.	.	.	.	1	.	.	5	.	.	.	.	1	7
" " 2, ...	.	2	.	.	.	.	.	.	.	.	.	.	.	2
" " 3, ...	.	1	.	.	.	.	.	1	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	1	.	1
" " " 2, ...	.	3	.	.	.	.	.	.	.	.	.	1	.	4
" " " 3, ...	.	1	.	.	.	.	.	1	1	.	.	.	3	6
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	1	.	.	13	1	.	.	2	6	30

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd September, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 2nd September.			
	Aug. 12.	Aug. 19.	Aug. 26.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	33	43	8	5	3	43
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	11	8	6	1	3	1	3
Scarlet Fever	46	36	35	10	9	.	36*
Diphtheria, ...	30	30	34	3	8	1	28
Pneumonia, ...	11	13	13	2	4	.	11

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237. 375. 8. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 36. Vol. LIII.] Week ending Saturday, 9th September, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 11th September, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·7 and 14·7; Dublin Registration Area, 14·8 and 16·2; Dublin City, 15·8 and 17·9; Belfast, 13·4 and 14·7; Cork, 13·6 and 12·6; Londonderry, 7·8 and 16·3; Limerick, 16·2 and 15·2; and Waterford, 11·4 and 11·4.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·7 per 1,000. Among the 100 deaths from all causes for Belfast are 2 from enteric fever, one from measles, one from scarlet fever, one from whooping-cough and 18 from diarrhœal diseases. The deaths of 2 children, both under 2 years of age from diarrhœa and enteritis, are included in the 6 deaths from all causes for Londonderry; and one death from measles, and one from whooping-cough are included among the 6 deaths recorded for Waterford.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 219—107 boys and 112 girls—and the deaths to 129—66 males and 63 females.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·8 per 1,000 of the population. During the thirty-six weeks ending with Saturday last, the death-rate averaged 20·2, and was 1·5 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the thirty-six weeks was 21·8, and for the corresponding period of the preceding ten years, 22·9.

The 113 deaths appertaining to the Area include one from measles, one from whooping-cough, one from dysentery, and 26 of children under 2 years from diarrhœa and enteritis.

In the 3 preceding weeks deaths from measles numbered one, 2, and one; deaths from whooping-cough one, one and 2; and deaths from diarrhœa and enteritis of children under 2 years numbered 11, 17 and 31 respectively.

Tuberculous disease caused 18 deaths (comprising 16 from pulmonary tuberculosis, one from tuberculosis of joints, and one from disseminated tuberculosis), as against 25, 16 and 20 respectively, in the three weeks preceding.

Thirteen deaths were caused by cancer, 4 by pneumonia (one by broncho-pneumonia, and 3 by pneumonia, type not distinguished), 9 by organic diseases of the heart, and one by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, 3 to premature birth, and one to congenital debility.

Four deaths were due to violence.

Forty of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 29 being infants under one year, of whom 5 were under one month old.

Of the 113 deaths recorded, 36 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·0), was equal to an average annual death-rate of 11·9 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 13·1 per 1,000, the rate for Glasgow being 14·2, and for Edinburgh 13·9.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th September. From this Report it appears that of 61 cases notified, 21 were scarlet fever, 15 pulmonary tuberculosis, 7 other forms of tuberculosis, 15 diphtheria, and 3 erysipelas. Among the 376 cases of infectious diseases in hospital at the close of the week were 139 of pulmonary tuberculosis, 115 of scarlet fever, 73 of diphtheria, 10 of measles, 7 of cerebro-spinal fever, 6 of enteric fever, 3 of erysipelas, and 2 of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 9th September, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Aug. 19,	·	—	—	·	·	·	3	·	1	10	3	·	—	—	·	—	·	8	25
	Aug. 26,	·	—	—	4	·	·	4	·	·	11	1	·	—	—	1	—	·	22	43
	Sept. 2,	·	—	—	7	·	·	1	·	·	13	1	·	—	—	·	—	2	6	30
	Sept. 9,	·	—	—	10	·	·	3	·	·	6	2	1	—	—	·	—	·	9	31
Rathmines and Rathgar Urban District.	Aug. 19,	·	—	—	1	·	·	3	·	·	·	·	·	—	—	—	—	—	—	4
	Aug. 26,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	—	1
	Sept. 2,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	—	1
	Sept. 9,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
Pembroke Urban District.	Aug. 19,	·	·	·	1	·	·	·	·	·	·	·	·	—	1	·	—	—	·	2
	Aug. 26,	·	·	·	·	·	·	·	·	·	·	1	·	—	2	·	—	—	·	3
	Sept. 2,	·	2	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	2	7
	Sept. 9,	·	·	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	·	3
Blackrock Urban District.	Aug. 19,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	·	1
	Aug. 26,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 2,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 9,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
Kingstown Urban District.	Aug. 19,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 9,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
City of Belfast	Aug. 19,	·	—	—	12	1	·	1	·	·	1	4	·	—	—	·	—	·	·	19
	Aug. 26,	·	—	—	12	1	·	3	·	·	2	1	·	—	—	·	—	·	·	19
	Sept. 2,	·	—	—	10	·	·	4	·	·	·	2	·	—	—	·	—	·	·	16
	Sept. 9,	·	—	—	12	1	·	1	·	·	6	2	·	—	—	·	—	·	1	23
City of Cork	Aug. 19,	·	·	—	2	·	·	1	·	1	2	1	·	—	—	—	18	—	—	25
	Aug. 26,	·	·	—	2	·	·	·	·	·	3	·	·	—	—	—	15	—	—	20
	Sept. 2,	·	·	—	2	·	·	·	·	·	·	1	·	—	—	—	20	—	—	23
	Sept. 9,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	—	14	—	—	15
City of Londonderry	Aug. 19,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	Sept. 9,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
City of Limerick.	Aug. 19,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 2,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 9,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	·	—	—	—	2
City of Waterford.	Aug. 19,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	·	1
	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 9,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th September, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 6 and 46; measles one and 2; scarlet fever 14 and 45*; and diphtheria 4 and 23. Four cases of pneumonia were admitted during the week and 10 remained under treatment at its close. Of the deaths in hospitals during the week one was from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 9th September, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 9th September, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 9th September, 1916. Air Temperature. Absolute Highest.	Absolute Lowest	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS,	1,122,268	19·7	26·8	13·7	2·7	577	294	67	57	2	·	·	3	1	3	·	1	36	8	29	10	12	47	2	6	7	78	12	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	28·8	14·8	3·8	219	113	29	17	·	·	·	1	·	1	·	1	16	2	13	4	1	26	·	4	2	36	5	(d) 72·0	45·2	58·1	0·33
Urban Districts. CITY OF DUBLIN,	303,600	38·4	31·1	15·8	4·1	181	92	26	11	·	·	·	1	·	1	·	·	13	2	7	3	1	22	·	3	2	30	4	(e)68·2 (f)72·1	50·1 48·8	59·2 59·0	0·40 0·36
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	6·7	8·0	2·7	5	6	1	1	·	·	·	·	·	·	·	·	1	·	1	1	·	2	·	·	·	1	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	39·4	14·3	5·4	22	8	2	2	·	·	·	·	·	·	·	1	2	·	1	·	·	2	·	·	·	3	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	17·5	5·8	·	3	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	25·4	19·1	·	8	6	·	3	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	1	·	2	1	68	47	53·1	0·28
Urban Districts. BELFAST, ..	390,000	26·1	23·7	13·4	3·1	177	100	20	21	2	·	·	1	1	1	·	·	10	5	9	5	6	17	1	·	1	25	1	72·5	45·0	58·6	0·13
Urban Districts. CORK, ..	76,673	28·6	38·8	13·6	0·7	57	20	8	3	·	·	·	·	·	·	·	·	3	·	2	·	·	1	·	1	1	4	1	70	51	60·0	0·12
Urban Districts. LONDONDERRY, ..	40,000	15·5	28·7	7·8	2·6	22	6	3	2	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	1	1	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	16·2	16·2	·	12	12	3	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	4	4	75·1	43·2	59·7	0·21
Urban Districts. WATERFORD, ..	27,464	19·1	15·2	11·4	3·8	8	6	2	3	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5				8	4	1	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	1	71	45	60	0·22
Urban Districts. DUNDALK, ..	13,128	9·5				7	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				6	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	72·1	48·1	59·2	0·11
Urban Districts. DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			9	7	1	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	1	·	·	1	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	72·1	48·1	59·2	0·11
Urban Districts. NEWRY, ..	11,963	17·0				9	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	72·1	48·1	59·2	0·11
Urban Districts. PORTADOWN, ..	11,727	15·3				4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	72·1	48·1	59·2	0·11
Urban Districts. WEXFORD, ..	11,531	22·8				5	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				17	3	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ..	11,163	3·8				8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	73	39	64·0	0·27
Urban Districts. KILKENNY, ..	10,514	11·4				2	4	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	2	·	72	49	60·0	0·08
Urban Districts. TRALEE, ..	10,300	17·4				·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				4	5	·	3	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	3	·	·	·	·	·
LONDON, ..	4,310,030	—	—	11·0	—	1918	912	199	241	1	·	·	13	·	3	9	—	79	25	97	50	32	105	10	33	70	452	2	71	51	60·3	0·12
EDINBURGH, ..	329,200	—	—	13·9	—	98	88	8	35	·	·	·	·	·	·	1	—	—	—	—	—	—	2	—	5	—	—	—	72·5	43·9	57·1	1·09
GLASGOW, ..	1,091,600	—	—	14·2	—	492	298(g)	85	54	·	·	·	7	4	2	3	—	—	—	—	—	—	45	—	11	—	—	—	70·7	47·3	57·6	0·21

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 3 deaths from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 36th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 9th September, 1916. All Ages.	Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	164·2	129	5	25	9	2	2	3	4	3	10	17	19	10	14	6	113
Enteric Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	1·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	21·4	20	.	.	.	.	.	1	3	1	7	3	4	1	.	.	16
Tuberculous Meningitis	2·0	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Tuberculosis of other Organs.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Venereal Diseases ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	13·0	14	.	.	.	.	.	.	.	.	.	1	6	4	3	.	13
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	4·6	4	.	.	.	.	.	.	.	.	.	2	2	.	.	.	4
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epilepsy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	3·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	11·0	10	.	.	.	.	.	.	.	.	.	3	3	2	2	.	9
Embolism and Thrombosis (including Cerebral).	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	9·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Broncho-pneumonia ..	3·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Lobar pneumonia ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	1·6	4	.	.	.	.	.	1	.	1	.	1	1	.	.	.	3
Pleurisy	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the THIRTY-SIXTH WEEK, ending Saturday, 9th September, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 36th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 9th September, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach ..	3·6	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.		3
Diarrhœa and Enteritis of Children under 2 years.	23·0	27	.	19	8	.	.	.	.	.	.	.	.	.	.	.		26
Diarrhœa 2 years and upwards.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	2·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Appendicitis and Typhlitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·0	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1		2
Cirrhosis of Liver ..	·8	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.		2
Other Diseases of Liver	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
Peritonitis (cause unknown).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	·4	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.		2
Acute Nephritis ..	·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Chronic Bright's Disease	3·8	4	.	.	.	.	.	.	.	.	.	3	.	.	.	1		4
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·0		.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Diseases of Skin and Cellular Tissues.	1·2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.		1
Diseases of Locomotor System.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Congenital Malformations.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Premature Birth ..	2·6	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.		3
Congenital Debility ..	4·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Old Age	4·6	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4		4
Other Specified Diseases	2·0	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.		2
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Violent Deaths		4	.	.	.	1	.	.	.	.	.	.	1	1	1	.		4
Not included in above—																		
Homicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes,	4·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.

TABLE IV.—Showing for the WEEK ENDED 9TH SEPTEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
		WEEK ENDED SATURDAY, 9TH SEPTEMBER, 1916. DEATHS.																															
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	17·7	1·8	10	2	1	·	·	2	1	2	2	·	·	·	·	·	·	·	·	2	·	1	1	·	1	·	·	5	·	·	·	1
" 1, W., ...	40,200	14·3	3·9	11	3	1	·	1	·	1	4	1	·	·	·	·	·	·	·	·	·	·	3	·	·	3	·	·	5	·	2	2	1
" 2, ...	26,900	27·1	5·8	14	5	·	·	1	·	4	1	3	·	·	·	·	·	·	·	·	·	2	·	·	·	3	·	1	8	·	2	·	1
" 3, ...	35,200	11·9	1·5	8	1	1	·	·	·	4	2	·	·	·	·	·	·	·	·	·	1	·	1	·	1	1	·	·	4	·	·	4	1
CLONTARF AND HOWTH, No. 1, part of	5,400	9·7	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	10,800	14·5	4·8	3	1	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	19·5	6·5	15	6	1	·	·	·	1	6	1	·	·	·	1	·	·	·	·	4	·	·	1	·	4	·	·	5	·	3	6	·
" 2, ...	17,800	14·6	2·9	5	1	·	·	·	1	2	1	·	·	·	·	·	·	·	·	·	2	·	1	·	·	1	·	·	1	·	1	1	·
" 3, ...	42,400	18·4	3·7	15	2	2	1	1	1	3	3	2	·	·	·	·	·	·	·	·	3	·	·	1	·	3	·	1	7	1	4	1	·
" 4, ...	32,000	13·0	8·1	8	4	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	5	·	·	2	·	·	1	·
NEW KILMAINHAM, ...	10,100	10·3	5·2	2	1	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	1	2	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	8·0	2·7	6	1	1	·	1	1	·	1	1	·	·	·	·	·	·	·	·	1	·	1	1	·	2	·	·	1	·	1	·	·
PEMBROKE, ...	29,100	14·3	5·4	8	2	·	·	·	·	3	1	2	·	·	·	·	·	·	·	1	2	·	1	·	·	2	·	·	2	·	2	1	·
BLACKROCK, ...	8,900	5·8	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
KINGSTOWN	16,400	19·1	·	6	·	·	1	·	·	·	2	3	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	1	2	·	1	1	1
TOTAL CITY. North, ...	161,200	15·2	2·9	47	12	3	·	2	2	11	9	8	·	·	·	·	·	·	·	·	3	2	6	1	1	9	·	1	24	·	5	6	4
TOTAL CITY. South, ...	142,400	16·5	5·5	45	14	5	1	1	2	6	13	3	·	·	·	1	·	1	·	·	10	·	1	2	·	13	·	2	15	2	10	9	·
TOTAL CITY. North and South, ..	303,600	15·8	4·1	92	26	8	1	3	4	17	22	11	·	·	·	1	·	1	·	·	13	2	7	3	1	22	·	3	39	2	15	15	4
Total Urban Districts, ...	93,400	11·7	2·8	21	3	1	1	1	1	3	5	6	·	·	·	·	·	·	·	1	3	·	6	1	·	4	·	1	5	·	4	2	1
Total Registration Area, ..	397,000	14·8	3·8	113	29	9	2	4	5	20	27	17	·	·	·	1	·	1	·	1	16	2	13	4	1	26	·	4	44	2	19	17	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				16	1	·	·	1	2	7	2	3	·	·	·	·	·	·	1	1	4	2	1	1	·	1	·	1	4	1	9	3	·

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OF SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the week ending Saturday, 9th September, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 9TH SEPTEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	129	41	5	7	27	29	14	6	.	.	.	1	.	1	1	2	20	4	14	2	5	1	27	.	5	46	5
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	7·1	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS	101,798	12·8	25	2	.	3	4	6	7	3	.	.	.	.	.	.	.	1	3	2	5	.	.	.	1	.	1	12	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·0	27	9	.	.	5	8	3	2	.	.	.	.	.	.	.	1	5	.	1	.	.	.	7	.	2	11	3
IV.	GENERAL SERVICE CLASS	167,479	17·1	55	24	5	3	10	10	3	.	.	.	.	1	.	1	1	.	7	1	5	2	2	.	15	.	2	18	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	6	.	1	6	5	1	1	.	.	.	.	.	.	.	.	5	.	3	.	2	1	4	.	.	5	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	6	.	.	.	1	1	2	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	3	1
	6. Clerks and Commercial Assistants,	33,249	—	10	2	.	3	2	2	1	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	6	.	.	.	.	3	2	1	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	7	3	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	4	1
	10. Clothing Trades, ...	20,026	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	1	.	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	14	4	.	.	4	4	2	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	2	.	1	7	1
	13. Petty Shopkeepers, ...	6,772	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	4	1	1	4	.	1	.	.	.	.	1	.	.	.	.	1	.	1	.	2	.	3	.	.	3	.
	15. Domestic Servants, ...	36,041	—	7	3	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.	.	3	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	34	16	4	1	5	6	2	.	.	.	.	.	.	1	1	.	5	1	2	2	.	.	9	.	2	11	.
	INMATES OF WORKHOUSES.																													
V	18. Workhouse Inmates, ...	5,602	—	20	6	.	1	6	5	1	1	.	.	.	.	.	.	.	.	5	.	3	.	2	1	4	.	.	5	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	WEEK ENDING													WEEK ENDING												
	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	June 17.	June 24.	July 1.	July 8.	July 15	July 22.	July 29	Aug 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.
No. of weeks in Annual Series ..	24	25	26	27	28	29	30	31	32	33	34	35	36	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered	203	263	169	240	182	206	193	207	181	162	244	152	219	163	185	203	199	145	165	155	152	166	164	153	202	177
Average Births in corresponding week of previous 10 years, ...	223	209	246	204	212	217	216	221	205	218	214	204	245	223	210	216	210	200	223	220	218	212	204	193	199	210
Number of Deaths, ...	140	125	136	134	143	116	110	107	126	125	110	147	113	117	108	104	93	110	109	93	95	87	100	123	117	100
Annual Death-rate per 1,000 ..	18·4	16·4	17·9	17·6	18·8	15·2	14·4	14·1	16·5	16·4	14·4	19·3	14·8	15·6	14·4	13·9	12·4	14·7	14·6	12·4	12·7	11·6	13·4	16·4	15·6	13·4
Average Deaths in corresponding week of previous 10 years, ...	146	133	130	126	135	134	132	129	131	143	146	148	152	125	120	118	112	113	117	115	109	112	117	123	126	125
Ages, .. Under one year, ..	26	15	21	28	17	23	22	12	20	27	23	42	29	15	16	15	14	15	16	17	20	11	17	22	26	20
1— 5 years, ..	9	12	11	6	12	6	5	12	15	17	17	11	11	10	16	8	6	9	9	6	10	5	10	13	8	9
5—25 ,, ..	23	24	17	13	20	20	12	8	14	12	10	17	9	17	10	18	15	20	8	11	14	12	11	21	7	11
25—45 ,, ..	22	20	25	25	30	17	25	24	19	16	21	16	20	21	19	24	15	22	17	10	14	22	23	17	26	13
45—65 ,, ..	29	29	35	23	35	25	21	21	24	31	22	37	27	32	31	22	19	25	36	31	19	18	17	33	22	26
65 and upwards, ..	31	25	27	39	29	25	25	30	34	22	17	24	17	22	16	17	24	19	23	18	18	19	22	17	28	21
Deaths from :—																										
Enteric Fever, ...	·	1	·	1	·	·	·	1	1	·	·	3	·	·	1	·	·	1	1	·	·	·	·	·	·	2
Typhus, ...	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	1	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	3	1	·	1	1	·	1	·	1	2	1	1	2	3	2	2	4	2	1	2	1	3	2	·	1
Scarlet Fever, ...	1	1	1	2	1	·	·	·	1	·	3	1	·	2	1	·	·	2	·	1	2	1	1	·	·	1
Whooping-cough, ...	·	1	·	1	2	·	·	·	1	1	1	2	1	3	2	·	1	1	1	1	·	·	1	5	·	1
Diphtheria, ...	2	·	1	·	·	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·
Dysentery, ...	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	22	24	20	23	16	20	15	15	18	21	14	16	16	17	15	20	20	21	16	11	5	15	13	18	15	10
Tuberculosis { Other Forms, ..	5	9	7	3	4	3	3	5	5	4	2	4	2	9	4	7	5	4	5	5	7	3	4	11	6	5
Cancer, ...	7	7	9	9	8	7	7	6	7	4	11	14	13	9	6	2	5	5	8	4	9	7	3	6	4	9
Diseases of Respiratory System, { Pneumonia ..	6	2	9	9	9	4	4	5	5	9	6	6	4	10	10	4	2	8	9	6	4	4	5	10	8	5
Diseases of Respiratory System, { Others, ..	9	9	15	14	11	12	9	16	8	14	9	11	1	12	8	8	5	9	10	6	11	9	6	5	7	6
Diarrhœa and Enteritis, under 2 years, ...	3	2	1	8		3	4	3	11	11	17	31	26	2	4	·	1	1	·	1	2	3	6	8	11	17
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	2	·	1	·	·	·	·	1	3	1
Violent Deaths, ...	10	8	3	2	29	6	3	7	6	2	2	3	4	1	2	2	1	4	2	5	5	1	2	·	2	·
Number of Uncertified Deaths, ..	9	6	4	4	33	10	4	4	·	6	3	4	5	4	1	·	2	2	·	1	2	1	2	2	1	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th September, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: Certain Epidemic Diseases†	DEATHS. Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	29·6	3·3	9	1	1	2	2	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	3	.
Do. 2 do.	49,500	20	14·7	3·2	14	4	1	.	1	6	2	.	.	.	.	.	.	.	.	1	.	3	1	1	3	.	.	.	3	.
Do. 3 do.	50,032	31	13·5	7·3	13	5	1	2	1	2	2	.	.	.	.	.	1	.	.	1	1	.	1	.	6	.	.	.	2	.
Do. 4 do.	32,637	16	14·4	3·2	9	2	2	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	4	.
Do. 5 do.	16,112	8	12·9	3·2	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	1	.
Do. 6 do.	37,293	13	11·2	1·4	8	1	1	.	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	4	19·2	4·3	9	1	1	2	1	2	2	1	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	2	.
Do. 10 do.	28,958	16	14·4	3·6	8	1	1	1	1	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	1	1
Do. 11 do.	39,311	19	8·0	.	6	1	1	.	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.
Do. 12 do.	38,076	17	13·7	2·7	10	3	.	1	1	3	2	.	.	.	1	.	.	.	.	1	.	1	.	1	1	.	.	.	1	.
Do. 13 do.	23,233	8	11·2	4·5	5	.	.	1	1	1	2	1	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	2	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	11·5	.	5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	4	.
Total,	386,947	177	13·4	3·1	100	20	9	11	13	26	21	2	.	.	1	1	1	.	.	10	5	9	5	6	17	1	.	1	25	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	10	7·8	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do 2 do.	10,399	14	30·1	5·0	6	1	.	1	3	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.	2	.
Do. 3 do.	9,793	6	21·3	.	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 4 do	9,139	4	11·4	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	11	9·0	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.
Do. 7 do.	16,056	7	13·0	.	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total	76,673	57	13·6	0·7	20	8	.	1	5	3	3	.	.	.	.	.	.	.	.	3	.	2	.	.	1	.	1	1	4	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th September, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	.	.	.	2	.	.	.	.	.	2
„ „ 1, West ..	.	.	.	.	.	.	.	2	.	.	.	.	5	7
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	1	.	.	1	.	.	.	.	.	2
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	8	.	.	2	.	.	.	.	.	.	.	1	11
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ „ 3, ...	.	1	.	.	.	.	.	1	1	.	.	.	1	4
„ „ „ 4, ...	.	.	.	.	.	.	.	.	1	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total, ...	.	10	.	.	3	.	.	6	2	1	.	.	9	31

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th September, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 9th September.			
	Aug. 19.	Aug. 26.	Sept. 2.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	33	43	43	6	3	.	46
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	6	3	1	2	.	2
Scarlet Fever	36	35	36	14	5	.	45*
Diphtheria, ...	30	34	28	4	8	1	23
Pneumonia, ...	13	13	11	4	5	.	10

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237. 375. 9. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 37. Vol. LIII.] Week ending Saturday, 16th September, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 18th September, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 15·5 and 15·1; Dublin Registration Area, 17·3 and 16·4; Dublin City, 18·5 and 17·9; Belfast, 12·7 and 14·5; Cork, 16·3 and 13·6; Londonderry, 19·6 and 16·9; Limerick, 20·3 and 17·2; and Waterford, 20·9 and 12·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 3·3 per 1,000. Among the 95 deaths from all causes for Belfast are one from measles, one from whooping-cough, 22 from diarrhœal diseases, and one from acute poliomyelitis. Two deaths from diarrhœal diseases are included in the 24 deaths from all causes for Cork. Of the 15 deaths from all causes for Londonderry, 3 were due to whooping-cough. Included in the 15 deaths from all causes for Limerick, is one from diphtheria. Among the 11 deaths from all causes for Waterford, are 2 from whooping-cough; and the 3 deaths recorded for Lisburn are all attributed to diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 178—100 boys and 78 girls—and the deaths to 141—81 males and 60 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·3 per 1,000 of the population. During the thirty-seven weeks ending with Saturday last, the death-rate averaged 20·1, and was 1·5 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the thirty-seven weeks was 21·8, and for the corresponding period of the preceding ten years, 22·9.

The 132 deaths appertaining to the Area include one from measles, and 33 deaths from diarrhœal diseases.

In the 3 preceding weeks deaths from measles numbered 2, one and one; and deaths from diarrhœal diseases, 18, 32, and 26 respectively.

Tuberculous disease caused 19 deaths (comprising 16 from pulmonary tuberculosis, one from tuberculous meningitis, one from abdominal tuberculosis, and one from disseminated tuberculosis), as against 16, 20, and 18, respectively, in the three weeks preceding.

Five deaths were caused by cancer, one by lobar-pneumonia, 8 by organic diseases of the heart, and 8 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, one to congenital malformation, 7 to premature birth, and 5 to congenital debility.

Five deaths were due to violence, including one by burns and 2 by drowning.

Fifty-eight of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 45 being infants under one year, of whom 11 were under one month old.

Of the 132 deaths recorded, 59 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·9), was equal to an average annual death-rate of 12·0 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 13·0 per 1,000, the rate for Glasgow being 13·8, and for Edinburgh 13·0.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th September. From this Report it appears that of 51 cases notified, 15 were pulmonary tuberculosis, 5 other forms of tuberculosis, 13 diphtheria, 9 scarlet fever, 6 erysipelas, 2 puerperal fever, and one cerebro-spinal fever. Among the 388 cases of infectious diseases in hospital at the close of the week were 149 of pulmonary tuberculosis, 116 of scarlet fever, 77 of diphtheria, 11 of measles, 7 of cerebro-spinal fever, 5 of erysiplas, 4 of enteric fever, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 16th September, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Aug. 26,	·	—	—	4	·	·	4	·	·	11	1	·	—	—	1	—	·	22	43
	Sept. 2,	·	—	—	7	·	·	1	·	·	12	1	·	—	—	·	—	2	6	30
	Sept. 9,	·	—	—	10	·	·	3	·	·	6	2	1	—	—	·	—	·	9	31
	Sept. 16,	·	—	—	3	·	·	2	·	1	18	·	1	—	—	·	—	1	13	39
Rathmines and Rathgar Urban District.	Aug. 26,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	—	1
	Sept. 2,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	—	1
	Sept. 9,	·	—	—	4	·	·	·	·	·	1	1	·	—	—	—	—	—	—	6
	Sept. 16,	·	—	—	2	·	·	·	·	·	1	1	·	—	—	—	—	—	—	4
Pembroke Urban District.	Aug. 26,	·	·	·	·	·	·	·	·	·	·	1	·	—	2	·	—	—	·	3
	Sept. 2,	·	2	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	2	7
	Sept. 9,	·	·	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	·	3
	Sept. 16,	·	·	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	·	3
Blackrock Urban District.	Aug. 26,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 2,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 9,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 16,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
Kingstown Urban District.	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 9,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 16,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	—	—	—	·	2
City of Belfast	Aug. 26,	·	—	—	12	1	·	3	·	·	2	1	·	—	—	·	—	·	·	19
	Sept. 2,	·	—	—	10	·	·	4	·	·	·	2	·	—	—	·	—	·	·	16
	Sept. 9,	·	—	—	12	1	·	1	·	·	6	2	·	—	—	·	—	·	1	23
	Sept. 16,	·	—	—	15	·	·	3	·	·	5	3	·	—	—	·	—	1	·	27
City of Cork	Aug. 26,	·	·	—	2	·	·	·	·	·	3	·	·	—	—	—	15	—	—	20
	Sept. 2,	·	·	—	2	·	·	·	·	·	·	1	·	—	—	—	20	—	—	23
	Sept. 9,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	—	14	—	—	15
	Sept. 16,	·	·	—	5	·	·	2	·	·	3	2	1	—	—	—	22	—	—	35
City of Londonderry	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	Sept. 9,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Sept. 16,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
City of Limerick.	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 2,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 9,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	·	—	—	—	2
	Sept. 16,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
City of Waterford.	Aug. 26,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 9,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 16,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	·	1

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th September, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 19 and 60; measles one and 2; scarlet fever 11 and 47*; and diphtheria 6 and 24. Four cases of pneumonia were admitted during the week and 13 remained under treatment at its close.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 16th September, 1916, in the DUBLIN REGISTRATION AREA and in each of the Cities of Belfast and Londonderry, and in each of the Towns included in this Table, the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 16TH SEPTEMBER, 1916.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 16th September, 1916. Air Temperature. Absolute Highest.	Absolute Lowest	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	23·6	15·5	3·3	507	334	91	76	·	·	·	2	·	6	1	·	32	12	18	2	20	57	6	6	12	121	14	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	23·4	17·3	4·5	178	132	45	32	·	·	·	1	·	·	·	·	16	3	5	1	10	31	2	5	5	59	6	(d) 66·4	41·4	54·9	0·03
Urban Districts. CITY OF DUBLIN,	303,600	38·4	25·1	18·5	5·2	146	108	40	23	·	·	·	1	·	·	·	·	12	3	4	·	9	27	2	4	4	49	4	(e) 66·2	45·9	56·3	0·02
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	18·7	17·4	1·3	14	13	3	5	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·	·	·	7	1	(f) 66·9	42·2	56·4	0·02
Urban Districts. PEMBROKE,	29,100	18·5	19·7	5·4	5·4	11	3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·
Urban Districts. BLACKROCK,	8,900	8·2	5·8	29·2	·	1	5	·	2	·	·	·	·	·	·	·	·	3	·	·	1	·	·	·	·	·	2	·	·	·	·	·
Urban Districts. KINGSTOWN,	16,400	11·2	19·1	9·5	·	6	3g	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	1	1	67	46	58·1	0·08
Urban Districts. BELFAST,	390,000	26·1	24·3	12·7	3·2	182	95	26	17	·	·	·	1	·	1	·	·	8	6	6	1	2	21	1	·	3	24	2	65	46	56·3	0·07
Urban Districts. CORK,	76,673	28·6	20·4	16·3	1·4	30	24	6	5	·	·	·	·	·	·	·	·	3	·	1	·	2	1	1	·	1	12	1	68	47	57·5	0·16
Urban Districts. LONDONDERRY,	40,000	15·5	26·1	19·6	3·9	20	15	2	4	·	·	·	·	·	3	·	·	·	1	1	·	1	·	·	·	·	1	·	·	·	·	·
Urban Districts. LIMERICK,	38,518	16·1	31·1	20·3	1·4	23	15	1	1	·	·	·	·	·	·	1	·	1	1	1	·	2	·	·	·	·	6	·	65·3	39·1	55·3	0·36
Urban Districts. WATERFORD,	27,464	19·1	45·6	20·9	3·8	24	11	3	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	1	2	5	2	·	·	·	·
Urban Districts. GALWAY,	13,255	2·5				4	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	67	45	56	0·09
Urban Districts. DUNDALK,	13,128	9·5				3	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·
Urban Districts. LURGAN,	12,553	14·7				1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	63·2	39·7	54·1	0·09
Urban Districts. DROGHEDA,	12,501	8·4				1	5	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN,	12,388	10·9				6	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	63·2	39·7	54·1	0·09
Urban Districts. NEWRY,	11,963	17·0				9	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	63·2	39·7	54·1	0·09
Urban Districts. PORTADOWN,	11,727	15·3				5	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	63·2	39·7	54·1	0·09
Urban Districts. WEXFORD,	11,531	22·8				6	3	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·
Urban Districts. BALLYMENA,	11,381	9·3				3	4	·	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·	·	·	·	·
Urban Districts. SLIGO,	11,163	3·8				5	9	1	3	·	·	·	·	·	·	·	·	·	1	3	·	·	·	·	·	·	5	1	62	35	54·0	0·88
Urban Districts. KILKENNY,	10,514	11·4				·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	69	40	57·2	0·03
Urban Districts. TRALEE,	10,300	17·4				3	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	2	·	·	·	·	·
Urban Districts. CLONMEL,	10,209	7·8				4	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	1	·	·	·	·
LONDON,	4,310,030	—	—	11·9	—	1859	984	207	271	3	·	·	11	1	8	4	—	99	36	112	36	54	97	13	46	95	471	1	71	37	57·4	0·07
EDINBURGH,	329,200	—	—	13·0	—	123	82	—	—	·	·	·	·	·	·	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
GLASGOW,	1,091,600	—	—	13·8	—	461	289	—	—	1	·	·	4	1	4	3	—	—	—	—	—	—	36	—	—	—	—	—	—	—	—	—

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from acute poliomyelitis

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 37th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 16th September, 1916. All Ages.	Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	162·4	141	11	34	7	7	2	2	6	6	3	8	12	11	17	15	132
Enteric Fever ..	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	21·6	18	.	.	.	.	1	1	4	1	1	6	3	1	.	.	16
Tuberculous Meningitis	2·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Venereal Diseases ..	·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	9·4	6	.	.	.	1	.	.	.	.	.	.	.	2	3	.	5
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other General Diseases	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·8	4	.	.	.	.	.	.	.	.	.	.	.	2	.	2	4
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·6	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Epilepsy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·6	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	2·4	5	.	.	.	.	.	.	.	.	.	1	1	.	3	.	4
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·6	8	.	.	.	.	.	1	1	.	.	.	1	1	1	3	8
Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	3
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	8·4	8	1	.	.	.	.	.	.	.	.	.	.	1	3	3	8
Broncho-pneumonia ..	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lobar pneumonia ..	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Pneumonia (type not distinguished).	3·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·6	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2
Other Diseases of Respiratory System	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the THIRTY-SEVENTH WEEK, ending Saturday, 16th September, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 37th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 16th September, 1916																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	1·6	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·		2
Diarrhœa and Enteritis of Children under 2 years.	25·4	31	·	25	6	·	·	·	·	·	·	·	·	·	·	·		31
Diarrhœa 2 years and upwards.	·8	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·		2
Enteritis 2 years and upwards.	1·4	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·		1
Appendicitis and Typhlitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Hernia and Intestinal Obstructions.	2·6	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·		1
Cirrhosis of Liver ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	1·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Peritonitis (cause unknown).	·8	2	·	·	·	·	·	·	·	1	·	·	1	·	·	·		2
Other Diseases of Digestive System.	·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Acute Nephritis ..	·6	2	·	·	·	1	·	·	·	·	·	·	1	·	·	·		2
Chronic Bright's Disease	2·6	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·		2
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	2·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		·
Puerperal Septicæmia, &c.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·2	2	·	·	·	·	·	·	·	1	1	·	·	·	·	·		1
Diseases of Skin and Cellular Tissues.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·		1
Premature Birth ..	3·6	7	7	·	·	·	·	·	·	·	·	·	·	·	·	·		7
Congenital Debility ..	4·4	5	·	5	·	·	·	·	·	·	·	·	·	·	·	·		5
Old Age	5·6	3	·	·	·	·	·	·	·	·	·	·	·	·	1	2		3
Other Specified Diseases	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·		1
Drowning	·6	2	·	·	·	·	·	·	1	·	·	·	1	·	·	·		2
Suffocation in Bed, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	1·0	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·		2
Other Violent Deaths		2	·	·	·	1	·	·	·	1	·	·	·	·	·	·		
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	3·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·

TABLE IV.—Showing for the WEEK ENDED 16TH SEPTEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 16TH SEPTEMBER, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	17·7	7·1	10	4	.	1	1	1	1	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.	2	1	1	4	1	2	1	1
" 1, W., ...	40,200	24·6	5·2	19	6	2	1	.	.	.	4	6	.	.	.	.	.	.	.	.	2	2	1	.	2	4	.	.	8	.	5	4	.
" 2, ...	26,900	21·3	7·8	11	4	.	2	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	6	.	5	3	.
" 3, ...	35,200	25·2	5·9	17	6	1	.	1	1	2	3	3	.	.	.	.	.	.	.	.	2	1	.	.	.	4	.	1	9	.	5	3	.
CLONTARF AND HOWTH, No. 1, part of	5,400	19·3	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,300	3·9	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
FINGLAS AND GLASNEVIN, part of ..	10,800	4·8	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	40,100	11·7	3·9	9	3	.	1	1	.	1	1	2	.	.	.	.	.	.	.	.	2	.	2	.	1	3	.	.	1	.	.	5	.
" 2, ...	17,800	17·6	5·9	6	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	2	1
" 3, ...	42,400	22·1	3·7	18	4	2	1	1	2	2	1	5	.	.	.	.	.	.	.	.	4	.	1	.	2	3	.	2	6	2	5	2	.
" 4, ...	32,000	22·8	9·8	14	10	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	6	.	.	7	1	5	2	2
NEW KILMAINHAM, ...	10,100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	17·4	1·3	13	3	.	.	.	.	1	4	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	10	.	5	2	1
PEMBROKE, ...	29,100	5·4	5·4	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
BLACKROCK, ...	8,900	29·2	.	5	.	.	.	.	3	.	.	2	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	1	.	1	1	.
KINGSTOWN	16,400	9·5	.	3	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	1
TOTAL CITY. North, ...	161,200	19·7	5·2	61	20	3	4	2	3	3	13	13	.	.	.	1	.	.	.	.	5	3	1	.	5	13	2	2	29	1	17	11	1
TOTAL CITY. South, ...	142,400	17·2	5·1	47	20	3	2	2	3	4	3	10	.	.	.	.	.	.	.	.	7	.	3	.	4	14	.	2	17	3	10	11	3
TOTAL CITY. North and South, ..	303,600	18·5	5·2	108	40	6	6	4	6	7	16	23	.	.	.	1	.	.	.	.	12	3	4	.	9	27	2	4	46	4	27	22	4
Total Urban Districts, ...	93,400	13·4	2·2	24	5	1	.	.	4	1	4	9	.	.	.	.	.	.	.	.	4	.	1	1	1	4	.	1	12	1	7	3	2
Total Registration Area, ..	397,000	17·3	4·5	132	45	7	6	4	10	8	20	32	.	.	.	1	.	.	.	.	16	3	5	1	10	31	2	5	58	5	34	25	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	.	.	1	.	2	3	3	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	1	4	.	8	.	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the week ending Saturday, 16th September, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 16TH SEPTEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	141	59	4	12	11	23	17	15	.	.	.	1	.	.	.	.	18	3	6	4	1	11	31	2	6	58	6
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.
II.	MIDDLE CLASS	101,798	9·7	19	2	2	2	4	1	3	5	.	.	.	.	.	.	.	.	5	1	2	.	.	2	1	.	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·0	27	9	.	1	2	8	5	2	.	.	.	.	.	.	.	.	3	.	2	.	.	3	5	1	.	13	1
IV.	GENERAL SERVICE CLASS	167,479	20·5	66	41	2	6	2	7	3	5	.	.	.	1	.	.	.	.	6	1	.	4	.	3	21	1	5	24	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	25	5	.	3	3	6	6	2	.	.	.	.	.	.	.	.	4	1	2	.	.	3	2	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	4	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants,	33,249	—	5	1	1	.	1	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	1	1	1	2	1	.	1	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ..	28,823	—	6	2	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	4	.
	10. Clothing Trades, ...	20,026	—	6	2	.	.	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	3	1
	11 Food Supply Trades, ...	8,952	—	3	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	9	2	.	1	.	2	3	1	.	.	.	.	.	.	.	.	1	.	1	.	.	3	1	1	.	2	.
	13. Petty Shopkeepers, ...	6,772	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	16	13	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	2	.	2	9	2
	15. Domestic Servants, ...	36,041	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	.	.	1	.	.	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	43	27	1	4	1	7	1	2	.	.	.	1	.	.	.	.	4	.	.	3	.	2	18	1	3	11	2
	INMATES OF WORKHOUSES.																													
V	18. Workhouse Inmates, ...	5,602	—	25	5	.	3	3	6	6	2	.	.	.	.	.	.	.	.	4	1	2	.	.	3	2	.	.	13	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	WEEK ENDING													WEEK ENDING												
	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2	Sept. 9.	Sept. 16.	June 24.	July 1.	July 8.	July 15	July 22.	July 29	Aug 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16
No. of weeks in Annual Series ..	25	26	27	28	29	30	31	32	33	34	35	36	37	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered	263	169	240	182	206	193	207	181	162	244	152	219	178	185	203	199	145	165	155	152	166	164	153	202	177	182
Average Births in corresponding week of previous 10 years, ...	209	246	204	212	217	216	221	205	218	214	204	245	203	210	216	210	200	223	220	218	212	204	193	199	210	210
Number of Deaths, ...	125	136	134	143	116	110	107	126	125	110	147	113	132	108	104	93	110	109	93	95	87	100	123	117	100	95
Annual Death-rate per 1,000 ..	16·4	17·9	17·6	18·8	15·2	14·4	14·1	16·5	16·4	14·4	19·3	14·8	17·3	14·4	13·9	12·4	14·7	14·6	12·4	12·7	11·6	13·4	16·4	15·6	13·4	12·7
Average Deaths in corresponding week of previous 10 years, ...	133	130	126	135	134	132	129	131	143	146	148	152	154	120	118	112	113	117	115	109	112	117	123	126	125	123
Ages, .. Under one year, ..	15	21	28	17	23	22	12	20	27	23	42	29	45	16	15	14	15	16	17	20	11	17	22	26	20	26
1— 5 years, ..	12	11	6	12	6	5	12	15	17	17	11	11	13	16	8	6	9	9	6	10	5	10	13	8	9	12
5—25 ,, ..	24	17	13	20	20	12	8	14	12	10	17	9	14	10	18	15	20	8	11	14	12	11	21	7	11	4
25—45 ,, ..	20	25	25	30	17	25	24	19	16	21	16	20	8	19	24	15	22	17	10	14	22	23	17	26	13	18
45—65 ,, ..	29	35	23	35	25	21	21	24	31	22	37	27	20	31	22	19	25	36	31	19	18	17	33	22	26	18
65 and upwards, ..	25	27	39	29	25	25	30	34	22	17	24	17	32	16	17	24	19	23	18	18	19	22	17	28	21	17
Deaths from :—																										
Enteric Fever, ...	1	.	1	.	.	.	1	1	.	.	3	.	.	1	.	.	1	1	.	.	.	.	.	.	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	..	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	.	1	1	.	1	.	1	2	1	1	1	3	2	2	4	2	1	2	1	3	2	.	1	1
Scarlet Fever, ...	1	1	2	1	.	.	.	1	.	3	1	.	.	1	.	.	2	.	1	2	1	1	.	.	1	.
Whooping-cough, ...	1	.	1	2	.	.	.	1	1	1	2	1	.	2	.	1	1	1	1	.	.	1	5	.	1	1
Diphtheria, ...	.	1	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.
Dysentery, ...	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	24	20	23	16	20	15	15	18	21	14	16	16	16	15	20	20	21	16	11	5	15	13	18	15	10	8
Tuberculosis { Other Forms, ..	9	7	3	4	3	3	5	5	4	2	4	2	3	4	7	5	4	5	5	7	3	4	11	6	5	6
Cancer, ...	7	9	9	8	7	7	6	7	4	11	14	13	5	6	2	5	5	8	4	9	7	3	6	4	9	6
Diseases of Respiratory System, { Pneumonia ..	2	9	9	9	4	4	5	5	9	6	6	4	1	10	4	2	8	9	6	4	4	5	10	8	5	1
Diseases of Respiratory System, { Others, ..	9	15	14	11	12	9	16	8	14	9	11	1	10	8	8	5	9	10	6	11	9	6	5	7	6	2
Diarrhœa and Enteritis, under 2 years, ...	2	1	8		3	4	3	11	11	17	31	26	31	4	.	1	1	.	1	2	3	6	8	11	17	21
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	1	.	1	1	.	2	.	.	2	.	1	.	.	.	.	1	3	1	1
Violent Deaths, ...	8	3	2	29	6	3	7	6	2	2	3	4	5	2	2	1	4	2	5	5	1	2	.	2	.	.
Number of Uncertified Deaths, ..	6	4	4	33	10	4	4	.	6	3	4	5	6	1	.	2	2	.	1	2	1	2	2	1	1	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th September, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	9	23·0	9·9	7	4	1	·	·	1	1	·	·	·	·	·	·	·	·	1	·	1	·	·	3	·	·	·	2	·
Do. 2 do.	49,500	18	14·7	4·2	14	5	4	·	1	2	2	·	·	·	1	·	·	·	·	2	1	·	·	1	3	·	·	·	6	·
Do. 3 do.	50,032	32	16·7	3·1	16	3	2	1	5	3	2	·	·	·	·	·	·	·	·	1	·	1	·	·	3	·	·	2	4	·
Do. 4 do.	32,637	14	20·8	1·6	13	4	·	·	3	2	4	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	3	·
Do. 5 do.	16,112	2	3·2	3·2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Do. 6 do.	37,293	20	11·2	1·4	8	·	1	·	2	1	4	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	1	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	2	26·2	·	3	·	·	·	1	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	13	4·3	2·1	2	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
Do. 10 do.	28,958	16	5·4	1·8	3	1	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·	·	·	1	·
Do. 11 do.	39,311	19	10·6	4·0	8	3	·	·	3	1	1	·	·	·	·	·	1	·	·	1	1	1	·	·	2	·	·	·	2	1
Do. 12 do.	38,076	17	12·3	2·7	9	3	2	2	·	2	·	·	·	·	·	·	·	·	·	1	1	1	·	·	2	·	·	·	2	1
Do. 13 do.	23,233	12	9·0	2·2	4	1	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	7	16·1	6·9	7	1	1	·	3	1	1	·	·	·	·	·	·	·	·	·	1	1	·	1	3	·	·	·	1	·
Total,	386,947	182	12·7	3·2	95	26	12	4	18	18	17	·	·	·	1	·	1	·	·	8	6	6	1	2	21	1	·	3	24	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	15·5	·	4	·	·	1	1	1	1	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	2	·
Do 2 do.	10,399	6	15·0	·	3	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 3 do.	9,793	3	21·3	·	4	1	·	·	1	1	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	1	2	1
Do. 4 do.	9,139	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 5 do.	6,250	4	16·7	·	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	11,581	3	13·5	4·5	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·
Do. 7 do.	16,056	7	26·0	3·2	8	1	·	1	2	1	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5	·
Total	76,673	30	16·3	1·4	24	6	1	4	4	4	5	·	·	·	·	·	·	·	·	3	·	1	·	2	1	1	·	1	12	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th September, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East; ..	.	.	.	.	.	.	1	4	.	.	.	.	.	5
" " 1, West ..	.	.	.	.	.	.	.	4	.	.	.	.	4	8
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	1	.	2
" " 3, ...	.	.	.	.	.	.	.	2	.	.	.	.	1	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	2	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
South City No. 1	.	1	.	.	2	.	.	1	.	.	.	.	3	7
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " " 3, ...	.	1	.	.	.	.	.	2	.	.	.	.	.	3
" " " 4, ...	.	.	.	.	.	.	.	1	.	.	.	.	3	4
New Kilmainham, ...	.	.	.	.	.	.	.	1	.	1	.	.	.	2
Total, ...	.	3	.	.	2	.	1	18	.	1	.	1	13	39

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th September, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 16th September.			
	Aug. 26.	Sept. 2.	Sept. 9.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	43	43	45	19	5	.	60
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	3	2	1	1	.	2
Scarlet Fever	35	36	45	11	9	.	47*
Diphtheria, ...	34	28	23	6	5	.	24
Pneumonia, ...	13	11	10	4	1	.	13

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237. 375. 9. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 38. Vol. LIII.] Week ending Saturday, 23rd September, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 25th September, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 15·6 and 15·4; Dublin Registration Area, 15·6 and 16·7; Dublin City, 16·8 and 18·1; Belfast, 14·6 and 14·1; Cork, 21·1 and 15·8; Londonderry, 15·6 and 15·0; Limerick, 16·2 and 18·2; and Waterford, 15·2 and 13·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 3·1 per 1,000. Among the 109 deaths from all causes for Belfast are one from enteric fever, one from measles, one from scarlet fever, one from whooping-cough, and 20 from diarrhœal diseases. Of the 31 deaths from all causes for Cork, one was from whooping-cough, and one (a child under 2 years of age) from diarrhœa and enteritis. Four of the 12 deaths recorded for Londonderry were those of children under 2 years of age from diarrhœa and enteritis. Included in the 8 deaths from all causes for Waterford are one from measles, and one of a child under 2 years from diarrhœa and enteritis; and among the 4 deaths recorded for Tralee are one from diptheria and one (a child under 2 years of age) from diarrhœa and enteritis.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 215—123 boys and 92 girls—and the deaths to 127—70 males and 57 females.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·6 per 1,000 of the population. During the thirty-eight weeks ending with Saturday last, the death-rate averaged 20·0, and was 1·6 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the thirty-eight weeks was 21·6, and for the corresponding period of the preceding ten years, 22·8.

The 119 deaths appertaining to the Area include 2 from enteric fever; 2 from scarlet fever; one from whooping-cough; and 24 deaths from diarrhœal diseases.

In the 3 preceding weeks deaths from enteric fever numbered 3, 0, and 0; deaths from scarlet fever one, 0, and 0; deaths from whooping-cough 2, one, and 0; and deaths from diarrhœal diseases, 32, 26, and 33 respectively.

Tuberculous disease caused 18 deaths (comprising 13 from pulmonary tuberculosis, one from tuberculous meningitis, one from tuberculosis of joints, and 3 from disseminated tuberculosis), as against 20, 18, and 19, respectively, in the three weeks preceding.

Five deaths were caused by cancer, 6 by pneumonia (comprising 2 from broncho-pneumonia, one from lobar-pneumonia, and 3 from pneumonia, type not distinguished), 13 by organic diseases of the heart, and 7 by bronchitis.

Among deaths of infants under one year old, 3 were due to convulsions, one to congenital malformation, one to premature birth, and 5 to congenital debility.

One death was due to violence.

Forty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 34 being infants under one year, of whom 5 were under one month old.

Of the 119 deaths recorded, 40 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·7), was equal to an average annual death-rate of 12·8 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 14·5 per 1,000, the rate for Glasgow being 15·0, and for Edinburgh 15·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd September. From this Report it appears that of 50 cases notified, 18 were scarlet fever, 10 pulmonary tuberculosis, 6 other forms of tuberculosis, 10 diphtheria, 5 erysipelas, and one enteric fever. Among the 372 cases of infectious diseases in hospital at the close of the week were 144 of pulmonary tuberculosis, 109 of scarlet fever, 79 of diphtheria, 8 of erysipelas, 7 of measles, 5 of cerebro-spinal fever, 5 of enteric fever, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 23rd September, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Sept. 2,	·	—	—	7	·	·	1	·	·	12	1	·	—	—	·	—	2	6	30
	Sept. 9,	·	—	—	10	·	·	3	·	·	6	2	1	—	—	·	—	·	9	31
	Sept. 16,	·	—	—	3	·	·	2	·	1	18	·	1	—	—	·	—	1	13	39
	Sept. 23,	·	—	—	13	·	·	2	·	·	37	2	·	—	—	·	—	2	18	74
Rathmines and Rathgar Urban District	Sept. 2,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	—	1
	Sept. 9,	·	—	—	4	·	·	·	·	·	1	1	·	—	—	—	—	—	—	6
	Sept. 16,	·	—	—	2	·	·	·	·	·	1	1	·	—	—	—	—	—	—	4
	Sept, 23,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	—	—	—	—	2
Pembroke Urban District.	Sept. 2,	·	2	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	2	7
	Sept. 9,	·	·	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	·	3
	Sept. 16,	·	·	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	·	3
	Sept. 23,	·	1	·	·	·	·	·	·	·	1	·	·	—	2	·	—	—	3	7
Blackrock Urban District.	Sept. 2,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 9,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 16,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 23,	·	·	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	·	2
Kingstown Urban District.	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 9,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 16,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	—	—	—	·	2
	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·a
City of Belfast	Sept. 2,	·	—	—	10	·	·	4	·	·	·	2	·	—	—	·	—	·	·	16
	Sept. 9,	·	—	—	12	1	·	1	·	·	6	2	·	—	—	·	—	·	1	23
	Sept. 16,	·	—	—	15	·	·	3	·	·	5	3	·	—	—	·	—	1	·	27
	Sept. 23,	·	—	—	29	·	·	2	·	·	6	·	·	—	—	·	—	·	·	37
City of Cork	Sept. 2,	·	·	—	2	·	·	·	·	·	·	1	·	—	—	—	20	—	—	23
	Sept. 9,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	—	14	—	—	15
	Sept. 16,	·	·	—	5	·	·	2	·	·	3	2	1	—	—	—	22	—	—	35
	Sept. 23,	·	·	—	2	·	·	2	1	·	1	1	1	—	—	—	14	—	—	22
City of Londonderry	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	Sept. 9,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Sept. 16,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
City of Limerick.	Sept. 2,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 9,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	·	—	—	—	2
	Sept. 16,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Sept. 23,	·	—	—	·	·	·	·	·	·	2	·	·	—	—	·	—	—	—	2
City of Waterford.	Sept. 2,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 9,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 16,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

a One case of poliomyelitis was reported

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd September, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever 35 and 89 ; measles nil and one ; scarlet fever 18 and 51* ; and diphtheria 3 and 17. One case of pneumonia was admitted during the week and 12 remained under treatment at its close. Of the deaths in hospitals during the week 2 were from each of enteric fever and scarlet fever.

* See note (*) at foot of Table IX,

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 23rd September, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Enteric Fever.	Deaths. Typhus.	Deaths. Small-pox.	Deaths. Measles.	Deaths. Scarlet Fever.	Deaths. Whooping-cough.	Deaths. Diphtheria.	Deaths. Dysentery.	Deaths. Tuberculosis. Pulmonary.	Deaths. Tuberculosis. Other Forms	Deaths. Cancer.	Deaths. Diseases of the Respiratory System. Pneumonia.	Deaths. Diseases of the Respiratory System. Other.	Deaths. Diarrhœa and Enteritis of children under 2 years of age.	Deaths. Diarrhœa, 2 years of age and upwards.	Deaths. Violence.	Deaths. Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 23rd September, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
Total of 19 Town Districts.	1,122,268	19·7	23·9	15·6	3·1	515	335	87	75	3	·	·	2	3	3	1	·	35	13	19	10	21	52	3	2	13	101	7	·	·	·	·
Dublin Registration Area.	397,000	28·9	28·2	15·6	3·8	215	119	34	26	2	·	·	·	2	1	·	·	13	5	5	6	9	23	1	1	3	40	4	(d) 63·3	40·1	52·5	0·12
Urban Districts. City of Dublin,	303,600	38·4	30·1	16·8	4·6	175	98	29	20	2	·	·	·	2	1	·	·	10	5	3	6	7	21	1	1	3	35	2	(e) 62·2 (f) 65·6	43·1 40·8	53·7 53·7	0·30 0·33
Rathmines and Rathgar.	39,000	22·8	20·1	8·0	1·3	15	6	3	1	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	1	1	·	·	·	·
Pembroke, ..	29,100	18·5	26·9	16·1	·	15	9	1	2	·	·	·	·	·	·	·	·	3	·	·	·	2	·	·	·	·	3	·	·	·	·	·
Blackrock, ..	8,900	8·2	23·4	11·7	5·8	4	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Kingstown, ..	16,400	11·2	19·1	12·7	·	6	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	63	45	53·8	0·07
Urban Districts. Belfast, ..	390,000	26·1	20·6	14·6	3·2	154	109	29	20	1	·	·	1	1	1	·	·	11	5	5	3	4	18	2	·	5	22	1	61	45	53·3	0·47
Cork, ...	76,673	28·6	23·8	21·1	1·4	35	31	6	6	·	·	·	·	·	1	·	·	4	1	2	1	1	1	·	1	1	21	·	62	47	55·5	0·20
Londonderry, ..	40,000	15·5	24·8	15·6	5·2	19	12	6	2	·	·	·	·	·	·	·	·	1	1	·	·	3	4	·	·	·	1	·	·	·	·	·
Limerick, ..	38,518	16·1	14·9	16·2	1·4	11	12	3	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1	3	1	63·2	39·5	54·6	0·37
Waterford, ..	27,464	19·1	24·7	15·2	3·8	13	8	1	2	·	·	·	1	·	·	·	·	·	1	·	·	1	1	·	·	1	2	·	·	·	·	·
Galway, ...	13,255	2·5				13	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	65	42	54	0·70
Dundalk, ..	13,128	9·5				15	5	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Lurgan, ..	12,553	14·7				3	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	64	41	52·9	0·51
Drogheda, ..	12,501	8·4				3	5	·	2	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	2	1	·	·	·	·	·
Lisburn, ..	12,388	10·9				5	3	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	64	41	52·9	0·51
Newry, ...	11,963	17·0				4	6	·	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	4	·	64	41	52·9	0·51
Portadown, ..	11,727	15·3				2	2	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	64	41	52·9	0·51
Wexford, ..	11,531	22·8				7	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·
Ballymena, ..	11,381	9·3				4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Sligo, ...	11,163	3·8				6	4	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	1	62	44	53·0	0·92
Kilkenny, ..	10,514	11·4				·	4	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	62	40	53·7	0·41
Tralee, ...	10,300	17·4				3	4	1	1	·	·	·	·	·	·	1	·	·	·	·	·	2	1	·	·	·	2	·	·	·	·	·
Clonmel, ..	10,209	7·8				3	5	·	4	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·
London, ...	4,310,030	—	—	11·7	—	1,942	968	205	267	·	·	·	9	1	2	5	—	99	26	93	50	59	93	16	37	94	444	2	66	36	52·3	0·35
Edinburgh, ...	329,200	—	—	15·4	—	110g	97	12	30	·	·	·	·	1	·	2	—	—	—	—	—	—	7	—	5	—	—	—	59·9	39·7	50·8	0·13
Glasgow, ...	1,091,600	—	—	15·0	—	490g	313	85	80	1	·	·	1	1	3	2	—	—	—	—	—	—	60	—	20	—	—	—	58·8	41·0	51·2	0·32

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever for Edinburgh, and 3 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 38th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 23rd September, 1916.																
		All Ages.	Ages at Death															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	158·0	127	5	30	10	3	3	3	3	4	8	6	10	15	18	9	119
Enteric Fever ..	1·8	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	1·4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Whooping-cough ..	1·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	14·4	14	.	.	.	.	.	1	2	2	4	3	1	.	1	.	13
Tuberculous Meningitis	1·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	3	.	.	.	1	.	.	.	.	1	.	.	.	.	1	3
Venereal Diseases ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·8	5	.	.	.	.	.	.	.	.	.	.	1	2	2	.	5
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Diabetes	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other General Diseases	2·6	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	3·2	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1	3
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epilepsy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·4	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	2·2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·2	14	.	.	.	.	1	.	.	1	.	.	1	4	4	3	13
Embolism and Thrombosis (including Cerebral).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	9·4	7	.	2	.	.	.	.	.	.	.	.	.	2	3	.	7
Broncho-pneumonia ..	2·6	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Lobar pneumonia ..	1·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pneumonia (type not distinguished).	3·6	3	.	.	1	.	.	.	.	.	.	.	.	.	1	1	3
Pleurisy	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

in the THIRTY-EIGHTH WEEK, ending Saturday, 23rd September, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 38th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 23rd September, 1916																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach ..	3·0	4	.	1	2	.	.	.	.	.	.	.	.	1	.	.		4
Diarrhœa and Enteritis of Children under 2 years.	24·2	24	.	20	4	.	.	.	.	.	.	.	.	.	.	.		23
Diarrhœa 2 years and upwards.	·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Enteritis 2 years and upwards.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Appendicitis and Typhlitis.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·0	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.		.
Cirrhosis of Liver ..	1·6	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.		2
Other Diseases of Liver	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis ..	1·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Chronic Bright's Disease	3·2	4	.	.	.	.	.	.	.	.	.	.	2	1	.	1		4
Urinary Calculi ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Locomotor System.	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Premature Birth ..	3·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Congenital Debility ..	2·8	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.		5
Old Age	5·4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2		2
Other Specified Diseases	1·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
Drowning	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways, ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c.	2·4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Other Violent Deaths		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Not included in above—																		
Homicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes,	2·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1

TABLE IV.—Showing for the WEEK ENDED 23RD SEPTEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes.	From certain Epidemic Diseases*	Total Deaths.	WEEK ENDED SATURDAY, 23RD SEPTEMBER, 1916. DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	21·3	3·5	12	4	·	·	2	·	2	1	3	·	·	·	·	·	·	·	·	2	1	·	·	·	2	·	·	7	1	4	2	1
" 1, W., ...	40,200	23·3	9·1	18	6	1	·	·	2	3	4	2	1	·	·	·	·	1	·	·	2	1	·	1	1	5	·	·	6	·	4	·	1
" 2, ...	26,900	15·5	3·9	8	2	·	2	1	·	1	·	2	·	·	·	·	1	·	·	·	1	1	·	·	·	1	·	·	4	·	3	·	·
" 3, ...	35,200	11·9	3·0	8	4	·	·	·	·	·	1	3	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	1	4	1	3	2	·
CLONTARF AND HOWTH, No. 1, part of	5,400	9·7	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	39·2	11·8	10	3	·	·	1	·	1	3	2	1	·	·	·	·	·	·	·	·	·	2	·	1	2	·	·	4	1	1	3	·
FINGLAS AND GLASNEVIN, part of ..	10,800	4·8	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	16·9	6·5	13	4	3	·	·	1	2	·	3	·	·	·	·	1	·	·	·	2	·	·	1	1	4	·	·	4	·	2	2	·
" 2, ...	17,800	17·6	2·9	6	2	1	1	·	·	·	·	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	1	·	3	·	·	1	·
" 3, ...	42,400	11·1	1·2	9	1	1	·	·	2	1	3	1	·	·	·	·	·	·	·	·	2	·	1	2	1	1	·	·	2	·	1	3	·
" 4, ...	32,000	14·7	6·5	9	3	2	·	·	·	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	2	4	·	·	3	·	·	2	·
NEW KILMAINHAM, ...	10,100	15·5	·	3	·	·	·	·	1	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	2	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	8·0	1·3	6	3	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	3	·	·	1	1
PEMBROKE, ...	29,100	16·1	·	9	1	·	·	·	1	2	3	2	·	·	·	·	·	·	·	·	3	·	·	·	2	·	·	·	4	·	2	1	·
BLACKROCK, ...	8,900	11·7	5·8	2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·
KINGSTOWN	16,400	12·7	·	4	·	1	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4	·	1	·	1
TOTAL CITY. North, ...	161,200	18·8	5·2	58	19	2	2	4	2	7	9	13	2	·	·	·	1	1	·	·	5	4	2	3	2	12	·	1	25	3	15	7	2
TOTAL CITY. South, ...	142,400	14·6	4·0	40	10	7	1	·	4	4	7	7	·	·	·	·	1	·	·	·	5	1	1	3	5	9	1	·	14	·	5	8	·
TOTAL CITY. North and South, ..	303,600	16·8	4·6	98	29	9	3	4	6	11	16	20	2	·	·	·	2	1	·	·	10	5	3	6	7	21	1	1	39	3	20	15	2
Total Urban Districts, ...	93,400	11·7	1·1	21	5	1	·	·	1	2	6	6	·	·	·	·	·	·	·	·	3	·	2	·	2	2	·	·	12	·	3	2	2
Total Registration Area, ..	397,000	15·6	3·8	119	34	10	3	4	7	13	22	26	2	·	·	·	2	1	·	·	13	5	5	6	9	23	1	1	51	3	23	17	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				8	1	·	·	2	·	1	3	1	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	1	5	3	7	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd September, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 23RD SEPTEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Diseases of the Respiratory System. Convulsions.	Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	127	48	6	7	14	25	18	9	2	·	·	·	2	1	·	·	14	5	5	3	6	9	24	1	2	53	4
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	7·1	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
II.	MIDDLE CLASS	101,798	10·2	20	2	2	2	1	7	4	2	·	·	·	·	·	·	·	·	1	·	2	1	1	1	·	·	·	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·6	22	10	1	·	1	6	4	·	·	·	·	·	·	1	·	·	2	·	1	·	·	3	4	1	·	10	·
IV.	GENERAL SERVICE CLASS	167,479	20·2	65	32	2	4	11	8	4	4	1	·	·	·	2	·	·	·	9	3	·	2	5	3	16	·	2	22	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	18	4	1	1	1	3	6	2	·	·	·	·	·	·	·	·	2	2	2	·	·	1	4	·	·	7	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	·	1	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	1	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	3	·
	6. Clerks and Commercial Assistants,	33,249	—	6	1	1	2	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	·	·	·	·	3	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	5	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
	9. Building and Furnishing Trades, ..	28,823	—	7	3	1	·	·	1	2	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	1	1	·	2	·
	10. Clothing Trades, ...	20,026	—	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
	11. Food Supply Trades, ...	8,952	—	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	8	4	·	·	1	1	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	6	·
	13. Petty Shopkeepers, ...	6,772	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	12	8	·	1	2	1	·	·	·	·	·	·	·	·	·	·	2	1	·	·	1	·	4	·	·	4	·
	15. Domestic Servants, ...	36,041	—	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	7	4	·	1	·	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	4	·	1	1	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	45	20	2	2	8	6	4	3	1	·	·	·	2	·	·	·	6	2	·	2	4	3	8	·	1	16	2
	INMATES OF WORKHOUSES.																													
V	18. Workhouse Inmates, ...	5,602	—	18	4	1	1	1	3	6	2	·	·	·	·	·	·	·	·	2	2	2	·	·	1	4	·	·	7	·

Table VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	July 1.	July 8.	July 15	July 22.	July 29	Aug 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16	Sept. 23.
No. of weeks in Annual Series ..	26	27	28	29	30	31	32	33	34	35	36	37	38	26	27	28	29	30	31	32	33	34	35	36	37	38
Births registered	169	240	182	206	193	207	181	162	244	152	219	178	215	203	199	145	165	155	152	166	164	153	202	177	182	154
Average Births in corresponding week of previous 10 years, ...	246	204	212	217	216	221	205	218	214	204	245	203	218	216	210	200	223	220	218	212	204	193	199	210	210	187
Number of Deaths, ...	136	134	143	116	110	107	126	125	110	147	113	132	119	104	93	110	109	93	95	87	100	123	117	100	95	109
Annual Death-rate per 1,000 ..	17·9	17·6	18·8	15·2	14·4	14·1	16·5	16·4	14·4	19·3	14·8	17·3	15·6	13·9	12·4	14·7	14·6	12·4	12·7	11·6	13·4	16·4	15·6	13·4	12·7	14·6
Average Deaths in corresponding week of previous 10 years, ...	130	126	135	134	132	129	131	143	146	148	152	154	154	118	112	113	117	115	109	112	117	123	126	125	123	126
Ages, .. Under one year, ..	21	28	17	23	22	12	20	27	23	42	29	45	34	15	14	15	16	17	20	11	17	22	26	20	26	29
1— 5 years, ..	11	6	12	6	5	12	15	17	17	11	11	13	13	8	6	9	9	6	10	5	10	13	8	9	12	7
5—25 „ ..	17	13	20	20	12	8	14	12	10	17	9	14	11	18	15	20	8	11	14	12	11	21	7	11	4	14
25—45 „ ..	25	25	30	17	25	24	19	16	21	16	20	8	13	24	15	22	17	10	14	22	23	17	26	13	18	18
45—65 „ ..	35	23	35	25	21	21	24	31	22	37	27	20	22	22	19	25	36	31	19	18	17	33	22	26	18	21
65 and upwards, ..	27	39	29	25	25	30	34	22	17	24	17	32	26	17	24	19	23	18	18	19	22	17	28	21	17	20
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	1	1	.	.	3	.	.	2	.	.	1	1	.	.	.	.	.	.	2	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	1	.	1	.	1	2	1	1	1	.	2	2	4	2	1	2	1	3	2	.	1	1	1
Scarlet Fever, ...	1	2	1	.	.	.	1	.	3	1	.	.	2	.	.	2	.	1	2	1	1	.	.	1	.	1
Whooping-cough, ...	.	1	2	.	.	.	1	1	1	2	1	.	1	.	1	1	1	1	.	.	1	5	.	1	1	1
Diphtheria, ...	1	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	20	23	16	20	15	15	18	21	14	16	16	16	13	20	20	21	16	11	5	15	13	18	15	10	8	11
Tuberculosis { Other Forms, ..	7	3	4	3	3	5	5	4	2	4	2	3	5	7	5	4	5	5	7	3	4	11	6	5	6	5
Cancer, ...	9	9	8	7	7	6	7	4	11	14	13	5	5	2	5	5	8	4	9	7	3	6	4	9	6	5
Diseases of Respiratory System, { Pneumonia ..	9	9	9	4	4	5	5	9	6	6	4	1	6	4	2	8	9	6	4	4	5	10	8	5	1	3
Diseases of Respiratory System, { Others, ..	15	14	11	12	9	16	8	14	9	11	1	10	9	8	5	9	10	6	11	9	6	5	7	6	2	4
Diarrhœa and Enteritis, under 2 years, ...	1	8		3	4	3	11	11	17	31	26	31	23	.	1	1	.	1	2	3	6	8	11	17	21	18
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	1	.	1	1	.	2	1	.	2	.	1	.	.	.	.	1	3	1	1	2
Violent Deaths, ...	3	2	29	6	3	7	6	2	2	3	4	5	1	2	1	4	2	5	5	1	2	.	2	.	.	.
Number of Uncertified Deaths, ..	4	4	33	10	4	4	.	6	3	4	5	6	4	.	2	2	.	1	2	1	2	2	1	1	2	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd September, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES: the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	13·1	3·3	4	1	·	1	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	2	·
Do. 2 do.	49,500	21	13·7	1·1	13	3	2	2	3	·	3	·	·	·	·	·	·	·	·	4	1	·	1	·	1	·	·	·	5	·
Do. 3 do.	50,032	23	22·9	7·3	22	7	1	2	2	3	7	·	·	·	·	·	·	·	·	·	2	1	·	1	5	2	·	·	2	·
Do. 4 do.	32,637	8	24·0	3·2	15	2	1	3	4	3	2	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	3	5	1
Do. 5 do.	16,112	11	9·7	·	3	1	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Do. 6 do.	37,293	9	7·0	1·4	5	2	·	2	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·
Do 7 do.	2,681	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	1	8·7	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	4	14·9	8·5	7	4	·	·	1	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·	4	·	·	·	1	·
Do. 10 do.	28,958	18	16·2	1·8	9	2	1	1	·	3	2	·	·	·	·	·	·	·	·	3	·	·	·	·	1	·	·	·	1	·
Do. 11 do.	39,311	14	8·0	·	6	1	·	·	3	1	1	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	·	·	2	·
Do. 12 do.	38,076	16	21·9	8·2	16	4	2	3	3	2	2	1	·	·	1	1	1	·	·	1	1	1	·	·	2	·	·	1	2	·
Do. 13 do.	23,233	10	2·2	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	14	16·1	2·3	7	2	·	·	1	3	1	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	1	·
Total,	386,947	154	14·6	3·2	109	29	7	14	18	21	20	1	·	·	1	1	1	·	·	11	5	5	3	4	18	2	·	5	22	1
CITY OF CORK.																														
CORK URBAN No 1 DISTRICT,	13,455	8	19·4	·	5	2	·	·	·	·	3	·	·		·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
Do 2 do.	10,399	4	15·0	·	3	1	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 3 do.	9,793	7	10·6	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 4 do	9,139	2	28·5	·	5	·	1	·	1	3	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	1	1	5	·
Do. 5 do.	6,250	1	16·7	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·
Do. 6 do.	11,581	5	40·5	4·5	9	1	·	1	3	3	1	·	·	·	·	·	1	·	·	1	·	1	·	·	·	·	·	·	7	·
Do. 7 do.	16,056	8	16·2	3·2	5	1	1	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	3	·
Total	76,673	35	21·1	1·4	31	6	2	3	5	9	6	·	·	·	·	·	1	·	·	4	1	2	1	1	1	·	1	1	21	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd September, 1916.

DISTRICTS	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	.	.	.	9	.	.	.	.	2	11
" " 1, West ..	.	1	.	.	1	.	.	8	.	.	.	.	3	13
" " 2, ...	.	1	.	.	.	.	.	1	1	.	.	1	2	6
" " 3, ...	.	.	.	.	.	.	.	4	1	.	.	.	.	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	4	.	.	.	.	.	4
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
South City No. 1	.	3	.	.	1	.	.	2	.	.	.	.	2	8
" " " 2, ...	.	.	.	.	.	.	.	1	.	.	.	.	2	3
" " " 3, ...	.	8	.	.	.	.	.	3	.	.	.	.	3	14
" " " 4, ...	.	.	.	.	.	.	.	3	.	.	.	.	3	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Total, ...	.	13	.	.	2	.	.	37	2	.	.	2	18	74

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd September, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 23rd September.			
	Sept. 2.	Sept. 9	Sept. 16	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	43	46	60	35	4	2	89
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	2	2	.	1	.	1
Scarlet Fever	36	45	47	18	12	2	51*
Diphtheria, ...	28	23	24	3	10	.	17
Pneumonia, ...	11	10	13	1	2	.	12

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237. 375. 9. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 39. Vol. LIII.] Week ending Saturday, 30th September, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 2nd October, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·7 and 15·4; Dublin Registration Area, 18·3 and 16·5; Dublin City, 17·9 and 17·2; Belfast, 13·4 and 13·5; Cork, 14·3 and 15·8; Londonderry, 15·6 and 14·7; Limerick, 25·7 and 19·6; and Waterford, 17·1 and 16·1.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·8 per 1,000. Among the 100 deaths from all causes for Belfast are one from enteric fever, 2 from scarlet fever, and 9 from diarrhœal diseases. Of the 12 deaths from all causes for Londonderry, one was from scarlet fever, and 6 were of children under 2 years of age from diarrhœa and enteritis. Included in the 9 deaths from all causes for Waterford are 3 from measles, and one from whooping-cough. Two of the 4 deaths for Lisburn were of children under 2 years from diarrhœa and enteritis. Among the 4 deaths recorded for Kilkenny is one from whooping-cough; and of the 7 deaths from all causes for Tralee 3 were due to diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 181—102 boys and 79 girls—and the deaths to 147—77 males and 70 females.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·3 per 1,000 of the population. During the thirty-nine weeks ending with Saturday last, the death-rate averaged 20·0, and was 1·5 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the thirty-nine weeks was 21·6, and for the corresponding period of the preceding ten years, 22·8.

The 139 deaths appertaining to the Area include 4 from enteric fever; one from scarlet fever; one from whooping-cough, one from diphtheria; and 17 deaths from diarrhœal diseases.

In the 3 preceding weeks deaths from enteric fever numbered 0, 0, and 2; deaths from scarlet fever 0, 0, and 2; deaths from whooping-cough one, 0, and one; and deaths from diarrhœal diseases, 26, 33, and 24 respectively. There were no deaths from diphtheria during the 3 preceding weeks.

Tuberculous disease caused 18 deaths (comprising 16 from pulmonary tuberculosis, one from tuberculous meningitis, and one from disseminated tuberculosis), as against 18, 19, and 18, respectively, in the three weeks preceding.

Nine deaths were caused by cancer, 8 by pneumonia (comprising 4 from broncho-pneumonia, and 4 from pneumonia, type not distinguished), 14 by organic diseases of the heart, and 15 by bronchitis.

Among deaths of infants under one year old, 7 were due to convulsions, 4 to congenital malformations, one to premature birth, and 2 to congenital debility.

One death was due to burns.

Forty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 36 being infants under one year, of whom 11 were under one month old.

Of the 139 deaths recorded, 58 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·5), was equal to an average annual death-rate of 13·4 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow being 14·7, and for Edinburgh 12·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th September. From this Report it appears that of 63 cases notified, 20 were scarlet fever, 18 pulmonary tuberculosis. 4 other forms of tuberculosis, 12 diphtheria, 6 erysipelas, 2 enteric fever, and one cerebro-spinal fever. Among the 372 cases of infectious diseases in hospital at the close of the week were 142 of pulmonary tuberculosis, 111 of scarlet fever, 77 of diphtheria, 8 of measles, 7 of erysipelas, 6 of cerebro-spinal fever, 6 of enteric fever, 2 of whooping-cough, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 30th September, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Sept. 9,	·	—	—	10	·	·	3	·	·	6	2	1	—	—	·	—	·	9	31
	Sept. 16,	·	—	—	3	·	·	2	·	1	18	·	1	—	—	·	—	1	13	39
	Sept. 23,	·	—	—	13	·	·	2	·	·	37	2	·	—	—	·	—	2	18	74
	Sept. 30,	·	—	—	7	·	·	2	·	2	26	6	·	—	—	·	—	2	10	55
Rathmines and Rathgar Urban District.	Sept. 9,	·	—	—	4	·	·	·	·	·	1	1	·	—	—	—	—	—	—	6
	Sept. 16,	·	—	—	2	·	·	·	·	·	1	1	·	—	—	—	—	—	—	4
	Sept. 23,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	—	—	—	—	2
	Sept. 30,	·	—	—	2	·	·	·	·	·	·	3	·	—	—	—	—	—	—	5
Pembroke Urban District.	Sept. 9,	·	·	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	·	3
	Sept. 16,	·	·	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	·	3
	Sept. 23,	·	1	·	·	·	·	·	·	·	1	·	·	—	2	·	—	—	3	7
	Sept. 30,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	1	1
Blackrock Urban District.	Sept. 9,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 16,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 23,	·	·	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	·	2
	Sept. 30,	·	·	—	·	·	·	·	·	·	1	·	·	—	—	·	—	—	·	1
Kingstown Urban District.	Sept. 9,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 16,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	—	—	—	·	2
	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·a
	Sept. 30,	·	—	—	·	·	·	·	·	·	1	·	·	—	—	—	—	—	·	1
City of Belfast	Sept. 9,	·	—	—	12	1	·	1	·	·	6	2	·	—	—	·	—	·	1	23
	Sept. 16,	·	—	—	15	·	·	3	·	·	5	3	·	—	—	·	—	1	·	27
	Sept. 23,	·	—	—	29	·	·	2	·	·	6	·	·	—	—	·	—	·	·	37
	Sept. 30,	·	—	—	25	·	·	9	·	·	3	5	·	—	—	·	—	·	2	44
City of Cork	Sept. 9,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	—	14	—	—	15
	Sept. 16,	·	·	—	5	·	·	2	·	·	3	2	1	—	—	—	22	—	—	35
	Sept. 23,	·	·	—	2	·	·	2	1	·	1	1	1	—	—	—	14	—	—	22
	Sept. 30.	·	·	—	2	·	·	1	·	·	2	·	·	—	—	—	8	—	—	13
City of Londonderry	Sept. 9,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Sept. 16,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 30,	·	—	—	2	·	·	1	·	·	·	·	·	—	—	·	—	—	—	3
City of Limerick.	Sept. 9,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	·	—	—	—	2
	Sept. 16,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Sept. 23,	·	—	—	·	·	·	·	·	·	2	·	·	—	—	·	—	—	—	2
	Sept. 30,	·	—	—	1	·	·	1	·	·	1	·	·	—	—	·	—	—	—	3
City of Waterford.	Sept. 9,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 16,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 30,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	1	2

a One case of poliomyelitis was reported,

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th September, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever 23 and 105 ; measles one and 2 ; scarlet fever 7 and 49* ; and diphtheria one and 16. Five cases of pneumonia were admitted during the week and 11 remained under treatment at its close. Of the deaths in hospitals during the week 3 were from enteric fever, and there was one from each of scarlet fever and pneumonia.

* See note (*) at foot of Table IX,

Table II.—BIRTHS and DEATHS registered during the week ending Saturday, 30th September, 1916, in the Dublin Registration Area and in each of the under-mentioned 18 Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the Principal Causes, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 30th September, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 30th September, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
Total of 19 Town Districts,	1,122,268	19·7	23·2	16·7	2·8	500	360	73	84	5	·	·	3	4	3	1	·	33	14	26	17	30	40	4	7	7	118	14	·	·	·	·
Dublin Registration Area.	397,000	28·9	23·8	18·3	3·2	181	139	36	31	4	·	·	·	1	1	1	·	16	2	9	8	15	17	·	3	·	58	4	(d) 64·0	41·9	55·6	1·15
Urban Districts. City of Dublin,	303,600	38·4	26·6	17·9	3·1	155	104	23	25	3	·	·	·	·	·	1	·	13	2	6	5	12	14	·	1	·	49	4	(e) 64·0 (f) 64·4	49·0 46·0	56·9 56·3	0·84 0·80
Urban Districts. Rathmines and Rathgar.	39,000	22·8	12·0	12·0	1·3	9	9	1	2	·	·	·	·	1	·	·	·	2	·	·	1	3	·	·	1	·	1	·	·	·	·	·
Urban Districts. Pembroke, ..	29,100	18·5	9·4	26·9	7·2	7	15	9	1	·	·	·	·	·	1	·	·	1	·	1	2	·	3	·	·	·	3	·	·	·	·	·
Urban Districts. Blackrock, ..	8,900	8·2	·	11·7	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. Kingstown, ..	16,400	11·2	31·8	28·6	3·2	10	9	3	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	4	·	66	51	57·0	0·93
Urban Districts. Belfast, ..	390,000	26·1	24·1	13·4	1·6	180	100	11	29	1	·	·	·	2	·	·	·	6	5	9	4	8	6	3	2	4	28	1	65·5	49·0	57·8	0·01
Urban Districts. Cork, ...	76,673	28·6	34·0	14·3	2·7	50	21	5	6	·	·	·	·	·	·	·	·	3	·	2	1	1	4	·	·	·	8	·	65	54	58·7	0·47
Urban Districts. Londonderry, ..	40,000	15·5	20·9	15·6	9·1	16	12	6	·	·	·	·	·	1	·	·	·	2	·	·	·	1	6	·	·	·	3	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	33·8	25·7	1·4	25	19	3	3	·	·	·	·	·	·	·	·	2	2	1	1	2	1	·	·	·	6	3	66·8	44·5	57·2	0·68
Urban Districts. Waterford, ..	27,464	19·1	17·1	17·1	7·6	9	9	·	2	·	·	·	3	·	1	·	·	·	1	·	·	·	·	·	1	1	3	1	·	·	·	·
Urban Districts. Galway, ..	13,255	2·5				4	4	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	68	46	57	0·74
Urban Districts. Dundalk, ..	13,128	9·5				9	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				2	6	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	·	66	45	56	0·13
Urban Districts. Drogheda, ..	12,501	8·4				·	5	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				2	4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	1	·	66	45	56	0·13
Urban Districts. Newry, ...	11,963	17·0				3	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	66	45	56	0·13
Urban Districts. Portadown, ..	11,727	15·3				6	6	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·	66	45	56	0·13
Urban Districts. Wexford, ..	11,531	22·8				3	6	1	3	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	1	1	1	2	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				3	7	1	·	·	·	·	·	·	·	·	·	1	1	1	2	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Sligo, ...	11,163	3·8				3	4	1	1	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	3	1	67	42	57·0	0·42
Urban Districts. Kilkenny, ..	10,514	11·4				·	4	1	2	·	·	·	·	·	1	·	·	1	·	1	·	·	·	·	·	·	1	·	65	49	57·1	1·66
Urban Districts. Tralee, ...	10,300	17·4				4	7	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	·	1	1	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				·	4	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	1	·	·	·	·	·
London, ...	4,310,030	—	—	13·5	—	1,787	1114	202	277	2	·	·	9	1	3	8	—	117	23	104	63	68	90	11	67	130	498	2	·	·	·	·
Edinburgh, ...	329,200	—	—	12·2	—	102	77	10	24	·	·	·	·	1	1	1	—	—	—	—	—	—	2	—	4	—	—	—	61·6	42·9	51·1	0·07
Glasgow, ...	1,091,600	—	—	14·7	—	498	307g	73	60	·	·	·	3	2	·	3	—	—	—	—	—	—	35	—	11	—	—	—	62·9	44·9	53·1	0·03

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 39th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 30th September, 1916.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death															
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	160·8	147	12	26	7	6	1	2	2	6	12	7	14	20	20	12		139
Enteric Fever ..	2·2	4	.	.	.	.	.	.	1	1	1	1	.	.	.	.		4
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scarlet Fever ..	·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Whooping-cough ..	·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Diphtheria	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Croup	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Influenza	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	20·2	16	.	.	.	.	.	1	1	3	4	2	2	3	.	.		16
Tuberculous Meningitis	2·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Abdominal Tuberculosis	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	2·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cancer	11·2	9	.	.	.	.	.	.	.	.	.	1	2	2	4	.		9
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	·8	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.		2
Anæmia, Leucocythæmia.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other General Diseases	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Alcoholism ..	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebral Hæmorrhage, Apoplexy.	3·4	4	.	.	.	.	.	.	.	.	.	.	1	2	1	.		4
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	2·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Epilepsy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Convulsions (non-puerperal).	4·4	7	1	6	.	.	.	.	.	.	.	.	.	.	.	.		7
Other Diseases of Nervous System.	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Pericarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart.	13·6	15	.	.	.	.	.	.	.	.	1	1	.	6	3	4		14
Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory System.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Bronchitis	9·2	15	.	.	2	1	.	.	.	.	.	.	3	2	5	2		15
Broncho-pneumonia ..	2·4	5	1	2	.	2	.	.	.	.	.	.	.	.	.	.		4
Lobar pneumonia ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pneumonia (type not distinguished).	2·6	4	.	.	1	.	.	.	.	1	.	.	1	.	.	1		4
Pleurisy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Respiratory System.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.

in the THIRTY-NINTH WEEK, ending Saturday, 30th September, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 39th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 30th September, 1916																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·4	3	·	2	·	·	·	·	·	·	·	1	·	·	·	·	3
Diarrhœa and Enteritis of Children under 2 years.	21·4	17	2	13	2	·	·	·	·	·	·	·	·	·	·	·	17
Diarrhœa 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	2·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Appendicitis and Typhlitis.	·4	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1
Hernia and Intestinal Obstructions.	1·8	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Cirrhosis of Liver ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	1·0	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	2
Chronic Bright's Disease	2·8	5	·	·	·	·	·	·	·	·	·	·	3	·	1	1	5
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·4	3	·	·	·	·	·	·	·	1	·	·	1	1	·	·	2
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Congenital Malformations.	1·0	5	4	1	·	·	·	·	·	·	·	·	·	·	·	·	4
Premature Birth ..	3·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Congenital Debility ..	5·2	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	5·6	4	·	·	·	·	·	·	·	·	·	·	·	·	1	3	4
Other Specified Diseases	2·0	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
VIOLENCE.																	
Poisons or Poisonous Vapours.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Drowning	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		4	·	·	·	·	·	·	·	·	1	·	·	·	2	1	2
Not included in above—																	
Homicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	3·0	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	2

TABLE IV.—Showing for the WEEK ENDED 30TH SEPTEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
		WEEK ENDED SATURDAY, 30TH SEPTEMBER, 1916. DEATHS. CAUSED BY																															
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No. 1, E., ...	29,400	24·8	3·5	14	3	1	2	·	2	1	4	1	1	·	·	·	·	·	·	·	3	·	1	1	1	1	·	·	6	·	5	·	·
" 1, W., ...	40,200	14·3	2·6	11	2	·	1	·	·	1	3	4	·	·	·	·	·	·	·	·	1	·	1	1	2	2	·	·	4	·	3	3	·
" 2, ...	26,900	17·4	3·9	9	3	1	·	·	·	·	3	2	·	·	·	·	·	·	·	·	·	·	2	·	1	2	·	·	4	·	·	1	1
" 3, ...	35,200	17·8	·	12	3	1	1	·	1	2	1	3	·	·	·	·	·	·	·	·	2	1	·	1	1	·	·	·	7	·	4	5	·
Clontarf and Howth, No. 1, part of	5,400	9·7	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Coolock and Drumcondra, part of ..	13,300	15·7	·	4	·	·	·	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	3	·	·	·	·
Finglas and Glasnevin, part of ..	10,800	9·7	4·8	2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·
South City.																																	
South City, No. 1, ..	40,100	14·3	5·2	11	4	1	1	·	1	·	2	2	·	·	·	·	·	·	·	·	·	·	·	2	1	4	·	1	3	·	3	4	·
" 2, ...	17,800	11·7	·	4	·	·	·	·	·	2	1	1	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	1	·	1	1	1
" 3, ...	42,400	20·9	3·7	17	3	·	·	2	·	1	4	7	·	·	·	·	·	·	1	·	2	·	·	·	3	2	·	·	9	·	2	6	1
" 4, ...	32,000	27·7	6·5	17	4	·	1	·	1	5	3	3	2	·	·	·	·	·	·	·	2	1	1	·	1	2	·	·	8	·	5	5	·
New Kilmainham, ...	10,100	10·3	·	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	1	·	·
Urban Districts.																																	
Rathmines and Rathgar, ..	39,000	12·0	1·3	9	1	2	·	1	·	3	·	2	·	·	·	·	1	·	·	·	2	·	·	1	3	·	·	1	1	·	1	·	·
Pembroke, ...	29,100	26·9	7·2	15	9	1	·	·	1	1	2	1	·	·	·	·	·	1	·	·	1	·	1	2	·	3	·	·	7	·	3	·	·
Blackrock, ...	8,900	11·7	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	1	·	·
Kingstown	16,400	28·6	3·2	9	3	·	·	·	·	1	3	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	6	·	2	2	·
TOTAL CITY. North, ...	161,200	17·1	2·3	53	12	3	4	·	3	4	15	12	1	·	·	·	·	·	·	·	6	1	4	3	6	6	·	·	26	·	12	9	2
TOTAL CITY. South, ...	142,400	18·7	4·0	51	11	1	2	2	3	8	11	13	2	·	·	·	·	·	1	·	7	1	2	2	6	8	·	1	21	·	12	16	2
TOTAL CITY. North and South, ..	303,600	17·9	3·1	104	23	4	6	2	6	12	26	25	3	·	·	·	·	·	1	·	13	2	6	5	12	14	·	1	47	·	24	25	4
Total Urban Districts, ...	93,400	19·5	3·3	35	13	3	·	1	1	5	6	6	1	·	·	·	1	1	·	·	3	·	3	3	3	3	·	2	15	·	7	2	·
Total Registration Area, ..	397,000	18·3	3·2	139	36	7	6	3	7	17	32	31	4	·	·	·	1	1	1	·	16	2	9	8	15	17	·	3	62	·	31	27	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				8	2	·	·	·	1	2	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	5	·	8	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th September, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 30TH SEPTEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	147	51	3	8	19	34	20	12	4	·	·	·	1	1	1	·	16	2	9	7	9	15	17	·	5	60	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	28·5	8	·	·	1	2	1	1	3	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	2	2	·
II.	MIDDLE CLASS	101,798	13·8	27	5	·	·	6	9	4	3	·	·	·	·	·	·	·	·	3	·	2	1	·	3	2	·	·	16	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·9	29	15	1	2	2	3	3	3	1	·	·	·	·	·	1	·	1	·	1	3	4	1	4	·	1	12	·
IV.	GENERAL SERVICE CLASS	167,479	17·4	56	25	2	5	4	11	6	3	1	·	·	·	1	1	·	·	7	1	4	3	4	7	8	·	2	17	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	27	6	·	·	5	10	6	·	·	·	·	·	·	·	·	·	5	1	1	·	·	4	3	·	·	13	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	7	·	·	1	2	·	1	3	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	2	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	·	·	·	2	·	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	2	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	2	1
	6. Clerks and Commercial Assistants,	33,249	—	10	3	·	·	3	3	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1	·	·	7	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	8	·	·	·	1	4	2	1	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	6	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	2	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·
	9. Building and Furnishing Trades, ..	28,823	—	9	7	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	3	·	2	·	1	2	·
	10. Clothing Trades, ...	20,026	—	4	1	1	·	·	·	1	1	·	·	·	·	·	·	1	·	·	·	1	1	·	·	·	·	·	1	·
	11. Food Supply Trades, ...	8,952	—	2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	7	4	·	1	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	2	·	·	3	·
	13. Petty Shopkeepers, ...	6,772	—	4	·	·	1	·	1	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	13	5	·	·	4	1	1	2	·	·	·	·	·	·	·	·	1	·	1	1	·	·	1	·	1	8	2
	15. Domestic Servants, ...	36,041	—	7	4	·	2	·	·	·	1	1	·	·	·	·	·	·	·	1	·	·	·	1	1	3	·	·	·	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	34	15	1	3	·	10	5	·	·	·	·	·	1	1	·	·	4	1	3	2	3	6	3	·	1	9	·
V	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	27	6	·	·	5	10	6	·	·	·	·	·	·	·	·	·	5	1	1	·	·	4	3	·	·	13	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	WEEK ENDING													WEEK ENDING												
	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	July 8.	July 15	July 22.	July 29	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16	Sept. 23.	Sept. 30.
No. of weeks in Annual Series ..	27	28	29	30	31	32	33	34	35	36	37	38	39	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered	240	182	206	193	207	181	162	244	152	219	178	215	181	199	145	165	155	152	166	164	153	202	177	182	154	180
Average Births in corresponding week of previous 10 years, ...	204	212	217	216	221	205	218	214	204	245	203	218	241	210	200	223	220	218	212	204	193	199	210	210	187	201
Number of Deaths, ...	134	143	116	110	107	126	125	110	147	113	132	119	139	93	110	109	93	95	87	100	123	117	100	95	109	100
Annual Death-rate per 1,000 ..	17·6	18·8	15·2	14·4	14·1	16·5	16·4	14·4	19·3	14·8	17·3	15·6	18·3	12·4	14·7	14·6	12·4	12·7	11·6	13·4	16·4	15·6	13·4	12·7	14·6	13·4
Average Deaths in corresponding week of previous 10 years, ...	126	135	134	132	129	131	143	146	148	152	154	154	152	112	113	117	115	109	112	117	123	126	125	123	126	122
Ages, .. Under one year, ..	28	17	23	22	12	20	27	23	42	29	45	34	36	14	15	16	17	20	11	17	22	26	20	26	29	11
1— 5 years, ..	6	12	6	5	12	15	17	17	11	11	13	13	13	6	9	9	6	10	5	10	13	8	9	12	7	6
5—25 ,, ..	13	20	20	12	8	14	12	10	17	9	14	11	10	15	20	8	11	14	12	11	21	7	11	4	14	10
25—45 ,, ..	25	30	17	25	24	19	16	21	16	20	8	13	17	15	22	17	10	14	22	23	17	26	13	18	18	16
45—65 ,, ..	23	35	25	21	21	24	31	22	37	27	20	22	32	19	25	36	31	19	18	17	33	22	26	18	21	28
65 and upwards, ..	39	29	25	25	30	34	22	17	24	17	32	26	31	24	19	23	18	18	19	22	17	28	21	17	20	29
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	1	1	.	.	3	.	.	2	4	.	1	1	.	.	.	.	.	.	2	.	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	1	.	1	.	1	2	1	1	1	.	.	2	4	2	1	2	1	3	2	.	1	1	1	.
Scarlet Fever, ...	2	1	.	.	.	1	.	3	1	.	.	2	1	.	2	.	1	2	1	1	.	.	1	.	1	2
Whooping-cough, ...	1	2	.	.	.	1	1	1	2	1	.	1	1	1	1	1	1	.	.	1	5	.	1	1	1	.
Diphtheria, ...	.	.	1	.	.	.	1	1	.	.	.	.	1	.	.	.	.	2	.	1	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	23	16	20	15	15	18	21	14	16	16	16	13	16	20	21	16	11	5	15	13	18	15	10	8	11	6
Tuberculosis { Other Forms, ..	3	4	3	3	5	5	4	2	4	2	3	5	2	5	4	5	5	7	3	4	11	6	5	6	5	5
Cancer, ...	9	8	7	7	6	7	4	11	14	13	5	5	9	5	5	8	4	9	7	3	6	4	9	6	5	9
Diseases of Respiratory System, { Pneumonia ..	9	9	4	4	5	5	9	6	6	4	1	6	8	2	8	9	6	4	4	5	10	8	5	1	3	4
Diseases of Respiratory System, { Others, ..	14	11	12	9	16	8	14	9	11	1	10	9	15	5	9	10	6	11	9	6	5	7	6	2	4	8
Diarrhœa and Enteritis, under 2 years, ...	8		3	4	3	11	11	17	31	26	31	23	17	1	1	.	1	2	3	6	8	11	17	21	18	6
Diarrhœa, 2 years and upwards..	.	.	.	.	.	1	.	1	1	.	2	1	.	2	.	1	.	.	.	.	1	3	1	1	2	3
Violent Deaths, ...	2	29	6	3	7	6	2	2	3	4	5	1	3	1	4	2	5	5	1	2	.	2	.	.	.	2
Number of Uncertified Deaths, ..	4	33	10	4	4	.	6	3	4	5	6	4	4	2	2	.	1	2	1	2	2	1	1	2	1	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th September, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	13·1	3·3	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	1	.	.	1	.
Do. 2 do.	49,500	24	12·6	.	12	3	.	.	3	2	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	4	.
Do. 3 do.	50,032	26	15·6	1·0	15	.	1	3	.	7	4	.	.	.	.	.	.	.	.	.	.	3	.	3	1	.	.	1	6	.
Do. 4 do.	32,637	17	20·8	3·2	13	1	1	1	.	2	8	.	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	3	.
Do. 5 do.	16,112	6	3·2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	37,293	9	14·0	2·8	10	1	1	1	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	10	8·5	2·1	4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Do. 10 do.	28,958	16	10·8	1·8	6	1	1	.	2	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1	1	1	.
Do. 11 do.	39,311	22	17·2	1·3	13	.	.	1	4	4	4	.	.	.	.	1	.	.	.	2	.	2	.	2	.	.	.	.	3	.
Do. 12 do.	38,076	21	12·3	4·1	9	2	2	1	1	.	3	1	.	.	.	1	.	.	.	.	.	1	1	.	1	.	1	1	3	.
Do. 13 do.	23,233	6	11·2	.	5	.	.	1	.	2	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	11	18·4	.	8	2	.	.	4	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	3	.
Total,	386,947	180	13·4	1·6	100	11	6	10	16	28	29	1	.	.	.	2	.	.	.	6	5	9	4	8	6	3	2	4	28	1
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	8	11·6	.	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	10,399	8	15·0	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,793	7	10·6	5·3	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Do. 4 do.	9,139	6	17·1	5.7	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 5 do.	6,250	4	33·4	.	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	2	.
Do. 6 do.	11,581	7	4·5	4·5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 7 do.	16,056	10	16·2	3·2	5	1	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
Total	76,673	50	14·3	2·7	21	5	1	2	3	4	6	.	.	.	.	.	.	.	.	3	.	2	1	1	4	.	.	.	8	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th September, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 1, West ..	.	1	.	.	1	.	.	10	2	.	.	.	4	18
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3, ...	.	2	.	.	.	.	1	4	.	.	.	.	1	8
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	1	2	1	.	.	.	.	4
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	2	.	.	.	.	.	2
South City No. 1	.	1	.	.	.	.	.	4	1	.	.	.	.	6
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ „ 3, ...	.	3	.	.	1	.	.	.	2	.	.	2	1	9
„ „ „ 4, ...	.	.	.	.	.	.	.	3	.	.	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	7	.	.	2	.	2	26	6	.	.	2	10	55

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th September, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 30th September.			
	Sept. 9.	Sept. 16.	Sept. 23.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	46	60	89	23	4	3	105
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	2	1	1	.	.	2
Scarlet Fever	45	47	51	7	8	1	49*
Diphtheria, ...	23	24	17	1	2	.	16
Pneumonia, ...	10	13	12	5	5	1	11

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237. 375. 10. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO., LIMITED.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LIMITED, 29, BREAMS BUILDINGS, FETTER LANE, EC., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, and other Foreign Countries of
T. FISHER UNWIN, LIMITED, LONDON, W.C.

1916.

Price 1½*d.*

VOL. LIII.] QUARTER ENDING SATURDAY, 30TH SEPTEMBER, 1916. [NO. 39A.

DUBLIN REGISTRATION AREA.—BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin, and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the population thereof, estimated to the middle of 1916, being 397,000, there were registered during the thirteen weeks ended on Saturday, 30th September, 1916, 2,560 births—1,337 boys and 1,223 girls—being equal to an annual ratio of 1 in 38·8 or 25·8 in every 1,000 of the population.

The number of births recorded for the city was 2,070, equivalent to an annual rate of 27·3 in every 1,000 of the population; and for the urban districts named above, 490, equal to an annual rate of 21·0 in every 1,000 of the population.

There were registered in London during the same period 24,576 births—being equal to an annual birth-rate of 22·8 in every 1,000 of the estimated population; in Glasgow there were registered 6,690, being equal to 24·5 per 1,000; and in Edinburgh, 1,460—a number affording an annual birth-rate of 17·7 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (151) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,621, are equivalent to an annual rate of 16·3 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 18·4. The total number of deaths registered in the Dublin Registration Area during the quarter was 1,772—933 males and 839 females—affording an annual ratio of 1 in 56·0 or 17·9 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the third quarter of the ten years, 1906–1915, in the Dublin Registration Area was 19·5 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 705, representing an annual mortality of 17·5 in every 1,000 of the population; and the number in the south city districts was 633, equivalent to a rate of 17·8 per 1,000. For the urban districts the number of deaths registered was 283, being equal to an annual death-rate of 12·1 in every 1,000.

The number of deaths registered in London during the same period was 11,917, a number equal to an annual rate of mortality of 11·1 in every 1,000 of the inhabitants, in Glasgow the number was 3,580, equal to 13·1 in every 1,000; and in Edinburgh 1,044, affording an annual death-rate of 12·7 in every 1,000 of the estimated population.

CAUSES OF DEATH IN DUBLIN REGISTRATION AREA.

The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 248, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·50.

Enteric Fever.—There were 12 deaths from enteric fever, equivalent to an annual rate of 0·12 per 1,000 of the estimated population, registered during the 13 weeks ended 30th September as compared with 14, 11 and 11 respectively, in the three preceding quarterly periods and an average of 15 in the third quarter of the 5 years 1911–15. Of the 12 deaths 6 were those of residents of the North city districts, 5 of South city districts and one was that of a resident of Kingstown urban district. During the thirteen weeks under review 157 enteric fever patients were under treatment in Dublin hospitals. Of these 42 were discharged and 10 died, leaving 105 under treatment on the 30th September.

Typhus.—No death from this cause was registered during the quarter. Two patients who remained under treatment at the close of the preceding quarter were discharged from hospital during the period under notice.

Small-pox.—No case of this disease was reported during the quarter.

Measles.—The deaths from this cause numbered 10, equivalent to an annual rate of 0·10 per 1,000 of the population. The average number of deaths from this cause in the corresponding period of the 5 years 1911–15 was 25, and the number registered in the 3 quarterly periods preceding that under notice was 80, 43 and 28 respectively. Six of the deaths occurring during the quarter under review were those of residents of North city districts, 3 of South city districts and one was that of a person admitted from without the Dublin Registration Area. Ninety-one cases of this disease were treated in the Dublin hospitals during the quarter; 87 of these were discharged, 2 died, and 2 remained under treatment at the close of the period.

Scarlet Fever.—Twelve deaths from this cause were recorded, being 2 above the average for the third quarter of the 5 years 1911–15 and equivalent to an annual rate of 0·12 per 1,000 of the estimated population. The numbers registered in the three preceding quarters were 12, 5 and 8 deaths respectively. Of the 12 deaths occurring during the quarter under notice 2 were those of residents of North city districts, 6 of South city districts, 2 of Rathmines and Rathgar and one of Pembroke urban district. There was one death in an institution of a person admitted from without the Registration Area. The cases under treatment in Dublin hospitals numbered 185; of these 124 were discharged, 12 died and 49‡ remained under treatment at the close of the quarter.

Whooping-cough.—The deaths from this cause, 11 in number, equivalent to a rate of 0·11 per 1,000 of the estimated population are below the average (19) for the corresponding period of the 5 years 1911–15. In the 3 preceding quarters the respective numbers were 20, 35 and 20. Of the deaths occurring during the period under notice 6 belonged to North city districts, 4 to South city districts and one to Pembroke urban district.

Diphtheria.—Five deaths from this cause were registered, the average for the corresponding period of the 5 years 1911–15 being 18, and the number in the 3 pre-

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

† See note (*) on page 410*h*.
‡ See note at foot of Table I.

ceding quarters being 14, 12 and 8, respectively. Of the 5 deaths 2 belonged to North city districts, one to South city No. 3 district and one to Rathmines and Rathgar urban district, and there was one death in an institution of a person admitted from without the Dublin Registration Area. In the Dublin hospitals 86 cases of this disease were under treatment during the quarter, 65 were discharged, 5 died, and 16 remained under treatment at the close of the quarter.

Diarrhœal Diseases.—The total deaths under this heading were 198 in number, of which 190 (equivalent to a rate of 1·91 per 1,000) were deaths of children under 2 years of age from diarrhœa and enteritis, 4 being of children admitted to institutions from without the Dublin Registration Area. In the three preceding quarters deaths of children from these causes numbered 126, 48 and 37, respectively, in the third quarter of 1915 they amounted to 184, and in the corresponding quarters of the five years, 1911-15, the average number of such deaths was 227.

Influenza.—Three deaths from this cause were registered, the average for the 5 years 1911–15 being 6, and the number in the 3 preceding quarters 16, 27 and 9 deaths, respectively.

Cerebro-spinal Fever.—Two deaths were returned under this heading, the numbers in the 3 preceding quarters being one, 3 and one respectively.

Tuberculosis.—The number of deaths from all forms of tuberculosis during the quarter was 287 as compared with an average for the 5 years 1911–15 of 322 and 359, 417 and 396 in the three quarters preceding that under notice. The 287 deaths comprise 236 from pulmonary tuberculosis, 20 from tuberculous meningitis, 10 from abdominal tuberculosis and 21 from other forms of the disease. The annual rate per 1,000 of the estimated population represented by the 287 deaths registered during the quarter was 2·89. Of the total number recorded from tuberculosis 23 were of persons admitted from without the Dublin Registration Area. The remaining deaths were assigned as follows:—118 to North city districts equivalent to a rate of 2·93 per 1,000 of the estimated population; 102 or 2·86 per 1,000 to South city districts; 14 or 1·44 per 1,000 to Rathmines and Rathgar urban district; 16 or 2·20 per 1,000 to Pembroke; 6 or 2·70 per 1,000 to Blackrock, and 8 or 1·95 per 1,000 to Kingstown. From pulmonary tuberculosis alone 91 or 2·26 per 1,000 belonged to North city districts; 91 or 2·56 per 1,000 to South city districts, and 37 or 1·58 per 1,000 to the urban districts named above.

Cancer.—Malignant diseases caused 116 deaths equivalent to a rate of 1·17 per 1,000 of the estimated population, the corresponding rates for the 3 previous quarters being 1·39, 1·23 and 1·14 respectively.

Pneumonia.—Seventy-nine deaths from this cause were registered, the average for the September quarter of the 5 years 1911–15 being 90. The 79 deaths are equivalent to an annual rate of 0·80 per 1,000 and comprise 33 from broncho-pneumonia, 13 from lobar pneumonia and 33 from pneumonia, type not distinguished.

Diseases of the Brain and Nervous System.—The deaths from diseases under this heading numbered 157, the corresponding annual rate being 1·58 per 1,000. They include the 2 deaths, already referred to, from cerebro-spinal fever, 27 from simple meningitis and 40, equivalent to an annual rate of 0·40 per 1,000 of the population, from convulsions, 39 being those of children under 2 years of age.

Diseases of the Circulatory System.—Under this heading 182 deaths were recorded, the annual rate represented thereby being 1·83 per 1,000 of the population. The average number for the corresponding period of the 5 years 1911–15 was 191.

Bronchitis.—There were 115 deaths from bronchitis recorded during the quarter, a number equal to a rate of 1·16 of the population. In the 3 preceding quarters they numbered 284, 315 and 226 respectively.

Congenital Conditions.—The number of deaths due to congenital malformations was 14, to premature birth 37, and to congenital debility 56.

Violence.—One hundred and eighteen violent deaths were recorded during the quarter, 72 being from gunshot wounds. Of the remainder 17 were by drowning, 4 by burns and scalds, the latter including 2 deaths of children under 5 years of age, and 4 by vehicles and horses. There was one death by homicide, and one death by execution was also registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 30th September, 1916.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
ENTERIC FEVER	19	138	42	10	105
TYPHUS	2	.	2	.	.
SMALL-POX, ...	.	.	.	.	.
MEASLES, ...	34	57	87	2	2
SCARLET FEVER, ...	61	124	124	12	49*
DIPHTHERIA, ...	22	64	65	5	16
PNEUMONIA, ...	15	47	48	3	11

* Exclusive of 15 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 87 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 87 cases, 27 (or 31·0 per cent.) were deaths of children under 5 years of age; these 27 deaths form 5·2 per cent. of the total number of deaths of children of that age-period. Of the deaths of 100 infants under one month old registered, there were 13 (or 13·0 per cent.) regarding which the cause was uncertified.

From Table II., on page 410*e*, it will be seen that, excluding 151 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,621, equal to an annual rate of 16·3 per 1,000 of the estimated population, and that 240 of these deaths, representing an annual rate of 2·4 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 17·6 per 1,000, and for the urban districts 12·1 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·8, and in the urban districts 1·1, the rates for the several districts varying from 0·2 in Kingstown to 3·9 in North City No. 2, and in South City, No. 4, the 153 deaths from all causes for North City, No. 2, including 2 from measles, one from scarlet fever, and 23 from diarrhœal diseases; and of the 139 deaths for South City, No. 4, district, 2 were from enteric fever, one from measles, and 28 from diarrhœa and enteritis of children under 2 years.

OCCUPATIONS.—Table III., on page 410*f*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 15·3 per 1,000 of the persons in that class according to the Census of 1911; the rate for the "Middle Class was 11·2 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 13·1; and in the "General Service Class" it was 17·7.

AGES.—Of the 1,772 persons whose deaths were registered in the Dublin Registration Area during the quarter, 520 were under 5 years of age, including 366 infants under one year of age, the latter representing a rate of 143 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 50·9 in every 1,000 children at that age (according to the Census of 1911); 82 were between the ages of 5 and 15, representing an annual rate of 4·6 per 1,000 persons at that age-period; 124 were between the ages of 15 and 25, equivalent to an annual rate of 6·2 per 1,000; the total number under 25 years being equal to an annual mortality of 15·1 per 1,000 of the population at that age-period (according to the Census of 1911); 302, or 9·7 per 1,000 persons, were between 25 and 45; 377, or 25·6 per 1,000, between 45 and 65; 217, or 51·4 per 1,000, between 65 and 75; and 150, or 107·3 per 1,000, were aged 75 and upwards, including 10 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 1,772 deaths recorded during the quarter, 822, or 46·4 per cent., occurred in public institutions, viz., 487 in the various hospitals, prisons, and lunatic asylums; 138 in the North Dublin Union Workhouse; 190 in the South Dublin Union Workhouse; and 7 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 58·4°. At Greenwich, for the quarter, it was 61·0°; at Glasgow 57·5°; and at Edinburgh, 56·1°.

The rainfall at Dublin during the thirteen weeks measured 6·93 inches; at Greenwich, 5·98 inches; at Glasgow, 7·34 inches; and at Edinburgh, 9·96 inches.

† See note (*) page 410*h*.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 30th September, 1916,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases† ; with the Mortality from some of the principal causes ; also the Deaths at certain age-periods, and the number of Uncertified Deaths ; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED 30TH SEPTEMBER, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.*	Annual Rate of Mortality per 1000 Living represented by Deaths: From All Causes.	Annual Rate of Mortality per 1000 Living represented by Deaths: From certain Epidemic Diseases.†	Total Deaths.	Ages at Death: Under 1 year	1 and under 2	2 and under 5	5 and under 15	15 and under 25	25 and under 45	45 and under 65	65 and upwards	Deaths from: Enteric Fever	Typhus	Small-pox	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Dysentery	Tuberculosis: Pulmonary	Tuberculosis: Other Forms	Cancer	Diseases of Respiratory System: Pneumonia	Diseases of Respiratory System: Other	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards	Violence	Other Causes	Inquest Cases	In Institutions: Hospitals, Prisons and Lunatic Asylums	In Institutions: Workhouse Hospitals	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No. 1 E. ..	29,400	20·3	3·5	149	39	8	6	9	16	23	28	20	2	·	·	4	1	2	·	·	19	4	7	4	6	16	1	24	59	6	26	23	28
,, 1 W. ..	40,200	18·8	3·8	189	46	13	8	9	14	31	31	37	2	·	·	·	·	4	1	·	27	9	7	8	19	30	1	3	78	3	49	38	5
,, 2	26,900	22·7	3·9	153	39	7	14	9	7	21	30	26	·	·	·	2	1	·	·	·	11	8	5	9	17	20	3	10	67	2	41	34	13
,, 3 ..	35,200	15·0	1·4	132	33	7	5	5	4	29	26	23	·	·	·	·	·	·	·	·	22	6	5	3	11	12	·	3	70	2	33	33	3
Clontarf and Howth, No. 1, part of.	5,400	12·6	1·5	17	4	·	1	·	1	2	2	7	·	·	·	·	·	·	1	·	3	·	2	1	1	1	·	·	8	·	3	1	1
Coolock and Drumcondra, part of.	13,300	13·8	1·5	46	6	3	·	3	3	7	9	15	2	·	·	·	·	·	·	·	5	·	5	1	4	3	·	·	26	1	7	5	·
Finglas and Glasnevin, part of	10,800	7·0	0·7	19	3	1	·	·	·	3	5	7	·	·	·	·	·	·	·	·	4	·	3	1	2	2	·	·	7	·	1	1	1
South City.																																	
South City, No. 1	40,100	16·8	3·4	168	40	13	5	6	10	30	31	33	2	·	·	1	2	1	·	·	29	2	12	14	14	28	·	4	59	3	26	52	4
,, 2	17,800	18·9	2·0	84	15	1	2	2	4	14	27	19	·	·	·	1	1	1	·	·	14	1	11	1	10	5	1	3	35	2	14	30	4
,, 3	42,400	19·9	2·4	211	44	12	7	15	9	26	50	48	1	·	·	·	3	·	1	·	31	3	11	11	19	20	·	7	104	6	41	54	6
,, 4	32,000	17·4	3·9	139	38	12	4	4	8	16	30	27	2	·	·	1	·	·	·	·	13	3	9	2	12	28	·	7	62	7	35	27	13
New Kilmainham	10,100	12·3	1·6	31	6	3	·	2	5	3	10	2	·	·	·	·	·	2	·	·	4	2	1	3	2	2	·	4	11	3	7	2	·
Urban Districts.																																	
Rathmines and Rathgar. ..	39,000	10·1	0·9	98	14	4	3	4	2	14	22	35	·	·	·	·	2	·	1	·	13	1	8	7	9	6	·	2	49	·	23	10	5
Pembroke	29,100	13·6	2·1	99	24	7	2	2	5	18	20	21	·	·	·	·	1	1	·	1	12	4	8	5	9	12	·	2	44	1	18	9	·
Blackrock	8,900	9·4	0·4	21	2	·	·	1	4	4	4	6	·	·	·	·	·	·	·	·	5	1	2	2	·	1	·	·	10	·	4	1	·
Kingstown	16,400	15·9	0·2	65	5	2	1	2	5	10	15	25	1	·	·	·	·	·	·	·	7	1	9	4	4	·	·	4	35	2	17	6	4
Total City. North, ...	161,200	17·5	2·8	705	170	39	34	35	45	116	131	135	6	·	·	6	2	6	2	·	91	27	34	27	60	84	5	40	315	14	160	135	51
Total City. South, ...	142,400	17·8	2·9	633	143	41	18	29	36	89	148	129	5	·	·	3	6	4	1	·	91	11	44	31	57	83	1	25	271	21	123	165	27
Total City. North and South,	303,600	17·6	2·8	1,338	313	80	52	64	81	205	279	264	11	·	·	9	8	10	3	·	182	38	78	58	117	167	6	65	586	35	283	300	78
Total Urban Districts, ..	93,400	12·1	1·1	283	45	13	6	9	16	46	61	87	1	·	·	·	3	1	1	1	37	7	27	18	22	19	·	8	138	3	62	26	9
Total Registration Area. ..	397,000	16·3	2·4	1,621	358	93	58	73	97	251	340	351	12	·	·	9	11	11	4	1	219	45	105	76	139	186	6	73	724	38	345	326	87
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				151	8	·	3	9	27	51	37	16	·	·	·	1	1	·	1	1	17	6	11	3	3	4	·	45	58	7	142	9	·

* See note (*) on page 410*g*. † See note (*) on page 410*h*.

TABLE III. - Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATION or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 30th September, 1916** ; the Annual Death Rate represented by the Deaths Registered ; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS QUARTER (13 WEEKS) ENDED SATURDAY, 30TH SEPTEMBER, 1916.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia	Other	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence	Other Causes.	Number of Uncertified Deaths.
	ALL PERSONS.	397,957	·	1,772	520	82	124	302	377	217	150	12	·	·	10	12	11	5	2	236	51	116	40	79	142	190	6	118	742	87
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ..	14,658	15·3	56	2	·	1	13	12	12	16	2	·	·	·	·	·	·	·	1	1	4	·	4	5	2	·	8	29	·
II.	MIDDLE CLASS	101,798	11·2	286	43	16	20	56	66	44	41	2	·	·	·	3	2	·	1	33	10	31	6	10	18	11	1	14	144	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS..	108,420	13·1	354	113	15	25	54	79	47	21	3	·	·	·	1	3	2	1	61	7	18	8	17	25	38	3	15	152	13
IV.	GENERAL SERVICE CLASS	167,479	17·7	741	293	14	64	116	126	56	42	5	·	·	10	8	6	3	·	85	20	36	23	35	42	112	2	80	271	64
V.	INMATES OF WORKHOUSES	5,602	·	335	69	7	14	63	94	58	30	·	·	·	·	·	·	·	·	56	13	27	3	13	52	27	·	1	143	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal and other Professions ; Naval and Military Officers, and Heads of Public Departments ..	7,868	·	47	2	·	1	12	7	12	13	2	·	·	·	·	·	·	·	1	·	3	·	4	4	2	·	8	23	·
	2. Merchants and Manufacturers, Higher Class	1,347	·	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
	3. Persons of Rank and Property, not otherwise described	5,443	·	7	·	·	·	1	5	·	1	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	4	·
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c.	9,523	·	33	2	3	2	7	5	10	4	1	·	·	·	·	·	·	·	3	1	4	·	2		1	·	1	17	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	·	54	10	2	1	7	15	10	9	·	·	·	·	·	·	·	·	5	2	6	·	2	8	2	·	1	28	2
	6 Clerks and Commercial Assistants ..	33,249	·	99	25	7	11	26	17	5	8	·	·	·	·	3	2	·	·	21	4	5	4	2	3	6	·	4	45	3
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above	33,827	·	100	6	4	6	16	29	19	20	1	·	·	·	·	·	·	1	4	3	16	2	4	4	2	1	8	54	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers Engravers, Printers Watchmakers, and Jewellers ..	11,777	·	27	10	1	·	5	6	4	1	·	·	·	·	1	1	·	·	2	1	1	·	1	2	2	·	·	16	1
	9. Building and Furnishing Trades ..	28,823	·	108	40	7	6	11	20	17	7	1	·	·	·	·	2	·	·	11	4	7	3	8	5	14	2	5	46	2
	10. Clothing Trades	20,026	·	44	12	2	4	9	12	3	2	·	·	·	·	·	·	1	·	11	2	3	2	·	2	6	·	2	15	2
	11. Food Supply Trades	8,952	·	24	7	1	1	5	5	2	3	·	·	·	·	·	·	·	1	4	·	·	2	1	2	3	·	3	8	2
	12. Other Trades and Callings ranking with Trades	32,070	·	130	40	3	13	19	32	18	5	1	·	·	·	·	·	1	·	30	·	6	1	6	14	12	1	5	53	6
	13. Petty Shopkeepers	6,772	·	21	4	1	1	5	4	3	3	1	·	·	·	·	·	·	·	3	·	1	·	1	·	1	·	·	14	·
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	·	159	69	7	20	37	14	8	4	·	·	·	1	·	2	·	·	15	4	7	5	6	6	29	·	56	57	10
	15. Domestic Servants	36,041	·	42	11	·	6	8	11	2	4	1	·	·	·	·	·	·	·	8	2	5	·	3	2	6	1	·	14	6
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	·	59	19	6	4	6	15	3	6	1	·	·	1	1	·	·	·	9	1	4	1	2	6	12	·	1	20	3
	17. Hawkers, Porters, Labourers, &c. ..	103,081	·	481	194	31	34	65	86	43	28	3	·	·	8	7	4	3	·	53	13	20	17	24	28	74	1	43	183	45
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	·	335	69	7	14	63	94	58	30	·	·	·	·	·	·	·	·	56	13	27	3	13	52	27	·	1	143	·

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 30th September, 1916,** in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts	Population. Total.*	Population. Persons to an Acre.	Annual Rate 1,000 persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.†	Registration—Quarter (13 Weeks) ended 30th September, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Total of 19 Town Districts ..	1,122,268	19·7	23·7	14·5	1·8	6,648	4,081	788	883	22	5	.	34	24	42	16	1	538	163	262	173	296	346	27	125	135	1,383	174
Dublin Registration Area.—																												
Total	397,000	28·9	25·8	16·3	2·4	2,560	1,621a	358	351	12	.	.	9	11	11	4	1	219	45	105	76	139	186	6	73	38	671	87
Urban Districts. City of Dublin	303,600	38·4	27·3	17·6	2·8	2,070	1,338	313	264	11	.	.	9	8	10	3	.	182	38	78	58	117	167	6	65	35	583	78
Rathmines and Rathgar ..	39,000	22·8	18·1	10·1	0·9	176	98	14	35	.	.	.	.	2	.	1	.	13	1	8	7	9	6	.	2	.	33	5
Pembroke	29,100	18·5	24·6	13·6	2·1	179	99	24	21	.	.	.	.	1	1	.	1	12	4	8	5	9	12	.	2	1	27	.
Blackrock	8,900	8·2	15·7	9·4	0·4	35	21	2	6	.	.	.	.	.	.	.	.	5	1	2	2	.	1	.	.	.	5	.
Kingstown	16,400	11·2	24·4	15·9	0·2	100	66	5	25	1	.	.	.	.	.	.	.	7	1	9	4	4	.	.	4	2	23	4
Urban Districts. Belfast	390,000	26·1	22·7	13·7	1·7	2,214	1,331	244	275	6	4	.	20	11	13	3	.	169	71	80	69	88	95	14	29	54	364	18
Cork	76,673	28·6	24·2	12·8	0·8	463	246	43	54	.	1	.	.	.	2	1	.	41	10	19	11	7	11	1	4	7	103	7
Londonderry	40,000	15·5	26·8	13·2	2·8	268	132	32	25	1	.	.	.	1	4	.	.	16	4	6	2	19	22	.	4	5	20	3
Limerick	38,518	16·1	22·2	16·3	0·5	214	157	27	21	.	.	.	.	1	1	1	.	21	3	5	4	7	2	.	5	6	49	23
Waterford	27,464	19·1	18·9	14·3	3·1	130	98	15	19	.	.	.	5	.	9	2	.	10	5	7	4	5	4	1	2	8	37	5
Galway	13,255	2·5	25·0	13·9	0·3	83	46	5	15	.	.	.	.	.	.	1	.	5	3	4	.	7	.	.	1	1	22	7
Dundalk	13,128	9·5	28·0	9·4	1·2	92	31	6	4	1	.	.	.	.	.	.	.	.	1	2	1	2	3	.	.	.	9	2
Lurgan	12,553	14·7	22·0	8·6	.	69	27	5	6	.	.	.	.	.	.	.	.	7	1	.	1	3	.	.	.	1	5	.
Droghfda	12,501	8·4	17·6	16·0	1·0	55	50	8	10	.	.	.	.	.	.	.	.	7	1	5	.	2	2	1	.	2	7	2
Lisburn	12,388	10·9	17·1	12·6	4·2	53	39	8	11	1	.	.	.	.	1	.	.	3	.	4	1	1	9	2	.	1	3	.
Newry	11,963	17·0	20·7	13·7	0·3	62	41	3	10	.	.	.	.	.	.	.	.	7	3	3	.	2	1	.	1	3	9	1
Portadown	11,727	15·3	19·8	11·9	1·0	58	35	9	11	.	.	.	.	.	.	1	.	1	.	3	.	3	2	.	.	.	9	.
Wexford	11,531	22·8	20·5	11·8	0·3	59	34	5	11	.	.	.	.	.	.	.	.	3	4	4	.	1	1	.	3	3	7	4
Ballymena	11,381	9·3	26·0	10·5	0·4	74	30	5	8	.	.	.	.	.	.	.	.	5	2	2	2	2	1	.	.	.	2	3
Sligo	11,163	3·8	24·0	17·2	1·4	67	48	6	13	1	.	.	.	.	.	1	.	3	6	5	1	3	2	.	.	1	16	5
Kilkenny	10,514	11·4	16·4	13·7	1·1	43	36	2	15	.	.	.	.	.	.	1	.	8	.	2	.	2	.	1	.	1	15	3
Tralee	10,300	17·4	16·3	14·4	2·3	42	37	3	9	.	.	.	.	.	.	1	.	7	3	1	1	2	4	1	1	1	14	3
Clonmel	10,209	7·8	16·5	16·5	0·4	42	42	4	15	.	.	.	.	.	.	.	.	6	1	5	.	1	1	.	2	3	21	1

* According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population is that estimated to the middle of 1916. † See note (*) on page 410*h*.

(a) Including two deaths from cerebro-spinal fever or cerebro-spinal meningitis.

Nineteen Principal Town Districts of Ireland.—The annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 14·5 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Lurgan, 8·6; Dundalk, 9·4; Ballymena, 10·5 ; Wexford, 11·8 ; Portadown, 11·9 ; Lisburn, 12·6 ; Cork, 12·8 ; Londonderry, 13·2 ; Belfast, 13·7 ; Newry, 13·7 ; Kilkenny, 13·7 ; Galway, 13·9 ; Waterford, 14·3 ; Tralee, 14·4 ; Drogheda, 16·0 ; Dublin Registration Area, 16·3 ; Limerick, 16·3 ; Clonmel, 16·5 ; and Sligo, 17·2.

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 1·8 per 1,000 of the population, the rates varying from 0·0 in Lurgan to 4·2 in Lisburn, the 39 deaths from all causes for that district including one from enteric fever, one from whooping-cough, and 11 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *eighteen provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for that quarter :—

Enteric Fever.—Of 10 deaths from enteric fever, 6 belonged to Belfast and one each to Londonderry, Dundalk, Lisburn, and Sligo.

Typhus.—There were 5 deaths from typhus, of which 4 belonged to Belfast and one to Cork.

Small Pox.—There was no mortality from this disease.

Measles.—There were 25 deaths from measles comprising 20 for Belfast, and 5 for Waterford.

Scarlet Fever.—For Belfast 11 deaths were returned ; and for Londonderry and Limerick one death each.

Whooping-Cough.—There were 31 deaths from whooping-cough ; 13 of these appertained to Belfast ; 9 to Waterford ; 4 to Londonderry ; 2 to Cork ; and one each to Limerick, Lisburn, and Kilkenny.

Diphtheria.—Three deaths were recorded from Belfast ; 2 for Waterford, and and one each for Cork, Limerick, Galway, Portadown, Sligo, Kilkenny, and Tralee.

Diarrhœal Diseases.—There were 160 deaths from diarrhœa and enteritis under 2 years of age ; 95 of these occurred in Belfast ; 22 in Londonderry, 11 in Cork, 9 in Lisburn ; 4 in each of Waterford and Tralee, and 3 in Dundalk.

Pulmonary Tuberculosis.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 1·9 per 1,000 of the estimated population ; for the Dublin Registration Area it was 2·2 per 1,000, for Belfast county borough 1·7 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast), it was 1·8 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

TABLE V.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK Registered during the **Quarter** (13 weeks) **ended 30th September, 1916.** Deaths in Public Institutions of persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from all Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 years and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	95	16·9	2·8	67	12	8	11	11	15	10	·	·	·	3	·	·	·	·	9	4	2	3	6	7	1	·	3	25	·
Do. 2 do.	49,500	265	13·5	1·5	167	33	21	19	31	33	30	·	·	·	6	·	4	1	·	21	10	15	8	9	7	1	3	5	45	2
Do. 3 do.	50,032	311	14·8	2·6	186	37	13	23	27	45	41	1	1	·	2	·	3	·	·	12	12	10	11	10	20	6	3	8	56	3
Do. 4 do.	32,637	171	17·0	1·2	139	29	8	14	25	28	35	·	·	·	·	1	·	1	·	15	3	5	11	6	6	2	3	5	59	1
Do. 5 do.	16,112	98	18·1	2·0	73	16	4	3	12	24	14	·	·	·	·	1	1	·	·	11	1	5	3	8	6	·	3	5	22	1
Do. 6 do.	37,293	170	13·3	1·2	124	16	9	11	19	25	44	1	·	·	1	2	1	·	·	14	2	8	9	7	5	1	·	2	24	1
Do. 7 do.	2,681	10	9·0	·	6	·	·	3	1	·	2	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	1	1	2	·
Do. 8 do.	5,964	29	12·1	1·3	18	3	2	1	5	5	2	·	·	·	1	1	·	·	·	4	·	2	·	·	·	·	2	2	3	·
Do. 9 do.	24,427	120	10·6	2·5	65	14	5	7	11	14	14	1	·	·	·	1	1	·	·	11	1	1	5	6	11	1	·	2	16	·
Do. 10 do.	28,958	179	12·6	1·2	91	19	8	11	13	28	12	·	2	·	·	·	·	·	·	15	9	4	5	5	5	2	1	2	20	3
Do. 11 do.	39,311	235	11·1	1·0	109	19	2	17	25	20	26	·	·	·	2	2	1	·	·	21	5	7	2	12	5	·	1	2	25	2
Do. 12 do.	38,076	255	14·9	2·6	142	25	22	18	21	31	25	2	·	·	5	2	2	1	·	18	6	12	5	12	13	·	9	10	36	3
Do. 13 do.	23,233	139	7·6	0·9	44	9	1	8	6	10	10	1	·	·	·	1	·	·	·	7	1	5	1	1	3	·	·	1	5	2
Do. 14 do.	175	3	22·7	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	134	17·5	1·4	99	12	7	11	24	35	10	·	1	·	·	·	·	·	·	10	16	4	5	5	7	·	3	6	26	·
Total, ...	386,947	2,214	13·7	1·7	1,331	244	110	158	231	313	275	6	4	·	20	11	13	3	·	169	71	80	69	88	95	14	29	54	364	18
City of Cork.																														
CORK URBAN No. 1 DISTRICT, ..	13,455	77	8·9	·	30	6	·	6	4	7	7	·	·	·	·	·	·	·	·	1	·	2	1	2	·	·	·	·	14	1
Do. 2 do. ..	10,399	75	13·8	1·2	36	7	3	9	7	7	3	·	·	·	·	·	·	1	·	9	4	3	3	1	2	·	·	·	10	·
Do. 3 do. ..	9,793	65	13·1	0·4	32	5	1	4	7	7	8	·	·	·	·	·	·	·	·	9	1	2	1	2	1	·	·	2	10	1
Do. 4 do. ..	9,139	49	14·0	0·9	32	4	3	4	6	6	9	·	·	·	·	·	1	·	·	7	2	3	1	·	1	·	2	2	17	·
Do. 5 do. ..	6,250	29	12·2	·	19	3	·	2	3	6	5	·	·	·	·	·	·	·	·	3	·	3	3	·	·	·	·	·	6	3
Do. 6 do. ..	11,581	73	13·5	1·7	39	7	2	3	10	11	6	·	·	·	·	·	1	·	·	6	·	2	1	·	4	·	·	·	19	·
Do. 7 do. ..	16,056	95	14·4	1·2	58	11	2	4	11	14	16	·	1	·	·	·	·	·	·	6	3	4	1	2	3	1	2	3	27	2
Total, ...	76,673	463	12·8	0·8	246	43	11	32	48	58	54	·	1	·	·	·	2	1	·	41	10	19	11	7	11	1	4	7	103	7

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916. † See note (*) on page 410*h*.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
25*th October*, 1916.

WILLIAM J. THOMPSON,
Registrar-General.

(10205). Wt. 1910. 3, 375. 10/1916 A. T. & Co. Ltd.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 40. Vol. LIII.] Week ending Saturday, 7th October, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 9th October, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 15·7 and 15·9; Dublin Registration Area, 18·7 and 17·5; Dublin City, 20·1 and 18·3; Belfast, 14·0 and 13·7; Cork, 14·3 and 16·0; Londonderry, 15·6 and 16·6; Limerick, 13·5 and 18·9; and Waterford, 28·5 and 20·4.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·0 per 1,000. Among the 105 deaths from all causes for Belfast are one from enteric fever, one from measles, and 4 from diarrhœal diseases. Two of the 21 deaths recorded for Cork were of children under 2 years from diarrhœa and enteritis. Of the 12 deaths from all causes for Londonderry, 3 were of children under 2 years of age from diarrhœa and enteritis. Included in the 15 deaths from all causes for Waterford are 2 from measles, and 2 of the 3 deaths from all causes for Lisburn were of children under 2 years of age from diarrhœa and enteritis.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 204—109 boys and 95 girls—and the deaths to 146—77 males and 69 females.

The deaths registered, omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·7 per 1,000 of the population. During the forty weeks ending with Saturday last, the death-rate averaged 19·9, and was 1·6 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the forty weeks was 21·5, and for the corresponding period of the preceding ten years, 22·7.

The 142 deaths appertaining to the Area include 3 from enteric fever, 3 from whooping-cough, 3 from diphtheria, one from influenza, and 15 deaths from diarrhœal diseases.

In the 3 preceding weeks deaths from enteric fever numbered 0, 2, and 4; deaths from whooping-cough 0, one, and one; deaths from diphtheria 0, 0, and one, and deaths from diarrhœal diseases, 33, 24, and 17 respectively. There were no deaths from influenza during the 3 preceding weeks.

Tuberculous disease caused 23 deaths (comprising 16 from pulmonary tuberculosis, one from tuberculous meningitis, and 6 from other forms of the disease), as against 19, 18, and 18, respectively, in the three weeks preceding.

Twelve deaths were caused by cancer, 12 by pneumonia (comprising 4 from broncho-pneumonia, and 8 from pneumonia, type not distinguished), 13 by organic diseases of the heart, and 11 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, one to congenital malformation, 2 to premature birth, and 3 to congenital debility.

One death was the result of a railway accident; and there were 2 suicides.

Fifty-five of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 35 being infants under one year, of whom 10 were under one month old.

Of the 142 deaths recorded, 50 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 12·0), was equal to an average annual death-rate of 12·5 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 15·1 per 1,000, the rate for Glasgow being 15·7, and for Edinburgh 14·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th September. From this Report it appears that of 63 cases notified, 20 were scarlet fever, 18 pulmonary tuberculosis, 4 other forms of tuberculosis, 12 diphtheria, 6 erysipelas, 2 enteric fever, and one cerebro-spinal fever. Among the 372 cases of infectious diseases in hospital at the close of the week were 142 of pulmonary tuberculosis, 111 of scarlet fever, 77 of diphtheria, 8 of measles, 7 of erysipelas, 6 of cerebro-spinal fever, 6 of enteric fever, 2 of whooping-cough, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 7th October, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Sept. 16,	·	—	—	3	·	·	2	·	1	18	·	1	—	—	·	—	1	13	39
	Sept. 23,	·	—	—	13	·	·	2	·	·	37	2	·	—	—	·	—	2	18	74
	Sept. 30,	·	—	—	7	·	·	2	·	2	26	6	·	—	—	·	—	2	10	55
	Oct. 7,	·	—	—	5	2	·	4	·	1	18	1	·	—	—	·	—	·	20	51
Rathmines and Rathgar Urban District	Sept. 16,	·	—	—	2	·	·	·	·	·	1	1	·	—	—	—	—	—	—	4
	Sept. 23,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	—	—	—	—	2
	Sept. 30,	·	—	—	2	·	·	·	·	·	·	3	·	—	—	—	—	—	—	5
	Oct. 7,	·	—	—	·	·	·	2	·	·	2	1	·	—	—	—	—	—	—	5
Pembroke Urban District.	Sept. 16,	·	·	·	·	·	·	·	·	·	·	·	·	—	3	·	—	—	·	3
	Sept. 23,	·	1	·	·	·	·	·	·	·	1	·	·	—	2	·	—	—	3	7
	Sept. 30,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	1	1
	Oct. 7,	·	·	·	·	·	·	·	1	·	·	·	·	—	10	·	—	—	·	11
Blackrock Urban District.	Sept. 16,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Sept. 23,	·	·	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	·	2
	Sept. 30,	·	·	—	·	·	·	·	·	·	1	·	·	—	—	·	—	—	·	1
	Oct. 7,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
Kingstown Urban District.	Sept. 16,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	—	—	—	·	2
	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·a
	Sept. 30,	·	—	—	·	·	·	·	·	·	1	·	·	—	—	—	—	—	·	1
	Oct. 7,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
City of Belfast	Sept. 16,	·	—	—	15	·	·	3	·	·	5	3	·	—	—	·	—	1	·	27
	Sept. 23,	·	—	—	29	·	·	2	·	·	6	·	·	—	—	·	—	·	·	37
	Sept. 30,	·	—	—	25	·	·	9	·	·	3	5	·	—	—	·	—	·	2	44
	Oct. 7,	·	—	—	14	·	·	1	·	·	·	1	·	—	—	1	—	2	1	20
City of Cork	Sept. 16,	·	·	—	5	·	·	2	·	·	3	2	1	—	—	—	22	—	—	35
	Sept. 23,	·	·	—	2	·	·	2	1	·	1	1	1	—	—	—	14	—	—	22
	Sept. 30,	·	·	—	2	·	·	1	·	·	2	·	·	—	—	—	8	—	—	13
	Oct. 7,	·	·	—	2	·	·	1	·	·	·	1	1	—	—	—	1	—	—	6
City of Londonderry	Sept. 16,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	—	1
	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 30,	·	—	—	2	·	·	1	·	·	·	·	·	—	—	·	—	—	—	3
	Oct. 7,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
City of Limerick.	Sept. 16,	·	—	—	2	·	·	·	·	·	·	·	·	—	—	·	—	—	—	2
	Sept. 23,	·	—	—	·	·	·	·	·	·	2	·	·	—	—	·	—	—	—	2
	Sept. 30,	·	—	—	1	·	·	1	·	·	1	·	·	—	—	·	—	—	—	3
	Oct. 7,	·	—	—	·	·	·	·	·	·	3	·	·	—	—	·	—	—	—	3
City of Waterford.	Sept. 16,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	—	—	—	·	1
	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 30,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	1	2
	Oct. 7,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

a One case of poliomyelitis was reported.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th October, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 14 and 106; typhus 2 and 2, measles nil and one; scarlet fever 11 and 54*; and diphtheria 11 and 19. Seven cases of pneumonia were admitted during the week and 13 remained under treatment at its close. Of the deaths in hospitals during the week one was from enteric fever, and 3 were from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 7th October, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	BIRTHS. Total Number.	DEATHS. Total Number.	DEATHS. Under 1 year of Age.	DEATHS. At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Uncertified Number of Deaths.	METEOROLOGY. (c) Week ending 7th October, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	23·5	15·7	2·0	505	337	73	68	4	·	·	3	·	3	3	·	44	13	21	24	22	26	3	11	11	94	8	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	26·8	18·7	3·2	204	142	35	33	3	·	·	·	·	3	3	·	16	7	12	12	12	14	1	3	3	50	3	(d) 69·7	47·4	57·9	1·92
Urban Districts. CITY OF DUBLIN,	303,600	38·4	28·7	20·1	3·8	167	117	30	27	3	·	·	·	·	3	3	·	12	6	9	9	9	12	1	3	3	43	2	(e) 69·0 (f) 70·5	50·5 50·2	58·4 59·1	1·84 2·02
RATHMINES and RATHGAR.	39,000	22·8	20·1	12·0	·	15	9	·	3	·	·	·	·	·	·	·	·	2	·	1	1	2	·	·	·	·	5	·	·	·	·	·
PEMBROKE, ..	29,100	18·5	28·7	17·9	1·8	16	10	3	3	·	·	·	·	·	·	·	·	·	·	2	2	·	1	·	·	·	2	1	·	·	·	·
BLACKROCK, ..	8,900	8·2	·	5·8	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	16,400	11·2	19·1	15·9	3·2	6	5	2	·	·	·	·	·	·	·	·	·	1	1	·	·	1	1	·	·	·	·	·	71	51	60·4	1·30
Urban Districts. BELFAST, ..	390,000	26·1	20·5	14·0	0·8	153	105	19	20	1	·	·	1	·	·	·	·	16	3	7	9	3	2	2	4	4	26	·	66	48	55·2	2·97
CORK, ...	76,673	28·6	21·8	14·3	1·4	32	21	6	1	·	·	·	·	·	·	·	·	4	·	·	1	1	2	·	·	1	10	·	65	52	59·5	2·91
LONDONDERRY, ..	40,000	15·5	28·7	15·6	3·9	22	12	3	2	·	·	·	·	·	·	·	·	2	1	·	1	1	3	·	·	·	1	2	·	·	·	·
LIMERICK, ..	38,518	16·1	27·1	13·5	1·4	20	10	3	2	·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	·	·	2	·	68·1	46·3	58·4	1·64
WATERFORD, ..	27,464	19·1	13·3	28·5	3·8	7	15	3	3	·	·	·	2	·	·	·	·	1	·	1	·	2	·	·	2	2	·	1	·	·	·	·
GALWAY, ...	13,255	2·5				1	2	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	65	51	57	3·01
DUNDALK, ..	13,128	9·5				10	5	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	1	1	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				5	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	66	47	56	2·64
DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			10	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·
LISBURN, ..	12,388	10·9				6	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	66	47	56	2·64
NEWRY, ...	11,963	17·0				4	4	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	66	47	56	2·64
PORTADOWN, ..	11,727	15·3				6	4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	66	47	56	2·64
WEXFORD, ..	11,531	22·8				8	1	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·	·	·	·
BALLYMENA, ..	11,381	9·3				1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	65	47	56·0	3·25
KILKENNY, ..	10,514	11·4				6	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	2	1	69	49	59·2	2·02
TRALEE, ...	10,300	17·4				4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON, ...	4,310,030	—	—	12·0	—	1,849	988	166	334	3	·	·	10	3	2	12	—	97	23	106	76	60	62	11	35	99	456	4	·	·	·	·
EDINBURGH, ...	329,200	—	—	14·7	—	121	93g	12	37	1	·	·	2	2	·	·	—	—	—	—	—	—	3	—	4	—	—	—	63·6	37·9	51·7	1·54
GLASGOW, ...	1,091,600	—	—	15·7	—	488	329	79	7	1	·	·	3	2	2	5	—	—	—	—	—	—	44	—	18	—	—	—	60·6	33·8	51·0	2·36

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal fever.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 40th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 7th October, 1916. All Ages.	Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	158·6	146	10	25	12	9	2	2	2	3	10	10	17	11	19	14	142
Enteric Fever ..	1·4	3	.	.	1	.	.	.	1	.	.	1	.	.	.	.	3
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·0	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	3
Diphtheria	1·0	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	3
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·8	17	.	.	1	1	.	.	.	2	6	3	2	1	1	.	16
Tuberculous Meningitis	2·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	1·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Tuberculosis of Joints	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	3·2	3	.	.	1	.	1	.	.	.	.	1	.	.	.	.	3
Venereal Diseases ..	·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	11·4	12	.	.	.	.	.	.	.	.	.	1	5	4	2	.	12
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other General Diseases	·8	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	5·4	6	.	.	.	.	.	.	.	.	.	1	.	.	4	1	6
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Convulsions (non-puerperal).	2·8	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	3·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Pericarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	13·8	14	.	.	.	.	.	.	1	.	1	.	5	.	6	1	13
Embolism and Thrombosis (including Cerebral).	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	12·0	11	.	3	2	1	.	.	.	.	.	.	1	1	.	3	11
Broncho-pneumonia ..	2·6	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	4
Lobar pneumonia ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	3·8	8	.	1	1	.	.	.	.	.	1	.	2	1	2	.	8
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Respiratory System	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the FORTIETH WEEK, ending Saturday, 7th October, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 40th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 7th October, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			Under 1 month.	0—5. 1 month and under 1 year.	0—5. 1—2.	0—5. 2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx, Tonsillitis.	·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Diseases of Stomach ..	2·4	3	·	1	·	·	·	1	·	·	·	·	·	1	·	·	3
Diarrhœa and Enteritis of Children under 2 years.	19·0	14	·	13	1	·	·	·	·	·	·	·	·	·	·	·	14
Diarrhœa 2 years and upwards.	·8	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Enteritis 2 years and upwards.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·6	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Hernia and Intestinal Obstructions.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cirrhosis of Liver ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Chronic Bright's Disease	3·6	4	·	·	·	·	·	·	·	·	·	2	1	1	·	·	3
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·2	2	·	1	·	·	1	·	·	·	·	·	·	·	·	·	2
Premature Birth ..	4·8	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Congenital Debility ..	5·4	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	3
Old Age	3·6	4	·	·	·	·	·	·	·	·	·	·	·	·	2	2	4
Other Specified Diseases	1·8	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Vehicles and Horses ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																	
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·4	2	·	·	·	·	·	·	·	1	·	·	·	1	·	·	2
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	4·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1

TABLE IV.—Showing for the WEEK ENDED 7TH OCTOBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age periods, and the number of Uncertified Deaths. *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 7TH OCTOBER, 1916.

REGISTRARS' DISTRICTS, &c	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	33·7	7·1	19	8	1	2	1	·	1	4	2	·	·	·	·	·	·	1	·	2	2	2	1	1	2	1	·	7	·	3	4	1
,, 1, W., ...	40,200	29·8	6·5	23	4	4	3	·	2	3	6	1	2	·	·	·	·	·	1	·	3	1	·	2	3	2	·	1	8	1	4	5	·
,, 2, ...	26,900	21·3	1·9	11	3	·	1	·	1	·	2	4	·	·	·	·	·	·	·	·	1	·	1	1	·	1	·	·	7	·	2	2	·
,, 3, ...	35,200	13·3	1·5	9	3	2	·	·	·	·	2	2	·	·	·	·	·	1	·	·	·	1	1	1	·	·	·	·	5	·	2	3	1
CLONTARF AND HOWTH, No. 1, part of	5,400	9·7	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	15·7	3·9	4	·	·	·	·	1	·	·	3	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	10,800	19·3	·	4	1	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	2	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	9·1	1·3	7	1	·	·	2	·	1	1	2	·	·	·	·	·	·	·	·	·	2	2	·	·	1	·	·	2	·	1	1	·
,, 2, ...	17,800	14·6	5·9	5	2	·	·	·	·	1	·	2	·	·	·	·	·	1	·	·	·	·	1	1	·	1	·	·	1	·	1	1	·
,, 3, ...	42,400	20·9	4·9	17	4	3	1	·	·	4	2	3	·	·	·	·	·	·	·	·	5	·	·	2	1	4	·	·	5	·	3	2	·
,, 4, ...	32,000	19·6	4·9	12	3	1	·	·	·	·	2	6	·	·	·	·	·	1	1	·	·	·	1	·	1	1	·	1	6	1	5	2	·
NEW KILMAINHAM, ...	10,100	25·8	·	5	·	1	·	·	·	·	3	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	1	2	1	1	1	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	12·0	·	9	·	·	·	·	·	3	3	3	·	·	·	·	·	·	·	·	2	·	1	1	2	·	·	·	3	·	4	1	·
PEMBROKE, ...	29,100	17·9	1·8	10	3	·	·	1	·	1	2	3	·	·	·	·	·	·	·	·	·	·	2	2	·	1	·	·	5	·	2	·	1
BLACKROCK, ...	8,900	5·8	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN	16,400	15·9	3·2	5	2	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	1	1	·	·	1	·	·	·	·
TOTAL CITY. North, ...	161,200	23·0	3·9	71	20	7	6	1	4	5	15	13	3	·	·	·	·	1	2	·	7	4	4	6	6	5	1	1	31	1	11	14	2
TOTAL CITY. South, ...	142,400	16·8	3·7	46	10	5	1	2	·	6	8	14	·	·	·	·	·	2	1	·	5	2	5	3	3	7	·	2	16	2	11	7	·
TOTAL CITY. North and South, ..	303,600	20·1	3·8	117	30	12	7	3	4	11	23	27	3	·	·	·	·	3	3	·	12	6	9	9	9	12	1	3	47	3	22	21	2
Total Urban Districts, ...	93,400	14·0	1·1	25	5	·	1	1	1	6	5	6	·	·	·	·	·	·	·	·	4	1	3	3	3	2	·	·	9	·	6	1	1
Total Registration Area, ..	397,000	18·7	3·2	142	35	12	8	4	5	17	28	33	3	·	·	·	·	3	3	·	16	7	12	12	12	14	1	3	56	3	28	22	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				4	·	·	1	·	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	3	·	4	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th October, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 7TH OCTOBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	146	56	4	5	20	28	19	14	3	.	.	.	.	3	3	.	17	7	12	4	12	12	14	1	3	55	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	7·1	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS	101,798	10·8	21	5	.	1	4	3	3	5	.	.	.	.	.	.	.	.	2	.	3	1	1	3	2	.	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	14·9	31	8	2	1	5	7	7	1	1	.	.	.	.	.	.	.	2	1	5	.	2	.	4	.	1	15	.
IV.	GENERAL SERVICE CLASS	167,479	21·8	70	38	2	3	8	9	5	5	2	.	.	.	.	3	3	.	11	4	.	3	7	7	6	1	2	21	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	5	..	..	2	8	4	3	.	.	.	.	.	.	.	.	2	1	3	.	2	2	2	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	1	1	.	..	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	1	..	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants,	33,249	—	8	3	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	1	1	1	3	1	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	1	.	1	3	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	11	3	.	1	2	3	2	.	1	.	.	.	.	.	.	.	1	.	2	.	1	.	2	.	.	4	.
	10. Clothing Trades, ...	20,026	—	4	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
	11. Food Supply Trades, ...	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	12	1	2	.	2	4	3	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1	8	.
	13. Petty Shopkeepers, ...	6,772	—	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	17	9	.	2	2	2	.	2	.	.	.	.	.	.	.	.	2	1	.	1	1	4	3	.	1	4	.
	15. Domestic Servants, ...	36,041	—	6	1	.	1	1	2	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	1	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	8	4	.	.	2	2	.	.	1	.	.	.	.	.	1	.	2	.	.	.	1	.	.	1	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	39	24	2	.	3	3	5	2	1	.	.	.	.	3	2	.	4	3	.	2	5	3	2	.	.	14	3
V	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	22	5	.	.	2	8	4	3	.	.	.	.	.	.	.	.	2	1	3	.	2	2	2	.	.	10	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
	Week ending													Week ending												
	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	July 15	July 22.	July 29	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16	Sept. 23.	Sept. 30.	Oct. 7.
No. of weeks in Annual Series ..	28	29	30	31	32	33	34	35	36	37	38	39	40	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered	182	206	193	207	181	162	244	152	219	178	215	181	204	145	165	155	152	166	164	153	202	177	182	154	180	153
Average Births in corresponding week of previous 10 years, ...	212	217	216	221	200	219	218	202	240	201	217	237	203	200	223	220	218	212	204	193	199	210	210	187	201	208
Number of Deaths, ...	143	116	110	107	126	125	110	147	113	132	119	139	142	110	109	93	95	87	100	123	117	100	95	109	100	105
Annual Death-rate per 1,000 ..	18·8	15·2	14·4	14·1	16·5	16·4	14·4	19·3	14·8	17·3	15·6	18·3	18·7	14·7	14·6	12·4	12·7	11·6	13·4	16·4	15·6	13·4	12·7	14·6	13·4	14·0
Average Deaths in corresponding week of previous 10 years, ...	135	134	132	129	131	143	146	148	152	154	154	152	151	113	117	115	109	112	117	123	126	125	123	126	122	117
Ages, .. Under one year, ..	17	23	22	12	20	27	23	42	29	45	34	36	35	15	16	17	20	11	17	22	26	20	26	29	11	19
1— 5 years, ..	12	6	5	12	15	17	17	11	11	13	13	13	20	9	9	6	10	5	10	13	8	9	12	7	6	4
5—25 ,, ..	20	20	12	8	14	12	10	17	9	14	11	10	9	20	8	11	14	12	11	21	7	11	4	14	10	13
25—45 ,, ..	30	17	25	24	19	16	21	16	20	8	13	17	17	22	17	10	14	22	23	17	26	13	18	18	16	16
45—65 ,, ..	35	25	21	21	24	31	22	37	27	20	22	32	28	25	36	31	19	18	17	33	22	26	18	21	28	33
65 and upwards, ..	29	25	25	30	34	22	17	24	17	32	26	31	33	19	23	18	18	19	22	17	28	21	17	20	29	20
Deaths from :—																										
Enteric Fever, ...	·	·	·	1	1	·	·	3	·	·	2	4	3	1	1	·	·	·	·	·	·	2	·	1	1	1
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	1	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	1	·	1	·	1	2	1	1	1	·	·	·	4	2	1	2	1	3	2	·	1	1	1	·	1
Scarlet Fever, ...	1	·	·	·	1	·	3	1	·	·	2	1	·	2	·	1	2	1	1	·	·	1	·	1	2	·
Whooping-cough, ...	2	·	·	·	1	1	1	2	1	·	1	1	3	1	1	1	·	·	1	5	·	1	1	1	·	·
Diphtheria, ...	·	1	·	·	·	1	1	·	·	·	·	1	3	·	·	·	2	·	1	·	·	·	·	·	·	·
Dysentery, ...	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	16	20	15	15	18	21	14	16	16	16	13	16	16	21	16	11	5	15	13	18	15	10	8	11	6	16
Other Forms, ..	4	3	3	5	5	4	2	4	2	3	5	2	7	4	5	5	7	3	4	11	6	5	6	5	5	3
Cancer, ...	8	7	7	6	7	4	11	14	13	5	5	9	12	5	8	4	9	7	3	6	4	9	6	5	9	7
Diseases of Respiratory System, { Pneumonia ..	9	4	4	5	5	9	6	6	4	1	6	8	12	8	9	6	4	4	5	10	8	5	1	3	4	9
Others, ..	11	12	9	16	8	14	9	11	1	10	9	15	12	9	10	6	11	9	6	5	7	6	2	4	8	3
Diarrhœa and Enteritis, under 2 years, ...		3	4	3	11	11	17	31	26	31	23	17	14	1	·	1	2	3	6	8	11	17	21	18	6	2
Diarrhœa, 2 years and upwards..	·	·	·	·	1	·	1	1	·	2	1	·	1	·	1	·	·	·	·	1	3	1	1	2	3	2
Violent Deaths, ...	29	6	3	7	6	2	2	3	4	5	1	3	3	4	2	5	5	1	2	·	2	·	·	·	2	4
Number of Uncertified Deaths, ..	33	10	4	4	·	6	3	4	5	6	4	4	3	2	·	1	2	1	2	2	1	1	2	1	1	·

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th October, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES: the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	19·7	3·3	6	1	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
Do. 2 do.	49,500	15	11·6	1·1	11	.	.	2	2	3	4	1	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	1	2	.
Do. 3 do.	50,032	18	10·4	.	10	2	1	3	.	1	3	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	.	.
Do. 4 do.	32,637	14	19·2	1·6	12	3	1	1	2	4	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	4	.
Do. 5 do.	16,112	5	12·9	.	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do.	37,293	12	11·2	.	8	3	.	1	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	1	.
Do. 7 do.	2,681	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	17·5	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	12	14·9	2·1	7	1	.	1	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	1	1	3	.
Do. 10 do.	28,958	19	18·0	.	10	1	.	.	2	4	3	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	3	.
Do. 11 do.	39,311	10	14·6	1·3	11	.	1	2	4	3	1	.	.	.	1	.	.	.	.	4	.	1	.	.	.	.	1	.	5	.
Do. 12 do.	38,076	23	17·8	1·4	13	5	1	2	.	4	1	.	.	.	.	.	.	.	.	1	.	1	3	.	1	.	.	.	2	.
Do. 13 do.	23,233	7	6·7	.	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	6	18·4	.	8	1	.	1	3	1	2	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	4	.
Total,	386,947	153	14·0	0·8	105	19	4	13	16	33	20	1	.	.	1	.	.	.	.	16	3	7	9	3	2	2	4	4	26	.
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	5	11·6	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 2 do.	10,399	3	35·1	10·0	7	3	.	1	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	2	.	.	1	3	.
Do. 3 do.	9,793	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	3	17·1	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Do. 5 do.	6,250	2	25·0	.	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	5	9·0	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,056	11	9·7	.	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total	76,673	32	14·3	1·4	21	6	1	2	5	6	1	.	.	.	.	.	.	.	.	4	.	.	1	1	2	.	.	1	10	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th October, 1916

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	.	..	.	2	.	.	.	.	2	4
,, ,, 1, West ..	.	.	.	.	1	.	.	6	1	.	.	.	3	11
,, ,, 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	3	4
,, ,, 3, ...	.	1	.	.	.	.	.	3	.	.	.	.	1	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	1	.	.	.	.	.	2	.	.	.	.	4	7
,, ,, ,, 2, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
,, ,, ,, 3, ...	.	1	2	.	.	.	.	2	.	.	.	.	7	12
,, ,, ,, 4, ...	.	1	.	.	2	.	1	1	.	.	.	.	.	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	..	5	2	..	4	..	1	18	1	.	.	.	20	51

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th October, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 7th October.			
	Sept. 16	Sept. 23.	Sept. 30	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	60	89	105	14	12	1	106
Typhus, ...	.	..	.	2	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	1	2	.	1	.	1
Scarlet Fever	47	51	49	11	6	.	54*
Diphtheria, ...	24	17	16	11	5	3	19
Pneumonia, ...	13	12	11	7	5	.	13

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237. 375. 10. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 41. Vol. LIII.] Week ending Saturday, 14th October, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 16th October, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 15·8 and 15·9; Dublin Registration Area, 17·7 and 17·6; Dublin City, 18·9 and 18·4; Belfast, 13·6 and 13·9; Cork, 16·3 and 16·5; Londonderry, 16·9 and 15·9; Limerick, 19·0 and 18·6; and Waterford, 15·2 and 19·0.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·0 per 1,000. Among the 102 deaths from all causes for Belfast are one from enteric fever, one from measles, one from whooping-cough, and 9 from diarrhœa and enteritis of children under 2 years. The 24 deaths from all causes for Cork include 5 from diarrhœa and enteritis of children under 2 years; and one of the 8 deaths recorded for Waterford was due to measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—90 boys and 108 girls—and the deaths to 149—78 males and 71 females.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·7 per 1,000 of the population. During the forty-one weeks ending with Saturday last, the death-rate averaged 19·9, and was 1·5 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the forty-one weeks was 21·5, and for the corresponding period of the preceding ten years, 22·7.

The 135 deaths appertaining to the Area include 3 from enteric fever, one from measles, 2 from whooping-cough, one from diphtheria, and 14 deaths from diarrhœal diseases.

In the 3 preceding weeks deaths from enteric fever numbered 2, 4, and 3; deaths from whooping-cough one, one, and 3; deaths from diphtheria 0, one, and 3, and deaths from diarrhœal diseases, 24, 17, and 15 respectively. There were no deaths from measles during the 3 preceding weeks.

Tuberculous disease caused 16 deaths (comprising 13 from pulmonary tuberculosis, one from tuberculous meningitis, and 2 from other forms of the disease), as against 18, 18, and 23, respectively, in the three weeks preceding.

Seven deaths were caused by cancer, 12 by pneumonia (comprising 7 from broncho-pneumonia, 3 from lobar pneumonia, and 2 from pneumonia, type not distinguished), 11 by organic diseases of the heart, and 12 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, 2 to premature birth, and 2 to congenital debility.

Seven deaths were due to violence, 5 of these being caused by gunshot wounds.

Forty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 32 being infants under one year, of whom 9 were under one month old.

Of the 135 deaths recorded, 58 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·7), was equal to an average annual death-rate of 12·3 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow being 14·8, and for Edinburgh 13·0.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th October. From this Report it appears that of 67 cases notified, 26 were scarlet fever, 16 diphtheria, 15 pulmonary tuberculosis, 5 other forms of tuberculosis, 2 erysipelas 2 cerebro-spinal fever, and one puerperal fever. Among the 371 cases of infectious diseases in hospital at the close of the week were 132 of pulmonary tuberculosis, 129 of scarlet fever, 65 of diphtheria, 7 of measles, 7 of erysipelas, 4 of enteric fever, 3 of cerebro-spinal fever, 3 of whooping-cough, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 14th October, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Sept. 23,	·	—	—	13	·	·	2	·	·	37	2	·	—	—	·	—	2	18	74
	Sept. 30,	·	—	—	7	·	·	2	·	2	26	6	·	—	—	·	—	2	10	55
	Oct. 7,	·	—	—	5	2	·	4	·	1	18	1	·	—	—	·	—	·	20	51
	Oct. 14,	·	—	—	12	1	·	3	·	2	18	·	·	—	—	·	—	1	11	48
Rathmines and Rathgar Urban District.	Sept. 23,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	—	—	—	—	2
	Sept. 30,	·	—	—	2	·	·	·	·	·	·	3	·	—	—	—	—	—	—	5
	Oct. 7,	·	—	—	·	·	·	2	·	·	2	1	·	—	—	—	—	—	—	5
	Oct. 14,	·	—	—	3	·	·	4	·	·	·	·	·	—	—	—	—	—	—	7
Pembroke Urban District.	Sept. 23,	·	1	·	·	·	·	·	·	·	1	·	·	—	2	·	—	—	3	7
	Sept. 30,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	1	1
	Oct. 7,	·	·	·	·	·	·	·	1	·	·	·	·	—	10	·	—	—	·	11
	Oct. 14,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
Blackrock Urban District.	Sept. 23,	·	·	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	·	2
	Sept. 30,	·	·	—	·	·	·	·	·	·	1	·	·	—	—	·	—	—	·	1
	Oct. 7,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Oct. 14,	·	·	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	·	2
Kingstown Urban District.	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·a
	Sept. 30,	·	—	—	·	·	·	·	·	·	1	·	·	—	—	—	—	—	·	1
	Oct. 7,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 14,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
City of Belfast	Sept. 23,	·	—	—	29	·	·	2	·	·	6	·	·	—	—	·	—	·	·	37
	Sept. 30,	·	—	—	25	·	·	9	·	·	3	5	·	—	—	·	—	·	2	44
	Oct. 7,	·	—	—	14	·	·	1	·	·	·	1	·	—	—	1	—	2	1	20
	Oct. 14,	·	—	—	23	·	·	2	·	·	8	2	·	—	—	·	—	2	·	37
City of Cork	Sept. 23,	·	·	—	2	·	·	2	1	·	1	1	1	—	—	—	14	—	—	22
	Sept. 30.	·	·	—	2	·	·	1	·	·	2	·	·	—	—	—	8	—	—	13
	Oct. 7,	·	·	—	2	·	·	1	·	·	·	1	1	—	—	—	1	—	—	6
	Oct. 14,	·	·	—	2	·	·	·	·	·	·	·	·	—	—	—	·	—	—	2
City of Londonderry	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Sept. 30,	·	—	—	2	·	·	1	·	·	·	·	·	—	—	·	—	—	—	3
	Oct. 7,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Oct. 14,	·	—	—	3	·	·	·	·	·	·	1	·	—	—	·	—	—	—	4
City of Limerick.	Sept. 23,	·	—	—	·	·	·	·	·	·	2	·	·	—	—	·	—	—	—	2
	Sept. 30,	·	—	—	1	·	·	1	·	·	1	·	·	—	—	·	—	—	—	3
	Oct. 7,	·	—	—	·	·	·	·	·	·	3	·	·	—	—	·	—	—	—	3
	Oct. 14,	·	—	—	1	·	·	·	·	3	1	·	·	—	—	·	—	—	—	5
City of Waterford.	Sept. 23,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Sept. 30,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	1	2
	Oct. 7,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 14,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

a One case of poliomyelitis was reported,

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th October, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 21 and 106; typhus one and 3; measles one and 2; scarlet fever 16 and 61*; and diphtheria 10 and 25. Six cases of pneumonia were admitted during the week and 13 remained under treatment at its close. Of the deaths in hospitals during the week 3 were from enteric fever, and 2 from diphtheria.

* See note (*) at foot of Table IX,

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 14th October, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	REGISTRATION—WEEK ENDING SATURDAY, 14TH OCTOBER, 1916. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 14TH OCTOBER, 1916. Air Temperature. Absolute Highest.	Absolute Lowest	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS,	1,122,268	19·7	23·7	15·8	2·0	510	340	78	84	4	·	·	3	·	3	1	·	33	12	28	24	22	31	·	14	14	116	15	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	26·0	17·7	2·8	198	135	32	35	3	·	·	1	·	2	1	·	13	3	7	12	14	14	·	7	4	58	7	(d) 66·0	41·9	55·8	1·01
Urban Districts. CITY OF DUBLIN,	303,600	38·4	28·9	18·9	3·3	168	110	31	24	2	·	·	1	·	1	1	·	9	2	5	9	10	14	·	7	3	47	7	(e) 66·8 (f) 66·3	49·7 46·6	57·8 56·9	1·09 0·86
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	12·0	17·4	2·7	9	13	1	5	1	·	·	·	·	1	·	·	2	1	1	1	2	·	·	·	·	6	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	23·3	5·4	·	13	3	·	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	3	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	11·7	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	19·1	28·6	·	6	9	·	4	·	·	·	·	·	·	·	·	1	·	·	2	2	·	·	·	1	2	·	67	44	63·3	0·57
Urban Districts. BELFAST, ..	390,000	26·1	24·5	13·6	1·6	183	102	23	21	1	·	·	1	·	1	·	·	12	3	11	7	5	9	·	2	3	24	1	63·0	42·0	55·2	0·98
Urban Districts. CORK, ...	76,673	28·6	22·4	16·3	3·4	33	24	7	4	·	·	·	·	·	·	·	·	1	2	2	·	·	5	·	·	·	7	2	64	54	58·2	0·20
Urban Districts. LONDONDERRY, ..	40,000	15·5	19·6	16·9	1·3	15	13	3	2	·	·	·	·	·	·	·	·	·	·	2	2	·	1	·	3	5	3	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	14·9	19·0	·	11	14	3	4	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	8	1	67·5	42·1	57·0	1·16
Urban Districts. WATERFORD, ..	27,464	19·1	26·6	15·2	1·9	14	8	·	4	·	·	·	1	·	·	·	·	·	·	·	1	1	·	·	·	·	3	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5				9	6	3	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	2	2	63	47	55	0·62
Urban Districts. DUNDALK, ..	13,128	9·5				1	5	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Urban Districts. DROGHEDA, ..	12,501	8·4				2	3	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				3	4	·	1	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	·	·	64	44	54	0·94
Urban Districts. NEWRY, ..	11,963	17·0				11	5	·	1	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	1	1	3	·	64	44	54	0·94
Urban Districts. PORTADOWN, ..	11,727	15·3				7	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	64	44	54	0·94
Urban Districts. WEXFORD, ..	11,531	22·8				3	4	1	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				3	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·
Urban Districts. SLIGO, ..	11,163	3·8				5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	64	41	54·0	1·86
Urban Districts. KILKENNY, ..	10,514	11·4				5	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	67	41	56·8	0·38
Urban Districts. TRALEE, ..	10,300	17·4				4	4	1	1	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	2	1	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				1	5	3	1	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	3	·	·	·	·	·
LONDON, ...	4,310,000	—	—	11·7	—	2,004	966	183	298	4	·	·	6	3	·	9	—	83	21	85	69	63	72	10	38	99	457	1	·	·	·	·
EDINBURGH, ...	329,200	—	—	13·0	—	115	82	·	·	1	·	·	1	·	·	1	—	—	—	—	—	—	·	—	·	—	—	—	·	·	·	·
GLASGOW, ...	1,091,600	—	—	14·8	—	497	309	·	·	·	·	·	2	3	·	2	—	—	—	—	—	—	16	—	·	—	—	—	·	·	·	·

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 41st Week of the 5 years, 1911-1915.	All Ages.	Deaths registered during week ending Saturday, 14th October, 1916. Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	160·4	149	9	23	9	5	·	6	3	7	14	12	12	10	20	19	135
Enteric Fever ..	2·2	4	·	·	·	1	·	·	·	·	2	·	1	·	·	·	3
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	·8	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Scarlet Fever ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough ..	·6	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2
Diphtheria	1·8	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Dysentery	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·6	14	·	·	·	·	·	4	1	1	2	4	1	1	·	·	13
Tuberculous Meningitis	2·8	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Abdominal Tuberculosis	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of the Spinal Column.	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Tuberculosis of Joints	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	1·6	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Venereal Diseases ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cancer	10·0	9	·	·	·	·	·	·	·	1	·	·	2	3	2	1	7
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diabetes	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anæmia, Leucocythæmia.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other General Diseases	·6	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	2
Alcoholism ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	2·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Cerebral Hæmorrhage, Apoplexy.	5·8	3	·	·	·	·	·	·	·	·	1	·	·	·	2	·	3
Softening of Brain ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	1·4	3	·	·	·	·	·	·	·	·	2	·	·	1	·	·	3
Epilepsy	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	3·2	5	2	2	·	1	·	·	·	·	·	·	·	·	·	·	5
Other Diseases of Nervous System.	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pericarditis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	12·4	14	·	·	·	·	·	1	1	·	·	1	3	2	4	2	11
Embolism and Thrombosis (including Cerebral).	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	1·0	4	·	·	·	·	·	·	·	·	·	·	1	·	3	·	3
Diseases of the Larynx	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Bronchitis	11·4	12	·	4	1	·	·	·	·	·	·	·	1	·	3	3	12
Broncho-pneumonia ..	3·6	7	·	4	1	·	·	1	·	·	·	·	·	1	·	·	7
Lobar pneumonia ..	1·4	3	·	·	·	·	·	·	·	·	·	2	·	·	·	1	3
Pneumonia (type not distinguished).	4·8	2	·	1	·	·	·	·	·	·	·	1	·	·	·	·	2
Pleurisy	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pulmonary Congestion, Pulmonary Apoplexy.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Respiratory System	1·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1

in the FORTY-FIRST WEEK, ending Saturday, 14th October, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 41st Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 14th October, 1916. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diarrhœa and Enteritis of Children under 2 years.	17·6	14	1	9	4	.	.	.	.	.	.	.	.	.	.	.	14
Diarrhœa 2 years and upwards.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Appendicitis and Typhlitis.	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Hernia and Intestinal Obstructions.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Peritonitis (cause unknown).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1·4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2
Acute Nephritis ..	1·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Chronic Bright's Disease	2·8	6	.	.	.	1	.	.	.	.	.	1	.	1	.	3	6
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·8	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.
Puerperal Septicæmia, &c.	1·0	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	2·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Congenital Debility ..	4·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Old Age	4·0	5	.	.	.	.	.	.	.	.	.	.	.	.	1	4	5
Other Specified Diseases	3·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	2·4	8	.	.	.	.	.	.	.	3	4	.	.	.	1	.	5
Other Violent Deaths		2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Not included in above—																	
Homicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	4·4	3	.	.	1	.	.	.	.	.	.	1	.	.	.	1	3

TABLE IV.—Showing for the WEEK ENDED 14TH OCTOBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age periods, and the number of Uncertified Deaths. *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 14TH OCTOBER, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes.	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	23·1	5·3	13	4	1	·	·	1	3	1	3	1	·	·	1	·	·	·	·	·	·	1	·	2	1	·	1	6	·	4	1	2
,, 1, W., ...	40,200	16·9	·	13	3	1	·	1	1	2	1	4	·	·	·	·	·	·	·	·	1	·	1	2	2	·	·	·	7	·	3	1	·
,, 2, ...	26,900	19·4	·	10	1	1	1	1	·	3	3	·	·	·	·	·	·	·	·	·	1	·	1	3	2	·	·	1	2	1	4	1	·
,, 3, ...	35,200	16·3	3·0	11	5	1	·	1	·	3	·	1	·	·	·	·	·	1	·	·	1	·	·	·	1	1	·	3	4	·	1	·	3
CLONTARF AND HOWTH, No. 1, part of	5,400	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	11·8	3·9	3	1	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	10,800	14·5	·	3	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	1	·	1	·	1
South City.																																	
SOUTH CITY, No. 1, ..	40,100	15·6	1·3	12	4	1	·	1	1	1	1	3	·	·	·	·	·	·	·	·	3	·	·	3	1	1	·	·	4	·	2	5	·
,, 2, ...	17,800	14·6	5·9	5	·	1	·	·	·	1	1	2	1	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	1	·	·	4	·
,, 3, ...	42,400	27·1	3·7	22	6	1	1	·	2	3	4	5	·	·	·	·	·	·	·	·	3	1	1	·	1	3	·	1	12	1	7	4	1
,, 4, ...	32,000	26·1	8·1	16	6	1	1	·	·	2	2	4	·	·	·	·	·	·	1	·	·	·	·	1	·	4	·	·	10	1	6	2	·
NEW KILMAINHAM, ...	10,100	10·3	10·3	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	17·4	2·7	13	1	·	1	·	·	4	2	5	1	·	·	·	·	1	·	·	2	1	1	1	2	·	·	·	4	·	4	2	·
PEMBROKE, ...	29,100	5·4	·	3	·	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·	3	·	·
BLACKROCK, ...	8,900	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN	16,400	28·6	·	9	·	·	1	1	1	1	1	4	·	·	·	·	·	·	·	·	1	·	·	2	2	·	·	·	4	1	1	1	·
TOTAL CITY. North, ...	161,200	17·1	1·9	53	14	4	1	3	3	11	7	10	1	·	·	1	·	1	·	·	3	1	3	5	7	3	·	6	22	1	14	3	6
South, ...	142,400	20·9	4·8	57	17	5	2	1	3	7	8	14	1	·	·	·	·	·	1	·	6	1	2	4	3	11	·	1	27	2	15	15	1
North and South, ..	303,600	18·9	3·3	110	31	9	3	4	6	18	15	24	2	·	·	1	·	1	1	·	9	2	5	9	10	14	·	7	49	3	29	18	7
Total Urban Districts, ...	93,400	14·0	1·1	25	1	·	2	1	1	6	3	11	1	·	·	·	·	1	·	·	4	1	2	3	4	·	·	·	9	1	8	3	·
Total Registration Area, ..	397,000	17·7	2·8	135	32	9	5	5	7	24	18	35	3	·	·	1	·	2	1	·	13	3	7	12	14	14	·	7	58	4	37	21	7
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				14	·	·	·	1	3	2	4	4	1	·	·	·	·	·	·	·	1	·	2	·	·	·	·	3	7	·	13	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th October, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death: also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 14TH OCTOBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	149	46	6	10	26	22	20	19	4	·	·	1	·	2	1	·	14	3	9	5	12	14	14	·	10	60	7
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·
II.	MIDDLE CLASS	101,798	15·4	30	6	·	·	5	6	8	5	3	·	·	·	·	1	·	·	1	2	2	1	2	2	·	·	1	15	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·5	28	8	2	3	4	7	2	2	·	·	·	·	·	·	1	·	3	1	3	·	3	1	5	·	·	11	·
IV.	GENERAL SERVICE CLASS	167,479	20·5	66	31	4	6	11	5	3	6	·	·	·	1	·	1	·	·	5	·	1	4	6	8	9	·	9	22	7
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	1	·	1	6	4	5	5	1	·	·	·	·	·	·	·	5	·	2	·	1	3	·	·	·	10	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	11	3	·	·	1	3	4	·	2	·	·	·	·	·	·	·	·	2	1	1	·	·	·	·	·	5	·
	6. Clerks and Commercial Assistants,	33,249	—	9	3	·	·	3	2	1	·	1	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	1	5	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	8	·	·	·	1	1	3	3	·	·	·	·	·	·	·	·	·	·	1	·	1	2	·	·	·	4	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	9. Building and Furnishing Trades, ..	28,823	—	8	3	·	·	2	3	·	·	·	·	·	·	·	·	1	·	1	·	1	·	2	·	1	·	·	2	·
	10 Clothing Trades, ...	20,026	—	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·
	11 Food Supply Trades, ...	8,952	—	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	14	3	1	1	2	4	1	2	·	·	·	·	·	·	·	·	1	·	2	·	1	1	3	·	·	6	·
	13. Petty Shopkeepers, ...	6,772	—	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	5	1	3	1	·	·	1	·	·	·	·	·	1	·	·	1	·	·	·	1	·	2	·	4	2	1
	15. Domestic Servants, ...	36,041	—	4	1	·	1	·	·	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	2	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	3	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1	1	·	·	1	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	46	22	3	2	9	4	3	3	·	·	·	1	·	·	·	·	3	·	·	3	5	7	5	·	5	17	5
V	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	22	1	·	1	6	4	5	5	1	·	·	·	·	·	·	·	5	·	2	·	1	3	·	·	·	10	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	July 22.	July 29	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16	Sept. 23.	Sept. 30	Oct. 7.	Oct. 14
No. of weeks in Annual Series ..	29	30	31	32	33	34	35	36	37	38	39	40	41	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered	206	193	207	181	162	244	152	219	178	215	181	204	198	165	155	152	166	164	153	202	177	182	154	180	153	183
Average Births in corresponding week of previous 10 years, ...	217	216	221	200	219	218	202	240	201	217	237	203	192	223	220	218	212	204	193	199	210	210	187	201	208	209
Number of Deaths, ...	116	110	107	126	125	110	147	113	132	119	139	142	135	109	93	95	87	100	123	117	100	95	109	100	105	102
Annual Death-rate per 1,000 ..	15·2	14·4	14·1	16·5	16·4	14·4	19·3	14·8	17·3	15·6	18·3	18·7	17·7	14·6	12·4	12·7	11·6	13·4	16·4	15·6	13·4	12·7	14·6	13·4	14·0	13·6
Average Deaths in corresponding week of previous 10 years, ...	134	132	129	131	143	146	148	152	154	154	152	151	146	117	115	109	112	117	123	126	125	123	126	122	117	117
Ages, .. Under one year, ..	23	22	12	20	27	23	42	29	45	34	36	35	32	16	17	20	11	17	22	26	20	26	29	11	19	23
1— 5 years, ..	6	5	12	15	17	17	11	11	13	13	13	20	14	9	6	10	5	10	13	8	9	12	7	6	4	5
5—25 „ ..	20	12	8	14	12	10	17	9	14	11	10	9	12	8	11	14	12	11	21	7	11	4	14	10	13	8
25—45 „ ..	17	25	24	19	16	21	16	20	8	13	17	17	24	17	10	14	22	23	17	26	13	18	18	16	16	20
45—65 „ ..	25	21	21	24	31	22	37	27	20	22	32	28	18	36	31	19	18	17	33	22	26	18	21	28	33	25
65 and upwards, ..	25	25	30	34	22	17	24	17	32	26	31	33	35	23	18	18	19	22	17	28	21	17	20	29	20	21
Deaths from :—																										
Enteric Fever, ...	·	·	1	1	·	·	3	·	·	2	4	3	3	1	·	·	·	·	·	·	2	·	1	1	1	1
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	1	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	·	1	·	1	2	1	1	1	·	·	·	1	2	1	2	1	3	2	·	1	1	1	·	1	1
Scarlet Fever, ...	·	·	·	1	·	3	1	·	·	2	1	·	·	·	1	2	1	1	·	·	1	·	1	2	·	·
Whooping-cough, ...	·	·	·	1	1	1	2	1	·	1	1	3	2	1	1	·	·	1	5	·	1	1	1	·	·	1
Diphtheria, ...	1	·	·	·	1	1	·	·	·	·	1	3	1	·	·	2	·	1	·	·	·	·	·	·	·	·
Dysentery, ...	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	20	15	15	18	21	14	16	16	16	13	16	16	13	16	11	5	15	13	18	15	10	8	11	6	16	12
Tuberculosis { Other Forms, ..	3	3	5	5	4	2	4	2	3	5	2	7	3	5	5	7	3	4	11	6	5	6	5	5	3	3
Cancer, ...	7	7	6	7	4	11	14	13	5	5	9	12	7	8	4	9	7	3	6	4	9	6	5	9	7	11
Diseases of Respiratory System, { Pneumonia ..	4	4	5	5	9	6	6	4	1	6	8	12	12	9	6	4	4	5	10	8	5	1	3	4	9	7
Diseases of Respiratory System, { Others, ..	12	9	16	8	14	9	11	1	10	9	15	12	14	10	6	11	9	6	5	7	6	2	4	8	3	5
Diarrhœa and Enteritis, under 2 years, ...	3	4	3	11	11	17	31	26	31	23	17	14	14	·	1	2	3	6	8	11	17	21	18	6	2	9
Diarrhœa, 2 years and upwards..	·	·	·	1	·	1	1	·	2	1	·	1	·	1	·	·	·	·	1	3	1	1	2	3	2	·
Violent Deaths, ...	6	3	7	6	2	2	3	4	5	1	3	3	7	2	5	5	1	2	·	2	·	·	·	2	4	2
Number of Uncertified Deaths, ..	10	4	4	·	6	3	4	5	6	4	4	3	7	·	1	2	1	2	2	1	1	2	1	1	·	1
Mean Temperature in degrees ..	61·0	61·9	63·5	61·7	60·3	61·0	56·7	58·1	54·9	52·5	55·6	57·9	55·8	60·4	64·0	64·8	62·4	60·5	60·0	57·3	58·6	56·3	53·3	57·8	55·2	55·2
Rainfall in inches	0·04	0·02	0·09	0·04	1·16	0·89	0·87	0·33	0·03	0·12	1·15	1·92	1·01	0·07	0·04	0·35	0·07	0·77	0·28	0·06	0·13	00·7	0·47	0·01	2·97	0·98

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th October, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	16·4	.	5	2	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	19	8·4	1·1	8	2	.	1	1	3	1	.	.	.	.	.	.	.	.	1	.	2	1	.	1	.	.	.	1	.
Do. 3 do.	50,032	22	19·8	2·1	19	2	1	2	5	4	5	.	.	.	.	.	1	.	.	4	1	1	.	1	1	.	.	.	3	.
Do 4 do.	32,637	18	6·4	.	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 5 do.	16,112	10	22·7	3·2	7	2	.	.	3	1	1	.	.	.	.	.	.	.	.	1	1	1	1	.	1	.	.	.	4	.
Do. 6 do.	37,293	12	16·8	.	12	5	1	1	.	.	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	6	.
Do 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	17·5	.	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do. 9 do.	24,427	9	12·8	4·3	6	2	.	.	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	1	.
Do. 10 do.	28,958	9	7.2	.	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 11 do.	39,311	21	14·6	.	11	.	1	1	3	3	3	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	1	2	1
Do. 12 do.	38,076	25	16·4	6·8	12	3	1	2	1	3	2	1	.	.	1	.	.	.	.	.	.	2	1	1	3	.	1	1	2	.
Do. 13 do.	23,233	16	4·5	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	23·0	2·3	10	1	.	1	4	2	2	.	.	.	.	.	.	.	.	1	1	1	1	.	1	.	.	.	2	.
Total,	386,947	183	13·6	1·6	102	23	5	8	20	25	21	1	.	.	1	.	1	.	.	12	3	11	7	5	9	.	2	3	24	1
CITY OF CORK.																														
CORK URBAN No 1 DISTRICT,	13,455	7	23·3	7·8	6	2	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	.
Do 2 do.	10,399	6	30·1	.	6	2	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1
Do. 3 do.	9,793	6	16·0	10·6	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
Do. 4 do	9,139	7	17·1	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	2	8·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 6 do.	11,581	2	4·5	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,056	3	13·0	3·2	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	2	.
Total	76,673	33	16·3	3·4	24	7	3	2	3	5	4	.	.	.	.	.	.	.	.	1	2	2	.	.	5	.	.	.	7	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th October, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	4	.	.	1	.	.	4	.	.	.	.	.	9
" " 1, West ..	.	1	1	.	.	.	.	2	.	.	.	.	6	10
" " 2, ...	.	1	.	.	.	.	.	2	.	.	.	1	2	6
" " 3, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	1	.	.	.	.	1	.	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	1	.	.	.	.	1	2	.	.	.	.	1	5
" " " 2, ...	.	2	.	.	.	.	.	4	.	.	.	.	1	7
" " " 3, ...	.	.	.	.	1	.	.	3	.	.	.	.	1	5
" " " 4, ...	.	2	.	.	.	.	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	12	1	.	3	.	2	18	.	.	.	1	11	48

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th October, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 14th October.			
	Sept. 23.	Sept. 30.	Oct. 7.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	89	105	106	21	18	3	106
Typhus, ...	.	.	2	1	.	.	3
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	1	2	1	1	.	.	2
Scarlet Fever	51	49	54	16	9	.	61*
Diphtheria, ...	17	16	19	10	2	2	25
Pneumonia, ...	12	11	13	6	6	.	13

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237 375. 10. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 42. Vol. LIII.] Week ending Saturday, 21st October, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 23rd October, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 15·2 and 15·8; Dublin Registration Area, 17·5 and 18·1; Dublin City, 19·8 and 19·2; Belfast, 13·1 and 13·5; Cork, 12·2 and 14·3; Londonderry, 18·2 and 16·6; Limerick, 21·7 and 20·0; and Waterford, 26·6 and 21·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·1 per 1,000. Among the 98 deaths from all causes for Belfast are 2 from enteric fever, one from scarlet fever, one from diphtheria, 8 from diarrhœal diseases, one from cerebro-spinal meningitis and one from poliomyelitis. The 18 deaths from all causes for Cork include one from enteric fever. Of the 16 deaths from all causes for Limerick one was from enteric fever and one (a child under 2 years) from diarrhœa and enteritis. Included in the 14 deaths from all causes for Waterford are one from measles, and 4 from diarrhœal diseases; and one of the 5 deaths recorded for Wexford was ascribed to diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 189—106 boys and 83 girls—and the deaths to 143—75 males and 68 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·5 per 1,000 of the population. During the forty-two weeks ending with Saturday last, the death-rate averaged 19·8, and was 1·6 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the forty-two weeks was 21·4, and for the corresponding period of the preceding ten years, 22·6.

The 133 deaths appertaining to the Area include 3 from enteric fever, one from measles, one from scarlet fever, 3 from diphtheria, and 14 deaths from diarrhœal diseases.

In the 3 preceding weeks deaths from enteric fever numbered 4, 3, and 3; deaths from measles 0, 0, and one; deaths from scarlet fever one, 0, and 0; deaths from diphtheria one, 3, and one; and deaths from diarrhœal diseases 17, 15 and 14, respectively.

Tuberculous disease caused 18 deaths (comprising 13 from pulmonary tuberculosis, and 5 from disseminated tuberculosis), as against 18, 23, and 16, respectively, in the three weeks preceding.

Thirteen deaths were caused by cancer, 6 by pneumonia (comprising 3 from broncho-pneumonia, and 3 from pneumonia, type not distinguished), 13 by organic diseases of the heart, and 8 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, one to congenital malformation, one to premature birth, and one to congenital debility.

Three deaths were due to violence, 2 of these being caused by motor-cars.

Thirty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 27 being infants under one year, of whom 5 were under one month old.

Of the 133 deaths recorded, 59 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·6), was equal to an average annual death-rate of 11·8 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 13·0 per 1,000, the rate for Glasgow being 13·7, and for Edinburgh 13·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st October. From this Report it appears that of 62 cases notified, 20 were scarlet fever, 19 diphtheria, 14 pulmonary tuberculosis, 5 other forms of tuberculosis, and 4 erysipelas. Among the 380 cases of infectious diseases in hospital at the close of the week were 132 of pulmonary tuberculosis, 128 of scarlet fever, 81 of diphtheria, 4 of measles, 4 of erysipelas, 4 of enteric fever, 3 of cerebro-spinal fever, 3 of whooping-cough, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 21st October, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Sept. 30,	·	—	—	7	·	·	2	·	2	26	6	·	—	—	·	—	2	10	55
	Oct. 7,	·	—	—	5	2	·	4	·	1	18	1	·	—	—	·	—	·	20	51
	Oct. 14,	·	—	—	12	1	·	3	·	2	18	·	·	—	—	·	—	1	11	48
	Oct. 21,	·	—	—	14	·	·	3	·	1	18	1	·	—	—	·	—	·	9	46
Rathmines and Rathgar Urban District	Sept. 30,	·	—	—	2	·	·	·	·	·	·	3	·	—	—	—	—	—	—	5
	Oct. 7,	·	—	—	·	·	·	2	·	·	2	1	·	—	—	—	—	—	—	5
	Oct. 14,	·	—	—	3	·	·	4	·	·	·	·	·	—	—	—	—	—	—	7
	Oct. 21,	·	—	—	·	·	·	·	·	·	3	·	·	—	—	—	—	—	—	3
Pembroke Urban District.	Sept. 20,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	1	1
	Oct. 7,	·	·	·	·	·	·	·	1	·	·	·	·	—	10	·	—	—	·	11
	Oct. 14,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
	Oct. 21,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
Blackrock Urban District.	Sept. 30,	·	·	—	·	·	·	·	·	·	1	·	·	—	—	·	—	—	·	1
	Oct. 7,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Oct. 14,	·	·	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	·	2
	Oct. 21,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	·	1
Kingstown Urban District.	Sept. 30,	·	—	—	·	·	·	·	·	·	1	·	·	—	—	—	—	—	·	1
	Oct. 7,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 14,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 21,	·	—	—	·	·	·	·	·	·	1	·	·	—	—	—	—	—	·	1
City of Belfast	Sept. 30,	·	—	—	25	·	·	9	·	·	3	5	·	—	—	·	—	·	2	44
	Oct. 7,	·	—	—	14	·	·	1	·	·	·	1	·	—	—	1	—	2	1	20
	Oct. 14,	·	—	—	23	·	·	2	·	·	8	2	·	—	—	·	—	2	·	37
	Oct. 21,	·	—	—	10	·	·	5	·	·	1	1	·	—	—	1	—	·	·	18
City of Cork	Sept. 30,	·	·	—	2	·	·	1	·	·	2	·	·	—	—	—	8	—	—	13
	Oct. 7,	·	·	—	2	·	·	1	·	·	·	1	1	—	—	—	1	—	—	6
	Oct. 14,	·	·	—	2	·	·	·	·	·	·	·	·	—	—	—	·	—	—	2
	Oct. 21,	·	·	—	1	·	·	2	·	·	1	·	·	—	—	—	3	—	—	7
City of Londonderry	Sept. 30,	·	—	—	2	·	·	1	·	·	·	·	·	—	—	·	—	—	—	3
	Oct. 7,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Oct. 14,	·	—	—	3	·	·	·	·	·	·	1	·	—	—	·	—	—	—	4
	Oct. 21,	·	—	—	6	·	·	·	·	·	·	·	·	—	—	·	—	—	—	6
City of Limerick.	Sept. 30,	·	—	—	1	·	·	1	·	·	1	·	·	—	—	·	—	—	—	3
	Oct. 7,	·	—	—	·	·	·	·	·	·	3	·	·	—	—	·	—	—	—	3
	Oct. 14,	·	—	—	1	·	·	·	·	3	1	·	·	—	—	·	—	—	—	5
	Oct. 21,	·	—	—	·	·	·	·	·	·	4	·	·	—	—	·	—	—	—	4
City of Waterford.	Sept. 30,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	1	2
	Oct. 7,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 14,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 21,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st October, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 20 and 107; typhus nil and 3; measles one and 2; scarlet fever 19 and 69*; and diphtheria one and 19. Nine cases of pneumonia were admitted during the week and 16 remained under treatment at its close. Of the deaths in hospitals during the week 2 were from enteric fever, 2 from diphtheria, and one from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 21st October, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 21st October, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 21st October, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
Total of 19 Town Districts,	1,122,268	19·7	23·3	15·2	2·1	502	327	63	77	7	·	·	2	2	·	5	·	38	11	22	16	19	23	6	7	15	113	7	·	·	·	·
Dublin Registration Area.	397,000	28·9	24·8	17·5	2·9	189	133	27	30	3	·	·	1	1	·	3	·	13	5	13	6	10	13	1	3	5	59	4	(d) 56·2	37·3	48·5	0·36
Urban Districts. City of Dublin,	303,600	38·4	27·8	19·8	3·1	162	115	24	26	2	·	·	1	1	·	3	·	12	4	9	5	10	10	1	3	4	53	4	(e) 56·9 (f) 56·6	40·3 42·8	49·7 49·2	0·45 0·53
Urban Districts. Rathmines and Rathgar.	39,000	22·8	5·3	8·0	·	4	6	·	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	2	·	·	·	·	·
Urban Districts. Pembroke, ..	29,100	18·5	17·9	9·0	3·6	10	5	2	1	·	·	·	·	·	·	·	·	·	1	1	·	·	2	·	·	·	·	·	·	·	·	·
Urban Districts. Blackrock, ..	8,900	8·2	29·2	17·5	5·8	5	3	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·
Urban Districts. Kingstown, ..	16,400	11·2	25·4	12·7	3·2	8	4	1	1	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	2	·	59	42	50·4	0·53
Urban Districts. Belfast, ..	390,000	26·1	23·1	13·1	1·6	173	98(g)	18	18	2	·	·	·	1	·	1	·	12	2	7	2	5	6	2	4	8	29	·	65·0	36·5	50·1	0·68
Urban Districts. Cork, ..	76,673	28·6	25·2	12·2	0·7	37	18	3	5	1	·	·	·	·	·	·	·	2	·	·	2	·	·	·	·	1	5	·	·	·	·	·
Urban Districts. Londonderry, ..	40,000	15·5	23·5	18·2	1·3	18	14	4	7	·	·	·	·	·	·	·	·	·	1	·	2	1	·	1	·	·	2	·	·	·	·	·
Urban Districts. Limerick, ..	38,518	16·1	13·5	21·7	2·7	10	16	2	2	1	·	·	·	·	·	·	·	4	1	·	·	2	1	·	·	·	8	·	58·8	34·3	43·4	0·89
Urban Districts. Waterford, ..	27,464	19·1	17·1	26·6	9·5	9	14	4	5	·	·	·	1	·	·	·	·	·	·	1	1	1	3	1	·	·	4	1	·	·	·	·
Urban Districts. Galway, ..	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			2	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	62	40	53	0·62
Urban Districts. Dundalk, ..	13,128	9·5				14	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Urban Districts. Lurgan, ..	12,553	14·7				7	3	1	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	54	34	47	0·40
Urban Districts. Drogheda, ..	12,501	8·4				3	3	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. Lisburn, ..	12,388	10·9				8	4	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	54	34	47	0·40
Urban Districts. Newry, ..	11,963	17·0				6	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1	·	·	·	·	54	34	47	0·40
Urban Districts. Portadown, ..	11,727	15·3				4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	54	34	47	0·40
Urban Districts. Wexford, ..	11,531	22·8				5	5	1	1	·	·	·	·	·	·	1	·	·	·	1	1	·	·	·	·	·	1	1	·	·	·	·
Urban Districts. Ballymena, ..	11,381	9·3				4	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. Sligo, ..	11,163	3·8				3	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	58	39	49·0	1·12
Urban Districts. Kilkenny, ..	10,514	11·4				6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	60	32	48·7	0·55
Urban Districts. Tralee, ..	10,300	17·4				4	5	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·
Urban Districts. Clonmel, ..	10,209	7·8				·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
London, ..	4,310,030	—	—	11·6	—	1,955	961	157	287	1	·	·	5	2	1	11	—	109	23	96	63	69	52	11	49	104	473	·	57	29	47·0	0·67
Edinburgh, ..	329,200	—	—	13·5	—	132	85	14	24	·	·	·	·	·	1	3	—	—	—	—	—	—	3	—	2	—	—	—	54·7	31·9	43·5	0·29
Glasgow, ..	1,091,600	—	—	13·7	—	528	287	66	66	2	·	·	·	2	·	4	—	—	—	—	—	—	17	—	14	—	—	—	53·6	32·6	44·1	0·31

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis and one from poliomyelitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 42nd Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 21st October, 1916.																
		All Ages.	Ages at Death															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	158·4	143	5	22	4	8	3	.	2	2	16	10	18	21	17	15	133
Enteric Fever ..	2·2	3	.	.	.	.	1	.	.	1	1	.	.	.	.	.	3
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	1·0	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Whooping-cough ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·6	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	3
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	22·6	14	.	.	1	.	.	.	.	.	5	3	1	2	2	.	13
Tuberculous Meningitis	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	2·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·2	5	.	.	.	1	1	.	.	1	1	.	1	.	.	.	5
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·2	14	.	.	.	.	.	.	.	.	.	.	4	4	4	2	13
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Anæmia, Leucocythæmia.	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other General Diseases	1·2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	·8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	2·6	5	.	.	.	.	.	.	.	.	.	1	.	1	1	2	5
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epilepsy	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Convulsions (non-puerperal).	2·8	3		2	.	1	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	2·8	3	.	.	1	.	.	.	.	.	.	2	.	.	.	.	3
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·4	13	.	.	.	.	.	.	.	.	1	1	3	4	3	1	13
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·6	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	15·6	8	.	1	.	.	.	.	.	.	.	.	1	1	2	3	8
Broncho-pneumonia ..	2·6	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	3
Lobar pneumonia ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	5·2	3	.	1	.	.	.	.	.	.	.	.	1	.	1	.	3
Pleurisy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Respiratory System	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1

in the FORTY-SECOND WEEK, ending Saturday, 21st October, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 42nd Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 21st October, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx. Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·6	3	·	1	·	·	·	·	·	·	·	·	1	1	·	·	3	
Diarrhœa and Enteritis of Children under 2 years.	15·0	13	1	11	1	·	·	·	·	·	·	·	·	·	·	·	13	
Diarrhœa 2 years and upwards.	·4	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	
Enteritis 2 years and upwards.	·6	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	2	
Appendicitis and Typhlitis.	1·2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	
Hernia and Intestinal Obstructions.	1·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	
Cirrhosis of Liver ..	1·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	
Other Diseases of Liver	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	
Peritonitis (cause unknown).	·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	
Other Diseases of Digestive System.	1·2	4	·	1	·	·	·	·	·	·	1	·	·	2	·	·	4	
Acute Nephritis ..	1·8	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	
Chronic Bright's Disease	5·8	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	2	
Urinary Calculi ..	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	
Puerperal Septicæmia, &c.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other causes incident to Pregnancy and Childbirth.	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	
Diseases of Skin and Cellular Tissues.	1·6	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	2	
Diseases of Locomotor System.	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	
Congenital Malformations.	·8	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	
Premature Birth ..	5·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	
Congenital Debility ..	4·6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	
Old Age	4·2	5	·	·	·	·	·	·	·	·	·	·	·	·	1	4	5	
Other Specified Diseases	·8	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Drowning	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	1·4	2	·	·	·	·	1	·	·	·	·	·	·	1	·	·	2	
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	
Other Violent Deaths		2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	3·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	

TABLE IV.—Showing for the WEEK ENDED 21ST OCTOBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes.	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
					WEEK ENDED SATURDAY, 21ST OCTOBER, 1916. DEATHS.								CAUSED BY																				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	28·4	12·4	16	5	2	1	1	2	1	3	1	.	.	.	1	1	.	.	.	1	1	.	2	.	5	.	1	4	2	3	.	.
,, 1, W., ...	40,200	15·6	1·3	12	2	.	.	.	.	4	3	3	.	.	.	.	.	.	.	.	2	.	2	.	1	1	.	.	6	.	5	1	.
,, 2, ...	26,900	33·0	7·8	17	4	.	.	.	1	1	6	5	1	.	.	.	.	.	1	.	2	.	.	1	3	2	.	1	6	1	4	3	.
,, 3, ...	35,200	20·7	3·0	14	2	1	2	1	.	2	4	2	1	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.	8	.	6	4	1
CLONTARF AND HOWTH, No. 1, part of	5,400	29·0	9·7	3	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	2	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,300	11·8	.	3	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.
FINGLAS AND GLASNEVIN, part of ..	10,800	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	40,100	20·8	2·6	16	6	.	.	.	.	2	3	5	.	.	.	.	.	.	.	.	1	.	.	.	2	2	.	.	11	.	2	4	.
,, 2, ...	17,800	14·6	.	5	1	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	2	.	1	2	.
,, 3, ...	42,400	20·9	1·2	17	3	1	3	1	.	3	3	3	.	.	.	.	.	.	.	.	2	1	3	1	1	.	1	.	8	.	4	3	2
,, 4, ...	32,000	19·6	.	12	1	.	.	.	.	2	4	5	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	1	5	1	6	1	1
NEW KILMAINHAM, ...	10,100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	8·0	.	6	.	.	.	.	.	3	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4	1	2	.	.
PEMBROKE, ...	29,100	9·0	3·6	5	2	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1	.	.	.	.
BLACKROCK, ...	8,900	17·5	5·8	3	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	1	.
KINGSTOWN	16,400	12·7	3·2	4	1	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	.	2	.	.
TOTAL CITY. North, ...	161,200	21·0	4·9	65	13	3	4	2	3	9	19	12	2	.	.	1	1	.	3	.	6	2	3	4	5	8	.	2	28	3	21	9	1
TOTAL CITY. South, ...	142,400	18·3	1·1	50	11	1	3	1	.	7	13	14	.	.	.	.	.	.	.	.	6	2	6	1	5	2	1	1	26	1	13	10	3
TOTAL CITY. North and South, ..	303,600	19·8	3·1	115	24	4	7	3	3	16	32	26	2	.	.	1	1	.	3	.	12	4	9	5	10	10	1	3	54	4	34	19	4
Total Urban Districts, ...	93,400	10·0	2·2	18	3	.	1	.	.	5	5	4	1	.	.	.	.	.	.	.	1	1	4	1	.	3	.	.	7	1	5	1	.
Total Registration Area, ..	397,000	17·5	2·9	133	27	4	8	3	3	21	37	30	3	.	.	1	1	.	3	.	13	5	13	6	10	13	1	3	61	5	39	20	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	.	.	.	.	1	5	2	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	2	5	1	10	.	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st October, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 21ST OCTOBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	143	39	3	4	26	39	17	15	3	·	·	1	1	·	3	·	14	6	14	3	6	10	13	1	5	63	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	7·1	2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
II.	MIDDLE CLASS	101,798	12·8	25	2	1	1	7	5	4	5	1	·	·	·	·	·	·	·	1	·	2	·	2	4	1	·	1	13	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	15·4	32	11	1	2	4	8	3	3	2	·	·	·	1	·	2	·	4	1	5	1	2	·	4	·	1	9	1
IV.	GENERAL SERVICE CLASS	167,479	19·9	64	25	·	1	12	17	6	3	·	·	·	1	·	·	1	·	8	3	3	2	2	3	7	1	3	30	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	·	1	·	3	9	4	3	·	·	·	·	·	·	·	·	1	2	4	·	·	3	1	·	·	9	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	2	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
	6. Clerks and Commercial Assistants,	33,249	—	8	2	·	·	3	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	1	·	·	5	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	13	·	1	1	2	2	3	4	1	·	·	·	·	·	·	·	·	·	1	·	1	4	·	·	1	5	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	2	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·
	9. Building and Furnishing Trades, ..	28,823	—	13	3	1	·	2	4	3	·	1	·	·	·	·	·	1	·	2	1	3	1	·	·	·	·	1	3	·
	10. Clothing Trades, ...	20,026	—	2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·
	11. Food Supply Trades, ...	8,952	—	2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	10	2	·	2	1	4	·	1	1	·	·	·	1	·	·	·	1	·	1	·	·	·	2	·	·	4	1
	13. Petty Shopkeepers, ...	6,772	—	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	10	6	·	·	2	1	·	1	·	·	·	·	·	·	·	·	1	·	1	1	·	·	2	·	1	4	·
	15. Domestic Servants, ...	36,041	—	10	1	·	·	3	3	2	1	·	·	·	·	·	·	·	·	3	1	·	·	·	1	1	·	1	3	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	2	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	40	16	·	1	7	12	3	1	·	·	·	1	·	·	1	·	4	2	2	·	2	2	3	1	1	21	1
	INMATES OF WORKHOUSES.																													
V	18. Workhouse Inmates, ...	5,602	—	20	·	1	·	3	9	4	3	·	·	·	·	·	·	·	·	1	2	4	·	·	3	1	·	·	9	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	July 29.	Aug 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.
No. of weeks in Annual Series ..	30	31	32	33	34	35	36	37	38	39	40	41	42	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered	193	207	181	162	244	152	219	178	215	181	204	198	189	155	152	166	164	153	202	177	182	154	180	153	183	173
Average Births in corresponding week of previous 10 years, ...	216	221	200	219	218	202	240	201	217	237	203	192	202	220	218	212	204	193	199	210	210	187	201	208	209	203
Number of Deaths, ...	110	107	126	125	110	147	113	132	119	139	142	135	133	93	95	87	100	123	117	100	95	109	100	105	102	98
Annual Death-rate per 1,000 ..	14·4	14·1	16·5	16·4	14·4	19·3	14·8	17·3	15·6	18·3	18·7	17·7	17·5	12·4	12·7	11·6	13·4	16·4	15·6	13·4	12·7	14·6	13·4	14·0	13·6	13·1
Average Deaths in corresponding week of previous 10 years, ...	132	129	131	143	146	148	152	154	154	152	151	146	145	115	109	112	117	123	126	125	123	126	122	117	117	116
Ages, .. Under one year, ..	22	12	20	27	23	42	29	45	34	36	35	32	27	17	20	11	17	22	26	20	26	29	11	19	23	18
1— 5 years, ..	5	12	15	17	17	11	11	13	13	13	20	14	12	6	10	5	10	13	8	9	12	7	6	4	5	10
5—25 ,, ..	12	8	14	12	10	17	9	14	11	10	9	12	6	11	14	12	11	21	7	11	4	14	10	13	8	11
25—45 ,, ..	25	24	19	16	21	16	20	8	13	17	17	24	21	10	14	22	23	17	26	13	18	18	16	16	20	15
45—65 ,, ..	21	21	24	31	22	37	27	20	22	32	28	18	37	31	19	18	17	33	22	26	18	21	28	33	25	26
65 and upwards, ..	25	30	34	22	17	24	17	32	26	31	33	35	30	18	18	19	22	17	28	21	17	20	29	20	21	18
Deaths from :—																										
Enteric Fever, ...	·	1	1	·	·	3	·	·	2	4	3	3	3	·	·	·	·	·	·	2	·	1	1	1	1	2
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	1	·	1	2	1	1	1	·	·	·	1	1	1	2	1	3	2	·	1	1	1	·	1	1	·
Scarlet Fever, ...	·	·	1	·	3	1	·	·	2	1	·	·	1	1	2	1	1	·	·	1	·	1	2	·	·	1
Whooping-cough, ...	·	·	1	1	1	2	1	·	1	1	3	2	·		·	·	1	5	·	1	1	1	·	·	1	·
Diphtheria, ...	·	·	·	1	1	·	·	·	·	1	3	1	3	·	2	·	1	·	·	·	·	·	·	·	·	1
Dysentery, ...	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	15	15	18	21	14	16	16	16	13	16	16	13	13	11	5	15	13	18	15	10	8	11	6	16	12	12
Tuberculosis { Other Forms, ..	3	5	5	4	2	4	2	3	5	2	7	3	5	5	7	3	4	11	6	5	6	5	5	3	3	2
Cancer, ...	7	6	7	4	11	14	13	5	5	9	12	7	13	4	9	7	3	6	4	9	6	5	9	7	11	7
Diseases of Respiratory System, { Pneumonia ..	4	5	5	9	6	6	4	1	6	8	12	12	6	6	4	4	5	10	8	5	1	3	4	9	7	2
Diseases of Respiratory System, { Others, ..	9	16	8	14	9	11	1	10	9	15	12	14	10	6	11	9	6	5	7	6	2	4	8	3	5	5
Diarrhœa and Enteritis, under 2 years, ...	4	3	11	11	17	31	26	31	23	17	14	14	13	1	2	3	6	8	11	17	21	18	6	2	9	6
Diarrhœa, 2 years and upwards..	·	·	1	·	1	1	·	2	1	·	1	·	1	·	·	·	·	1	3	1	1	2	3	2	·	2
Violent Deaths, ...	3	7	6	2	2	3	4	5	1	3	3	7	3	5	5	1	2	·	2	·	·	·	2	4	2	4
Number of Uncertified Deaths, ..	4	4	·	6	3	4	5	6	4	4	3	7	4	1	2	1	2	2	1	1	2	1	1	·	1	·
Mean Temperature in degrees ..	61·9	63·5	61·7	60·3	61·0	56·7	58·1	54·9	52·5	55·6	57·9	55·8	48·5	64·0	64·8	62·4	60·5	60·0	57·3	58·6	56·3	53·3	57·8	55·2	55·2	50·1
Rainfall in inches	0·02	0·09	0·04	1·16	0·89	0·87	0·33	0·03	0·12	1·15	1·92	1·01	0·36	0·04	0·35	0·07	0·77	0·28	0·06	0·13	0·07	0·47	0·01	2·97	0·98	0·68

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th October, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	13·1	.	4	1	1	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	16	10·5	1·1	10	3	2	1	1	1	2	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	3	4	.
Do. 3 do.	50,032	27	12·5	1·0	12	2	2	2	1	3	2	.	.	.	.	.	.	.	.	3	1	.	.	.	1	.	.	.	2	.
Do. 4 do.	32,637	15	20·8	4·8	13	2	2	.	3	3	3	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.	.	1	8	.
Do. 5 do.	16,112	11	22·7	6·5	7	2	.	.	2	1	2	.	.	.	.	1	.	.	.	2	.	2	.	.	1	.	.	.	2	.
Do. 6 do.	37,293	12	14·0	.	10	.	.	.	3	4	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	2	.
Do. 7 do.	2,681	3	19·4	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	10	8·5	4·3	4	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	.
Do. 10 do.	28,958	13	19·8	1·8	11	3	1	2	1	2	2	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	1	3	1	.
Do. 11 do.	39,311	17	14·6	.	11	2	.	2	2	4	1	.	.	.	.	.	.	.	.	2	.	2	.	1	.	.	.	.	2	.
Do. 12 do.	38,076	25	12·3	.	9	.	1	3	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	1	1	4	.
Do. 13 do.	23,233	6	4·5	2·2	2	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	6·9	2·3	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Total,	386,947	173	13·1	1·6	98	18	10	11	15	26	18	2	.	.	.	1	.	1	.	12	2	7	2	5	6	2	4	8	29	.
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	8	19·4	.	5	1	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
Do. 2 do.	10,399	6	15·0	5·0	3	.	.	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 3 do.	9,793	6	5·3	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	5	11·4	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 5 do.	6,250	1	25·0	.	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	5	9·0	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.	16,056	6	6·5	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Total	76,673	37	12·2	0·7	18	3	2	2	1	5	5	1	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	1	5	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st October, 1916

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	3	.	.	.	.	.	3	.	.	.	.	1	7
" " 1, West ..	.	.	.	.	.	.	1	2	.	.	.	.	1	4
" " 2, ...	.	.	.	.	.	.	.	1	.	.	.	.	2	3
" " 3, ...	.	.	.	.	1	.	.	9	1	.	.	.	1	12
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	3	.	.	.	.	.	1	.	.	.	.	.	4
" " " 2, ...	.	1	.	.	.	.	.	1	.	.	.	.	.	2
" " " 3, ...	.	4	.	.	1	.	.	1	.	.	.	.	2	8
" " " 4, ...	.	.	.	.	1	.	.	.	.	.	.	.	2	3
New Kilmainham, ...	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Total, ...	.	14	.	.	3	.	1	18	1	.	.	.	9	46

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st October, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 21st October.			
	Sept. 30.	Oct. 7	Oct. 14.	No. admitted	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	105	106	106	20	17	2	107
Typhus, ...	.	2	3	.	.	.	3
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	1	2	1	1	.	2
Scarlet Fever	49	54	61	19	11	.	69*
Diphtheria, ...	16	19	25	1	5	2	19
Pneumonia, ...	11	13	13	9	5	1	16

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237. 375. 10. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 43. Vol. LIII.] Week ending Saturday, 28th October, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 30th October, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·5 and 15·8; Dublin Registration Area, 18·7 and 18·1; Dublin City, 17·7 and 19·1; Belfast, 15·8 and 14·1; Cork, 13·6 and 14·1; Londonderry, 15·6 and 16·6; Limerick, 20·3 and 18·6; and Waterford, 13·3 and 20·9.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·5 per 1,000. Among the 118 deaths from all causes for Belfast are 2 from scarlet fever, 2 from whooping-cough, and 7 deaths of children under 2 years from diarrhœa and enteritis. The 15 deaths from all causes for Limerick include one from enteric fever. Of the 7 deaths from all causes for Waterford one was from measles and 2 were of children under 2 years from diarrhœa and enteritis; and enteric fever caused one of the 2 deaths recorded for Tralee.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 179—81 boys and 98 girls—and the deaths to 167—83 males and 84 females.

The deaths registered, omitting the deaths (numbering 25) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·7 per 1,000 of the population. During the forty-three weeks ending with Saturday last, the death-rate averaged 19·8, and was 1·5 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the forty-three weeks was 21·4, and for the corresponding period of the preceding ten years, 22·5.

The 142 deaths appertaining to the Area include one from enteric fever, one from scarlet fever, one from whooping-cough, and 12 deaths from diarrhœal diseases.

In the 3 preceding weeks deaths from enteric fever numbered 3, 3, and 3; deaths from scarlet fever 0, 0, and one; deaths from whooping-cough 3, 2, and 0; and deaths from diarrhœal diseases 15, 14, and 14, respectively.

Tuberculous disease caused 20 deaths (comprising 16 from pulmonary tuberculosis, and 4 from other forms of the disease), as against 23, 16, and 18, respectively, in the three weeks preceding.

Eight deaths were caused by cancer, 12 by pneumonia (comprising 3 from broncho-pneumonia, and 9 from pneumonia, type not distinguished), 6 by organic diseases of the heart, and 12 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, one to congenital malformation, 4 to premature birth, and 5 to congenital debility.

Four deaths were due to violence, one being that of an infant caused by suffocation in bed.

Forty-eight of the deaths registered during the week appertaining to the Area were those of children under 5 years of age; 35 being infants under one year, of whom 15 were under one month old.

Of the 142 deaths recorded, 48 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 12·7), was equal to an average annual death-rate of 12·9 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 12·9 per 1,000, the rate for Glasgow being 11·8, and for Edinburgh 13·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th October. From this Report it appears that of 53 cases notified, 21 were scarlet fever, 14 pulmonary tuberculosis, 5 other forms of tuberculosis, 11 diphtheria, and 2 erysipelas. Among the 381 cases of infectious diseases in hospital at the close of the week were 133 of pulmonary tuberculosis, 135 of scarlet fever, 78 of diphtheria, 4 of enteric fever, 3 of erysipelas, 3 of cerebro-spinal fever, 3 of whooping-cough, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 28th October, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Oct. 7,	·	—	—	5	2	·	4	·	1	18	1	·	—	—	·	—	·	20	51
	Oct. 14,	·	—	—	12	1	·	3	·	2	18	·	·	—	—	·	—	1	11	48
	Oct. 21,	·	—	—	14	·	·	3	·	1	18	1	·	—	—	·	—	·	9	46
	Oct. 28,	·	—	—	6	·	·	1	·	·	9	2	·	—	—	·	—	·	8	26
Rathmines and Rathgar Urban District.	Oct. 7,	·	—	—	·	·	·	2	·	·	2	1	·	—	—	—	—	—	—	5
	Oct. 14,	·	—	—	3	·	·	4	·	·	·	·	·	—	—	—	—	—	—	7
	Oct. 21,	·	—	—	·	·	·	·	·	·	3	·	·	—	—	—	—	—	—	3
	Oct. 28,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
Pembroke Urban District.	Oct. 7,	·	·	·	·	·	·	·	1	·	·	·	·	—	10	·	—	—	·	11
	Oct. 14,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
	Oct. 21,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
	Oct. 28,	·	·	·	·	·	·	·	·	·	·	·	·	—	1	·	—	—	1	2
Blackrock Urban District.	Oct. 7,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Oct. 14,	·	·	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	·	2
	Oct. 21,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	·	1
	Oct. 28,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
Kingstown Urban District.	Oct. 7,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 14,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 21,	·	—	—	·	·	·	·	·	·	1	·	·	—	—	—	—	·	·	1
	Oct. 28,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
City of Belfast	Oct. 7,	·	—	—	14	·	·	1	·	·	·	1	·	—	—	1	—	2	1	20
	Oct. 14,	·	—	—	23	·	·	2	·	·	8	2	·	—	—	·	—	2	·	37
	Oct. 21,	·	—	—	10	·	·	5	·	·	1	1	·	—	—	1	—	·	·	18
	Oct. 28,	·	—	—	20	·	·	8	·	·	·	7	·	—	—	·	—	·	1	36
City of Cork	Oct. 7,	·	·	—	2	·	·	1	·	·	·	1	1	—	—	—	1	—	—	6
	Oct. 14,	·	·	—	2	·	·	·	·	·	·	·	·	—	—	—	·	—	—	2
	Oct. 21,	·	·	—	1	·	·	2	·	·	1	·	·	—	—	—	3	—	—	7
	Oct. 28.	·	·	—	2	·	·	1	1	·	2	1	·	—	—	—	1	—	—	8
City of Londonderry	Oct. 7,	·	—	—	3	·	·	·	·	·	·	·	·	—	—	·	—	—	—	3
	Oct. 14,	·	—	—	3	·	·	·	·	·	·	1	·	—	—	·	—	—	—	4
	Oct. 21,	·	—	—	6	·	·	·	·	·	·	·	·	—	—	·	—	—	—	6
	Oct. 28,	·	—	—	7	·	·	1	·	·	·	·	·	—	—	·	—	—	—	8
City of Limerick.	Oct. 7,	·	—	—	·	·	·	·	·	·	3	·	·	—	—	·	—	—	—	3
	Oct. 14,	·	—	—	1	·	·	·	·	3	1	·	·	—	—	·	—	—	—	5
	Oct. 21,	·	—	—	·	·	·	·	·	·	4	·	·	—	—	·	—	—	—	4
	Oct. 28,	·	—	—	·	·	·	·	·	·	7	·	·	—	—	·	—	—	—	7
City of Waterford.	Oct. 7,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 14,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 21,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 28,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th October, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 17 and 111; typhus nil and one; measles 2 and 3; scarlet fever 11 and 67*; and diphtheria 3 and 19. Eight cases of pneumonia were admitted during the week and 14 remained under treatment at its close. Of the deaths in hospitals during the week one was from scarlet fever, and 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 28th October, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) Week ending 28th October, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	REGISTRATION—WEEK ENDING SATURDAY, 28TH OCTOBER, 1916. NUMBERS REGISTERED.																															
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS,	1,122,268	19·7	21·9	16·5	1·5	471	355	73	85	3	·	·	1	3	3	·	·	45	9	23	24	31	22	1	7	9	99	16	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	23·5	18·7	2·0	179	142	35	40	1	·	·	·	1	1	·	·	16	4	8	12	12	11	1	4	4	48	5	(d) 56·1	31·1	45·4	2·28
Urban Districts. CITY OF DUBLIN,	303,600	38·4	25·4	17·7	1·9	148	103	26	23	·	·	·	·	1	1	·	·	14	3	5	8	10	8	1	4	4	40	4	(e) 54·7 (f) 55·6	40·9 35·0	47·3 47·3	1·79 1·99
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	12·0	12·0	1·3	9	9	3	4	1	·	·	·	·	·	·	·	1	·	2	1	·	·	·	·	·	3	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	26·9	35·8	5·4	15	20	6	5	·	·	·	·	·	·	·	·	1	1	·	2	1	3	·	·	·	5	1	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	11·7	17·5	·	2	3	·	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	15·9	22·3	·	5	7	·	5	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·
Urban Districts. BELFAST, ..	390,000	26·1	22·3	15·8	1·5	167	118	24	21	·	·	·	·	2	2	·	·	16	3	11	8	12	7	·	2	4	25	2	55·0	34·0	47·1	1·42
Urban Districts. CORK, ...	76,673	28·6	12·2	13·6	0·7	18	20	3	4	·	·	·	·	·	·	·	·	4	2	·	2	1	1	·	·	·	9	·	55	41	48·8	2·72
Urban Districts. LONDONDERRY, ..	40,000	15·5	23·5	15·6	·	18	12	1	2	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	4	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	19·0	20·3	1·4	14	15	1	3	1	·	·	·	·	·	·	·	2	·	1	1	·	·	·	·	·	5	2	53·5	36·7	46·2	1·72
Urban Districts. WATERFORD, ..	27,464	19·1	19·0	13·3	5·7	10	7	2	1	·	·	·	1	·	·	·	·	·	·	·	·	2	2	·	·	·	2	1	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			5	2	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	59	42	49	0·92
Urban Districts. DUNDALK, ..	13,128	9·5				1	5	1	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	7	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	55	37	46	1·07
Urban Districts. DROGHEDA, ..	12,501	8·4				9	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	55	37	46	1·40
Urban Districts. NEWRY, ...	11,963	17·0				7	4	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	1	55	37	46	1·07
Urban Districts. PORTADOWN, ..	11,727	15·3				4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	1	55	37	46	1·07
Urban Districts. WEXFORD, ..	11,531	22·8				5	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				4	3	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				4	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	54	35	44·0	1·50
Urban Districts. KILKENNY, ..	10,514	11·4				9	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2	·	55	32	44·8	1·61
Urban Districts. TRALEE, ...	10,300	17·4				7	2	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·
LONDON, ...	4,310,030	—	—	12·7	—	2,059	1,053	176	338	2	·	·	5	3	2	13	—	117	21	90	57	85	51	6	43	119	492	·	·	·	·	·
EDINBURGH, ...	329,200	—	—	13·5	—	106	85	13	39	·	·	·	·	·	·	·	—	—	—	—	—	—	2	—	5	—	—	—	52·6	29·9	43·7	0·39
GLASGOW, ...	1,091,600	—	—	11·8	—	504	246	39	52	·	·	·	5	2	1	·	—	—	—	—	—	—	9	—	14	—	—	—	53·2	35·3	44·9	0·36

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 43rd Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 28th October, 1916. All Ages.	Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	149·6	167	15	21	9	5	5	3	7	9	10	13	15	14	21	20	142
Enteric Fever ..	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·2	18	1	.	.	.	.	1	3	1	2	4	4	1	1	.	16
Tuberculous Meningitis	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·0	3	.	.	1	.	.	.	.	1		.	1	.	.	.	3
Venereal Diseases ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	10·8	10	.	.	.	.	.	.	.	.	.	2	3	2	2	1	8
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other General Diseases	1·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	3·8	4	.	.	.	.	.	.	.	.	.	.	.	2	2	.	4
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Epilepsy	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·6	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	3·0	7	.	.	1	.	.	.	.	.	1	2	1	.	2	.	7
Pericarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	13·4	6	.	.	.	.	.	.	.	.	.	2	.	1	1	2	6
Embolism and Thrombosis (including Cerebral).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	13·4	12	1	3	.	.	.	.	.	.	.	.	1	3	1	3	12
Broncho-pneumonia ..	2·4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	3
Lobar pneumonia ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	4·6	11	.	.	2	.	2	1	.	.	.	.	2	2	.	2	9
Pleurisy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the FORTY-THIRD WEEK, ending Saturday, 28th October, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 43rd Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 28th October, 1916.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.														
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx, Tonsillitis.	·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Diseases of Stomach ..	1·8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Diarrhœa and Enteritis of Children under 2 years.	10·8	12	2	6	4	·	·	·	·	·	·	·	·	·	·	·	11
Diarrhœa 2 years and upwards.	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Enteritis 2 years and upwards.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Hernia and Intestinal Obstructions.	1·8	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Cirrhosis of Liver ..	1·2	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	2
Other Diseases of Liver	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Peritonitis (cause unknown).	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Other Diseases of Digestive System.	1·2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Acute Nephritis ..	1·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Chronic Bright's Disease	4·0	6	·	·	·	·	·	1	·	·	·	1	1	1	1	1	6
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	3·4	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4
Congenital Debility ..	4·0	5	3	2	·	·	·	·	·	·	·	·	·	·	·	·	5
Old Age	4·8	12	·	·	·	·	·	·	·	·	·	·	·	·	4	8	12
Other Specified Diseases	·6	3	1	·	·	·	1	·	·	·	·	·	·	1	·	·	2
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Suffocation in Bed, ..	·2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·4	14	·	·	·	·	·	·	3	7	3	1	·	·	2	·	3
Other Violent Deaths		5	·	·	·	1	1	·	·	·	1	·	·	·	·	·	·
Not included in above—																	
Homicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·0	2	·	1	·	·	1	·	·	·	·	·	·	·	·	·	2

TABLE IV.—Showing for the WEEK ENDED 28TH OCTOBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age periods, and the number of Uncertified Deaths. *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 28TH OCTOBER, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	12·4	3·5	7	6	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	5	·	·	1	2
,, 1, W., ...	40,200	25·9	·	20	5	3	·	1	2	2	2	5	·	·	·	·	·	·	·	·	2	2	·	3	1	·	·	2	10	2	4	3	·
,, 2, ...	26,900	27·1	1·9	14	3	·	2	1	·	3	2	3	·	·	·	·	·	·	·	·	1	·	·	1	4	·	1	·	7	·	2	4	·
,, 3, ...	35,200	11·9	1·5	8	4	·	1	·	·	1	·	2	·	·	·	·	·	1	·	·	·	·	1	1	·	·	·	·	5	·	3	1	·
CLONTARF AND HOWTH, No. 1, part of	5,400	9·7	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	3·9	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	10,800	19·3	·	4	·	·	·	·	2	·	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	2	·	1	·	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	16·9	2·6	13	2	1	·	·	1	2	3	4	·	·	·	·	·	·	·	·	2	1	2	1	·	2	·	1	4	1	·	4	·
,, 2, ...	17,800	14·6	·	5	·	1	·	·	·	·	3	1	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	2	·	·	1	1
,, 3, ...	42,400	20·9	4·9	17	2	3	1	1	·	4	3	3	·	·	·	·	1	·	·	·	2	·	1	·	4	3	·	1	5	1	7	2	1
,, 4, ...	32,000	13·0	1·6	8	4	·	·	1	·	1	2	·	·	·	·	·	·	·	·	·	2	·	·	1	·	1	·	·	4	·	3	1	·
NEW KILMAINHAM, ...	10,100	25·8	·	5	·	·	·	1	·	2	1	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	3	·	1	1	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	12·0	1·3	9	3	·	·	·	·	·	2	4	1	·	·	·	·	·	·	·	1	·	2	1	·	·	·	·	4	·	1	2	·
PEMBROKE, ...	29,100	35·8	5·4	20	6	1	·	1	1	1	5	5	·	·	·	·	·	·	·	·	1	1	·	2	1	3	·	·	12	·	5	·	1
BLACKROCK, ...	8,900	17·5	·	3	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	·	·	·
KINGSTOWN	16,400	22·3	·	7	·	·	·	·	·	·	2	5	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	5	·	·	·	·
TOTAL CITY. North, ...	161,200	17·8	1·3	55	18	3	3	2	4	6	5	14	·	·	·	·	·	1	·	·	5	2	2	5	5	2	1	2	30	2	11	9	2
South, ...	142,400	17·6	2·6	48	8	5	1	3	1	9	12	9	·	·	·	·	1	·	·	·	9	1	3	3	5	6	·	2	18	2	11	9	2
North and South, ..	303,600	17·7	1·9	103	26	8	4	5	5	15	17	23	·	·	·	·	1	1	·	·	14	3	5	8	10	8	1	4	48	4	22	18	4
Total Urban Districts, ...	93,400	21·8	2·2	39	9	1	·	1	1	1	9	17	1	·	·	·	·	·	·	·	2	1	3	4	2	3	·	·	23	·	6	2	1
Total Registration Area, ..	397,000	18·7	2·0	142	35	9	4	6	6	16	26	40	1	·	·	·	1	1	·	·	16	4	8	12	12	11	1	4	71	4	28	20	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				25	1	·	1	2	10	7	3	1	·	·	·	·	·	·	·	·	2	·	2	2	·	1	·	17	1	2	25	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th October, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 28TH OCTOBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	167	50	8	16	23	29	21	20	1	.	.	.	1	1	.	.	18	4	10	4	14	12	12	1	21	68	5
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	.	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
II.	MIDDLE CLASS	101,798	15·9	31	6	2	4	3	5	5	6	.	.	.	.	.	.	.	.	5	1	3	.	2	2	1	.	2	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	15·4	32	10	2	.	3	4	8	5	.	.	.	.	1	.	.	.	3	.	2	1	3	1	2	.	2	17	3
IV.	GENERAL SERVICE CLASS	167,479	24·6	79	31	4	11	14	10	4	5	1	.	.	.	.	1	.	.	7	.	4	3	6	7	8	1	17	24	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	3	.	1	3	9	3	1	.	.	.	.	.	.	.	.	3	3	1	.	2	2	1	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	.	.	1	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	.	.	2	.	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants,	33,249	—	12	3	1	1	2	2	1	2	.	.	.	.	.	.	.	.	2	1	1	.	.	1	.	.	.	7	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	10	3	1	.	1	1	2	2	.	.	.	.	.	.	.	.	.	.	2	.	2	.	1	.	2	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.
	9. Building and Furnishing Trades, ..	28,823	—	9	3	2	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	4	1
	10. Clothing Trades, ...	20,026	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	3	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	14	4	.	.	2	.	4	4	.	.	.	.	1	.	.	.	1	.	.	.	2	1	1	.	.	8	1
	13. Petty Shopkeepers, ...	6,772	—	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	27	7	1	10	5	2	1	1	.	.	.	.	.	.	.	.	1	.	.	2	2	.	3	.	15	4	2
	15. Domestic Servants, ...	36,041	—	5	1	.	1	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	2	1	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	.	.	.	2	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	42	23	3	.	7	5	2	2	1	.	.	.	.	1	.	.	3	.	4	1	4	5	4	1	2	16	.
V	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	20	3	.	1	3	9	3	1	.	.	.	.	.	.	.	.	3	3	1	.	2	2	1	.	.	8	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

———	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Aug 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept 9.	Sept. 16	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.
No. of weeks in Annual Series ..	31	32	33	34	35	36	37	38	39	40	41	42	43	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered	207	181	162	244	152	219	178	215	181	204	198	189	179	152	166	164	153	202	177	182	154	180	153	183	173	167
Average Births in corresponding week of previous 10 years, ...	221	200	219	218	202	240	201	217	237	203	192	202	202	218	212	204	193	199	210	210	187	201	208	209	203	204
Number of Deaths, ...	107	126	125	110	147	113	132	119	139	142	135	133	142	95	87	100	123	117	100	95	109	100	105	102	98	118
Annual Death-rate per 1,000 ..	14·1	16·5	16·4	14·4	19·3	14·8	17·3	15·6	18·3	18·7	17·7	17·5	18·7	12·7	11·6	13·4	16·4	15·6	13·4	12·7	14·6	13·4	14·0	13·6	13·1	15·8
Average Deaths in corresponding week of previous 10 years, ...	129	131	143	146	148	152	154	154	152	151	146	145	138	109	112	117	123	126	125	123	126	122	117	117	116	126
Ages,— Under one year, ..	12	20	27	23	42	29	45	34	36	35	32	27	35	20	11	17	22	26	20	26	29	11	19	23	18	24
1— 5 years, ..	12	15	17	17	11	11	13	13	13	20	14	12	13	10	5	10	13	8	9	12	7	6	4	5	10	8
5—25 ,, ..	8	14	12	10	17	9	14	11	10	9	12	6	12	14	12	11	21	7	11	4	14	10	13	8	11	13
25—45 ,, ..	24	19	16	21	16	20	8	13	17	17	24	21	16	14	22	23	17	26	13	18	18	16	16	20	15	23
45—65 ,, ..	21	24	31	22	37	27	20	22	32	28	1	37	26	19	18	17	33	22	26	18	21	28	33	25	26	29
65 and upwards, ..	30	34	22	17	24	17	32	26	31	33	35	30	40	18	19	22	17	28	21	17	20	29	20	21	18	21
Deaths from :—																										
Enteric Fever, ...	1	1	.	.	3	.	.	2	4	3	3	3	1	.	.	.	.	.	2	.	1	1	1	1	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	2	1	1	1	.	.	.	1	1	.	2	1	3	2	.	1	1	1	.	1	1	.	.
Scarlet Fever, ...	.	1	.	3	1	.	.	2	1	.	.	1	1	2	1	1	.	.	1	.	1	2	.	.	1	2
Whooping-cough, ...	.	1	1	1	2	1	.	1	1	3	2	.	1	.	.	1	5	.	1	1	1	.	.	1	.	2
Diphtheria, ...	.	.	1	1	.	.	.	.	1	3	1	3	.	2	.	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	15	18	21	14	16	16	16	13	16	16	13	13	16	5	15	13	18	15	10	8	11	6	16	12	12	16
Tuberculosis { Other Forms, ..	5	5	4	2	4	2	3	5	2	7	3	5	4	7	3	4	11	6	5	6	5	5	3	3	2	3
Cancer, ...	6	7	4	11	14	13	5	5	9	12	7	13	8	9	7	3	6	4	9	6	5	9	7	11	7	11
Diseases of Respiratory System, { Pneumonia ..	5	5	9	6	6	4	1	6	8	12	12	6	12	4	4	5	10	8	5	1	3	4	9	7	2	8
Diseases of Respiratory System, { Others, ..	16	8	14	9	11	1	10	9	15	12	14	10	12	11	9	6	5	7	6	2	4	8	3	5	5	12
Diarrhœa and Enteritis, under 2 years, ...	3	11	11	17	31	26	31	23	17	14	14	13	11	2	3	6	8	11	17	21	18	6	2	9	6	7
Diarrhœa, 2 years and upwards..	.	1	.	1	1	.	2	1	.	1	.	1	1	.	.	.	1	3	1	1	2	3	2	.	2	.
Violent Deaths, ...	7	6	2	2	3	4	5	1	3	3	7	3	4	5	1	2	.	2	.	.	.	2	4	2	4	2
Number of Uncertified Deaths, ..	4	.	6	3	4	5	6	4	4	3	7	4	5	2	1	2	2	1	1	2	1	1	.	1	.	2
Mean Temperature in degrees ..	63·5	61·7	60·3	61·0	56·7	58·1	54·9	52·5	55·6	57·9	55·8	48·5	45·4	64·8	62·4	60·5	60·0	57·3	58·6	56·3	53·3	57·8	55·2	55·2	50·1	47·1
Rainfall in inches	0·09	0·04	1·16	0·89	0·87	0·33	0·03	0·12	1·15	1·92	1·01	0·36	2·28	0·35	0·07	0·77	0·28	0·06	0·13	0·07	0·47	0·01	2·97	0·98	0·68	1·42

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th October, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	9·9	·	3	·	·	·	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	1	1	·
Do. 2 do.	49,500	20	19·0	4·2	18	6	2	3	·	5	2	·	·	·	·	·	2	·	·	3	·	1	3	1	2	·	·	·	3	1
Do. 3 do.	50,032	20	21·9	·	21	5	·	1	4	7	4	·	·	·	·	·	·	·	·	4	1	2	1	1	·	·	·	1	6	·
Do. 4 do.	32,637	18	20·8	3·2	13	2	·	2	3	3	3	·	·	·	·	2	·	·	·	2	·	·	·	3	·	·	·	·	4	1
Do. 5 do.	16,112	8	12·9	3·2	4	1	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·
Do. 6 do.	37,293	13	9·8	·	7	1	1	1	1	1	2	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	1	·
Do. 7 do.	2,681	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	4	17·5	8·7	2	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
Do. 9 do.	24,427	14	12·8	·	6	2	·	·	2	·	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	1	1	·
Do. 10 do.	28,958	18	28·8	·	16	·	1	2	5	5	3	·	·	·	·	·	·	·	·	2	·	3	2	1	·	·	·	·	4	·
Do. 11 do.	39,311	12	10·6	1·3	8	3	1	1	1	1	1	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	1	·
Do. 12 do.	38,076	12	11·0	1·4	8	2	2	1	·	3	·	·	·	·	·	·	·	·	·	1	·	1	1	1	1	·	1	1	1	·
Do. 13 do.	23,233	11	11·2	·	5	·	·	1	2	2	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	7	16·1	2·3	7	2	·	·	2	1	2	·	·	·	·	·	·	·	·	1	·	·	1	1	1	·	·	·	2	·
Total,	386,947	167	15·8	1·5	118	24	8	13	23	29	21	·	·	·	·	2	2	·	·	16	3	11	8	12	7	·	2	4	25	2
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	2	15·5	·	4	1	·	·	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·
Do. 2 do.	10,399	6	15·0	5·0	3	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
Do. 3 do.	9,793	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 4 do.	9,139	1	22·8	·	4	1	1	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	2	·
Do. 5 do.	6,250	·	16·7	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Do. 6 do.	11,581	2	9·0	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	·
Do. 7 do.	16,056	5	16·2	·	5	·	·	1	2	1	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	2	·
Total	76,673	18	13·6	0·7	20	3	1	3	6	3	4	·	·	·	·	·	·	·	·	4	2	·	2	1	1	·	·	·	9	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th October, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	1	.	.	.	.	.	3	.	.	.	.	.	4
,, ,, 1, West ..	.	1	.	.	.	.	.	2	.	.	.	.	3	6
,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
,, ,, 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
South City No. 1	.	4	.	.	.	.	.	1	.	.	.	.	1	6
,, ,, ,, 2, ...	.	.	.	.	1	.	.	.	1	.	.	.	.	2
,, ,, ,, 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	1	2
,, ,, ,, 4, ...	.	.	.	.	.	.	.	1	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	6	.	.	1	.	.	9	2	.	.	.	8	26

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th October, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 28th October.			
	Oct. 7.	Oct. 14.	Oct. 21	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	106	106	107	17	13	..	111
Typhus, ...	2	3	3	.	2	..	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	1	2	2	2	1	.	3
Scarlet Fever	54	61	69	11	12	1	67*
Diphtheria, ...	19	25	19	3	3	.	19
Pneumonia, ...	13	13	16	8	8	2	14

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237 375. 10. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 44. Vol. LIII.] Week ending Saturday, 4th November, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 6th November, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 15·6 and 15·8; Dublin Registration Area, 15·9 and 17·4; Dublin City, 18·4 and 18·7; Belfast, 15·9 and 14·6; Cork, 12·2 and 13·6; Londonderry, 19·6 and 17·6; Limerick, 23·0 and 21·0; and Waterford, 17·1 and 18·0.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·0 per 1,000. Among the 119 deaths from all causes for Belfast are one from whooping-cough, and 4 deaths of children under 2 years from diarrhœa and enteritis. Of the 18 deaths from all causes for Cork 2 were of children under 2 years from diarrhœa and enteritis. One of the 9 deaths from all causes for Waterford was due to measles. Diphtheria caused one of the 2 deaths recorded for Ballymena; and the 3 deaths for Sligo include 2 from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 187—79 boys and 108 girls—and the deaths to 127—65 males and 62 females.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·9 per 1,000 of the population. During the forty-four weeks ending with Saturday last, the death-rate averaged 19·7, and was 1·6 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the forty-four weeks was 21·3, and for the corresponding period of the preceding ten years, 22·5.

The 121 deaths appertaining to the Area include 3 from enteric fever and 5 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks deaths from enteric fever numbered 3, 3, and one; and deaths from diarrhœa and enteritis of children under 2 years 14, 13, and 11, respectively.

Tuberculous disease caused 16 deaths (comprising 14 from pulmonary tuberculosis, and 2 from other forms of the disease), as against 16, 18, and 20, respectively, in the three weeks preceding.

Five deaths were caused by cancer, 13 by pneumonia (comprising 7 from broncho-pneumonia and 6 from pneumonia, type not distinguished), 17 by organic diseases of the heart, and 19 by bronchitis.

Among deaths of infants under one year old, 5 were due to convulsions, 3 to premature birth, and 4 to congenital debility.

Six deaths were due to violence, one being caused by burns and 5 by gunshot wounds.

Thirty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 30 being infants under one year, of whom 10 were under one month old.

Of the 121 deaths recorded, 33 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 12·8), was equal to an average annual death-rate of 12·6 per 1,000 persons living.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th November. From this Report it appears that of 46 cases notified, 16 were scarlet fever, 14 diphtheria, 7 pulmonary tuberculosis, 7 other forms of tuberculosis, and 2 erysipelas. Among the 398 cases of infectious diseases in hospital at the close of the week were 139 of pulmonary tuberculosis, 137 of scarlet fever, 77 of diphtheria, 7 of measles, 4 of enteric fever, 3 of whooping-cough, 2 of cerebro-spinal fever, one of erysipelas, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 4th November, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Oct. 14,	·	—	—	12	1	·	3	·	2	18	·	·	—	—	·	—	1	11	48
	Oct. 21,	·	—	—	14	·	·	3	·	1	18	1	·	—	—	·	—	·	9	46
	Oct. 28,	·	—	—	6	·	·	1	·	·	9	2	·	—	—	·	—	·	8	26
	Nov. 4,	·	—	—	9	·	·	3	·	·	9	4	·	—	—	·	—	·	7	32
Rathmines and Rathgar Urban District.	Oct. 14,	·	—	—	3	·	·	4	·	·	·	·	·	—	—	—	—	—	—	7
	Oct. 21,	·	—	—	·	·	·	·	·	·	3	·	·	—	—	—	—	—	—	3
	Oct. 28,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	Nov. 4,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
Pembroke Urban District.	Oct. 14,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
	Oct. 21,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
	Oct. 28,	·	·	·	·	·	·	·	·	·	·	·	·	—	1	·	—	—	1	2
	Nov. 4,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
Blackrock Urban District.	Oct. 14,	·	·	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	·	2
	Oct. 21,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	·	1
	Oct. 28,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Nov. 4,	·	·	—	·	·	·	1	·	·	·	·	·	—	—	·	—	—	·	1
Kingstown Urban District.	Oct. 14,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 21,	·	—	—	·	·	·	·	·	·	1	·	·	—	—	—	—	—	·	1
	Oct. 28,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	—	—	·	·	2
	Nov. 4,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	—	—	·	·	2
City of Belfast	Oct. 14,	·	—	—	23	·	·	2	·	·	8	2	·	—	—	·	—	2	·	37
	Oct. 21,	·	—	—	10	·	·	5	·	·	1	1	·	—	—	1	—	·	·	18
	Oct. 28,	·	—	—	20	·	·	8	·	·	·	7	·	—	—	·	—	·	1	36
	Nov. 4,	·	—	—	16	·	·	4	·	·	9	5	·	—	—	·	—	1	·	35
City of Cork	Oct. 14,	·	·	—	2	·	·	·	·	·	·	·	·	—	—	—	·	—	—	2
	Oct. 21,	·	·	—	1	·	·	2	·	·	1	·	·	—	—	—	3	—	—	7
	Oct. 28,	·	·	—	2	·	·	1	1	·	2	1	·	—	—	—	1	—	—	8
	Nov. 4,	·	·	—	1	·	·	2	·	1	·	·	·	—	—	—	·	—	—	4(a)
City of Londonderry	Oct. 14,	·	—	—	3	·	·	·	·	·	·	1	·	—	—	·	—	—	—	4
	Oct. 21,	·	—	—	6	·	·	·	·	·	·	·	·	—	—	·	—	—	—	6
	Oct. 28,	·	—	—	7	·	·	1	·	·	·	·	·	—	—	·	—	—	—	8
	Nov. 4,	·	—	—	8	·	·	·	·	·	·	1	·	—	—	1	—	—	—	10
City of Limerick.	Oct. 14,	·	—	—	1	·	·	·	·	3	1	·	·	—	—	·	—	—	—	5
	Oct. 21,	·	—	—	·	·	·	·	·	·	4	·	·	—	—	·	—	—	—	4
	Oct. 28,	·	—	—	·	·	·	·	·	·	7	·	·	—	—	·	—	—	—	7
	Nov. 4,	·	—	—	·	·	·	·	·	·	2	·	·	—	—	·	—	—	—	2
City of Waterford.	Oct. 14,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 21,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 28,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Nov. 4,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th November, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 8 and 101; typhus 2 and 3; measles nil and 2; scarlet fever 12 and 66*; and diphtheria 3 and 13. Nine cases of pneumonia were admitted during the week and 21 remained under treatment at its close. Of the deaths in hospitals during the week 2 were from enteric fever, and one was from pneumonia.

* See note (*) at foot of Table IX.

Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology (c) Week ending 4th November, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS,	1,122,268	19·7	20·8	15·6	1·0	447	336	62	77	5	·	·	1	·	1	1	·	34	11	21	28	35	12	1	8	9	86	20	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	24·6	15·9	1·1	187	121	30	26	3	·	·	·	·	·	·	·	14	2	5	13	21	5	·	6	2	33	12	(d) 54·1	29·8	44·6	2·95
Urban Districts. CITY OF DUBLIN,	303,600	38·4	28·0	18·4	1·4	163	107	27	23	3	·	·	·	·	·	·	·	13	2	4	10	19	5	·	6	2	30	12	(e) 53·2 (f) 55·6	40·3 36·0	47·2 47·0	2·63 2·79
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	6·7	4·0	·	5	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	14·3	9·0	·	8	5	1	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	·	3	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	29·2	5·8	·	5	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	19·1	15·9	·	6	5	2	1	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·
Urban Districts. BELFAST, ..	390,000	26·1	18·0	15·9	0·7	135	119	21	32	·	·	·	·	·	1	·	·	13	4	12	11	8	4	·	1	3	31	3	54·5	33·0	45·4	1·06
Urban Districts. CORK, ..	76,673	28·6	19·0	12·2	1·4	28	18	5	3	·	·	·	·	·	·	·	·	1	·	·	·	1	2	·	·	·	5	1	55	43	49·2	2·17
Urban Districts. LONDONDERRY, ..	40,000	15·5	23·5	19·6	1·3	18	15g	1	3	·	·	·	·	·	·	·	·	2	·	·	·	1	1	·	1	1	4	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	39·3	23·0	·	29	17	1	4	·	·	·	·	·	·	·	·	2	·	2	·	1	·	·	·	2	2	3	52·7	35·0	45·2	1·72
Urban Districts. WATERFORD, ..	27,464	19·1	11·4	17·1	1·9	6	9	1	3	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5				6	4	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	4	·	54	35	46	1·93
Urban Districts. DUNDALK, ..	13,128	9·5				4	5	·	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				3	5	·	1	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	·	1	·	52	33	43·6	1·51
Urban Districts. DROGHEDA, ..	12,501	8·4				3	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				5	4	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	52	33	43·6	1·51
Urban Districts. NEWRY, ..	11,963	17·0				7	4	·	1	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	·	·	52	33	43·6	1·51
Urban Districts. PORTADOWN, ..	11,727	15·3				4	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	52	33	43.6	1·51
Urban Districts. WEXFORD, ..	11,531	22·8				1	3	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ..	11,163	3·8				3	3	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	53	33	43·0	2·18
Urban Districts. KILKENNY, ..	10,514	11·4				·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	55	32	45·2	1·36
Urban Districts. TRALEE, ..	10,300	17·4				3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON, ..	4,310,030	—	—	12·8	—	1,811	1,054	154	364	·	·	·	5	1	1	12	—	105	22	115	78	86	31	3	47	110	470	3	61	38	49·6	1·81
EDINBURGH, ..	329,200	—	—	·	—	·	·	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·	—	·	—	—	—	·	·	·	·
GLASGOW, ..	1,091,600	—	—	·	—	·	·	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·	—	·	—	—	—	·	·	·	·

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 44th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 4th November, 1916. All Ages.	Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	147·4	127	11	21	1	5	3	1	3	4	13	14	14	10	19	8	121
Enteric Fever ..	1·4	3	.	.	.	.	2	.	.	.	.	1	.	.	.	.	3
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·6	15	.	1	.	.	.	.	1	3	4	2	4	.	.	.	14
Tuberculous Meningitis	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	4	.	2	.	1	.	.	.	.		.	.	.	1	.	2
Venereal Diseases ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·6	6	.	.	.	.	.	.	.	.	2	1	1	1	.	1	5
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Diabetes	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Anæmia, Leucocythæmia.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other General Diseases	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	4·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Softening of Brain ..	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Paralysis, without specified cause.	2·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Epilepsy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·4	6	3	2	.	1	.	.	.	.	.	.	.	.	.	.	6
Other Diseases of Nervous System.	2·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	11·0	17	.	.	.	.	.	.	.	.	3	1	1	3	7	2	17
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Bronchitis	18·6	19	.	4	.	.	.	.	.	.	.	1	2	2	8	2	19
Broncho-pneumonia ..	4·0	7	1	2	1	2	.	.	.	.	.	.	.	.	1	.	7
Lobar pneumonia ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	3·2	6	.	.	.	1	.	.	.	.	.	3	1	1	.	.	6
Pleurisy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other Diseases of Respiratory System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the FORTY-FOURTH WEEK, ending Saturday, 4th November, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 44th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 4th November, 1916. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	3·2	2	·	1	·	·	·	·	·	·	·	1	·	·	·	·	2
Diarrhœa and Enteritis of Children under 2 years.	8·8	5	1	4	·	·	·	·	·	·	·	·	·	·	·	·	5
Diarrhœa 2 years and upwards.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Appendicitis and Typhlitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	2·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cirrhosis of Liver ..	1·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Other Diseases of Liver	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Acute Nephritis ..	1·0	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Chronic Bright's Disease	3·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·8	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	2
Diseases of Skin and Cellular Tissues.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	4·2	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Congenital Debility ..	3·6	4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	3
Old Age	5·0	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	2
Other Specified Diseases	·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·0	5	·	·	·	·	1	·	1	1	·	·	2	·	·	·	5
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Not included in above—																	
Homicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	3·2	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	2

TABLE IV.—Showing for the WEEK ENDED 4TH NOVEMBER, 1916, the number of DEATHS of Residents of the severa REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 4TH NOVEMBER, 1916.

REGISTRARS' DISTRICTS, &c	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	23·1	3·5	13	3	·	·	1	·	4	2	3	1	·	·	·	·	·	·	·	1	·	1	1	1	1	·	2	5	2	1	1	1
,, 1, W., ...	40,200	23·3	2·6	18	3	1	·	1	3	3	2	5	·	·	·	·	·	·	·	·	1	·	1	2	6	2	·	1	5	·	3	2	3
,, 2, ...	26,900	21·3	·	11	2	·	·	1	1	1	4	2	·	·	·	·	·	·	·	·	·	1	·	1	2	·	·	3	4	·	1	2	5
,, 3, ...	35,200	26·7	3·0	18	4	·	1	1	·	5	3	4	2	·	·	·	·	·	·	·	4	·	1	3	1	·	·	·	7	·	2	4	1
CLONTARF AND HOWTH, No. 1, part of	5,400	29·0	·	3	1	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	11·8	3·9	3	1	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	10,800	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	15·6	1·3	12	4	·	·	·	·	2	2	4	·	·	·	·	·	·	·	·	·	·	·	·	3	1	·	·	8	·	2	2	1
,, 2, ...	17,800	20·5	·	7	2	·	·	·	·	·	3	2	·	·	·	·	·	·	·	·	1	·	1	1	2	·	·	·	2	·	1	1	·
,, 3, ...	42,400	17·2	·	14	6	·	2	·	1	2	·	3	·	·	·	·	·	·	·	·	1	1	·	1	4	·	·	·	7	·	2	3	1
,, 4, ...	32,000	13·0	·	8	1	·	1	·	2	2	2	·	·	·	·	·	·	·	·	·	4	·	·	1	·	·	·	·	3	·	·	2	·
NEW KILMAINHAM, ...	10,100	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	4·0	·	3	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·	·	·	·
PEMBROKE, ...	29,100	9·0	·	5	1	·	·	·	·	3	1	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	2	·	3	·	·
BLACKROCK, ...	8,900	5·8	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
KINGSTOWN	16,400	15·9	·	5	2	·	1	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	2	·	·	·	·
TOTAL CITY. North, ...	161,200	21·3	2·3	66	14	1	1	4	4	14	14	14	3	·	·	·	·	·	·	·	7	1	3	7	10	4	·	6	25	2	8	9	10
TOTAL CITY. South, ...	142,400	15·0	0·4	41	13	·	3	·	3	6	7	9	·	·	·	·	·	·	·	·	6	1	1	3	9	1	·	·	20	·	5	8	2
TOTAL CITY. North and South, ..	303,600	18·4	1·4	107	27	1	4	4	7	20	21	23	3	·	·	·	·	·	·	·	13	2	4	10	19	5	·	6	45	2	13	17	12
Total Urban Districts, ...	93,400	7·8	·	14	3	·	1	·	·	4	3	3	·	·	·	·	·	·	·	·	1	·	1	3	2	·	·	·	7	·	3	·	·
Total Registration Area, ..	397,000	15·9	1·1	121	30	1	5	4	7	24	24	26	3	·	·	·	·	·	·	·	14	2	5	13	21	5	·	6	52	2	16	17	12
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				6	2	·	·	·	·	3	·	1	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	1	1	1	3	3	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th November, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 4TH NOVEMBER, 1916.

Class.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	127	38	4	7	27	24	19	8	3	.	.	.	.	.	.	.	15	4	6	6	13	21	5	.	7	47	12
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	3·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS	101,798	7·7	15	3	.	.	4	1	6	1	.	.	.	.	.	.	.	.	1	.	.	.	2	5	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	16·4	34	9	.	2	6	9	5	3	1	.	.	.	.	.	.	.	3	1	3	2	3	3	2	.	1	15	3
IV.	GENERAL SERVICE CLASS	167,479	17·7	57	19	4	5	12	8	6	3	2	.	.	.	.	.	.	.	8	.	2	4	4	12	3	.	6	16	9
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	7	.	.	5	6	2	.	.	.	.	.	.	.	.	.	3	3	1	.	4	1	.	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
	6. Clerks and Commercial Assistants,	33,249	—	4	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	2	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	8	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.	.	4	.
	10. Clothing Trades, ...	20,026	—	5	1	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	1
	11. Food Supply Trades, ...	8,952	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	14	3	.	1	4	4	.	2	1	.	.	.	.	.	.	.	1	.	2	1	3	1	.	.	1	4	2
	13. Petty Shopkeepers, ...	6,772	—	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	9	5	.	.	3	1	.	.	.	.	.	.	.	.	.	.	3	.	1	1	1	2	.	.	.	1	1
	15. Domestic Servants, ...	36,041	—	5	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	8	2	.	.	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	1	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	35	9	4	4	6	7	4	1	2	.	.	.	.	.	.	.	4	.	1	1	2	5	3	.	5	12	7
V	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	20	7	.	.	5	6	2	.	.	.	.	.	.	.	.	.	3	3	1	.	4	1	.	.	.	8	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept 9.	Sept 16	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov 4.
No. of weeks in Annual Series ..	32	33	34	35	36	37	38	39	40	41	42	43	44	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered	181	162	244	152	219	178	215	181	204	198	189	179	187	166	164	153	202	177	182	154	180	153	183	173	167	135
Average Births in corresponding week of previous 10 years, ...	200	219	218	202	240	201	217	237	203	192	202	202	208	212	204	193	199	210	210	187	201	208	209	203	204	197
Number of Deaths, ...	126	125	110	147	113	132	119	139	142	135	133	142	121	87	100	123	117	100	95	109	100	105	102	98	118	119
Annual Death-rate per 1,000 ..	16·5	16·4	14·4	19·3	14·8	17·3	15·6	18·3	18·7	17·7	17·5	18·7	15·9	11·6	13·4	16·4	15·6	13·4	12·7	14·6	13·4	14·0	13·6	13·1	15·8	15·9
Average Deaths in corresponding week of previous 10 years, ...	131	143	146	148	152	154	154	152	151	146	145	138	149	112	117	123	126	125	123	126	122	117	117	116	126	117
Ages, .. Under one year, ..	20	27	23	42	29	45	34	36	35	32	27	35	30	11	17	22	26	20	26	29	11	19	23	18	24	21
1— 5 years, ..	15	17	17	11	11	13	13	13	20	14	12	13	6	5	10	13	8	9	12	7	6	4	5	10	8	9
5—25 „ ..	14	12	10	17	9	14	11	10	9	12	6	12	11	12	11	21	7	11	4	14	10	13	8	11	13	9
25—45 „ ..	19	16	21	16	20	8	13	17	17	24	21	16	24	22	23	17	26	13	18	18	16	16	20	15	23	18
45—65 „ ..	24	31	22	37	27	20	22	32	28	1	37	26	24	18	17	33	22	26	18	21	28	33	25	26	29	30
65 and upwards, ..	34	22	17	24	17	32	26	31	33	35	30	40	26	19	22	17	28	21	17	20	29	20	21	18	21	32
Deaths from :—																										
Enteric Fever, ...	1	.	.	3	.	.	2	4	3	3	3	1	3	.	.	.	.	2	.	1	1	1	1	2	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	2	1	1	1	.	.	.	1	1	.	.	1	3	2	.	1	1	1	.	1	1	.	.	.
Scarlet Fever, ...	1	.	3	1	.	.	2	1	.	.	1	1	.	1	1	.	.	1	.	1	2	.	.	1	2	.
Whooping-cough, ...	1	1	1	2	1	.	1	1	3	2	.	1	.	.	1	5	.	1	1	1	.	.	1	.	2	1
Diphtheria, ...	.	1	1	.	.	.	.	1	3	1	3	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	18	21	14	16	16	16	13	16	16	13	13	16	14	15	13	18	15	10	8	11	6	16	12	12	16	13
Other Forms, ..	5	4	2	4	2	3	5	2	7	3	5	4	2	3	4	11	6	5	6	5	5	3	3	2	3	4
Cancer, ...	7	4	11	14	13	5	5	9	12	7	13	8	5	7	3	6	4	9	6	5	9	7	11	7	11	12
Diseases of Respiratory System, { Pneumonia ..	5	9	6	6	4	1	6	8	12	12	6	12	13	4	5	10	8	5	1	3	4	9	7	2	8	11
Others, ..	8	14	9	11	1	10	9	15	12	14	10	12	21	9	6	5	7	6	2	4	8	3	5	5	12	8
Diarrhœa and Enteritis, under 2 years, ...	11	11	17	31	26	31	23	17	14	14	13	11	5	3	6	8	11	17	21	18	6	2	9	6	7	4
Diarrhœa, 2 years and upwards..	1	.	1	1	.	2	1	.	1	.	1	1	.	.	.	1	3	1	1	2	3	2	.	2	.	.
Violent Deaths, ...	6	2	2	3	4	5	1	3	3	7	3	4	6	1	2	.	2	.	.	.	2	4	2	4	2	1
Number of Uncertified Deaths, ..	.	6	3	4	5	6	4	4	3	7	4	5	12	1	2	2	1	1	2	1	1	.	1	.	2	3
Mean Temperature in degrees ..	61·7	60·3	61·0	56·7	58·1	54·9	52·5	55·6	57·9	55·8	48·5	45·4	44·6	62·4	60·5	60·0	57·3	58·6	56·3	53·3	57·8	55·2	55·2	50·1	47·1	45·4
Rainfall in inches	0·04	1·16	0·89	0·87	0·33	0·03	0·12	1·15	1·92	1·01	0·36	2·28	2·95	0·07	0·77	0·28	0·06	0·13	0·07	0·47	0·01	2·97	0·98	0·68	1·42	1·06

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th November, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	13·1	.	4	.	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 2 do.	49,500	18	24·2	1·1	23	3	1	3	3	5	8	.	.	.	.	.	.	.	.	2	.	1	2	2	1	.	.	.	9	1
Do. 3 do.	50,032	19	15·6	.	15	2	1	.	1	8	3	.	.	.	.	.	.	.	.	.	.	4	4	1	.	.	.	1	3	1
Do. 4 do.	32,637	12	19·2	1·6	12	6	1	.	.	3	2	.	.	.	.	.	1	.	.	1	.	2	1	.	.	.	.	.	6	.
Do. 5 do.	16,112	9	12·9	3·2	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	1	.
Do. 6 do.	37,293	7	9·8	.	7	.	.	1	1	1	4	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	.
Do 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	10	10·7	2·1	5	1	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
Do. 10 do.	28,958	9	14·4	1·8	8	3	.	1	2	2	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	1	.	.
Do. 11 do.	39,311	12	15·9	.	12	.	1	1	3	3	4	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.	3	.
Do. 12 do	38,076	20	17·8	.	13	5	2	2	1	1	2	.	.	.	.	.	.	.	.	2	1	.	1	2	.	.	1	1	2	1
Do. 13 do.	23,233	3	13·5	.	6	.	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 15 do.	22,669	9	20·7	.	9	.	1	.	2	2	4	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	4	.
Total,	386,947	135	15·9	0·7	119	21	9	9	18	30	32	.	.	.	.	.	1	.	.	13	4	12	11	8	4	.	1	3	31	3
CITY OF CORK.																														
CORK URBAN No 1 DISTRICT,	13,455	4	11·6	.	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 2 do.	10,399	4	20·1	.	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 3 do.	9,793	2	10·6	5·3	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Do. 4 do	9,139	4	11·4	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	7	22·5	.	5	1	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 7 do.	16,056	6	6·5	3·2	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Total	76,673	28	12·2	1·4	18	5	2	2	3	3	3	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	5	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th November, 1916

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	1	.	.	.	.	.	2	.	.	.	.	2	5
,, ,, 1, West ..	.	.	.	.	1	.	.	1	.	.	.	.	2	4
,, ,, 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
,, ,, 3, ...	.	.	.	.	.	.	.	1	.	.	.	.	1	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	4	.	.	.	.	.	.	1	.	.	.	.	5
,, ,, ,, 2, ...	.	.	.	.	.	.	.	1	.	.	.	.	1	2
,, ,, ,, 3, ...	.	3	.	.	.	.	.	.	3	.	.	.	.	6
,, ,, ,, 4, ...	.	1	.	.	1	.	.	4	.	.	.	.	1	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	9	.	.	3	.	.	9	4	.	.	.	7	32

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th November, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 4th November.			
	Oct. 14	Oct. 21.	Oct. 28	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	106	107	111	8	16	2	101
Typhus, ...	3	3	1	2	.	.	3
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	2	3	.	1	.	2
Scarlet Fever	61	69	67	12	13	.	66*
Diphtheria, ...	25	19	19	3	9	.	13
Pneumonia, ...	13	16	14	9	1	1	21

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

Wt. 6237 375. 11. 1916. G. III. Sch. c. 7

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., LIMITED, 8 AND 9 CROW STREET.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H. M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C.

No. 45. VOL. LIII.] WEEK ENDING SATURDAY, 11TH NOVEMBER, 1916. [PRICE 1½*d.*

General Register Office, Charlemont House,
Dublin, 13th November, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 17·3 and 16·1; Dublin Registration Area, 21·3 and 18·3; Dublin City, 22·7 and 19·6; Belfast, 14·6 and 14·9; Cork, 19·7 and 14·4; Londonderry, 11·7 and 16·3; Limerick, 12·2 and 19·3; and Waterford, 17·1 and 18·5.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·0 per 1,000. Among the 109 deaths from all causes for Belfast are one from measles, one from whooping-cough, and 7 from diarrhœal diseases. One of the 9 deaths from all causes for Waterford was due to whooping-cough, and the 4 deaths from all causes for Lisburn include one from diphtheria and one (a child under 2 years) from diarrhœa and enteritis.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 181—88 boys and 93 girls—and the deaths to 175—86 males and 89 females.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·3 per 1,000 of the population. During the forty-five weeks ending with Saturday last, the death-rate averaged 19·7, and was 1·5 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the forty-five weeks was 21·3, and for the corresponding period of the preceding ten years, 22·5.

The 162 deaths appertaining to the Area include 2 from whooping-cough, one from influenza, one from cerebro-spinal meningitis, and 6 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks deaths from whooping-cough numbered 0, one, and 0; and deaths from diarrhœa and enteritis of children under 2 years 13, 11, and 5, respectively. There were no deaths from influenza or cerebro-spinal meningitis during the three preceding weeks.

Tuberculous disease caused 15 deaths (comprising 10 from pulmonary tuberculosis, 2 from tuberculous meningitis, one from abdominal tuberculosis, and 2 from other forms of the disease), as against 18, 20, and 16, respectively, in the three weeks preceding.

Eleven deaths were caused by cancer, 7 by pneumonia (comprising 3 from broncho-pneumonia, 2 from lobar pneumonia, and 2 from pneumonia, type not distinguished), 20 by organic diseases of the heart, and 17 by bronchitis.

Among deaths of infants under one year old, 6 were due to convulsions, one to congenital malformation, 3 to premature birth, and 8 to congenital debility.

Four deaths were caused by gunshot wounds, and there was one death by suicide.

Forty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 29 being infants under one year, of whom 11 were under one month old.

Of the 162 deaths recorded, 70 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·6), was equal to an average annual death-rate of 13·3 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 14·5 per 1,000, the rate for Glasgow being 14.7, and for Edinburgh 13·0.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th November. From this Report it appears that of 66 cases notified, 24 were diphtheria, 23 scarlet fever, 9 pulmonary tuberculosis, 6 other forms of tuberculosis, and 4 erysipelas. Among the 426 cases of infectious diseases in hospital at the close of the week were 139 of pulmonary tuberculosis, 137 of scarlet fever, 89 of diphtheria, 33 of measles, 4 of enteric fever, 2 of cerebro-spinal fever, 2 of erysipelas, and one of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford during the week ended 11th November, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Oct. 21,	·	—	—	14	·	·	3	·	1	18	1	·	—	—	·	—	·	9	46
	Oct. 28,	·	—	—	6	·	·	1	·	·	9	2	·	—	—	·	—	·	8	26
	Nov. 4,	·	—	—	9	·	·	3	·	·	9	4	·	—	—	·	—	·	7	32
	Nov. 11,	·	—	—	7	4	·	1	·	·	4	1	·	—	—	·	—	·	9	26
Rathmines and Rathgar Urban District.	Oct. 21,	·	—	—	·	·	·	·	·	·	3	·	·	—	—	—	—	—	—	3
	Oct. 28,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	Nov. 4,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	Nov. 11,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	—	1
Pembroke Urban District.	Oct. 21,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
	Oct. 28,	·	·	·	·	·	·	·	·	·	·	·	·	—	1	·	—	—	1	2
	Nov. 4,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
	Nov. 11,	·	·	·	1	·	·	·	·	·	·	1	·	—	·	·	—	—	·	2
Blackrock Urban District.	Oct. 21,	·	·	—	1	·	·	·	·	·	·	·	·	—	—	·	—	—	·	1
	Oct. 28,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Nov. 4,	·	·	—	·	·	·	1	·	·	·	·	·	—	—	·	—	—	·	1
	Nov. 11,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
Kingstown Urban District.	Oct. 21,	·	—	—	·	·	·	·	·	·	1	·	·	—	—	—	—	—	·	1
	Oct. 28,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	—	—	—	·	2
	Nov. 4,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	—	—	·	·	2
	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
City of Belfast	Oct. 21,	·	—	—	10	·	·	5	·	·	1	1	·	—	—	1	—	·	·	18
	Oct. 28,	·	—	—	20	·	·	8	·	·	·	7	·	—	—	·	—	·	1	36
	Nov. 4,	·	—	—	16	·	·	4	·	·	9	5	·	—	—	·	—	1	·	35
	Nov. 11,	·	—	—	16	·	·	3	·	·	4	4	·	—	—	·	—	·	·	27
City of Cork	Oct. 21,	·	·	—	1	·	·	2	·	·	1	·	·	—	—	—	3	—	—	7
	Oct. 28.	·	·	—	2	·	·	1	1	·	2	1	·	—	—	—	1	—	—	8
	Nov. 4,	·	·	—	1	·	·	2	·	1	·	·	·	—	—	—	·	—	—	4*a*
	Nov. 11,	·	·	—	·	·	·	·	·	1	3	2	1	—	—	—	·	—	—	7
City of Londonderry	Oct. 21,	·	—	—	6	·	·	·	·	·	·	·	·	—	—	·	—	—	—	6
	Oct. 28,	·	—	—	7	·	·	1	·	·	·	·	·	—	—	·	—	—	—	8
	Nov. 4,	·	—	—	8	·	·	·	·	·	·	1	·	—	—	1	—	—	—	10
	Nov. 11,	·	—	—	5	·	·	·	·	·	2	·	·	—	—	·	—	—	—	7
City of Limerick.	Oct. 21,	·	—	—	·	·	·	·	·	·	4	·	·	—	—	·	—	—	—	4
	Oct. 28,	·	—	—	·	·	·	·	·	·	7	·	·	—	—	·	—	—	—	7
	Nov. 4,	·	—	—	·	·	·	·	·	·	2	·	·	—	—	·	—	—	—	2
	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
City of Waterford.	Oct. 21,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Oct. 28,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Nov. 4,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th November, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever 6 and 88 ; typhus 3 and 6 ; measles 3 and 4 ; scarlet fever 7 and 62* ; and diphtheria 3 and 11. Six cases of pneumonia were admitted during the week and 17 remained under treatment at its close. Of the deaths in hospitals during the week 3 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 11th November, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 11th November, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 11th November, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	23·0	17·3	1·0	495	372	61	105	·	·	·	1	·	4	1	·	33	16	29	24	50	13	2	6	3	138	20	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	23·8	21·3	1·1	181	162g	29	53	·	·	·	·	·	2	·	·	10	5	11	7	19	6	·	5	1	70	14	(d) 59·1	38·9	47·7	0·65
Urban Districts. CITY OF DUBLIN,	303,600	38·4	25·8	22·7	1·4	150	132	28	39	·	·	·	·	·	2	·	·	10	4	8	6	17	6	·	3	·	62	11	(e) 60·0 (f) 59·6	41·0 40·4	48·5 48·4	0·27 0·36
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	12·0	16·0	·	9	12	·	6	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	2	1	3	1	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	17·9	10·8	·	10	6	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	3	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	23·4	17·5	·	4	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	25·4	28·6	·	8	9	1	5	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	2	1	62	42	50	0·02
Urban Districts. BELFAST, ..	390,000	26·1	24·2	14·6	1·2	181	109	21	22	·	·	·	1	·	1	·	·	10	7	8	13	19	6	1	1	1	33	2	56·5	37·0	45·6	1·37
Urban Districts. CORK, ...	76,673	28·6	21·8	19·7	·	32	29	4	7	·	·	·	·	·	·	·	·	5	1	2	2	4	·	·	·	·	16	1	·	·	·	·
Urban Districts. LONDONDERRY, ..	40,000	15·5	22·2	11·7	1·3	17	9	1	4	·	·	·	·	·	·	·	·	1	1	·	·	4	·	1	·	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	16·2	12·2	·	12	9	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	5	1	59·8	38·0	47·7	0·82
Urban Districts. WATERFORD, ..	27,464	19·1	19·0	17·1	1·9	10	9	3	2	·	·	·	·	·	1	·	·	·	·	1	2	·	·	·	·	1	1	1	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				7	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	52	35	44	0·28
Urban Districts. DUNDALK, ..	13,128	9·5				2	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				5	5	1	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	57	38	46	0·67
Urban Districts. DROGHEDA, ..	12,501	8·4				9	8	1	2	·	·	·	·	·	·	·	·	1	·	2	·	1	·	·	·	·	3	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				5	4	1	1	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·	·	·	2	·	57	38	46	0·67
Urban Districts. NEWRY, ...	11,963	17·0				8	7	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	57	38	46	0·67
Urban Districts. PORTADOWN, ..	11,727	15·3				4	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	57	38	46	0·67
Urban Districts. WEXFORD, ..	11,531	22·8				4	4	·	·	·	·	·	·	·	·	·	·	3	·	1	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				1	3	·	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				2	4	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	3	·	57	37	46·0	1·64
Urban Districts. KILKENNY, ..	10,514	11·4				9	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	60	36	46·8	0·37
Urban Districts. TRALEE, ...	10,300	17·4				5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				1	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
LONDON, ...	4,310,030	—	—	13·6	—	2,117	1,125	175	400	2	·	·	8	·	2	15	—	108	29	102	84	117	40	7	59	120	521	1	·	·	·	·
EDINBURGH, ...	329,200	—	—	13·0	—	108	82	12	30	·	·	·	1	·	1	2	—	—	—	—	—	—	1	—	3	—	—	—	57·8	36·5	46·2	0·58
GLASGOW, ...	1,091,600	—	—	14·7	—	446	307g	52	61	1	·	·	1	4	2	1	—	—	—	—	—	—	8	—	21	—	—	—	57·0	35·1	47·0	0·91

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 45th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 11th November, 1916.																
		All Ages.	Ages at Death															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	163·6	175	12	18	6	9	1	1	7	2	18	11	18	18	29	25	162
Enteric Fever ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	·8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1·0	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·2	10	.	.	.	.	.	.	1	.	6	1	2	.	.	.	10
Tuberculous Meningitis	·8	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Venereal Diseases ..	·8	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.	2
Cancer	10·8	13	.	.	.	.	.	.	.	.	1	1	2	4	3	2	11
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Diabetes	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other General Diseases	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Simple Meningitis ..	1·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	5·0	5	.	.	.	.	.	.	.	.	.	.	1	1	2	1	5
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	3	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
Epilepsy	1·0	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
Convulsions (non-puerperal).	3·4	7	3	3	.	1	.	.	.	.	.	.	.	.	.	.	7
Other Diseases of Nervous System.	2·2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·8	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Organic Diseases of the Heart.	17·0	21	.	.	.	.	.	.	.	.	4	.	1	4	6	6	20
Embolism and Thrombosis (including Cerebral).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Bronchitis	17·2	18	.	2	.	2	.	.	.	.	.	.	3	3	6	2	17
Broncho-pneumonia ..	5·0	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	3
Lobar pneumonia ..	2·2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Pneumonia (type not distinguished).	4·0	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
Pleurisy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Respiratory System	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

in the FORTY-FIFTH WEEK, ending Saturday, 11th November, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 45th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 11th November, 1916.															
		All Ages.	Ages at Death.														Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.														
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·6	4	.	1	.	.	.	.	.	.	1	.	1	.	.	1	4
Diarrhœa and Enteritis of Children under 2 years.	7·0	6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	6
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	1·0	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2
Appendicitis and Typhlitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·2	3	.	.	.	.	1	.	1	.	1	.	.	.	.	.	3
Cirrhosis of Liver ..	·6	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1
Other Diseases of Liver	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Peritonitis (cause unknown).	·4	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1
Other Diseases of Digestive System.	·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Acute Nephritis ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	4·2	7	.	.	.	.	.	.	.	.	.	2	1	1	1	2	6
Urinary Calculi ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other Diseases of Genito-urinary System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of Locomotor System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	4·0	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Congenital Debility ..	6·2	8	5	3	.	.	.	.	.	.	.	.	.	.	.	.	8
Old Age	6·0	8	.	.	.	.	.	.	.	.	.	.	.	.	3	5	8
Other Specified Diseases	2·0	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	3
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	2·0	5	.	.	.	.	.	1	1	1	.	1	.	.	1	.	4
Other Violent Deaths		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not included in above—																	
Homicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	3·4	5	.	.	1	.	.	.	.	.	.	.	1	2	1	.	5

TABLE IV.—Showing for the WEEK ENDED 11TH NOVEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*

REGISTRARS' DISTRICTS, &c	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
		WEEK ENDED SATURDAY, 11TH NOVEMBER, 1916. DEATHS. CAUSED BY																															
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	23·1	·	13	4	·	1	·	1	1	4	2	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	1	8	·	2	·	2
,, 1, W., ...	40,200	28·5	1·3	22	5	1	·	·	·	1	8	7	·	·	·	·	·	·	·	·	·	·	2	1	4	1	·	·	14	·	4	7	3
,, 2, ...	26,900	17·4	·	9	2	·	1	·	·	1	2	3	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	1	6	·	2	3	1
,, 3, ...	35,200	22·2	1·5	15	3	2	1	1	1	3	1	3	·	·	·	·	·	·	·	·	·	·	1	1	1	1	·	·	11	·	4	2	2
CLONTARF AND HOWTH, No. 1, part of	5,400	38·6	·	4	1	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4	·	·	·	1
COOLOCK AND DRUMCONDRA, part of ..	13,300	19·6	·	5	1	·	·	·	·	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	4	·	3	1	·
FINGLAS AND GLASNEVIN, part of ..	10,800	19·3	·	4	1	·	·	·	1	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	3	·	1	1	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	19·5	2·6	15	5	·	2	·	·	2	2	4	·	·	·	·	·	·	·	·	·	2	2	·	2	2	·	·	7	·	2	4	·
,, 2, ...	17,800	23·4	·	8	·	1	·	·	·	1	1	5	·	·	·	·	·	·	·	·	2	·	·	1	3	·	·	·	2	·	·	6	·
,, 3, ...	42,400	20·9	1·2	17	2	·	1	·	1	4	1	8	·	·	·	·	·	·	·	·	1	·	2	·	2	1	·	1	10	·	6	3	2
,, 4, ...	32,000	26·1	4·9	16	3	1	1	·	1	4	3	3	·	·	·	·	·	2	·	·	2	2	·	2	2	1	·	·	5	·	5	6	·
NEW KILMAINHAM, ...	10,100	20·7	·	4	1	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	2	·	·	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	16·0	·	12	·	1	1	1	1	2	·	6	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	2	7	1	2	1	1
PEMBROKE, ...	29,100	10·8	·	6	·	·	1	·	·	2	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	5	·	2	1	·
BLACKROCK, ...	8,900	17·5	·	3	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	1
KINGSTOWN	16,400	28·6	·	9	1	·	·	·	·	1	2	5	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	7	·	2	·	1
TOTAL CITY. North, ...	161,200	23·3	0·6	72	17	3	3	1	3	9	18	18	·	·	·	·	·	·	·	·	4	·	3	3	8	2	·	2	50	·	16	14	9
TOTAL CITY. South, ...	142,400	22·0	2·2	60	11	2	4	·	2	12	8	21	·	·	·	·	·	2	·	·	6	4	5	3	9	4	·	1	26	·	13	19	2
TOTAL CITY. North and South, ..	303,600	22·7	1·4	132	28	5	7	1	5	21	26	39	·	·	·	·	·	2	·	·	10	4	8	6	17	6	·	3	76	·	29	33	11
Total Urban Districts, ...	93,400	16·7	·	30	1	1	2	1	1	5	5	14	·	·	·	·	·	·	·	·	·	1	3	1	2	·	·	2	21	1	6	2	3
Total Registration Area, ..	397,000	21·3	1·1	162	29	6	9	2	6	26	31	53	·	·	·	·	·	2	·	·	10	5	11	7	19	6	·	5	97	1	35	35	14
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				13	1	·	·	·	3	3	5	1	·	·	·	·	·	·	·	·	·	·	2	·	2	·	·	1	8	·	12	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th November, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH NOVEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	175	45	2	9	29	36	29	25	.	.	.	.	.	2	.	.	10	5	13	7	7	21	6	.	6	98	14
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	.	.	1	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS	101,798	15·9	31	7	.	3	6	7	6	2	.	.	.	.	.	.	.	.	1	.	5	1	.	4	1	.	1	18	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	17·8	37	10	1	.	6	11	3	6	.	.	.	.	.	.	.	.	1	1	.	2	2	5	2	.	4	20	6
IV.	GENERAL SERVICE CLASS	167,479	20·5	66	23	1	5	14	8	11	4	.	.	.	.	.	2	.	.	5	3	3	4	4	6	3	.	1	35	6
V.	INMATES OF WORKHOUSES, ...	5,602	—	36	5	.	.	3	8	9	11	.	.	.	.	.	.	.	.	3	1	5	.	1	6	.	.	.	20	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	.	.	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	6. Clerks and Commercial Assistants,	33,249	—	12	5	.	3	3	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	1	.	1	7	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	14	1	.	.	2	7	3	1	.	.	.	.	.	.	.	.	.	.	4	.	.	2	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	.	.	.	2	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	3	1
	9. Building and Furnishing Trades, ..	28,823	—	10	4	.	.	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	6	1
	10. Clothing Trades, ...	20,026	—	5	2	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3	2
	11. Food Supply Trades, ...	8,952	—	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	1	1	.	3	3	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	7	2
	13. Petty Shopkeepers, ...	6,772	—	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	13	5	1	1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	1	8	.
	15. Domestic Servants, ...	36,041	—	9	3	.	1	2	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	5	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	42	14	.	3	6	8	7	4	.	.	.	.	.	2	.	.	5	1	3	2	2	4	2	.	.	21	5
	INMATES OF WORKHOUSES.																													
V	18. Workhouse Inmates, ...	5,602	—	36	5	.	.	3	8	9	11	.	.	.	.	.	.	.	.	3	1	5	.	1	6	.	.	.	20	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

———	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Aug 19.	Aug. 26.	Sept. 2.	Sept 9.	Sept. 16	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov 4.	Nov. 11.
No. of weeks in Annual Series ..	33	34	35	36	37	38	39	40	41	42	43	44	45	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered	162	244	152	219	178	215	181	204	198	189	179	187	181	164	153	202	177	182	154	180	153	183	173	167	135	181
Average Births in corresponding week of previous 10 years, ...	219	218	202	240	201	217	237	203	192	202	202	208	204	204	193	199	210	210	187	201	208	209	203	204	197	196
Number of Deaths, ...	125	110	147	113	132	119	139	142	135	133	142	121	162	100	123	117	100	95	109	100	105	102	98	118	119	109
Annual Death-rate per 1,000 ..	16·4	14·4	19·3	14·8	17·3	15·6	18·3	18·7	17·7	17·5	18·7	15·9	21·3	13·4	16·4	15·6	13·4	12·7	14·6	13·4	14·0	13·6	13·1	15·8	15·9	14·6
Average Deaths in corresponding week of previous 10 years, ...	143	146	148	152	154	154	152	151	146	145	138	149	159	117	123	126	125	123	126	122	117	117	116	126	117	131
Ages, .. Under one year, ..	27	23	42	29	45	34	36	35	32	27	35	30	29	17	22	26	20	26	29	11	19	23	18	24	21	21
1— 5 years, ..	17	17	11	11	13	13	13	20	14	12	13	6	15	10	13	8	9	12	7	6	4	5	10	8	9	8
5—25 ,, ..	12	10	17	9	14	11	10	9	12	6	12	11	8	11	21	7	11	4	14	10	13	8	11	13	9	6
25—45 ,, ..	16	21	16	20	8	13	17	17	24	21	16	24	26	23	17	26	13	18	18	16	16	20	15	23	18	21
45—65 ,, ..	31	22	37	27	20	22	32	28	1	37	26	24	31	17	33	22	26	18	21	28	33	25	26	29	30	31
65 and upwards, ..	22	17	24	17	32	26	31	33	35	30	40	26	53	22	17	28	21	17	20	29	20	21	18	21	32	22
Deaths from :—																										
Enteric Fever, ...	·	·	3	·	·	2	4	3	3	3	1	3	·	·	·	·	2	·	1	1	1	1	2	·	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	2	1	1	1	·	·	·	1	1	·	·	·	3	2	·	1	1	1	·	1	1	·	·	·	1
Scarlet Fever, ...	·	3	1	·	·	2	1	·	·	1	1	·	·	1	·	·	1	·	1	2	·	·	1	2	·	·
Whooping-cough, ...	1	1	2	1	·	1	1	3	2	·	1	·	2	1	5	·	1	1	1	·	·	1	·	2	1	1
Diphtheria, ...	1	1	·	·	·	·	1	3	1	3	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·
Dysentery, ...	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	21	14	16	16	16	13	16	16	13	13	16	14	10	13	18	15	10	8	11	6	16	12	12	16	13	10
Tuberculosis { Other Forms, ..	4	2	4	2	3	5	2	7	3	5	4	2	5	4	11	6	5	6	5	5	3	3	2	3	4	7
Cancer, ...	4	11	14	13	5	5	9	12	7	13	8	5	11	3	6	4	9	6	5	9	7	11	7	11	12	8
Diseases of Respiratory System, { Pneumonia ..	9	6	6	4	1	6	8	12	12	6	12	13	7	5	10	8	5	1	3	4	9	7	2	8	11	13
Diseases of Respiratory System, { Others, ..	14	9	11	1	10	9	15	12	14	10	12	21	19	6	5	7	6	2	4	8	3	5	5	12	8	19
Diarrhœa and Enteritis, under 2 years, ...	11	17	31	26	31	23	17	14	14	13	11	5	6	6	8	11	17	21	18	6	2	9	6	7	4	6
Diarrhœa, 2 years and upwards..	·	1	1	·	2	1	·	1	·	1	1	·	·	·	1	3	1	1	2	3	2	·	2	·	·	1
Violent Deaths, ...	2	2	3	4	5	1	3	3	7	3	4	6	5	2	·	2	·	·	·	2	4	2	4	2	1	1
Number of Uncertified Deaths, ..	6	3	4	5	6	4	4	3	7	4	5	12	14	2	2	1	1	2	1	1	·	1	·	2	3	2
Mean Temperature in degrees ..	60·3	61·0	56·7	58·1	54·9	52·5	55·6	57·9	55·8	48·5	45·4	44·6	47·7	60·5	60·0	57·3	58·6	56·3	53·3	57·8	55·2	55·2	50·1	47·1	45·4	45·6
Rainfall in inches	1·16	0·89	0·87	0·33	0·03	0·12	1·15	1·92	1·01	0·36	2·28	2·95	0·65	0·77	0·28	0·06	0·13	0·07	0·47	0·01	2·97	0·98	0·68	1·42	1·06	1·37

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th November, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	19·7	3·3	6	2	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	4	.
Do. 2 do.	49,500	24	14·7	1·1	14	1	1	2	2	6	2	.	.	.	.	.	.	.	.	3	.	1	1	2	1	.	.	.	4	1
Do. 3 do.	50,032	30	16·7	1·0	16	4	2	.	2	2	6	.	.	.	.	.	1	.	.	.	2	1	.	3	.	.	.	.	7	.
Do. 4 do.	32,637	13	11·2	1·6	7	3	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	4	.
Do. 5 do.	16,112	7	25·9	3·2	8	1	.	.	1	4	2	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	.	.	2	.
Do. 6 do.	37,293	17	16·8	.	12	2	.	.	3	3	4	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	1	1	5	.
Do. 7 do.	2,681	2	19·4	19·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 8 do.	5,964	2	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	8	8·5	.	4	.	.	2	1	.	1	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	2	.
Do. 10 do.	28,958	18	9·0	.	5	2	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
Do. 11 do.	39,311	11	11·9	.	9	.	1	1	2	5	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	.	.	.	.
Do. 12 do.	38,076	21	16·4	2·7	12	2	2	.	2	5	1	.	.	.	1	.	.	.	.	3	1	.	2	3	1	.	.	.	3	.
Do. 13 do.	23,233	15	20·2	.	9	2	1	.	3	.	3	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	.	.	1
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	8	11·5	2·3	5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	1	.
Total,	386,947	181	14·6	1·2	109	21	8	6	21	31	22	.	.	.	1	.	1	.	.	10	7	8	15	19	6	1	1	1	33	2
CITY OF CORK.																														
CORK URBAN No 1 DISTRICT,	13,455	2	7·8	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do 2 do.	10,399	6	10·0	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 3 do.	9,793	6	10·6	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 4 do	9,139	4	17·1	.	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	2	.
Do. 5 do.	6,250	2	8·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	5	27·0	.	6	.	1	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	1
Do. 7 do.	16,056	7	42·2	.	13	3	.	.	3	4	3	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.	.	7	.
Total	76,673	32	19·7	.	29	4	1	2	5	10	7	.	.	.	.	.	.	.	.	5	1	2	2	4	.	.	.	.	16	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th November, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 1, West ..	.	.	.	.	1	.	.	1	1	.	.	.	1	4
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	4	5
" " 3, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1	.	2	.	.	.	.	.	.	.	.	.	.	.	2
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 3, ...	.	2	.	.	.	.	.	.	.	.	.	.	1	3
" " " 4, ...	.	.	4	.	.	.	.	2	.	.	.	.	.	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	4	.	1	.	.	4	1	.	.	.	9	26

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th November, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 11th November.			
	Oct. 21	Oct. 28.	Nov. 4.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	107	111	101	6	19	.	88
Typhus, ...	3	1	3	3	.	.	6
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	3	2	3	1	.	4
Scarlet Fever	69	67	66	7	11	.	62*
Diphtheria, ...	19	19	13	3	5	.	11
Pneumonia, ...	16	14	21	6	7	3	17

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

(10295) Wt. 3800 375. 11. 1916. G. III. Sch. e. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., LIMITED, 8 AND 9 CROW STREET.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or,
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H. M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LTD., LONDON, W.C.

No. 46. VOL. LIII.] WEEK ENDING SATURDAY, 18TH NOVEMBER, 1916. [PRICE 1½*d*.

General Register Office, Charlemont House,
Dublin, 20th November, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 15·2 and 16·1; Dublin Registration Area, 17·7 and 18·4; Dublin City, 19·6 and 19·6; Belfast, 14·0 and 15·1; Cork, 12·9 and 14·6; Londonderry, 14·3 and 15·3; Limerick, 13·5 and 17·2; and Waterford, 24·7 and 18·0.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·9 per 1,000. Among the 105 deaths from all causes for Belfast are one from scarlet fever, one from whooping-cough, and 4 from diarrhœa and enteritis of children under 2 years. One of the 10 deaths from all causes for Limerick was from enteric fever. The 13 deaths from all causes for Waterford include one from measles and 2 from diarrhœal diseases. Of the 4 deaths from all causes for Newry one was due to enteric fever, and one of the 5 deaths recorded for Kilkenny was from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 173—85 boys and 88 girls—and the deaths to 145—77 males and 68 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·7 per 1,000 of the population. During the forty-six weeks ending with Saturday last, the death-rate averaged 19·7, and was 1·5 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the forty-six weeks was 21·3, and for the corresponding period of the preceding ten years, 22·5.

The 135 deaths appertaining to the Area include one from enteric fever, one from typhus, one from diphtheria, and 3 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks deaths from enteric fever numbered one, 3, and 0; and deaths from diarrhœa and enteritis of children under 2 years 11, 5, and 6, respectively. There were no deaths from typhus or diphtheria during the three preceding weeks.

Tuberculous disease caused 23 deaths (comprising 15 from pulmonary tuberculosis, 3 from tuberculous meningitis, 2 from abdominal tuberculosis, and 3 from disseminated tuberculosis), as against 20, 16, and 15, respectively, in the three weeks preceding.

Eight deaths were caused by cancer, 16 by pneumonia (comprising 11 from broncho-pneumonia and 5 from pneumonia, type not distinguished), 11 by organic diseases of the heart, and 17 by bronchitis.

Among deaths of infants under one year old, 3 were due to convulsions, one to congenital malformation, 2 to premature birth, and 4 to congenital debility.

Four deaths were due to violence, one of these being caused by burns, and 2 by motor cars.

Thirty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 23 being infants under one year, of whom 6 were under one month old.

Of the 135 deaths recorded, 55 occurred in hospitals and other public institutions

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·0), was equal to an average annual death-rate of 13·0 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 13·9 per 1,000, the rate for Glasgow being 13·6, and for Edinburgh 12·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th November. From this Report it appears that of 92 cases notified, 36 were scarlet fever, 26 diphtheria, 20 pulmonary tuberculosis, 4 other forms of tuberculosis, 4 erysipelas, one enteric fever, and one cerebro-spinal fever. Among the 450 cases of infectious diseases in hospital at the close of the week were 151 of scarlet fever, 140 of pulmonary tuberculosis, 93 of diphtheria, 32 of measles, 5 of enteric fever, 4 of erysipelas, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 18th November, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Oct. 28,	·	—	—	6	·	·	1	·	·	9	2	·	—	—	·	—	·	8	26
	Nov. 4,	·	—	—	9	·	·	3	·	·	9	4	·	—	—	·	—	·	7	32
	Nov. 11,	·	—	—	7	4	·	1	·	·	4	1	·	—	—	·	—	·	9	26
	Nov. 18,	·	—	—	8	1	·	3	·	1	8	1	·	—	—	1	—	·	2	25
Rathmines and Rathgar Urban District.	Oct. 28,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	Nov. 4,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	Nov. 11,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	—	1
	Nov. 18,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	—	—	—	—	2
Pembroke Urban District.	Oct. 28,	·	·	·	·	·	·	·	·	·	·	·	·	—	1	·	—	—	1	2
	Nov. 4,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
	Nov. 11,	·	·	·	1	·	·	·	·	·	·	1	·	—	·	·	—	—	·	2
	Nov. 18,	·	·	·	1	·	·	·	·	·	·	·	·	—	2	·	—	—	·	3
Blackrock Urban District.	Oct. 28,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Nov. 4,	·	·	—	·	·	·	1	·	·	·	·	·	—	—	·	—	—	·	1
	Nov. 11,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Nov. 18,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	(a)	·	·
Kingstown Urban District.	Oct. 28,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	—	—	—	·	2
	Nov. 4,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	—	—	·	·	2
	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
	Nov. 18,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
City of Belfast	Oct. 28,	·	—	—	20	·	·	8	·	·	·	7	·	—	—	·	—	·	1	36
	Nov. 4,	·	—	—	16	·	·	4	·	·	9	5	·	—	—	·	—	1	·	35
	Nov. 11,	·	—	—	16	·	·	3	·	·	4	4	·	—	—	·	—	·	·	27
	Nov. 18,	·	—	—	22	·	·	4	·	·	9	7	·	—	—	·	—	·	1	43
City of Cork	Oct. 28.	·	·	—	2	·	·	1	1	·	2	1	·	—	—	—	1	—	—	8
	Nov. 4,	·	·	—	1	·	·	2	·	1	·	·	·	—	—	—	·	—	—	4b
	Nov. 11,	·	·	—	·	·	·	·	·	1	3	2	1	—	—	—	·	—	—	7
	Nov. 18,	·	·	—	·	·	·	·	·	·	2	2	·	—	—	—	·	—	—	4b
City of Londonderry	Oct. 28,	·	—	—	7	·	·	1	·	·	·	·	·	—	—	·	—	—	—	8
	Nov. 4,	·	—	—	8	·	·	·	·	·	·	1	·	—	—	1	—	—	—	10
	Nov. 11,	·	—	—	5	·	·	·	·	·	2	·	·	—	—	·	—	—	—	7
	Nov. 18,	·	—	—	3	·	·	·	·	·	·	2	·	—	—	·	—	—	—	5
City of Limerick.	Oct. 28,	·	—	—	·	·	·	·	·	·	7	·	·	—	—	·	—	—	—	7
	Nov. 4,	·	—	—	·	·	·	·	·	·	2	·	·	—	—	·	—	—	—	2
	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Nov. 18,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
City of Waterford.	Oct. 28,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	·	1
	Nov. 4,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Nov. 18,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

(a) Notifiable as from 15th November. (b) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th November, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever 4 and 81 ; typhus nil and 4 ; measles one and 2 ; scarlet fever 9 and 60* ; and diphtheria 6 and 12. Six cases of pneumonia were admitted during the week and 17 remained under treatment at its close. Of the deaths in hospitals during the week one was from each of enteric fever, typhus, and diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 18th November, 1916, in the DUBLIN REGISTRATION AREA and in all Cities and Towns with a Population of 10,000 and upwards (including Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Enteric Fever.	Deaths. Typhus.	Deaths. Small-pox.	Deaths. Measles.	Deaths. Scarlet Fever.	Deaths. Whooping-cough.	Deaths. Diphtheria.	Deaths. Dysentery.	Deaths. Tuberculosis. Pulmonary.	Deaths. Tuberculosis. Other Forms	Deaths. Cancer.	Deaths. Diseases of the Respiratory System. Pneumonia.	Deaths. Diseases of the Respiratory System. Other.	Deaths. Diarrhœa and Enteritis of children under 2 years of age	Deaths. Diarrhœa, 2 years of age and upwards.	Deaths. Violence.	Deaths. Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 18th November, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
	REGISTRATION—WEEK ENDING SATURDAY, 18TH NOVEMBER, 1916.						NUMBERS REGISTERED.											DEATHS. Caused by														
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	22·5	15·2	0·9	485	327	49	86	3	1	·	1	1	2	1	·	30	15	17	25	38	9	1	14	19	111	14	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	22·7	17·7	0·8	173	135	23	33	1	1	·	·	·	·	1	·	15	8	8	16	20	3	·	4	6	55	7	(d) 58·1	34·5	46·2	2·19
Urban Districts. CITY OF DUBLIN,	303,600	38·4	25·1	19·6	0·9	146	114	19	25	1	1	·	·	·	·	1	·	12	8	8	11	18	2	·	3	5	50	5	(e) 56·7 (f) 56·6	35·8 35·0	47·2 46·4	2·09 2·03
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	21·4	13·4	·	16	10	·	5	·	·	·	·	·	·	·	·	3	·	·	·	2	·	·	·	·	3	·	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	10·8	10·8	·	6	6	2	3	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	1	1	1	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	5·8	5·8	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	12·7	12·7	3·2	4	4	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	2	56	36	45·3	1·66
Urban Districts. BELFAST, ..	390,000	26·1	19·3	14·0	0·8	144	105	14	24	·	·	·	·	1	1	·	·	11	5	4	6	13	4	·	7	9	27	1	56·8	39·0	49·6	0·00
Urban Districts. CORK, ...	76,673	28·6	25·8	12·9	·	38	19	2	9	·	·	·	·	·	·	·	·	3	1	1	·	1	·	·	·	·	8	2	52	39	48·1	2·48
Urban Districts. LONDONDERRY, ..	40,000	15·5	23·5	14·3	·	18	11	2	5	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	3	1	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	19·0	13·5	1·4	14	10	1	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5	·	58·8	29·1	47·1	2·06
Urban Districts. WATERFORD, ..	27,464	19·1	22·8	24·7	5·7	12	13	4	1	·	·	·	1	·	·	·	·	·	·	1	·	2	1	1	3	4	6	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				6	3	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	55	40	48	1·93
Urban Districts. DUNDALK, ..	13,128	9·5				4	3	·	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	55	32	46·3	0·32
Urban Districts. DROGHEDA, ..	12,501	8·4				7	4	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	55	32	46·3	0·32
Urban Districts. NEWRY, ...	11,963	17·0				6	4	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	55	32	46·3	0·32
Urban Districts. PORTADOWN, ..	11,727	15·3				2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	55	32	46·3	0·32
Urban Districts. WEXFORD, ..	11,531	22·8				6	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				33	4	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				7	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	56	34	47·0	2·12
Urban Districts. KILKENNY, ..	10,514	11·4				1	5	·	2	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	2	1	52	36	44·8	1·35
Urban Districts. TRALEE, ...	10,300	17·4				6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				2	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
			The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.																													
LONDON, ...	4,310,030	—	—	14·0	—	1,832	1,154	156	364	2	·	·	9	3	1	13	—	135	23	119	119	117	30	7	35	103	505	1	52	30	41·4	0·75
EDINBURGH, ...	329,200	—	—	12·4	—	94	78g	10	27	·	·	·	1	1	·	2	—	—	—	—	—	—	2	—	5	—	—	—	56·2	32·0	43·6	0·31
GLASGOW, ...	1,091,600	—	—	13·6	—	473	285g	43	67	1	·	·	2	·	2	1	—	—	—	—	—	—	8	—	21	—	—	—	55·7	33·1	45·1	0·08

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 2 deaths from cerebro-spinal meningitis for Edinburgh and one for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 46th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 18th November, 1916. All Ages.	Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	171·0	145	6	18	8	7	3	5	3	6	5	15	13	21	19	16	135
Enteric Fever ..	1·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Typhus	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	2·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
TUBERCULOSIS.																	
Pulmonary Tuberculosis	22·2	15	.	.	.	.	.	1	1	3	3	2	1	1	3	.	15
Tuberculous Meningitis	2·0	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	3
Abdominal Tuberculosis	2·2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·4	3	.	.	.	1	.	.	1	1		.	.	.	.	.	3
Venereal Diseases ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	12·0	8	.	.	.	1	.	.	.	.	1	1	1	3	.	1	8
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other General Diseases	1·8	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·0	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	3·8	6	.	.	.	.	.	.	.	.	.	1	.	3	1	1	5
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy	1·2	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2
Convulsions (non-puerperal).	2·8	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	3·2	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	3
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·8	13	.	.	.	.	.	.	.	.	.	1	1	3	4	4	11
Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·8	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	18·2	17	1	4	2	.	.	.	.	.	.	1	2	2	3	2	17
Broncho-pneumonia ..	6·6	11	.	4	3	1	1	1	.	.	.	.	.	.	1	.	11
Lobar pneumonia ..	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Pneumonia (type not distinguished).	4·4	5	.	.	1	.	.	.	.	.	.	.	2	1	1	.	5
Pleurisy	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·2	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	3

in the FORTY-SIXTH WEEK, ending Saturday, 18th November, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 46th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 18th November, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	2·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Diarrhœa and Enteritis of Children under 2 years.	5·2	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·		3
Diarrhœa 2 years and upwards.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	1·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Appendicitis and Typhlitis.	·8	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Hernia and Intestinal Obstructions.	2·4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·		·
Cirrhosis of Liver ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Nephritis ..	2·0	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Chronic Bright's Disease	7·4	3	·	·	·	·	·	·	·	·	1	·	·	1	·	1		3
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·8	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·		1
Diseases of Skin and Cellular Tissues.	·8	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1		2
Diseases of Locomotor System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	·8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·		1
Premature Birth ..	3·6	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·		2
Congenital Debility ..	4·2	4	2	2	·	·	·	·	·	·	·	·	·	·	·	·		4
Old Age	5·0	5	·	·	·	·	·	·	·	·	·	·	·	·	1	4		5
Other Specified Diseases	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	1·4	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·		1
Drowning	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·8	3	·	·	·	·	1	·	·	1	·	·	1	·	·	·		2
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Not included in above—																		
Homicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	2·8	3	·	·	1	·	·	·	·	·	·	1	·	1	·	·		3

TABLE IV.—Showing for the WEEK ENDED 18TH NOVEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*

WEEK ENDED SATURDAY, 18TH NOVEMBER, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	8·9	·	5	2	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	3	·	·	1	1
,, 1, W., ...	40,200	24·6	2·6	19	3	2	1	2	2	3	2	4	·	·	·	·	·	·	·	·	2	2	·	1	4	2	·	·	8	·	3	3	2
,, 2, ...	26,900	17·4	·	9	·	·	·	1	·	1	4	3	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	7	·	2	4	·
,, 3, ...	35,200	22·2	1·5	15	1	1	·	1	1	2	5	4	1	·	·	·	·	·	·	·	2	·	1	2	1	·	·	·	8	·	4	5	1
CLONTARF AND HOWTH, No. 1, part of	5,400	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,300	11·8	·	3	·	·	1	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	10,800	9·7	·	2	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·
South City.																																	
SOUTH CITY, No. 1, ..	40,100	15·6	·	12	2	·	·	·	1	2	3	4	·	·	·	·	·	·	·	·	1	1	2	·	3	·	·	·	5	1	2	5	1
,, 2, ...	17,800	32·2	·	11	4	1	·	1	1	·	3	1	·	·	·	·	·	·	·	·	·	1	·	3	3	·	·	·	4	1	1	1	·
,, 3, ...	42,400	20·9	1·2	17	3	1	1	1	1	1	4	5	·	·	·	·	·	·	1	·	2	1	1	·	4	·	·	1	7	2	2	5	·
,, 4, ...	32,000	29·3	1·6	18	3	1	1	·	1	6	3	3	·	1	·	·	·	·	·	·	3	2	3	3	1	·	·	1	4	1	5	4	·
NEW KILMAINHAM, ...	10,100	15·5	·	3	1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·	1	·	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	13·4	·	10	·	·	·	·	·	1	4	5	·	·	·	·	·	·	·	·	3	·	·	·	2	·	·	·	5	·	1	2	·
PEMBROKE, ...	29,100	10·8	·	6	2	·	·	·	1	·	·	3	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	1	2	1	1	·	·
BLACKROCK, ...	8,900	5·8	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·
KINGSTOWN	16,400	12·7	3·2	4	2	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	1	·	·	·	2
TOTAL CITY. North, ...	161,200	17·1	1·0	53	6	4	2	4	4	7	14	12	1	·	·	·	·	·	·	·	6	3	2	4	7	2	·	·	28	·	11	13	4
TOTAL CITY. South, ...	142,400	22·3	0·7	61	13	4	2	3	4	9	13	13	·	1	·	·	·	·	1	·	6	5	6	7	11	·	·	3	21	5	11	15	1
TOTAL CITY. North and South, ..	303,600	19·6	0·9	114	19	8	4	7	8	16	27	25	1	1	·	·	·	·	1	·	12	8	8	11	18	2	·	3	49	5	22	28	5
Total Urban Districts, ...	93,400	11·7	0·6	21	4	·	1	·	1	2	5	8	·	·	·	·	·	·	·	·	3	·	·	5	2	1	·	1	9	1	3	2	2
Total Registration Area, ..	397,000	17·7	0·8	135	23	8	5	7	9	18	32	33	1	1	·	·	·	·	1	·	15	8	8	16	20	3	·	4	58	6	25	30	7
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	1	·	2	1	·	2	2	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	1	7	1	8	2	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th November, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH NOVEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	145	39	8	9	20	34	19	16	1	1	.	.	.	.	1	.	15	9	8	3	17	20	3	.	5	62	7
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS	101,798	7·7	15	3	.	4	2	2	2	.	.	.	.	.	.	.	.	.	2	1	.	1	3	.	.	.	1	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	16·4	34	11	2	2	3	8	5	3	.	.	.	.	.	.	.	.	2	2	4	.	3	4	4	.	1	17	2
IV.	GENERAL SERVICE CLASS	167,479	19·0	61	22	6	1	9	13	6	4	1	1	.	.	.	.	1	.	4	5	1	2	9	11	2	.	3	21	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	32	2	.	2	6	10	5	7	.	.	.	.	.	.	.	.	6	1	3	.	1	5	.	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants,	33,249	—	7	2	.	2	1	1	1	.	.	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.	1	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	5	1	.	1	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	2	1
	9. Building and Furnishing Trades, ..	28,823	—	8	5	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	.	.	3	1
	10. Clothing Trades, ...	20,026	—	6	1	1	1	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.
	11. Food Supply Trades, ...	8,952	—	3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades;	32,070	—	12	2	1	1	1	4	2	1	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	1	6	.
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	13	5	.	.	3	3	.	2	.	.	.	.	.	.	1	.	2	1	.	.	2	1	.	.	1	5	1
	15. Domestic Servants, ...	36,041	—	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	.	3	.	1	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	40	17	3	1	4	9	5	1	1	.	.	.	.	.	.	.	2	3	1	2	5	10	2	.	2	12	3
V	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	32	2	.	2	6	10	5	7	.	.	.	.	.	.	.	.	6	1	3	.	1	5	.	.	.	16	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Aug. 26.	Sept. 2	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Aug. 26.	Sept. 2.	Sept 9.	Sept. 16	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov 4.	Nov. 11.	Nov 18.
No. of weeks in Annual Series ..	34	35	36	37	38	39	40	41	42	43	44	45	46	34	35	33	37	38	39	40	41	42	43	44	45	46
BIRTHS registered	244	152	219	178	215	181	204	198	189	179	187	181	173	153	202	177	182	154	180	153	183	173	167	135	181	144
Average Births in corresponding week of previous 10 years, ...	218	202	240	201	217	237	203	192	202	202	208	204	196	193	199	210	210	187	201	208	209	203	204	197	196	179
Number of Deaths, ...	110	147	113	132	119	139	142	135	133	142	121	162	135	123	117	100	95	109	100	105	102	98	118	119	109	105
Annual Death-rate per 1,000 ..	14·4	19·3	14·8	17·3	15·6	18·3	18·7	17·7	17·5	18·7	15·9	21·3	17·7	16·4	15·6	13·4	12·7	14·6	13·4	14·0	13·6	13·1	15·8	15·9	14·6	14·0
Average Deaths in corresponding week of previous 10 years, ...	146	148	152	154	154	152	151	146	145	138	149	159	161	123	126	125	123	126	122	117	117	116	126	117	131	138
Ages, .. Under one year, ..	23	42	29	45	34	36	35	32	27	35	30	29	23	22	26	20	26	29	11	19	23	18	24	21	21	14
1— 5 years, ..	17	11	11	13	13	13	20	14	12	13	6	15	13	13	8	9	12	7	6	4	5	10	8	9	8	8
5—25 ,, ..	10	17	9	14	11	10	9	12	6	12	11	8	16	21	7	11	4	14	10	13	8	11	13	9	6	16
25—45 ,, ..	21	16	20	8	13	17	17	24	21	16	24	26	18	17	26	13	18	18	16	16	20	15	23	18	21	15
45—65 ,, ..	22	37	27	20	22	32	28	1	37	26	24	31	32	33	22	26	18	21	28	33	25	26	29	30	31	28
65 and upwards, ..	17	24	17	32	26	31	33	35	30	40	26	53	33	17	28	21	17	20	29	20	21	18	21	32	22	24
Deaths from :—																										
Enteric Fever, ...	·	3	·	·	2	4	3	3	3	1	3	·	1	·	·	2	·	1	1	1	1	2	·	·	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	2	1	1	1	·	·	·	1	1	·	·	·	·	2	·	1	1	1	·	1	1	·	·	·	1	·
Scarlet Fever, ...	3	1	·	·	2	1	·	·	1	1	·	·	·	·	·	1	·	1	2	·	·	1	2	·	·	1
Whooping-cough, ...	1	2	1	·	1	1	3	2	·	1	·	2	·	5	·	1	1	1	·	·	1	·	2	1	1	1
Diphtheria, ...	1	·	·	·	·	1	3	1	3	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·
Dysentery, ...	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	14	16	16	16	13	16	16	13	13	16	14	10	15	18	15	10	8	11	6	16	12	12	16	13	10	11
Tuberculosis { Other Forms, ..	2	4	2	3	5	2	7	3	5	4	2	5	8	11	6	5	6	5	5	3	3	2	3	4	7	5
Cancer, ...	11	14	13	5	5	9	12	7	13	8	5	11	8	6	4	9	6	5	9	7	11	7	11	12	8	4
Diseases of Respiratory System, { Pneumonia ..	6	6	4	1	6	8	12	12	6	12	13	7	16	10	8	5	1	3	4	9	7	2	8	11	13	6
Diseases of Respiratory System, { Others, ..	9	11	1	10	9	15	12	14	10	12	21	19	20	5	7	6	2	4	8	3	5	5	12	8	19	13
Diarrhœa and Enteritis, under 2 years, ...	17	31	26	31	23	17	14	14	13	11	5	6	3	8	11	17	21	18	6	2	9	6	7	4	6	4
Diarrhœa, 2 years and upwards..	1	1	·	2	1	·	1	·	1	1	·	·	·	1	3	1	1	2	3	2	·	2	·	·	1	·
Violent Deaths, ...	2	3	4	5	1	3	3	7	3	4	6	5	4	·	2	·	·	·	2	4	2	4	2	1	1	7
Number of Uncertified Deaths, ..	3	4	5	6	4	4	3	7	4	5	12	14	7	2	1	1	2	1	1	·	1	·	2	3	2	1
Mean Temperature in degrees ..	61·0	56·7	58·1	54·9	52·5	55·6	57·9	55·8	48·5	45·4	44·6	47·7	46·2	60·0	57·3	58·6	56·3	53·3	57·8	55·2	55·2	50·1	47·1	45·4	45·6	49·6
Rainfall in inches	0·89	0·87	0·33	0·03	0·12	1·15	1·92	1·01	0·36	2·28	2·95	0·65	2·19	0·28	0·06	0·13	0·07	0·47	0·01	2·97	0·98	0·68	1·42	1·06	1·37	0·00

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th November, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	3	16·4	.	5	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Do. 2 do.	49,500	14	13·7	2·1	13	1	2	2	1	3	4	.	.	.	.	.	1	.	.	1	1	1	1	1	1	.	1	1	3	.
Do. 3 do.	50,032	18	16·7	.	16	3	1	2	2	5	3	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.	.	.	3	.
Do. 4 do.	32,637	10	12·8	.	8	1	.	1	3	2	1	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	1	1	.
Do. 5 do.	16,112	10	25·9	3·2	8	1	.	1	2	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	4	.
Do. 6 do.	37,293	12	14·0	.	10	.	.	2	2	3	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	1	.
Do. 7 do.	2,681	3	19·4	19·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 8 do.	5,964	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	7	10·7	.	5	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	3	.
Do. 10 do.	28,958	10	9·0	.	5	1	1	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1
Do. 11 do.	39,311	17	21·2	1·3	16	1	2	4	2	3	4	.	.	.	.	1	.	.	.	1	1	1	1	2	.	.	2	2	5	.
Do. 12 do.	38,076	25	11·0	.	8	1	.	2	.	1	4	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	1	1	2	.
Do. 13 do.	23,233	5	9·0	.	4	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	13·8	2·3	6	1	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	2	.
Total,	386,947	144	14·0	0·8	105	14	8	16	15	28	24	.	.	.	.	1	1	.	.	11	5	4	6	13	4	.	7	9	27	1
CITY OF CORK.																														
CORK URBAN No 1 DISTRICT,	13,455	8	11·6	.	3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Do 2 do.	10,399	5	5·0	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,793	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	4	11·4	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 5 do.	6,250	5	25·0	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	4	22·5	.	5	.	1	.	1	.	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	1	2
Do. 7 do.	16,056	9	16·2	.	5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Total	76,673	38	12·9	.	19	2	2	.	4	2	9	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.	8	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th November, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	2	.	.	1	.	.	1	1	.	.	.	.	5
" " 1, West ..	.	1	.	.	1	.	.	1	.	.	.	.	2	5
" " 2, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
" " 3, ...	.	1	1	.	.	.	1	4	.	.	.	.	.	7
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	1	.	.	.	.	.	1	.	.	.	.	.	2
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 3, ...	.	1	.	.	1	.	.	.	.	.	.	.	.	2
" " " 4, ...	.	2	.	.	.	.	.	.	.	.	1	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	8	1	.	3	.	1	8	1	.	1	.	2	25

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th November, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 18th November.			
	Oct. 28.	Nov. 4.	Nov. 11.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	111	101	88	4	10	1	81
Typhus, ...	1	3	6	.	1	1	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	2	4	1	3	.	2
Scarlet Fever	67	66	62	9	11	.	60*
Diphtheria, ...	19	13	11	6	4	1	12
Pneumonia, ...	14	21	17	6	6	.	17

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

(10295 Wt. 3800 375. 11. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 47. Vol. LIII.] Week ending Saturday, 25th November, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 27th November, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·3 and 16·6; Dublin Registration Area, 20·1 and 18·7; Dublin City, 22·0 and 20·7; Belfast, 15·8 and 15·1; Cork, 23·1 and 17·0; Londonderry, 16·9 and 15·6; Limerick, 20·3 and 17·2; and Waterford, 15·2 and 18·5.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·9 per 1,000. Among the 118 deaths from all causes for Belfast are one from whooping-cough, and 7 from diarrhœal diseases. The 9 deaths from all causes for Galway include one from typhus, and one from diarrhœa and enteritis of a child under two years. Of the 3 deaths from all causes for Tralee one was from whooping-cough, and one of the 6 deaths from all causes for Clonmel was from the same cause.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 148—73 boys and 75 girls—and the deaths to 167—74 males and 93 females.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·1 per 1,000 of the population. During the forty-seven weeks ending with Saturday last, the death-rate averaged 19·7, and was 1·5 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the forty-seven weeks was 21·3, and for the corresponding period of the preceding ten years, 22·5.

The 153 deaths appertaining to the Area include one from influenza, and 5 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks deaths from influenza numbered 0, one and 0; and deaths from diarrhœa and enteritis of children under 2 years 5, 6, and 3, respectively.

Tuberculous disease caused 16 deaths (comprising 14 from pulmonary tuberculosis, one from abdominal tuberculosis, and one from disseminated tuberculosis), as against 16, 15, and 23, respectively, in the three weeks preceding.

Eleven deaths were caused by cancer, 13 by pneumonia (comprising 7 from broncho-pneumonia and 6 from pneumonia, type not distinguished), 14 by organic diseases of the heart, and 28 by bronchitis.

Among deaths of infants under one year old, 7 were due to convulsions, one to congenital malformation, 5 to premature birth, and 3 to congenital debility.

Six deaths were due to violence, four of these being due to gunshot wounds, one to a fall, and one by suicide.

Forty of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 30 being infants under one year, of whom 10 were under one month old.

Of the 153 deaths recorded, 60 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 15·8), was equal to an average annual death-rate of 15·4 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 15·4 per 1,000, the rate for Glasgow being 16.3, and for Edinburgh 15·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th November. From this Report it appears that of 77 cases notified, 33 were diphtheria, 16 scarlet fever, 11 pulmonary tuberculosis, 11 other forms of tuberculosis, and 6 erysipelas. Among the 441 cases of infectious diseases in hospital at the close of the week were 138 of scarlet fever, 140 of pulmonary tuberculosis, 104 of diphtheria, 16 of measles, 5 of enteric fever, 4 of erysipelas, and one of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 25th November, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Nov. 4,	·	—	—	9	·	·	3	·	·	9	4	·	—	—	·	—	·	7	32
	Nov. 11,	·	—	—	7	4	·	1	·	·	4	1	·	—	—	·	—	·	9	26
	Nov. 18,	·	—	—	8	1	·	3	·	1	8	1	·	—	—	1	—	·	2	25
	Nov. 25,	·	—	—	5	·	·	1	·	·	6	3	·	—	—	·	—	·	9	24
Rathmines and Rathgar Urban District.	Nov. 4,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·
	Nov. 11,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	—	1
	Nov. 18,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	—	—	—	—	2
	Nov. 25,	·	—	—	5	·	·	·	·	·	·	1	·	—	—	(a)	—	(a)	—	6
Pembroke Urban District.	Nov. 4,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
	Nov. 11,	·	·	·	1	·	·	·	·	·	·	1	·	—	·	·	—	—	·	2
	Nov. 18,	·	·	·	1	·	·	·	·	·	·	·	·	—	2	·	—	—	·	3
	Nov. 25,	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	—	—	·	·
Blackrock Urban District.	Nov. 4,	·	·	—	·	·	·	1	·	·	·	·	·	—	—	·	—	—	·	1
	Nov. 11,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Nov. 18,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	·	·
	Nov. 25,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	·	·
Kingstown Urban District.	Nov. 4,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	—	—	·	·	2
	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
	Nov. 18,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
	Nov. 25,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
City of Belfast	Nov. 4,	·	—	—	16	·	·	4	·	·	9	5	·	—	—	·	—	1	·	35
	Nov. 11,	·	—	—	16	·	·	3	·	·	4	4	·	—	—	·	—	·	·	27
	Nov. 18,	·	—	—	22	·	·	4	·	·	9	7	·	—	—	·	—	·	1	43
	Nov. 25,	·	—	—	10	·	·	5	·	·	6	4	·	—	—	·	—	·	·	25
City of Cork	Nov. 4,	·	·	—	1	·	·	2	·	1	·	·	·	—	—	—	·	—	—	4b
	Nov. 11,	·	·	—	·	·	·	·	·	1	3	2	1	—	—	—	·	—	—	7
	Nov. 18,	·	·	—	·	·	·	·	·	·	2	2	·	—	—	—	·	—	—	4b
	Nov. 25.	·	1	—	2	·	·	·	·	·	5	1	·	—	—	—	·	—	—	9b
City of Londonderry	Nov. 4,	·	—	—	8	·	·	·	·	·	·	1	·	—	—	1	—	—	—	10
	Nov. 11,	·	—	—	5	·	·	·	·	·	2	·	·	—	—	·	—	—	—	7
	Nov. 18,	·	—	—	3	·	·	·	·	·	·	2	·	—	—	·	—	—	—	5
	Nov. 25,	·	—	—	10	·	·	·	·	·	·	·	·	—	—	·	—	—	—	10
City of Limerick.	Nov. 4,	·	—	—	·	·	·	·	·	·	2	·	·	—	—	·	—	—	—	2
	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Nov. 18,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Nov. 25,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	—	2
City of Waterford.	Nov. 4,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Nov. 18,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Nov. 25,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

(a) Notifiable as from 20th November. (b) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th November, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 10 and 74; typhus nil and 4; measles 2 and 2; scarlet fever 7 and 55*; and diphtheria 4 and 14. Eleven cases of pneumonia were admitted during the week, and 21 remained under treatment at its close. Of the deaths in hospitals during the week 2 were from enteric fever, and 3 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 25th November, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

Towns and Districts.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 25th November, 1916. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 25th November, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	20·6	18·3	0·9	444	394	69	113	·	1	·	·	·	3	·	·	46	13	14	24	53	13	2	11	16	127	24	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	19·4	20·1	0·7	148	153	30	47	·	·	·	·	·	·	·	·	14	2	11	13	32	5	·	6	3	60	12	(d) 56·7	31·7	43·6	1·28
Urban Districts. CITY OF DUBLIN,	303,600	38·4	20·1	22·0	0·7	117	128	26	34	·	·	·	·	·	·	·	·	12	2	8	10	26	4	·	5	2	55	11	(e) 59·0 (f) 56·6	36·0 30·0	45·0 44·0	1·21 1·66
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	8·0	16·0	·	6	12	3	3	·	·	·	·	·	·	·	·	2	·	1	·	5	·	·	1	1	4	1	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	30·5	12·5	1·8	17	7	1	6	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	1	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	23·4	17·5	·	4	3	·	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	12·7	9·5	·	4	3	·	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	62	32	47·2	0·36
Urban Districts. BELFAST, ..	390,000	26·1	22·1	15·8	1·1	165	118	21	30	·	·	·	·	·	1	·	·	14	3	1	8	15	5	2	3	8	29	5	56·0	32·6	50·5	0·47
Urban Districts. CORK, ...	76,673	28·6	23·1	23·1	0·7	34	34	4	8	·	·	·	·	·	·	·	·	9	·	·	1	1	1	·	·	1	13	1	54	34	46·0	0·91
Urban Districts. LONDONDERRY, ..	40,000	15·5	31·3	16·9	1·3	24	13	4	3	·	·	·	·	·	·	·	·	2	1	·	1	1	1	·	1	1	2	1	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	10·8	20·3	·	8	15	·	1	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	7	·	56·9	28·0	43·6	0·94
Urban Districts. WATERFORD, ..	27,464	19·1	11·4	15·2	·	6	8	1	4	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	1	1	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			6	9	2	5	·	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	4	2	56	29	44	1·02
Urban Districts. DUNDALK, ..	13,128	9·5				6	10	2	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1	1	2	1	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	55	34	43·4	1·19
Urban Districts. DROGHEDA, ..	12,501	8·4				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				5	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	55	34	43·4	1·19
Urban Districts. NEWRY, ..	11,963	17·0				3	4	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	55	34	43·4	1·19
Urban Districts. PORTADOWN, ..	11,727	15·3				3	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	55	34	43·4	1·19
Urban Districts. WEXFORD, ..	11,531	22·8				3	3	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				2	3	·	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ..	11,163	3·8				4	7	1	3	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	4	·	55	26	43·0	1·74
Urban Districts. KILKENNY, ..	10,514	11·4				3	4	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	1	56	28	42·8	0·89
Urban Districts. TRALEE, ..	10,300	17·4				12	3	1	2	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				5	6	1	2	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	·	·	3	·	·	·	·	·
LONDON, ...	4,310,030	—	—	15·8	—	1,800	1,307	185	490	4	·	·	12	·	1	9	—	131	39	113	122	172	26	7	43	105	575	4	58	33	44·2	0·91
EDINBURGH, ...	329,200	—	—	15·1	—	96	95	11	32	·	·	·	·	·	·	4	—	—	—	—	—	—	4	—	4	—	—	—	56·4	36·6	44·5	1·29
GLASGOW, ...	1,091,600	—	—	16·3	—	465	341	70	89	2	·	·	6	2	·	2	—	—	—	—	—	—	7	—	14	—	—	—	53·9	38·0	44·1	1·14

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 47th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 25th November, 1916. All Ages.	Ages at Death 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	165·4	167	12	22	9	1	·	·	3	3	10	13	24	22	26	22	153
Enteric Fever ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scarlet Fever ..	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diphtheria	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Croup	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Dysentery	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·2	16	·	·	·	·	·	·	2	2	3	3	3	3	·	·	14
Tuberculous Meningitis	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Abdominal Tuberculosis	2·6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Tuberculosis of the Spinal Column.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	2·2	1	·	·	·	·	·	·	·	·		·	·	1	·	·	1
Venereal Diseases ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cancer	8·0	14	·	·	·	·	·	·	·	·	1	·	6	4	2	1	11
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diabetes	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anæmia, Leucocythæmia.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other General Diseases	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Alcoholism ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	1·2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Cerebral Hæmorrhage, Apoplexy	4·0	8	·	·	·	·	·	·	·	·	·	·	2	2	2	2	7
Softening of Brain ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	1·6	3	·	·	·	·	·	·	·	·	·	1	·	·	2	·	3
Epilepsy	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	4·4	8	1	6	1	·	·	·	·	·	·	·	·	·	·	·	8
Other Diseases of Nervous System.	2·4	3	·	·	·	·	·	·	·	·	1	·	·	2	·	·	3
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	13·6	14	·	·	·	·	·	·	1	·	·	1	3	·	4	5	14
Embolism and Thrombosis (including Cerebral).	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Other Diseases of Circulatory System.	·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Diseases of the Larynx	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	19·0	29	1	4	2	·	·	·	·	·	1	1	2	6	9	3	28
Broncho-pneumonia ..	8·2	8	·	2	3	1	·	·	·		·	·	·	1	·	1	7
Lobar pneumonia ..	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pneumonia (type not distinguished).	5·0	7	·	·	·	·	·	·	·	·	1	2	1	·	2	1	6
Pleurisy	·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	2
Other Diseases of Respiratory System	·8	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1

in the FORTY-SEVENTH WEEK, ending Saturday, 25th November, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 47th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 25th November, 1916. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	8·6	5	1	3	1	.	.	.	.	.	.	.	.	.	.	.	5
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·6	4	.	.	.	.	.	.	.	.	1	1	1	1	.	.	2
Cirrhosis of Liver ..	2·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Liver	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Peritonitis (cause unknown).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System	1·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Acute Nephritis ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	6·6	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	3·4	7	6	1	.	.	.	.	.	.	.	.	.	.	.	.	5
Congenital Debility ..	4·4	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Old Age	6·8	7	.	.	.	.	.	.	.	.	.	.	.	.	.	7	7
Other Specified Diseases	·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	2·0	4	.	.	.	.	.	.	.	1	.	1	1	1	.	.	4
Other Violent Deaths		1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Not included in above—																	
Homicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Execution ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	3·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1

TABLE IV.—Showing for the WEEK ENDED 25TH NOVEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*

WEEK ENDED SATURDAY, 25TH NOVEMBER, 1916.

REGISTRARS' DISTRICTS, &c	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	In Institutions. Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	14·2	1·8	8	1	1	.	.	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	6	1	2	.	1
,, 1, W., ...	40,200	14·3	.	11	1	1	1	.	1	1	6	.	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	1	4	.	3	5	2
,, 2, ...	26,900	29·1	.	15	5	1	.	.	.	2	3	4	.	.	.	.	.	.	.	.	2	2	.	1	3	.	.	.	7	.	2	4	1
,, 3, ...	35,200	20·7	3·0	14	4	1	.	.	1	3	3	2	.	.	.	.	.	.	.	.	3	.	1	1	1	2	.	.	6	.	2	.	.
CLONTARF AND HOWTH, No. 1, part of	5,400	19·3	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	2	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,300	11·8	.	3	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.
FINGLAS AND GLASNEVIN, part of ..	10,800	4·8	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
South City.																																	
SOUTH CITY, No. 1, ..	40,100	24·7	.	19	3	1	.	.	1	2	4	8	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	.	12	1	5	6	.
,, 2, ...	17,800	41·0	.	14	1	2	.	.	.	2	5	4	.	.	.	.	.	.	.	.	1	.	2	1	4	.	.	.	6	.	1	3	2
,, 3, ...	42,400	28·3	1·2	23	3	.	.	.	1	2	9	8	.	.	.	.	.	.	.	.	3	.	4	.	3	1	.	3	9	.	5	5	3
,, 4, ...	32,000	24·4	.	15	5	.	.	.	.	1	3	6	.	.	.	.	.	.	.	.	.	.	1	2	6	.	.	.	6	.	3	4	2
NEW KILMAINHAM, ...	10,100	15·5	.	3	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	1	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	16·0	.	12	3	.	.	.	.	2	4	3	.	.	.	.	.	.	.	.	2	.	1	.	5	.	.	1	3	1	4	.	1
PEMBROKE, ...	29,100	12·5	1·8	7	1	.	.	.	.	.	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	4	.	.	1	.
BLACKROCK, ...	8,900	17·5	.	3	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.
KINGSTOWN	16,400	9·5	.	3	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.
TOTAL CITY. North, ...	161,200	17·5	1·0	54	13	5	1	.	3	9	15	8	.	.	.	.	.	.	.	.	6	2	1	6	7	3	.	2	27	1	13	9	4
TOTAL CITY. South, ...	142,400	27·1	0·4	74	13	3	.	.	2	7	23	26	.	.	.	.	.	.	.	.	6	.	7	4	19	1	.	3	34	1	15	18	7
TOTAL CITY. North and South, ..	303,600	22·0	0·7	128	26	8	1	.	5	16	38	34	.	.	.	.	.	.	.	.	12	2	8	10	26	4	.	5	61	2	28	27	11
Total Urban Districts, ...	93,400	14·0	0·6	25	4	1	.	.	.	3	4	13	.	.	.	.	.	.	.	.	2	.	3	3	6	1	.	1	9	1	4	1	1
Total Registration Area, ..	397,000	20·1	0·7	153	30	9	1	.	5	19	42	47	.	.	.	.	.	.	.	.	14	2	11	13	32	5	.	6	70	3	32	28	12
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				14	4	.	.	.	1	4	4	1	.	.	.	.	.	.	.	.	2	.	3	2	1	.	.	.	6	.	12	2	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th November, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH NOVEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	167	44	.	6	23	46	26	22	.	.	.	.	.	.	.	.	16	2	14	8	15	33	5	.	6	68	12
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	32·0	9	.	.	.	1	3	1	4	.	.	.	.	.	.	.	.	.	.	5	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS	101,798	14·9	29	4	.	.	3	9	7	6	.	.	.	.	.	.	.	.	1	.	5	1	6	7	.	.	.	9	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	16·8	35	10	.	2	6	10	3	4	.	.	.	.	.	.	.	.	4	.	1	3	2	5	1	.	.	19	3
IV.	GENERAL SERVICE CLASS	167,479	19·9	64	25	.	4	11	12	8	4	.	.	.	.	.	.	.	.	8	.	2	4	6	15	4	.	6	19	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	30	5	.	.	2	12	7	4	.	.	.	.	.	.	.	.	3	2	1	.	1	5	.	.	.	18	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	6	.	.	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	8	2	.	.	.	5	1	.	.	.	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	1	1
	6. Clerks and Commercial Assistants,	33,249	—	9	1	.	.	1	4	2	1	.	.	.	.	.	.	.	.	1	.	2	.	1	3	.	.	.	2	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	10	1	.	.	2	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	6	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
	9. Building and Furnishing Trades, ..	28,823	—	9	4	.	.	1	3	1	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	4	1
	10. Clothing Trades, ...	20,026	—	6	.	.	1	2	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	3	1
	11 Food Supply Trades, ...	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	13	4	.	1	3	4	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	3	1	.	.	7	.
	13. Petty Shopkeepers, ...	6,772	—	4	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	8	5	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	1	.	1	2	.
	15. Domestic Servants, ...	36,041	—	6	1	.	1	2	1	.	1	.	.	.	.	.	.	.	.	2	.	.	1	.	2	.	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	10	2	.	1	2	4	1	.	.	.	.	.	.	.	.	.	2	.	1	1	1	2	.	.	.	3	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	40	17	.	2	6	6	6	3	.	.	.	.	.	.	.	.	3	.	1	2	3	10	3	.	5	13	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	30	5	.	.	2	12	7	4	.	.	.	.	.	.	.	.	3	2	1	.	1	5	.	.	.	18	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Sept. 2.	Sept 9.	Sept. 16	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov 4.	Nov. 11.	Nov 18.	Nov. 25.
No. of weeks in Annual Series ..	35	36	37	38	39	40	41	42	43	44	45	46	47	35	33	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered	152	219	178	215	181	204	198	189	179	187	181	173	148	202	177	182	154	180	153	183	173	167	135	181	144	165
Average Births in corresponding week of previous 10 years, ...	202	240	201	217	237	203	192	202	202	208	204	196	191	199	210	210	187	201	208	209	203	204	197	196	179	180
Number of Deaths, ...	147	113	132	119	139	142	135	133	142	121	162	135	153	117	100	95	109	100	105	102	98	118	119	109	105	118
Annual Death-rate per 1,000 ..	19·3	14·8	17·3	15·6	18·3	18·7	17·7	17·5	18·7	15·9	21·3	17·7	20·1	15·6	13·4	12·7	14·6	13·4	14·0	13·6	13·1	15·8	15·9	14·6	14·0	15·8
Average Deaths in corresponding week of previous 10 years, ...	148	152	154	154	152	151	146	145	138	149	159	151	160	126	125	123	126	122	117	117	116	126	117	131	138	140
Ages, .. Under one year, ..	42	29	45	34	36	35	32	27	35	30	29	23	30	26	20	26	29	11	19	23	18	24	21	21	14	21
1— 5 years, ..	11	11	13	13	13	20	14	12	13	6	15	13	10	8	9	12	7	6	4	5	10	8	9	8	8	11
5—25 ,, ..	17	9	14	11	10	9	12	6	12	11	8	16	5	7	11	4	14	10	13	8	11	13	9	6	16	16
25—45 ,, ..	16	20	8	13	17	17	24	21	16	24	26	18	19	26	13	18	18	16	16	20	15	23	18	21	15	11
45—65 ,, ..	37	27	20	22	32	28	1	37	26	24	31	32	42	22	26	18	21	28	33	25	26	29	30	31	28	29
65 and upwards, ..	24	17	32	26	31	33	35	30	40	26	53	33	47	28	21	17	20	29	20	21	18	21	32	22	24	30
Deaths from :—																										
Enteric Fever, ...	3	·	·	2	4	3	3	3	1	3	·	1	·	·	2	·	1	1	1	1	2	·	·	·	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	1	1	·	·	·	1	1	·	·	·	·	·	·	1	1	1	·	1	1	·	·	·	1	·	·
Scarlet Fever, ...	1	·	·	2	1	·	·	1	1	·	·	·	·	·	1	·	1	2	·	·	1	2	·	·	1	·
Whooping-cough, ...	2	1	·	1	1	3	2	·	1	·	2	·	·	·	1	1	1	·	·	1	·	2	1	1	1	1
Diphtheria, ...	·	·	·	·	1	3	1	3	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Dysentery, ...	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	16	16	16	13	16	16	13	13	16	14	10	15	14	15	10	8	11	6	16	12	12	16	13	10	11	14
Tuberculosis { Other Forms, ..	4	2	3	5	2	7	3	5	4	2	5	8	2	6	5	6	5	5	3	3	2	3	4	7	5	3
Cancer, ...	14	13	5	8	9	12	7	13	8	5	11	8	11	4	9	6	5	9	7	11	7	11	12	8	4	1
Diseases of Respiratory System, { Pneumonia ..	6	4	1	6	8	12	12	6	12	13	7	16	13	8	5	1	3	4	9	7	2	8	11	13	6	8
Diseases of Respiratory System, { Others, ..	11	1	10	9	15	12	14	10	12	21	19	20	32	7	6	2	4	8	3	5	5	12	8	19	13	15
Diarrhœa and Enteritis, under 2 years, ...	31	26	31	23	17	14	14	13	11	5	6	3	5	11	17	21	18	6	2	9	6	7	4	6	4	5
Diarrhœa, 2 years and upwards..	1	·	2	1	·	1	·	1	1	·	·	·	·	3	1	1	2	3	2	·	2	·	·	1	·	2
Violent Deaths, ...	3	4	5	1	3	3	7	3	4	6	5	4	6	2	·	·	·	2	4	2	4	2	1	1	7	3
Number of Uncertified Deaths, ..	4	5	6	4	4	3	7	4	5	12	14	7	12	1	1	2	1	1	·	1	·	2	3	2	1	5
Mean Temperature in degrees ..	56·7	58·1	54·9	52·5	55·6	57·9	55·8	48·5	45·4	44·6	47·7	46·2	43·6	57·3	58·6	56·3	53·3	57·8	55·2	55·2	50·1	47·1	45·4	45·6	49·6	50·5
Rainfall in inches	0·87	0·33	0·03	0·12	1·15	1·92	1·01	0·36	2·28	2·95	0·65	2·19	1·28	0·06	0·13	0·07	0·47	0·01	2·97	0·98	0·68	1·42	1·06	1·37	0·00	0·47

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th November, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	11	9·9	3·3	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
Do. 2 do.	49,500	16	15·8	3·2	15	4	4	1	.	4	2	.	.	.	.	.	1	.	.	1	.	.	.	4	2	.	.	1	5	.
Do. 3 do.	50,032	18	14·6	1·0	14	3	.	1	.	2	8	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	1	1	3	2
Do. 4 do.	32,637	11	22·4	1·6	14	2	.	2	1	3	6	.	.	.	.	.	.	.	.	3	.	.	.	1	.	1	1	1	4	1
Do. 5 do.	16,112	8	16·2	.	5	.	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
Do. 6 do.	37,293	12	11·2	.	8	1	.	1	1	3	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	5	17·5	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 9 do.	24,427	10	12·8	.	6	.	1	2	1	1	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.
Do. 10 do.	28,958	12	14·4	.	8	1	2	2	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Do. 11 do.	39,311	14	13·3	1·3	10	1	1	3	1	1	3	.	.	.	.	.	.	.	.	2	.	.	2	2	1	.	1	1	1	.
Do. 12 do.	38,076	28	17·8	.	13	5	1	2	1	2	2	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	.	6	1
Do. 13 do.	23,233	11	13·5	.	6	1	.	.	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	32·2	2·3	14	2	.	1	4	4	3	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1	.	1	5	1
Total,	386,947	165	15·8	1·1	118	21	11	16	11	29	30	.	.	.	.	.	1	.	.	14	3	1	8	15	5	2	3	8	29	5
CITY OF CORK.																														
CORK URBAN No 1 DISTRICT,	13,455	7	7·8	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,399	2	25·1	.	5	.	.	2	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Do. 3 do.	9,793	6	26·6	.	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	1
Do. 4 do	9,139	4	39·9	5·7	7	3	.	.	2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
Do. 5 do.	6,250	3	25·0	.	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	3	22·5	.	5	1	.	.	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Do. 7 do.	16,056	9	22·7	.	7	.	.	1	2	2	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	4	.
Total	76,673	34	23·1	0·7	34	4	.	4	8	10	8	.	.	.	.	.	.	.	.	9	.	.	1	1	1	.	.	1	13	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th November, 1916.

DISTRICTS	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	.	.	.	3	.	.	.	.	.	3
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	3	4
" " 3, ...	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	2	.	.	.	.	.	.	1	.	.	.	1	4
" " " 2, ...	.	.	.	.	1	.	.	1	.	.	.	.	3	5
" " " 3, ...	.	1	.	.	.	.	.	2	.	.	.	.	1	4
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Total, ...	.	5	.	.	1	.	.	6	3	.	.	.	9	24

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th November, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 25th November.			
	Nov. 4.	Nov. 11.	Nov. 18.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	101	88	81	10	15	2	74
Typhus, ...	3	6	4	.	.	.	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	4	2	2	2	.	2
Scarlet Fever	66	62	60	7	12	.	55*
Diphtheria, ...	13	11	12	4	2	.	14
Pneumonia, ...	21	17	17	11	4	3	21

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

(10295 Wt. 3800 375. 11. 1916. G. III. Sch. c. 7

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 48. Vol. LIII.] Week ending Saturday, 2nd December, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 4th December, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·7 and 16·9; Dublin Registration Area, 17·7 and 19·2; Dublin City, 18·7 and 20·7; Belfast, 16·8 and 15·3; Cork, 23·8 and 19·9; Londonderry, 11·7 and 13·7; Limerick, 17·6 and 15·9; and Waterford, 13·3 and 17·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·9 per 1,000. Among the 126 deaths from all causes for Belfast are one from each of enteric fever, measles, whooping-cough, and diphtheria, 2 from diarrhœal diseases, and one from acute anterior poliomyelitis, and the 9 deaths from all causes for Londonderry include one from enteric fever, and one of a child under 2 years from diarrhœa and enteritis.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 206—118 boys and 88 girls—and the deaths to 148— 71 males and 77 females.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·7 per 1,000 of the population. During the forty-eight weeks ending with Saturday last, the death-rate averaged 19·7, and was 1·5 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the forty-eight weeks was 21·3, and for the corresponding period of the preceding ten years, 22·5.

The 135 deaths appertaining to the Area include 2 from enteric fever, one from measles, one from influenza, and 5 from diarrhœal diseases.

In the 3 preceding weeks deaths from enteric fever numbered 0, one and 0; deaths from influenza one, 0, and one; and deaths from diarrhœal diseases 6, 3, and 5, respectively. There were no deaths from measles during the 3 preceding weeks.

Tuberculous disease caused 18 deaths (comprising 12 from pulmonary tuberculosis, 2 from from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from other forms of the disease), as against 15, 23 and 16, respectively, in the three weeks preceding.

Seven deaths were caused by cancer, 10 by pneumonia (comprising 4 from broncho-pneumonia, one from lobar pneumonia, and 5 from pneumonia, type not distinguished), 11 by organic disease of the heart, and 21 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, 4 to premature birth, and 6 to congenital debility.

Thirty-eight of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 30 being infants under one year, of whom 9 were under one month old.

Of the 135 deaths recorded, 45 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 16·7), was equal to an average annual death-rate of 15·7 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 13·8 per 1,000, the rate for Glasgow being 14·3, and for Edinburgh 11·1

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd December. From this Report it appears that of 74 cases notified, 20 were scarlet fever, 19 diphtheria, 19 pulmonary tuberculosis, 10 other forms of tuberculosis, 4 erysipelas, and 2 cerebro-spinal fever. Among the 467 cases of infectious diseases in hospital at the close of the week were 147 of pulmonary tuberculosis, 137 of scarlet fever, 115 of diphtheria, 22 of measles, 6 of erysipelas, 5 of enteric fever, 2 of cerebro-spinal fever, and one of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 2nd December, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Nov. 11,	·	—	—	7	4	·	1	·	·	4	1	·	—	—	·	—	·	9	26
	Nov. 18,	·	—	—	8	1	·	3	·	1	8	1	·	—	—	1	—	·	2	25
	Nov. 25,	·	—	—	5	·	·	1	·	·	6	3	·	—	—	·	—	·	9	24
	Dec. 2,	·	—	—	7	·	·	3	·	·	2	·	·	—	—	·	—	·	8	20
Rathmines and Rathgar Urban District.	Nov. 11,	·	—	—	1	·	·	·	·	·	·	·	·	—	—	—	—	—	—	1
	Nov. 18,	·	—	—	1	·	·	1	·	·	·	·	·	—	—	—	—	—	—	2
	Nov. 25,	·	—	—	5	·	·	·	·	·	·	1	·	—	—	(a)	—	(a)	—	6
	Dec. 2,	·	—	—	·	·	·	1	·	·	·	·	·	—	—	·	—	·	—	1
Pembroke Urban District.	Nov. 11,	·	·	·	1	·	·	·	·	·	·	1	·	—	·	·	—	—	·	2
	Nov. 18,	·	·	·	1	·	·	·	·	·	·	·	·	—	2	·	—	—	·	3
	Nov. 25,	·	·	·	2	·	·	·	·	·	1	·	·	—	·	·	—	—	·	3
	Dec. 2,	·	·	·	2	·	·	·	·	·	·	·	·	—	·	·	—	—	·	2
Blackrock Urban District.	Nov. 11,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Nov. 18,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	·	·
	Nov. 25,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	·	·
	Dec. 2,	·	·	—	·	·	·	·	·	·	·	·	·	—	—	·	—	·	·	·
Kingstown Urban District.	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
	Nov. 18,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
	Nov. 25,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	·	·	·
	Dec. 2,	·	—	—	2	·	·	·	·	·	·	1	·	—	—	—	—	·	·	3
City of Belfast	Nov. 11,	·	—	—	16	·	·	3	·	·	4	4	·	—	—	·	—	·	·	27
	Nov. 18,	·	—	—	22	·	·	4	·	·	9	7	·	—	—	·	—	·	1	43
	Nov. 25,	·	—	—	10	·	·	5	·	·	6	4	·	—	—	·	—	·	·	25
	Dec. 2,	·	—	—	15	·	·	4	·	·	4	3	·	—	—	·	—	·	·	26
City of Cork	Nov. 11,	·	·	—	·	·	·	·	·	1	3	2	1	—	—	—	·	—	—	7
	Nov. 18,	·	·	—	·	·	·	·	·	·	2	2	·	—	—	—	·	—	—	4b
	Nov. 25,	·	1	—	2	·	·	·	·	·	5	1	·	—	—	—	·	—	—	9b
	Dec. 2,	·	·	—	4	·	·	2	·	·	1	·	·	—	—	—	·	—	—	7
City of Londonderry	Nov. 11,	·	—	—	5	·	·	·	·	·	2	·	·	—	—	·	—	—	—	7
	Nov. 18,	·	—	—	3	·	·	·	·	·	·	2	·	—	—	·	—	—	—	5
	Nov. 25,	·	—	—	10	·	·	·	·	·	·	·	·	—	—	·	—	—	—	10
	Dec. 2,	·	—	—	4	·	·	·	·	·	·	·	·	—	—	·	—	—	—	4
City of Limerick.	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Nov. 18,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
	Nov. 25,	·	—	—	1	·	·	·	·	·	1	·	·	—	—	·	—	—	—	2
	Dec. 2,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	·	—	—	—	·
City of Waterford.	Nov. 11,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Nov. 18,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Nov. 25,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·
	Dec. 2,	·	—	—	·	·	·	·	·	·	·	·	·	—	—	—	—	—	·	·

(a) Notifiable as from 20th November. (b) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd December, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 4 and 60; typhus nil and 4; measles 2 and 4; scarlet fever 12 and 59*; and diphtheria one and 13. Nine cases of pneumonia were admitted during the week, and 27 remained under treatment at its close. Of the deaths in hospitals during the week one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 2nd December, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 2ND DECEMBER, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 2ND DECEMBER, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS,	1,122,268	19·7	24·2	16·7	0·9	520	360	50	105	4	·	·	2	·	1	1	·	30	14	18	29	52	8	3	5	10	113	8	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	27·1	17·7	1·1	206	135	30	42	2	·	·	1	·	·	·	·	12	6	7	10	24	4	1	·	1	45	3	(d) 50·9	32·3	42·9	0·63
Urban Districts. CITY OF DUBLIN,	303,600	38·4	29·5	18·7	1·0	172	109	23	32	2	·	·	1	·	·	·	·	9	6	6	7	22	3	·	·	·	40	3	(e) 53·0	33·1	44·2	0·41
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	22·7	18·7	1·3	17	14	4	6	·	·	·	·	·	·	·	·	1	·	1	2	1	1	·	·	1	1	·	(f) 52·8	31·3	43·8	0·47
Urban Districts. PEMBROKE, ..	29,100	18·5	17·9	7·2	·	10	4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	5·8	17·5	·	1	3	·	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	19·1	15·9	3·2	6	5	2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	1	·	54	35	45·7	0·10
Urban Districts. BELFAST, ..	390,000	26·1	21·8	16·8	0·8	163	126	10	30	1	·	·	1	·	1	1	·	10	4	5	10	13	1	1	4	4	41	3	51·0	33·0	43·3	0·63
Urban Districts. CORK, ...	76,673	28·6	23·1	23·8	·	34	35	·	14	·	·	·	·	·	·	·	·	3	2	3	2	6	·	·	·	·	12	1	52	37	46·3	0·35
Urban Districts. LONDONDERRY, ..	40,000	15·5	26·1	11·7	2·6	20	9	5	3	1	·	·	·	·	·	·	·	·	·	·	3	2	1	·	·	3	1	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	52·8	17·6	·	39	13	1	2	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	4	·	52·1	30·9	47·1	0·12
Urban Districts. WATERFORD, ..	27,464	19·1	13·3	13·3	·	7	7	·	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	4	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	49	30	40	0·86
Urban Districts. DUNDALK, ..	13,128	9·5				8	4	·	3	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				3	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	51	31	41·3	0·26
Urban Districts. DROGHEDA, ..	12,501	8·4				5	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				5	4	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	51	31	41·3	0·26
Urban Districts. NEWRY, ...	11,963	17·0				3	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	51	31	41·3	0.26
Urban Districts. PORTADOWN, ..	11,727	15·3				1	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	51	31	41·3	0.26
Urban Districts. WEXFORD, ..	11,531	22·8				5	4	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	1	1	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				3	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				6	5	·	1	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	53	29	41·0	0·72
Urban Districts. KILKENNY, ..	10,514	11·4				4	4	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	1	1	2	·	51	32	43·4	0·44
Urban Districts. TRALEE, ...	10,300	17·4				3	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
LONDON, ...	4,310,030	—	—	16·7	—	1,832	1,380	182	521	·	·	·	19	2	·	14	—	119	28	105	140	197	29	5	53	148	574	1	46	25	37·2	0·60
EDINBURGH, ...	329,200	—	—	11·1	—	102	70	8	24	·	·	·	1	·	1	·	—	—	—	—	—	—	·	—	3	—	—	—	50·2	32·1	42·0	0.32
GLASGOW, ...	1,091,600	—	—	14·3	—	458	299	48	68	·	·	·	4	2	4	2	—	—	—	—	—	—	4	—	15	—	—	—	49.7	33·0	41·5	0·60

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 48th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 2nd December, 1916. All Ages.	Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	172·0	148	9	21	3	6	3	2	1	4	15	14	11	17	25	17	135
Enteric Fever ..	·8	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
Typhus	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	4·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Dysentery	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·4	15	1	.	.	1	.	.	1	2	3	5	1	.	1	.	12
Tuberculous Meningitis	2·6	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	1·6	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Scrofula	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Venereal Diseases ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	11·4	7	.	.	.	.	.	.	.	.	.	1	2	1	3	.	7
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Anæmia, Leucocythæmia.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	2·2	3	.	.	1	.	.	.	.	.	.	.	.	2	.	.	3
Alcoholism ..	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Chronic Poisonings ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·0	5	.	.	.	2	.	1	.	.	.	2	.	.	.	.	3
Cerebral Hæmorrhage, Apoplexy.	5·4	4	.	.	.	.	.	.	.	.	.	1	.	1	1	1	3
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·8	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	3
Epilepsy	·2	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2
Convulsions (non-puerperal).	2·8	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	2·8	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	13·8	12	.	.	.	.	.	.	.	.	1	.	.	4	7	.	11
Embolism and Thrombosis (including Cerebral).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Diseases of the Larynx	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Bronchitis	26·0	21	.	6	.	.	.	.	.	.	1	1	2	4	4	3	21
Broncho-pneumonia ..	6·0	4	.	1	.	.	.	.	.	.	2	.	.	.	.	1	4
Lobar pneumonia ..	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pneumonia (type not distinguished).	3·6	6	.	.	.	1	.	.	.	.	1	.	1	1	.	2	5
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2

in the FORTY-EIGHTH WEEK, ending Saturday, 2nd December, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 48th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 2nd December, 1916.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach ..	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diarrhœa and Enteritis of Children under 2 years.	4·8	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.		4
Diarrhœa 2 years and upwards.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Enteritis 2 years and upwards.	·8	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.		2
Appendicitis and Typhlitis.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Cirrhosis of Liver ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Liver	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Other Diseases of Digestive System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis ..	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
Chronic Bright's Disease	5·6	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.		3
Urinary Calculi ..	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Diseases of Skin and Cellular Tissues.	1·6	3	1	.	1	.	.	.	.	.	.	.	.	.	1	.		3
Diseases of Locomotor System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Premature Birth ..	4·6	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.		4
Congenital Debility ..	3·8	6	.	6	.	.	.	.	.	.	.	.	.	.	.	.		6
Old Age	5·2	9	.	.	.	.	.	.	.	.	.	.	.	.	3	6		9
Other Specified Diseases	1·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
Suffocation in Bed, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Violent Deaths		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Not included in above—																		
Homicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes,	2·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		1

TABLE IV.—Showing for the WEEK ENDED 2ND DECEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*

WEEK ENDED SATURDAY, 2ND DECEMBER, 1916.

REGISTRARS' DISTRICTS, &c	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(3)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1, E., ...	29,400	14·2	1·8	8	.	3	.	1	.	1	2	1	.	.	.	1	.	.	.	.	.	.	.	1	2	.	.	.	4	.	.	1	.
,, 1, W., ...	40,200	20·8	3·9	16	2	.	1	1	1	5	3	3	2	.	.	.	.	.	.	.	2	1	1	2	4	1	.	.	3	.	3	4	.
,, 2, ...	26,900	40·7	1·9	21	5	.	2	.	.	4	3	7	.	.	.	.	.	.	.	.	3	2	.	1	4	1	.	.	10	.	3	5	1
,, 3, ...	35,200	20·7	.	14	6	.	.	.	.	1	6	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	11	.	.	.	1
CLONTARF AND HOWTH, No. 1, part of	5,400	9·7	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
COOLOCK AND DRUMCONDRA, part of ..	13,300	11·8	.	3	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	.	.
FINGLAS AND GLASNEVIN, part of ..	10,800	4·8	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
South City.																																	
SOUTH CITY, No. 1, ..	40,100	16·9	1·3	13	4	.	.	.	.	3	1	5	.	.	.	.	.	.	.	.	1	1	1	1	2	1	.	.	6	.	2	3	1
,, 2, ...	17,800	2·9	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
,, 3, ...	42,400	20·9	.	17	4	.	1	.	.	3	4	5	.	.	.	.	.	.	.	.	2	.	3	.	6	.	.	.	6	.	.	8	.
,, 4, ...	32,000	17·9	.	11	2	.	1	2	.	.	1	5	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	6	.	3	3	.
NEW KILMAINHAM, ...	10,100	15·5	.	3	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	18·7	1·3	14	4	.	.	.	.	2	2	6	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	8	1	.	1	.
PEMBROKE, ...	29,100	7·2	.	4	1	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	1	1	.
BLACKROCK, ...	8,900	17·5	.	3	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	1	.	.
KINGSTOWN	16,400	15·9	3·2	5	2	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.	1	.	.
TOTAL CITY. North, ...	161,200	20·7	1·6	64	13	3	3	2	1	11	16	15	2	.	.	1	.	.	.	.	5	3	2	6	12	2	.	.	31	.	8	11	2
TOTAL CITY. South, ...	142,400	16·5	0·4	45	10	.	2	2	.	7	7	17	.	.	.	.	.	.	.	.	4	3	4	1	10	1	.	.	22	.	5	16	1
TOTAL CITY. North and South, ..	303,600	18·7	1·0	109	23	3	5	4	1	18	23	32	2	.	.	1	.	.	.	.	9	6	6	7	22	3	.	.	53	.	13	27	3
Total Urban Districts, ...	93,400	14·5	1·1	26	7	.	.	.	2	4	3	10	.	.	.	.	.	.	.	.	3	.	1	3	2	1	1	.	15	1	3	2	.
Total Registration Area, ..	397,000	17·7	1·1	135	30	3	5	4	3	22	26	42	2	.	.	1	.	.	.	.	12	6	7	10	24	4	1	.	68	1	16	29	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				13	.	.	1	1	2	7	2	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.	1	7	2	11	2	.

Saturday, 2nd December, 1916; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND DECEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	148	39	5	5	29	28	25	17	2	.	.	1	.	.	.	.	15	7	7	4	11	24	4	1	1	71	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	Professional and Independent Class,	14,658	7·1	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
II.	Middle Class	101,798	16·4	32	6	1	3	3	7	5	7	1	.	.	.	.	.	.	.	5	2	1	1	1	4	1	.	.	16	1
III.	Artisan Class and Petty Shopkeepers,	108,420	18·8	39	8	2	1	7	10	7	4	1	.	.	.	.	.	.	.	2	1	2	1	3	8	.	1	.	20	.
IV.	General Service Class	167,479	13·7	44	16	2	1	11	6	6	2	.	.	.	1	.	.	.	.	5	3	.	2	5	4	2	.	1	21	2
V.	Inmates of Workhouses, ...	5,602	—	31	8	.	.	8	5	7	3	.	.	.	.	.	.	.	.	3	1	4	.	1	8	1	.	.	13	.
I.	Professional and Independent Class.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	Middle Class.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	7	1	.	.	.	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	6	.
	6. Clerks and Commercial Assistants,	33,249	—	11	5	1	.	1	2	1	1	.	.	.	.	.	.	.	.	1	2	.	1	.	2	1	.	.	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	13	.	.	3	1	1	4	4	1	.	.	.	.	.	.	.	3	.	1	.	.	2	.	.	.	6	.
III.	Artisan Class and Petty Shopkeepers.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	6	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.
	9. Building and Furnishing Trades, ..	28,823	—	8	2	.	1	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	5	.
	10. Clothing Trades, ...	20,026	—	5	1	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.
	11 Food Supply Trades, ...	8,952	—	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	16	1	1	.	6	3	4	1	1	.	.	.	.	.	.	.	2	.	2	.	2	2	.	1	.	6	.
	13. Petty Shopkeepers, ...	6,772	—	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
IV.	General Service Class.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	10	5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	2	1	.	2	.	1	1	.	.	3	.
	15. Domestic Servants, ...	36,041	—	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	29	10	1	1	6	4	5	2	.	.	.	1	.	.	.	.	1	2	.	.	5	3	1	.	1	15	2
	Inmates of Workhouses.																													
V	18. Workhouse Inmates, ...	5,602	—	31	8	.	.	8	5	7	3	.	.	.	.	.	.	.	.	3	1	4	.	1	8	1	.	.	13	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

———	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Sept. 9.	Sept. 16	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov 4.	Nov. 11.	Nov 18.	Nov. 25.	Dec. 2.
No. of weeks in Annual Series ..	36	37	38	39	40	41	42	43	44	45	46	47	48	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered	219	178	215	181	204	198	189	179	187	181	173	148	206	177	182	154	180	153	183	173	167	135	181	144	165	163
Average Births in corresponding week of previous 10 years, ...	240	201	217	237	203	192	202	202	208	204	196	191	206	210	210	187	201	208	209	203	204	197	196	179	180	183
Number of Deaths, ...	113	132	119	139	142	135	133	142	121	162	135	153	135	100	95	109	100	105	102	98	118	119	109	105	118	126
Annual Death-rate per 1,000 ..	14·8	17·3	15·6	18·3	18·7	17·7	17·5	18·7	15·9	21·3	17·7	20·1	17·7	13·4	12·7	14·6	13·4	14·0	13·6	13·1	15·8	15·9	14·6	14·0	15·8	16·8
Average Deaths in corresponding week of previous 10 years, ...	152	154	154	152	151	146	145	138	149	159	161	160	166	125	123	126	122	117	117	116	126	117	131	138	140	137
Ages, .. Under one year, ..	29	45	34	36	35	32	27	35	30	29	23	30	30	20	26	29	11	19	23	18	24	21	21	14	21	10
1— 5 years, ..	11	13	13	13	20	14	12	13	6	15	13	10	8	9	12	7	6	4	5	10	8	9	8	8	11	9
5—25 ,, ..	9	14	11	10	9	12	6	12	11	8	16	5	7	11	4	14	10	13	8	11	13	9	6	16	16	15
25—45 , ..	20	8	13	17	17	24	21	16	24	26	18	19	22	13	18	18	16	16	20	15	23	18	21	15	11	23
45—65 ,, ..	27	20	22	32	28	1	37	26	24	31	32	42	26	26	18	21	28	33	25	26	29	30	31	28	29	39
65 and upwards, ..	17	32	26	31	33	35	30	40	26	53	33	47	42	21	17	20	29	20	21	18	21	32	22	24	30	30
Deaths from :—																										
Enteric Fever, ...	·	·	2	4	3	3	3	1	3	·	1	·	2	2	·	1	1	1	1	2	·	·	·	·	·	1
Typhus, ...	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	1	·	·	·	1	1	·	·	·	·	·	1	1	1	1	·	1	1	·	·	·	1	·	·	1
Scarlet Fever, ...	·	·	2	1	·	·	1	1	·	·	·	·	·	1	·	1	2	·	·	1	2	·	·	1	·	·
Whooping-cough, ...	1	·	1	1	3	2	·	1	·	2	·	·	·	1	1	1	·	·	1	·	2	1	1	1	1	1
Diphtheria, ...	·	·	·	1	3	1	3	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Dysentery, ...	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	16	16	13	16	16	13	13	16	14	10	15	14	12	10	8	11	6	16	12	12	16	13	10	11	14	10
Tuberculosis { Other Forms, ..	2	3	5	2	7	3	5	4	2	5	8	2	6	5	6	5	5	3	3	2	3	4	7	5	3	4
Cancer, ...	13	5	5	9	12	7	13	8	5	11	8	11	7	9	6	5	9	7	11	7	11	12	8	4	1	5
Diseases of Respiratory System, { Pneumonia ..	4	1	6	8	12	12	6	12	13	7	16	13	10	5	1	3	4	9	7	2	8	11	13	6	8	10
Diseases of Respiratory System, { Others, ..	1	10	9	15	12	14	10	12	21	19	20	32	24	6	2	4	8	3	5	5	12	8	19	13	15	13
Diarrhœa and Enteritis, under 2 years, ...	26	31	23	17	14	14	13	11	5	6	3	5	4	17	21	18	6	2	9	6	7	4	6	4	5	1
Diarrhœa, 2 years and upwards..	·	2	1	·	1	·	1	1	·	·	·	·	1	1	1	2	3	2	·	2	·	·	1	·	2	1
Violent Deaths, ...	4	5	1	3	3	7	3	4	6	5	4	6	·	·	·	·	2	4	2	4	2	1	1	7	3	4
Number of Uncertified Deaths, ..	5	6	4	4	3	7	4	5	12	14	7	12	3	1	2	1	1	·	1	·	2	3	2	1	5	3
Mean Temperature in degrees ..	58·1	54·9	52·5	55·6	57·9	55·8	48·5	45·4	44·6	47·7	46·2	43·6	42·9	58·6	56·3	53·3	57·8	55·2	55·2	50·1	47·1	45·4	45·6	49·6	50·5	43·3
Rainfall in inches	0·33	0·03	0·12	1·15	1·92	1·01	0·36	2·28	2·95	0·65	2·19	1·28	0·63	0·13	0·07	0·47	0·01	2·97	0·98	0·68	1·42	1·06	1·37	0·00	0·47	0·63

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd December, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	13·1	·	4	·	·	·	1	1	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	·
Do. 2 do.	49,500	18	15·8	1·1	15	·	2	5	2	4	2	·	·	·	·	·	1	·	·	1	·	·	2	·	·	·	2	·	5	·
Do. 3 do.	50,032	22	17·7	1·0	17	2	·	2	2	9	2	·	·	·	·	·	·	·	·	2	1	2	1	3	·	1	·	1	3	1
Do. 4 do.	32,637	8	20·8	1·6	13	2	2	1	3	·	5	·	·	·	·	·	·	1	·	·	1	·	1	1	·	·	2	2	8	·
Do. 5 do.	16,112	3	22·7	·	7	2	1	·	·	3	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1
Do. 6 do.	37,293	16	16·8	·	12	·	·	1	1	5	5	·	·	·	·	·	·	·	·	2	·	1	1	1	·	·	·	·	5	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	2	8·7	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	7	10·7	·	5	·	·	·	2	2	1	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	1	·
Do. 10 do.	28,958	17	19·8	·	11	1	1	2	1	3	3	·	·	·	·	·	·	·	·	1	1	·	1	1	·	·	·	·	4	·
Do. 11 do.	39,311	20	21·2	·	16	1	·	2	3	6	4	·	·	·	·	·	·	·	·	1	·	·	2	1	·	·	·	·	2	1
Do. 12 do.	38,076	18	15·1	4·1	11	1	1	·	5	3	1	1	·	·	1	·	·	·	·	1	·	·	1	1	1	·	·	·	6	·
Do. 13 do.	23,233	7	13·5	·	6	1	·	1	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	14	18·4	·	8	·	2	·	·	2	4	·	·	·	·	·	·	·	·	·	1	·	1	2	·	·	·	1	4	·
Total,	386,947	163	16·8	0·8	126	10	9	15	23	39	30	1	·	·	1	·	1	1	·	10	4	5	10	13	1	1	4	4	41	3
CITY OF CORK.																														
CORK URBAN No. 1 DISTRICT,	13,455	3	15·5	·	4	·	·	1	·	1	2	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	2	·
Do. 2 do.	10,399	10	25·1	·	5	·	·	·	1	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·
Do. 3 do.	9,793	5	16·0	·	3	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1
Do. 4 do.	9,139	2	22·8	·	4	·	1	·	·	2	1	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	1	·
Do. 5 do.	6,250	5	41·7	·	5	·	2	·	1	·	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	·
Do. 6 do.	11,581	5	27·0	·	6	·	·	1	2	1	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	3	·
Do. 7 do.	16,056	4	26·0	·	8	·	2	3	·	·	3	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	4	·
Total	76,673	34	23·8	·	35	·	5	5	4	7	14	·	·	·	·	·	·	·	·	3	2	3	2	6	·	·	·	·	12	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd December, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " 1, West ..	.	.	.	.	1	.	.	.	.	.	.	.	.	1
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 3, ...	.	4	.	.	.	.	.	.	.	.	.	.	1	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1	.	1	.	.	1	.	.	1	.	.	.	.	.	3
" " " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	2	3
" " " 3, ...	.	.	.	.	.	.	.	1	.	.	.	.	1	2
" " " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	7	.	.	3	.	.	2	.	.	.	.	8	20

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd December, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 2nd December.			
	Nov. 11.	Nov. 18.	Nov. 25	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	88	81	74	4	18	.	60
Typhus, ...	6	4	4	.	.	.	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	2	2	2	.	.	4
Scarlet Fever	62	60	55	12	8	.	59*
Diphtheria, ...	11	12	14	1	2	.	13
Pneumonia, ...	17	17	21	9	2	1	27

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

(10271). Wt. 3800 375. 12. 1916. G. III. Sch. e. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 49. Vol. LIII.] Week ending Saturday, 9th December, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 11th December, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 17·1 and 16·8; Dublin Registration Area, 20·5 and 19·0; Dublin City, 22·2 and 20·6; Belfast, 15·0 and 15·4; Cork, 15·6 and 18·8; Londonderry, 10·4 and 13·3; Limerick, 24·4 and 18·9; and Waterford, 13·3 and 16·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·6 per 1,000. Among the 112 deaths from all causes for Belfast are one from measles, one from diphtheria, and 2 of children under 2 years from diarrhœa and enteritis.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 139—67 boys and 72 girls—and the deaths to 167—91 males and 76 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·5 per 1,000 of the population. During the forty-nine weeks ending with Saturday last, the death-rate averaged 19·7, and was 1·6 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the forty-nine weeks was 21·3, and for the corresponding period of the preceding ten years, 22·5.

The 156 deaths appertaining to the Area include one from measles, one from scarlet fever, one from diphtheria, 5 from influenza, and 3 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks deaths from measles numbered 0, 0, and one; deaths from diphtheria, one, 0 and 0; deaths from influenza, 0, one, and one; and deaths from diarrhœa and enteritis of children under 2 years, 3, 5, and 4, respectively. There were no deaths from scarlet fever during the 3 preceding weeks.

Tuberculous disease caused 23 deaths (comprising 17 from pulmonary tuberculosis, 3 from abdominal tuberculosis, and 3 from disseminated tuberculosis), as against 23, 16 and 18, respectively, in the three weeks preceding.

Seven deaths were caused by cancer, 5 by meningitis, 13 by pneumonia (comprising 6 from broncho-pneumonia, one from lobar pneumonia, and 6 from pneumonia, type not distinguished), 13 by organic diseases of the heart, and 24 by bronchitis.

Among deaths of infants under one year old, 5 were due to convulsions, one to congenital malformation, 5 to premature birth, and 5 to congenital debility.

Three deaths were due to violence, 2 of these being caused by drowning, and one by a van.

Forty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 30 being infants under one year, of whom 7 were under one month old.

Of the 156 deaths recorded, 68 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 20·4), was equal to an average annual death-rate of 17·8 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 16·4 per 1,000, the rate for Glasgow being 16·5, and for Edinburgh 17·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th December. From this Report it appears that of 54 cases notified, 20 were scarlet fever, 16 diphtheria, 6 pulmonary tuberculosis, 8 other forms of tuberculosis, and 4 erysipelas. Among the 469 cases of infectious diseases in hospital at the close of the week were 148 of pulmonary tuberculosis, 143 of scarlet fever, 113 of diphtheria, 22 of measles, 8 of erysipelas, 5 of enteric fever, and 2 of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 9th December, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Nov. 18,	.	—	—	8	1	.	3	.	1	8	1	.	—	—	1	—	.	2	25
	Nov. 25,	.	—	—	5	.	.	1	.	.	6	3	.	—	—	.	—	.	9	24
	Dec. 2,	.	—	—	7	.	.	3	.	.	2	.	.	—	—	.	—	.	8	20
	Dec. 9,	.	—	—	19	.	.	.	.	.	2	2	.	—	—	.	—	.	5	28
Rathmines and Rathgar Urban District.	Nov. 18,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Nov. 25,	.	—	—	5	.	.	.	.	.	.	1	.	—	—	(a)	—	(a)	—	6
	Dec. 2,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	.	—	1
	Dec. 9,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	.	—	.	—	5
Pembroke Urban District.	Nov. 18,	.	.	.	1	.	.	.	.	.	.	.	.	—	2	.	—	—	.	3
	Nov. 25,	.	.	.	2	.	.	.	.	.	1	.	.	—	.	.	—	—	.	3
	Dec. 2,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	.	2
	Dec. 9,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	.	2
Blackrock Urban District.	Nov. 18,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Nov. 25,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Dec. 2,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Dec. 9,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
Kingstown Urban District.	Nov. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Dec. 2,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	.	.	3
	Dec. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast	Nov. 18,	.	—	—	22	.	.	4	.	.	9	7	.	—	—	.	—	.	1	43
	Nov. 25,	.	—	—	10	.	.	5	.	.	6	4	.	—	—	.	—	.	.	25
	Dec. 2,	.	—	—	15	.	.	4	.	.	4	3	.	—	—	.	—	.	.	26
	Dec. 9,	.	—	—	10	.	.	5	.	.	2	5	1	—	—	.	—	.	.	23
City of Cork	Nov. 18,	.	.	—	.	.	.	.	.	.	2	2	.	—	—	—	.	—	—	4b
	Nov. 25,	.	1	—	2	.	.	.	.	.	5	1	.	—	—	—	.	—	—	9b
	Dec. 2,	.	.	—	4	.	.	2	.	.	1	.	.	—	—	—	.	—	—	7
	Dec. 9,	.	.	—	2	.	.	2	.	.	2	2	.	—	—	—	.	1	—	9b
City of Londonderry	Nov. 18,	.	—	—	3	.	.	.	.	.	.	2	.	—	—	.	—	—	—	5
	Nov. 25,	.	—	—	10	.	.	.	.	.	.	.	.	—	—	.	—	—	—	10
	Dec. 2,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Dec. 9,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	.	—	—	—	5
City of Limerick.	Nov. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 25,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	.	—	—	—	2
	Dec. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
City of Waterford.	Nov. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 9,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1

(a) Notifiable as from 20th November. (b) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th December, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 5 and 51; typhus nil and 2; measles 4 and 5; scarlet fever 20 and 71*; and diphtheria 3 and 14. Fourteen cases of pneumonia were admitted during the week, and 28 remained under treatment at its close. Of the deaths in hospitals during the week one was from each of scarlet fever and diphtheria, and 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 9th December, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	POPULATION. Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 9TH DECEMBER, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	BIRTHS. Total Number.	DEATHS. Under 1 year of Age.	DEATHS. At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 9TH DECEMBER, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	19·0	17·1	0·6	409	369	59	107	·	·	·	2	1	·	2	·	40	18	14	25	51	7	·	15	19	135	20	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	18·3	20·5	0·8	139	156	30	51	·	·	·	1	1	·	1	·	17	6	7	13	27	3	·	3	5	68	9	(d) 45·3	28·4	28·2	1·22
Urban Districts. CITY OF DUBLIN,	303,600	38·4	19·4	22·2	1·0	113	129	28	35	·	·	·	1	1	·	1	·	16	5	4	12	23	3	·	2	5	62	7	(e) 47·1	33·1	40·4	1·10
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	13·4	16·0	·	10	12	1	7	·	·	·	·	·	·	·	·	1	1	2	·	1	·	·	·	·	3	1	(f) 47·0	30·0	39·6	1·04
Urban Districts. PEMBROKE, ..	29,100	18·5	14·3	16·1	·	8	9	1	4	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	1	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	5·8	17·5	·	1	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1	1	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	1·2	22·3	9·5	·	7	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	49	35	41·5	0·86
Urban Districts. BELFAST, ..	390,000	26·1	19·8	15·0	0·5	148	112	18	26	·	·	·	1	·	·	1	·	14	6	2	7	11	2	·	7	11	31	2	46·0	31·8	40·3	0·37
Urban Districts. CORK, ...	76,673	28·6	23·1	15·6	·	34	23	·	7	·	·	·	·	·	·	·	·	3	1	1	2	3	·	·	·	·	10	1	·	·	·	·
Urban Districts. LONDONDERRY, ..	40,000	15·5	16·9	10·4	·	13	8	1	·	·	·	·	·	·	·	·	·	·	1	1	2	3	·	·	·	·	1	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	13·5	24·4	·	10	18	2	3	·	·	·	·	·	·	·	·	2	1	·	1	1	·	·	·	·	9	2	49·1	28·0	40·2	0·56
Urban Districts. WATERFORD, ..	27,464	19·1	26·6	13·3	·	14	7	1	3	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	5	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			9	11	4	3	·	·	·	·	·	·	·	·	2	1	1	·	·	·	·	2	1	4	4	51	30	42	0·85
Urban Districts. DUNDALK, ..	13,128	9·5				2	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				6	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	45	31	38·5	0·93
Urban Districts. DROGHEDA, ..	12,501	8·4				5	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				8	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	45	31	38·5	0·93
Urban Districts. NEWRY, ...	11,9[illegible]	17·0				4	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	45	31	38·5	0·93
Urban Districts. PORTADOWN, ..	11,727	15·3				4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	45	31	38·5	0·93
Urban Districts. WEXFORD, ..	11,531	22·8				·	6	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	1	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				2	4	·	4	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	49	29	40·0	2·03
Urban Districts. KILKENNY, ..	10,514	11·4				1	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	47	29	38·0	1·23
Urban Districts. TRALEE, ...	10,300	17·4				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				5	5	·	1	·	·	·	·	·	·	·	·	·	2	1	·	1	·	·	1	·	4	·	·	·	·	·
LONDON, ...	4,310,030	—	—	20·4	—	1,773	1,683	226	660	1	·	·	25	1	4	16	—	150	33	124	182	218	33	7	75	180	729	2	48	28	37·4	0·39
EDINBURGH, ...	329,200	—	—	17·4	—	104	110	14	39	·	·	·	·	·	·	1	—	—	—	—	—	—	3	—	4	—	—	—	45·7	27·9	38·0	0·55
GLASGOW, ...	1,091,600	—	—	16·5	—	441	345(g)	63	90	·	·	·	4	1	1	1	—	—	—	—	—	—	5	—	12	—	—	—	46·0	28·0	37·8	0·81

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Including 3 deaths from cerebro-spinal meningitis

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 49th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 9th December, 1916.																
		All Ages.	Ages at Death															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	175·0	167	8	23	7	6	3	3	4	6	11	15	14	14	31	22	156
Enteric Fever ..	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	1·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Whooping-cough ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·6	5	.	1	.	.	.	.	.	.	.	.	.	.	3	1	5
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	20·6	17	.	1	.	.	.	.	1	1	7	4	1	2	.	.	17
Tuberculous Meningitis	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·8	3	.	.	.	1	.	1	.	.	.	.	1	.	.	.	3
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	3
Venereal Diseases ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·8	10	.	.	.	.	.	.	.	.	.	.	3	2	3	2	7
Tumour, situation undefined.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Anæmia, Leucocythæmia.	1·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other General Diseases	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·2	5	.	.	.	.	2	.	1	1	.	1	.	.	.	.	5
Cerebral Hæmorrhage, Apoplexy.	6·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Softening of Brain ..	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Paralysis, without specified cause.	1·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Convulsions (non-puerperal).	4·0	6	2	3	.	1	.	.	.	.	.	.	.	.	.	.	6
Other Diseases of Nervous System.	2·4	3	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Organic Diseases of the Heart.	12·8	14	.	.	.	.	.	1	.	.	.	1	1	2	6	3	13
Embolism and Thrombosis (including Cerebral).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	2·2	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	19·6	24	.	5	.	.	.	.	.	1	.	.	4	3	9	2	24
Broncho-pneumonia ..	8·4	6	.	2	2	.	.	.	.	.	.	.	.	1	.	1	6
Lobar pneumonia ..	1·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pneumonia (type not distinguished).	5·4	6	.	.	.	1	.	.	1	.	1	.	1	.	2	.	6
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·8	3	.	.	.	.	1	.	1	.	.	.	.	.	1	.	3

in the FORTY-NINTH WEEK, ending Saturday, 9th December, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 49th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 9th December, 1916.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	1·2	3	·	1	·	1	·	·	·	·	1	·	·	·	·	·		3
Diarrhœa and Enteritis of Children under 2 years.	4·6	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·		3
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	1·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1		1
Appendicitis and Typhlitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Hernia and Intestinal Obstructions.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Cirrhosis of Liver ..	1·0	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·		1
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Nephritis ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Chronic Bright's Disease	6·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Urinary Calculi ..	·	2	·	·	·	1	·	·	·	·	·	·	·	1	·	·		1
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	1·6	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·		2
Puerperal Septicæmia, &c.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Skin and Cellular Tissues.	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1		1
Diseases of Locomotor System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	·2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·		1
Premature Birth ..	4·8	6	6	·	·	·	·	·	·	·	·	·	·	·	·	·		5
Congenital Debility ..	4·0	5	·	5	·	·	·	·	·	·	·	·	·	·	·	·		5
Old Age	7·6	12	·	·	·	·	·	·	·	·	·	·	·	·	1	11		12
Other Specified Diseases	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Drowning	·6	2	·	·	·	·	·	·	·	1	·	1	·	·	·	·		2
Suffocation in Bed, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·		1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	4·4	3	·	·	1	·	·	·	·	·	1	·	·	1	·	·		2

TABLE IV.—Showing for the WEEK ENDED 9TH DECEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 9TH DECEMBER, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons, and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No 1, E., ...	29,400	33·7	·	19	5	·	2	·	1	4	2	5	·	·	·	·	·	·	·	·	1	1	·	2	2	·	·	1	12	1	5	2	2
,, 1, W., ...	40,200	18·2	1·3	14	2	2	·	·	·	2	3	5	·	·	·	1	·	·	·	·	2	1	1	·	3	·	·	·	6	·	7	1	2
,, 2, ...	26,900	15·5	1·9	8	1	2	1	·	·	·	2	2	·	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	4	·	·	3	1
,, 3, ...	35,200	20·7	·	14	4	·	·	·	3	·	3	4	·	·	·	·	·	·	·	·	1	1	·	2	4	·	·	·	6	1	4	3	·
Clontarf and Howth, No. 1, part of	5,400	9·7	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Coolock and Drumcondra, part of ..	13,300	19·6	·	5	1	·	·	·	·	·	·	4	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	4	·	2	·	·
Finglas and Glasnevin, part of ..	10,800	19·3	·	4	·	·	1	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	·	1	1	·
South City.																																	
South City, No. 1, ..	40,100	20·8	·	16	3	·	1	1	·	3	3	5	·	·	·	·	·	·	·	·	3	·	1	1	6	·	·	·	5	·	3	5	·
,, 2, ...	17,800	38·1	8·8	13	3	2	·	2	1	2	3	·	·	·	·	·	1	·	1	·	2	·	·	1	2	1	·	·	5	1	7	3	·
,, 3, ...	42,400	18·4	·	15	5	·	·	1	2	1	1	5	·	·	·	·	·	·	·	·	2	·	1	2	4	·	·	·	6	1	3	4	·
,, 4, ...	32,000	22·8	·	14	2	1	·	2	1	2	3	3	·	·	·	·	·	·	·	·	3	1	1	1	1	·	·	1	6	1	5	2	2
New Kilmainham, ...	10,100	31·0	5·2	6	2	·	·	·	·	3	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·	·	3	·	·	1	·
Urban Districts.																																	
Rathmines and Rathgar, ..	39,000	16·0	·	12	1	·	1	·	1	1	1	7	·	·	·	·	·	·	·	·	1	1	2	·	1	·	·	·	7	·	3	·	1
Pembroke, ...	29,100	16·1	·	9	1	·	·	·	·	2	2	4	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	6	·	·	1	·
Blackrock, ...	8,900	17·5	·	3	·	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	1	·	1
Kingstown	16,400	9·5	·	3	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	1	·
TOTAL CITY. North, ...	161,200	21·0	0·6	65	13	4	4	·	4	8	10	22	·	·	·	1	·	·	·	·	4	4	1	7	10	1	·	1	36	2	19	10	5
TOTAL CITY. South, ...	142,400	23·4	1·5	64	15	3	1	6	4	11	11	13	·	·	·	·	1	·	1	·	12	1	3	5	13	2	·	1	25	3	18	15	2
TOTAL CITY. North and South, ..	303,600	22·2	1·0	129	28	7	5	6	8	19	21	35	·	·	·	1	1	·	1	·	16	5	4	12	23	3	·	2	61	5	37	25	7
Total Urban Districts, ...	93,400	15·1	·	27	2	·	1	·	1	4	3	16	·	·	·	·	·	·	·	·	1	1	3	1	4	·	·	1	16	·	4	2	2
Total Registration Area, ..	397,000	20·5	0·8	156	30	7	6	6	9	23	24	51	·	·	·	1	1	·	1	·	17	6	7	13	27	3	·	3	77	5	41	27	9
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	1	·	·	·	1	3	4	2	·	·	·	·	·	·	·	·	·	1	3	·	·	·	·	·	7	·	9	2	

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th December, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH DECEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	167	44	6	10	26	28	31	22	.	.	.	1	1	.	1	.	17	7	10	6	13	27	3	.	3	78	9
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	3·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS	101,798	19·0	37	6	.	3	7	5	9	7	.	.	.	.	.	.	.	.	2	1	4	1	4	1	2	.	.	22	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	17·3	36	12	2	2	4	5	6	5	.	.	.	.	.	.	.	.	2	3	.	1	4	8	1	.	1	16	3
IV.	GENERAL SERVICE CLASS	167,479	19·9	64	20	4	5	10	8	9	8	.	.	.	1	1	.	1	.	8	1	3	4	3	10	.	.	2	30	6
V.	INMATES OF WORKHOUSES, ...	5,602	—	29	6	.	.	5	9	7	2	.	.	.	.	.	.	.	.	5	2	2	.	2	8	.	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	10	.	.	1	1	3	3	2	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	6	.
	6. Clerks and Commercial Assistants,	33,249	—	12	2	.	2	2	1	2	3	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	9	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	13	3	.	.	3	1	4	2	.	.	.	.	.	.	.	.	1	.	1	1	1	1	2	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ..	28,823	—	15	8	.	.	2	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	3	1	.	1	7	.
	10. Clothing Trades, ...	20,026	—	3	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
	11. Food Supply Trades, ...	8,952	—	3	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	8	2	2	2	1	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	2	2	.	.	.	1	1
	13. Petty Shopkeepers, ...	6,772	—	4	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.
IV	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	2	1	.	4	1	1	2	.	.	.	.	1	.	.	.	2	1	1	.	1	1	.	.	1	3	1
	15. Domestic Servants, ...	36,041	—	5	.	.	2	1	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	6	1	1	.	1	.	2	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	42	17	2	3	4	7	5	4	.	.	.	1	.	.	1	.	3	.	2	3	2	8	.	.	1	21	4
V	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	29	6	.	.	5	9	7	2	.	.	.	.	.	.	.	.	5	2	2	.	2	8	.	.	.	10	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Sept. 16	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov 4.	Nov. 11.	Nov 18.	Nov. 25.	Dec. 2.	Dec. 9.
No. of weeks in Annual Series ..	37	38	39	40	41	42	43	44	45	46	47	48	49	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered	178	215	181	204	198	189	179	187	181	173	148	206	139	182	154	180	153	183	173	167	135	181	144	165	163	148
Average Births in corresponding week of previous 10 years, ...	201	217	237	203	192	202	202	208	204	196	191	206	186	210	187	201	208	209	203	204	197	196	179	180	183	186
Number of Deaths, ...	132	119	139	142	135	133	142	121	162	135	153	135	156	95	109	100	105	102	98	118	119	109	105	118	126	112
Annual Death-rate per 1,000 ..	17·3	15·6	18·3	18·7	17·7	17·5	18·7	15·9	21·3	17·7	20·1	17·7	20·5	12·7	14·6	13·4	14·0	13·6	13·1	15·8	15·9	14·6	14·0	15·8	16·8	15·0
Average Deaths in corresponding week of previous 10 years, ...	154	154	152	151	146	145	138	149	159	161	160	166	171	123	126	122	117	117	116	126	117	131	138	140	137	156
Ages, .. Under one year, ..	45	34	36	35	32	27	35	30	29	23	30	30	30	26	29	11	19	23	18	24	21	21	14	21	10	18
1— 5 years, ..	13	13	13	20	14	12	13	6	15	13	10	8	13	12	7	6	4	5	10	8	9	8	8	11	9	9
5—25 ,, ..	14	11	10	9	12	6	12	11	8	16	5	7	15	4	14	10	13	8	11	13	9	6	16	16	15	19
25—45 , ..	8	13	17	17	24	21	16	24	26	18	19	22	23	18	18	16	16	20	15	23	18	21	15	11	23	19
45—65 ,, ..	20	22	32	28	1	37	26	24	31	32	42	26	24	18	21	28	33	25	26	29	30	31	28	29	39	21
65 and upwards, ..	32	26	31	33	35	30	40	26	53	33	47	42	51	17	20	29	20	21	18	21	32	22	24	30	30	26
Deaths from :—																										
Enteric Fever, ...	.	2	4	3	3	3	1	3	.	1	.	2	.	.	1	1	1	1	2	.	.	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	1	1	.	.	.	.	.	1	1	1	1	.	1	1	.	.	.	1	.	.	1	1
Scarlet Fever, ...	.	2	1	.	.	1	1	.	.	.	.	.	1	.	1	2	.	.	1	2	.	.	1	.	.	.
Whooping-cough, ...	.	1	1	3	2	.	1	.	2	.	.	.	.	1	1	.	.	1	.	2	1	1	1	1	1	.
Diphtheria, ...	.	.	1	3	1	3	.	.	.	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	16	13	16	16	13	13	16	14	10	15	14	12	17	8	11	6	16	12	12	16	13	10	11	14	10	14
Tuberculosis { Other Forms, ..	3	5	2	7	3	5	4	2	5	8	2	6	6	6	5	5	3	3	2	3	4	7	5	3	4	6
Cancer, ...	5	5	9	12	7	13	8	5	11	8	11	7	7	6	5	9	7	11	7	11	12	8	4	1	5	2
Diseases of Respiratory System, { Pneumonia ..	1	6	8	12	12	6	12	13	7	16	13	10	13	1	3	4	9	7	2	8	11	13	6	8	10	7
Diseases of Respiratory System, { Others, ..	10	9	15	12	14	10	12	21	19	20	32	24	27	2	4	8	3	5	5	12	8	19	13	15	13	11
Diarrhœa and Enteritis, under 2 years, ...	31	23	17	14	14	13	11	5	6	3	5	4	3	21	18	6	2	9	6	7	4	6	4	5	1	2
Diarrhœa, 2 years and upwards..	2	1	.	1	.	1	1	.	.	.	.	1	.	1	2	3	2	.	2	.	.	1	.	2	1	.
Violent Deaths, ...	5	1	3	3	7	3	4	6	5	4	6	.	3	.	.	2	4	2	4	2	1	1	7	3	4	7
Number of Uncertified Deaths, ..	6	4	4	3	7	4	5	12	14	7	12	3	9	2	1	1	.	1	.	2	3	2	1	5	3	2
Mean Temperature in degrees ..	54·9	52·5	55·6	57·9	55·8	48·5	45·4	44·6	47·7	46·2	43·6	42·9	38·2	56·3	53·3	57·8	55·2	55·2	50·1	47·1	45·4	45·6	49·6	50·5	43·3	40·8
Rainfall in inches	0·03	0·12	1·15	1·92	1·01	0·36	2·28	2·95	0·65	2·19	1·28	0·63	1·22	0·07	0·47	0·01	2·97	0·98	0·68	1·42	1·06	1·37	0·00	0·47	0·63	0·37

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th December, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS. Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	4	19·7	·	6	1	.	.	2	2	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	1	·
Do. 2 do.	49,500	21	14·7	·	14	1	2	3	4	2	2	·	·	·	·	·	·	·	·	2	1	·	1	·	·	·	2	3	5	·
Do. 3 do.	50,032	18	14·6	·	14	3	1	5	·	3	2	·	·	·	·	·	·	·	·	1	2	·	·	1	·	·	·	·	3	1
Do. 4 do.	32,637	12	14·4	·	9	.	1	·	4	3	1	·	·	·	·	·	·	·	·	1	·	·	1	2	·	·	1	2	4	·
Do. 5 do.	16,112	4	19·4	·	6	.	1	2	·	1	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	2	3	·
Do. 6 do.	37,293	12	15·4	·	11	1	1	1	2	1	5	·	·	·	·	·	·	·	·	1	1	·	1	2	·	·	·	·	3	·
Do 7 do.	2,681	1	19·4	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	3	8·7	·	1	·	·	·	.	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	14	12·8	·	6	3	1	1	.	1	·	·	·	·	·	·	·	·	·	·	1	·	1	2	·	·	·	·	·	·
Do. 10 do.	28,958	9	18·0	1·8	10	3	·	2	1	·	4	·	·	·	·	·	·	·	·	2	·	·	1	1	1	·	·	·	2	1
Do. 11 do.	39,311	20	13·3	·	10	·	·	3	3	·	4	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	1	1	2	·
Do. 12 do	38,076	13	17·8	2·7	13	2	2	1	2	4	2	·	·	·	1	·	·	1	·	3	·	·	·	1	·	·	·	1	5	·
Do. 13 do.	23,233	8	6·7	·	3	·	.	1	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·
Do. 14 do	175	·	·	·	·	·	·	·	.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do 15 do.	22,669	9	18·4	2·3	8	3	·	·	1	3	1	·	·	·	·	·	·	·	·	1	·	·	1	·	1	·	1	1	3	·
Total,	386,947	148	15·0	0·5	112	18	9	19	19	21	26	·	·	·	1	·	·	1	·	14	6	2	7	11	2	·	7	11	31	2
CITY OF CORK.																														
CORK URBAN No 1 DISTRICT,	13,455	4	3·9	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do 2 do.	10,399	6	35·1	·	7	·	1	1	·	3	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2	·
Do 3 do.	9,793	5	10·6	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 4 do	9,139	2	5·7	·	1	·	.	·	.	.	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 5 do.	6,250	1	25·0	·	3	·	·	1	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	11,581	4	22·5	·	5	·	1	1	1	.	2	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	·	3	1
Do. 7 do.	16,056	12	13·0	·	4	·	1	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	2	·
Total	76,673	34	15·6	·	23	·	3	5	4	4	7	·	·	·	·	·	·	·	·	3	1	1	2	3	·	·	·	·	10	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th December, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	1	.	.	.	.	.	2	.	.	.	.	1	4
" " 1, West ..	.	5	.	.	.	.	.	.	1	.	.	.	.	6
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	1	.	.	.	.	.	.	1	.	.	.	.	2
South City No. 1	.	6	.	.	.	.	.	.	.	.	.	.	.	6
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 3, ...	.	3	.	.	.	.	.	.	.	.	.	.	1	4
" " " 4, ...	.	1	.	.	.	.	.	.	.	.	.	.	2	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	19	.	.	.	.	.	2	2	.	.	.	5	28

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th December, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 9th December.			
	Nov. 18.	Nov. 25.	Dec. 2.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	81	74	60	5	14	.	51
Typhus, ...	4	4	4	.	2	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	2	4	4	3	.	5
Scarlet Fever	60	55	59	20	7	1	71*
Diphtheria, ...	12	14	13	3	1	1	14
Pneumonia, ...	17	21	27	14	11	2	28

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

(10348). Wt. 3800 375. 12. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 50. Vol. LIII.] Week ending Saturday, 16th December, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 18th December, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 20·8 and 18·2; Dublin Registration Area, 25·1 and 20·8; Dublin City, 27·0 and 22·5; Belfast, 19·0 and 16·7; Cork, 15·0 and 19·4; Londonderry, 18·2 and 14·3; Limerick, 17·6 and 20·0; and Waterford, 17·1 and 14·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·3 per 1,000. Among the 142 deaths from all causes for Belfast are one from enteric fever, 2 from measles, one from scarlet fever, one from whooping-cough, one from diphtheria, and 7 of children under 2 years from diarrhœa and enteritis. Of the 22 deaths from all causes for Cork one was due to enteric fever, and the 13 deaths from all causes for Limerick include one from the same disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 176—105 boys and 71 girls—and the deaths to 209—98 males and 111 females.

The deaths registered, omitting the deaths (numbering 18) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·1 per 1,000 of the population. During the fifty weeks ending with Saturday last, the death-rate averaged 19·8, and was 1·5 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the fifty weeks was 21·4, and for the corresponding period of the preceding ten years, 22·5.

The 191 deaths appertaining to the Area include 2 from enteric fever, 3 from scarlet fever, one from diphtheria, 5 from influenza, and 4 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks deaths from enteric fever numbered 0, 2, and 0; deaths from scarlet fever 0, 0, and one; deaths from diphtheria, 0, 0, and one; deaths from influenza, one, one, and 5; and deaths from diarrhœa and enteritis of children under 2 years, 5, 4, and 3, respectively.

Tuberculous disease caused 28 deaths (comprising 22 from pulmonary tuberculosis, one from tuberculous meningitis, 2 from tuberculosis of joints, and 3 from disseminated tuberculosis), as against 16, 18, and 23, respectively, in the three weeks preceding.

Nine deaths were caused by cancer, 14 by pneumonia (comprising 9 from broncho-pneumonia, and 5 from pneumonia, type not distinguished), 19 by organic diseases of the heart, and 26 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, 5 to premature birth, and 5 to congenital debility.

Two deaths were due to violence, one of these being caused by scalds, and one by gunshot wounds.

Forty-five of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 29 being infants under one year, of whom 8 were under one month old.

Of the 191 deaths recorded, 62 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 21·9), was equal to an average annual death-rate of 20·3 per 1,000 persons living.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th December. From this Report it appears that of 51 cases notified, 16 were scarlet fever, 12 pulmonary tuberculosis, 9 other forms of tuberculosis, 9 diphtheria, 4 erysipelas, and one puerperal fever. Among the 439 cases of infectious diseases in hospital at the close of the week were 145 of pulmonary tuberculosis, 141 of scarlet fever, 98 of diphtheria, 16 of measles, 8 of erysipelas, 5 of enteric fever, 2 of cerebro-spinal fever, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 16th December, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Nov. 25,	.	—	—	5	.	.	1	.	.	6	3	.	—	—	.	—	.	9	24
	Dec. 2,	.	—	—	7	.	.	3	.	.	2	.	.	—	—	.	—	.	8	20
	Dec. 9,	.	—	—	19	.	.	.	.	.	2	2	.	—	—	.	—	.	5	28
	Dec. 16,	.	—	—	3	.	.	3	.	.	2	3	.	—	—	.	—	.	4	15
Rathmines and Rathgar Urban District	Nov. 25,	.	—	—	5	.	.	.	.	.	.	1	.	—	—	(a)	—	(a)	—	6
	Dec. 2,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	.	—	1
	Dec. 9,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	.	—	.	—	5
	Dec. 16,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	.	—	2
Pembroke Urban District.	Nov. 25,	.	.	.	2	.	.	.	.	.	1	.	.	—	.	.	—	—	.	3
	Dec. 2,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	.	2
	Dec. 9,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	.	2
	Dec. 16,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	—	.	1
Blackrock Urban District.	Nov. 25,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Dec. 2,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Dec. 9,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Dec. 16,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
Kingstown Urban District.	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Dec. 2,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	.	.	3
	Dec. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Dec. 16,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	.	.	3
City of Belfast	Nov. 25,	.	—	—	10	.	.	5	.	.	6	4	.	—	—	.	—	.	.	25
	Dec. 2,	.	—	—	15	.	.	4	.	.	4	3	.	—	—	.	—	.	.	26
	Dec. 9,	.	—	—	10	.	.	5	.	.	2	5	1	—	—	.	—	.	.	23
	Dec. 16,	.	—	—	14	.	.	3	.	.	5	5	.	—	—	.	—	.	1	28
City of Cork *	Nov. 25,	.	1	—	2	.	.	.	.	.	5	1	.	—	—	—	.	—	—	9b
	Dec. 2,	.	.	—	4	.	.	2	.	.	1	.	.	—	—	—	.	—	—	7
	Dec. 9,	.	.	—	2	.	.	2	.	.	2	2	.	—	—	—	.	1	—	9b
	Dec. 16,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
City of Londonderry	Nov. 25,	.	—	—	10	.	.	.	.	.	.	.	.	—	—	.	—	—	—	10
	Dec. 2,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Dec. 9,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	.	—	—	—	5
	Dec. 16,	.	—	—	7	.	.	.	.	.	.	.	.	—	—	.	—	—	—	7
City of Limerick.	Nov. 25,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	.	—	—	—	2
	Dec. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Dec. 16,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	.	—	—	—	2
City of Waterford.	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 9,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Dec. 16,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1

(a) Notifiable as from 20th November. (b) Not including one case of varicella.
* One case of cerebro-spinal fever was reported during week ended 16th December.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th December, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 42; measles 3 and 7; scarlet fever 7 and 65*; and diphtheria 4 and 13. Six cases of pneumonia were admitted during the week, and 28 remained under treatment at its close. Of the deaths in hospitals during the week 2 were from each of enteric fever and scarlet fever, one was from diphtheria, and 3 were from pneumonia.

* See note (* at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 16th December, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the **Temperature and Rainfall** for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Deaths. BIRTHS.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	BIRTHS. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths. Enteric Fever.	Deaths. Typhus.	Deaths. Small-pox.	Deaths. Measles.	Deaths. Scarlet Fever.	Deaths. Whooping-cough.	Deaths. Diphtheria.	Deaths. Dysentery.	Deaths. Tuberculosis. Pulmonary.	Deaths. Tuberculosis. Other Forms	Deaths. Cancer.	Deaths. Diseases of the Respiratory System. Pneumonia.	Deaths. Diseases of the Respiratory System. Other.	Deaths. Diarrhœa and Enteritis of children under 2 years of age	Deaths. Diarrhœa, 2 years of age and upwards.	Deaths. Violence.	Deaths. Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 16th December, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	19·0	20·8	1·3	408	448	51	160	5	·	·	2	4	1	2	·	45	14	20	41	73	11	2	7	12	144	24	·	·	·	·
DUBLIN REGISTRATION AREA.	397,000	28·9	23·1	25·1	1·3	176	191	29	65	2	·	·	·	3	·	1	·	22	6	9	14	29	4	·	2	5	62	10	(d) 43·3	22·2	33·0	0·92
Urban Districts. CITY OF DUBLIN,	303,600	38·4	25·8	27·0	1·5	150	157	25	50	1	·	·	·	3	·	1	·	16	6	9	12	26	4	·	2	5	54	9	(e) 44·0	28·0	35·2	0·76
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	12·0	14·7	·	9	11	1	9	·	·	·	·	·	·	·	·	2	·	·	1	2	·	·	·	·	3	·	(f) 44·0	24·1	34·0	0·89
Urban Districts. PEMBROKE, ..	29,100	18·5	16·1	19·7	1·8	9	11	1	1	1	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	4	·	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	23·4	11·7	·	4	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	12·7	31·8	·	4	10	2	3	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	1	1	43	31	37·4	1·41
Urban Districts. BELFAST, ..	390,000	26·1	16·7	19·0	1·7	125	142	14	44	1	·	·	2	1	1	1	·	14	4	5	18	25	7	·	5	5	44	4	44·0	27·5	37·0	0·78
Urban Districts. CORK, ...	76,673	28·6	20·4	15·0	0·7	30	22	2	6	1	·	·	·	·	·	·	·	2	2	·	4	3	·	·	·	·	5	1	·	·	·	·
Urban Districts. LONDONDERRY, ..	40,000	15·5	24·8	18·2	1·3	19	14	2	4	·	·	·	·	·	·	·	·	2	1	1	1	3	·	1	·	·	3	1	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	12·2	17·6	1·4	9	13	2	6	1	·	·	·	·	·	·	·	·	·	1	1	2	·	·	·	·	3	1	44·3	22·0	33·2	0·16
Urban Districts. WATERFORD, ..	27,464	19·1	19·0	17·1	·	10	9	·	6	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	1	3	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	43	28	36	1·04
Urban Districts. DUNDALK, ..	13,128	9·5				4	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	1	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				4	4	·	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	·	39	26	33·3	0·14
Urban Districts. DROGHEDA, ..	12,501	8·4				4	6	1	4	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	1	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				·	3	·	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	2	·	39	26	33·3	0·14
Urban Districts. NEWRY, ...	11,962	17·0				8	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	39	26	33·3	0·14
Urban Districts. PORTADOWN, ..	11,727	15·3				3	6	·	3	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	39	26	33·3	0·14
Urban Districts. WEXFORD, ..	11,531	22·8				4	4	·	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	1	·	·	1	1	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				2	4	·	4	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				2	10	1	6	·	·	·	·	·	·	·	·	·	·	1	1	4	·	·	·	·	7	·	43	21	34·0	0·19
Urban Districts. KILKENNY, ..	10,514	11·4				·	8	·	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	1	5	·	39	19	30·1	0·11
Urban Districts. TRALEE, ...	10,300	17·4				2	3	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				5	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·
LONDON, ...	4,310,030	—	—	21·9	—	1,771	1,810	227	752	·	·	·	17	1	5	15	—	183	17	—	211	313	23	7	55	159	747	4	·	·	·	·
EDINBURGH, ...	329,200	—	—	·	—	·	·	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·	—	·	—	—	—	·	·	·	·
GLASGOW, ...	1,091,600	—	—	·	—	·	·	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·	—	·	—	—	—	·	·	·	·

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (i) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 50th Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 16th December, 1916. All Ages.	Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	173·4	209	8	21	12	4	2	2	4	8	10	16	27	27	37	31	191
Enteric Fever ..	1·6	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	1·2	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	3
Whooping-cough ..	1·8		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·8	1		.	1	.	.	.	.	.	.	.	.	.	.	.	1
Croup	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Influenza	1·2	6	.	.	.	.	.	.	.	.	.	.	2	.	2	2	5
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·6	25	.	.	1	.	.	1	2	4	6	4	4	.	2	1	22
Tuberculous Meningitis	2·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·2	3	.	.	1	.	.	.	.	.		.	1	.	1	.	3
Venereal Diseases ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·2	11	.	.	.	.	.	.	.	.	.	.	3	4	4	.	9
Tumour, situation undefined.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Rheumatic Fever ..	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Diabetes	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·6	5	.	.	.	.	.	.	.	.	.	1	2	.	2	.	5
Other General Diseases	2·8	6	.	.	.	.	.	.	1	.	.	1	.	1	2	1	5
Alcoholism ..	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy	4·8	7	.	.	.	.	.	.	.	.	.	.	1	2	.	4	7
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·4	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Epilepsy, ...	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Convulsions (non-puerperal).	4·4	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	2·8	4	.	.	.	.	.	.	.	1	.	.	3	.	.	.	2
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·2	21	.	.	.	.	.	1	.	.	2	1	2	8	4	3	19
Embolism and Thrombosis (including Cerebral).	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.	1·0	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	23·6	27	.	5	1	1	.	.	.		.	1	2	3	6	8	26
Broncho-pneumonia ..	9·2	9	.	2	2	3	.	.	.	.	.	.	.	.	1	1	9
Lobar pneumonia ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	4·6	7	.	1	.	.	.	.	.	1	.	3	1	.	.	1	5
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	·6	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	3

in the FIFTIETH WEEK, ending Saturday, 16th December, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 50th Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 16th December, 1916. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·8	4	.	3	.	.	.	.	.	.	.	1	.	.	.	.	4
Diarrhœa and Enteritis of Children under 2 years.	5·4	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	4
Diarrhœa 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·8	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Appendicitis and Typhlitis.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Cirrhosis of Liver ..	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Liver	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·2	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	2
Other Diseases of Digestive System.	1·0	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Acute Nephritis ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	6·6	8	.	.	.	.	.	.	.	1	.	1	1	2	1	2	6
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Puerperal Septicæmia, &c.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of Locomotor System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	5·3	5	3	2	.	.	.	.	.	.	.	.	.	.	.	.	5
Congenital Debility ..	2·8	5	2	3	.	.	.	.	.	.	.	.	.	.	.	.	5
Old Age	4·8	6	.	.	.	.	.	.	.	.	.	.	.	.	2	4	6
Other Specified Diseases	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Drowning	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	1·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other Violent Deaths		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not included in above—																	
Homicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	4·6	5	.	.	1	.	.	.	.	.	.	.	1	1	2	.	5

TABLE IV.—Showing for the WEEK ENDED 16TH DECEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*: with the Mortality from some of the principal causes; also the Deaths at certain age periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*

WEEK ENDED SATURDAY, 16TH DECEMBER, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes.	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No 1, E., ...	29,400	42·6	1·8	24	5	3	3	.	1	3	2	7	.	.	.	.	.	.	.	.	1	.	.	5	3	1	.	2	12	2	3	5	2
,, 1, W., ...	40,200	33·7	1·3	26	4	1	.	.	2	2	7	10	.	.	.	.	.	.	.	.	4	2	.	1	4	1	.	.	14	1	1	6	3
,, 2, ...	26,900	44·6	1·9	23	4	2	.	.	2	1	10	4	.	.	.	.	.	.	1	.	1	2	2	.	5	.	.	.	12	.	3	7	.
,, 3, ...	35,200	13·3	1·5	9	1	.	.	.	.	.	5	3	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.	4	.	.	2	.
CLONTARF AND HOWTH, No. 1, part of	5,400	48·3	.	5	1	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.	1
COOLOCK AND DRUMCONDRA, part of ..	13,300	27·4	3·9	7	.	.	.	1	.	.	.	6	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	5	.	1	.	.
FINGLAS AND GLASNEVIN, part of ..	10,800	19·3	.	4	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	1	1	.	1
South City.																																	
SOUTH CITY, No. 1, ..	40,100	15·6	1·3	12	2	2	.	.	.	2	4	2	.	.	.	.	1	.	.	.	.	.	1	.	4	.	.	.	6	.	2	3	.
,, 2, ...	17,800	11·7	.	4	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	1	1	.
,, 3, ...	42,400	28·3	2·5	23	2	1	1	1	3	6	3	6	1	.	.	.	1	.	.	.	7	1	.	3	4	.	.	.	6	1	6	4	1
,, 4, ...	32,000	26·1	1·6	16	4	1	.	1	.	3	3	4	.	.	.	.	.	.	.	.	1	.	2	1	1	1	.	.	10	.	3	4	1
NEW KILMAINHAM, ...	10,100	20·7	.	4	.	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.	1	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	14·7	.	11	1	.	.	.	.	1	.	9	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	6	.	2	1	.
PEMBROKE, ...	29,100	19·7	1·8	11	1	1	.	.	1	3	4	1	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	8	.	4	.	.
BLACKROCK, ...	8,900	11·7	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
KINGSTOWN	16,400	31·8	.	10	2	.	.	.	1	1	3	3	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	7	.	1	.	1
TOTAL CITY. North, ...	161,200	31·7	1·6	98	16	6	3	1	6	8	25	33	.	.	.	.	1	.	1	.	8	4	4	8	14	3	.	2	53	4	9	20	7
TOTAL CITY. South, ...	142,400	21·6	1·5	59	9	5	1	2	3	11	11	17	1	.	.	.	2	.	.	.	8	2	5	4	12	1	.	.	24	1	13	12	2
TOTAL CITY. North and South, ..	303,600	27·0	1·5	157	25	11	4	3	9	19	36	50	1	.	.	.	3	.	1	.	16	6	9	12	26	4	.	2	77	5	22	32	9
Total Urban Districts, ...	93,400	19·0	0·6	34	4	1	.	.	2	5	7	15	1	.	.	.	.	.	.	.	6	.	.	2	3	.	.	.	22	.	7	1	1
Total Registration Area, ..	397,000	25·1	1·3	191	29	12	4	3	11	24	43	65	2	.	.	.	3	.	1	.	22	6	9	14	29	4	.	2	99	5	29	33	10
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				18	.	.	.	1	1	2	11	3	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	10	.	16	2	1

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OF SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th December, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH DECEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	209	45	4	12	26	54	37	31	2	.	.	.	3	.	1	.	25	6	11	4	16	30	4	.	2	105	11
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	46·2	13	.	.	.	.	2	6	5	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	9	.
II.	MIDDLE CLASS	101,798	18·4	36	3	.	2	3	12	6	10	.	.	.	.	.	.	.	.	5	.	1	1	3	4	.	.	.	22	4
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	21·2	44	8	2	4	6	7	12	5	1	.	.	.	2	.	.	.	8	3	1	1	2	8	.	.	1	17	3
IV.	GENERAL SERVICE CLASS	167,479	25·2	81	31	2	5	10	19	8	6	1	.	.	.	1	.	1	.	7	1	4	2	9	12	4	.	1	38	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	35	3	.	1	7	14	5	5	.	.	.	.	.	.	.	.	4	2	4	.	1	5	.	.	.	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	13	.	.	.	.	2	6	5	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	9	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	5	1	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	2	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	9	2	.	.	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	5	2
	6. Clerks and Commercial Assistants,	33,249	—	13	.	.	1	2	5	3	2	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.	9	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	.	.	.	1	1	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	1	.	3	.	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ..	28,823	—	10	1	.	.	1	2	5	1	.	.	.	.	.	.	.	.	2	.	.	.	1	3	.	.	.	4	2
	10. Clothing Trades, ...	20,026	—	5	.	.	.	1	.	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	2	.
	11. Food Supply Trades, ...	8,952	—	5	1	1	.	1	1	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	17	5	1	1	2	4	2	2	1	.	.	.	1	.	.	.	2	2	1	.	1	3	.	.	.	6	.
	13. Petty Shopkeepers, ...	6,772	—	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	17	9	.	1	2	3	.	2	.	.	.	.	.	.	1	.	2	.	1	1	3	4	.	.	.	5	1
	15. Domestic Servants, ...	36,041	—	7	1	.	1	2	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	2	1	.	.	.	2	1
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	7	2	1	.	.	2	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	50	19	1	3	6	14	4	3	1	.	.	.	.	.	.	.	4	.	3	1	4	7	4	.	1	25	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	35	3	.	1	7	14	5	5	.	.	.	.	.	.	.	.	4	2	4	.	1	5	.	.	.	19	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2	Dec. 9.	Dec. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov 4.	Nov. 11.	Nov 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16
No. of weeks in Annual Series ..	38	39	40	41	42	43	44	45	46	47	48	49	50	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered	215	181	204	198	189	179	187	181	173	148	206	139	176	154	180	153	183	173	167	135	181	144	165	163	148	125
Average Births in corresponding week of previous 10 years, ...	217	237	203	192	202	202	208	204	196	191	206	186	202	187	201	208	209	203	204	197	196	179	180	183	186	192
Number of Deaths, ...	119	139	142	135	133	142	121	162	135	153	135	156	191	109	100	105	102	98	118	119	109	105	118	126	112	142
Annual Death-rate per 1,000 ..	15·6	18·3	18·7	17·7	17·5	18·7	15·9	21·3	17·7	20·1	17·7	20·5	25·1	14·6	13·4	14·0	13·6	13·1	15·8	15·9	14·6	14·0	15·8	16·8	15·0	19·0
Average Deaths in corresponding week of previous 10 years, ...	154	152	151	146	145	138	149	159	161	160	166	171	161	126	122	117	117	116	126	117	131	138	140	137	156	151
Ages, .. Under one year, ..	34	36	35	32	27	35	30	29	23	30	30	30	29	29	11	19	23	18	24	21	21	14	21	10	18	14
1— 5 years, ..	13	13	20	14	12	13	6	15	13	10	8	13	16	7	6	4	5	10	8	9	8	8	11	9	9	11
5—25 ,, ..	11	10	9	12	6	12	11	8	16	5	7	15	14	14	10	13	8	11	13	9	6	16	16	15	19	19
25—45 ,, ..	13	17	17	24	21	16	24	26	18	19	22	23	24	18	16	16	20	15	23	18	21	15	11	23	19	18
45—65 ,, ..	22	32	28	1	37	26	24	31	32	42	26	24	43	21	28	33	25	26	29	30	31	28	29	39	21	36
65 and upwards, ..	26	31	33	35	30	40	26	53	33	47	42	51	65	20	29	20	21	18	21	32	22	24	30	30	26	44
Deaths from :—																										
Enteric Fever, ...	2	4	3	3	3	1	3	.	1	.	2	.	2	1	1	1	1	2	.	.	.	.	.	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	1	.	.	.	.	.	1	1	.	1	.	1	1	.	.	.	1	.	.	1	1	2
Scarlet Fever, ...	2	1	.	.	1	1	.	.	.	.	.	1	3	1	2	.	.	1	2	.	.	1	.	.	.	1
Whooping-cough, ...	1	1	3	2	.	1	.	2	.	.	.	.	.	1	.	.	1	.	2	1	1	1	1	1	.	1
Diphtheria, ...	.	1	3	1	3	.	.	.	1	.	.	1	1	.	.	.	.	1	.	.	.	.	.	1	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary, ..	13	16	16	13	13	16	14	10	15	14	12	17	22	11	6	16	12	12	16	13	10	11	14	10	14	14
Tuberculosis { Other Forms, ..	5	2	7	3	5	4	2	5	8	2	6	6	6	5	5	3	3	2	3	4	7	5	3	4	6	4
Cancer, ...	5	9	12	7	13	8	5	11	8	11	7	7	9	5	9	7	11	7	11	12	8	4	1	5	2	5
Diseases of Respiratory System, { Pneumonia ..	6	8	12	12	6	12	13	7	16	13	10	13	14	3	4	9	7	2	8	11	13	6	8	10	7	18
Diseases of Respiratory System, { Others, ..	9	15	12	14	10	12	21	19	20	32	24	27	29	4	8	3	5	5	12	8	19	13	15	13	11	25
Diarrhœa and Enteritis, under 2 years, ...	23	17	14	14	13	11	5	6	3	5	4	3	4	18	6	2	9	6	7	4	6	4	5	1	2	7
Diarrhœa, 2 years and upwards..	1	.	1	.	1	1	.	.	.	.	1	.	.	2	3	2	.	2	.	.	1	.	2	1	.	.
Violent Deaths, ...	1	3	3	7	3	4	6	5	4	6	.	3	2	..	2	4	2	4	2	1	1	7	3	4	7	5
Number of Uncertified Deaths, ..	4	4	3	7	4	5	12	14	7	12	3	9	10	1	1	.	1	.	2	3	2	1	5	3	2	4
Mean Temperature in degrees ..	52·5	55·6	57·9	55·8	48·5	45·4	44·6	47·7	46·2	43·6	42·9	38·2	33·0	53·3	57·8	55·2	55·2	50·1	47·1	45·4	45·6	49·6	50·5	43·3	40·8	37·0
Rainfall in inches	0·12	1·15	1·92	1·01	0·36	2·28	2·95	0·65	2·19	1·28	0·63	1·22	0·92	0·47	0·01	2·97	0·98	0·68	1·42	1·06	1·37	0·00	0·47	0·63	0·37	0·78

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th December, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	2	19·7	·	6	·	·	1	1	2	2	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	3	·
Do. 2 do.	49,500	14	16·9	1·1	16	3	·	1	2	2	8	·	·	·	·	·	·	·	·	1	1	·	2	2	1	·	·	·	6	·
Do. 3 do.	50,032	18	17·7	·	17	2	2	2	1	5	5	·	·	·	·	·	·	·	·	1	1	·	3	2	·	·	·	2	6	·
Do. 4 do.	32,637	6	19·2	1·6	12	·	·	3	3	3	3	·	·	·	·	·	·	1	·	1	1	1	3	2	·	·	·	·	6	·
Do. 5 do.	16,112	2	22·7	3·2	7	·	2	1	1	2	1	·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	1	1	3	·
Do. 6 do.	37,293	12	15·4	·	11	1	·	2	1	·	7	·	·	·	·	·	·	·	·	2	·	·	1	1	·	·	1	1	2	·
Do 7 do.	2,681	1	58·3	·	3	1	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	·
Do. 8 do.	5,964	·	17·5	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Do. 9 do.	24,427	6	25·6	2·1	12	1	·	1	1	6	3	·	·	·	·	·	·	·	·	1	·	2	1	4	1	·	1	·	3	·
Do. 10 do.	28,958	16	21·6	3·6	12	2	1	·	·	5	4	·	·	·	·	·	1	·	·	·	·	1	1	2	1	·	·	·	3	2
Do. 11 do.	39,311	15	19·9	5·3	15	1	3	4	2	1	4	1	·	·	·	1	·	·	·	2	·	·	·	3	2	·	2	·	5	1
Do. 12 do.	38,076	17	17·8	4·1	13	3	3	·	2	2	3	·	·	·	2	·	·	·	·	1	·	·	2	3	1	·	·	1	2	·
Do. 13 do.	23,233	9	11·2	·	5	·	·	1	1	3	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	1	1
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do 15 do.	22,669	7	25·3	·	11	·	·	3	2	3	3	·	·	·	·	·	·	·	·	1	1	·	1	3	·	·	·	·	3	·
Total,	386,947	125	19·0	1·7	142	14	11	19	18	36	44	1	·	·	2	1	1	1	·	14	4	5	18	25		·	5	5	44	4
CITY OF CORK.																														
CORK URBAN No 1 DISTRICT,	13,455	5	11·6	·	3	·	·	·	1	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do 2 do.	10,399	4	20·1	·	4	1	·	1	·	1	1	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	2	·
Do. 3 do.	9,793	8	·		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 4 do	9,139	2	22·8	5·7	4	1	·	1	1	1	·	1	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	1	·
Do. 5 do.	6,250	4	16·7	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Do. 6 do.	11,581	2	13·5	·	3	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·
Do. 7 do.	16,056	5	19·5	·	6	·	1	1	1	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	1
Total	76,673	30	15·0	0·7	22	2	1	3	4	6	6	1	·	·	·	·	·	·	·	2	2	·	4	3	·	·	·	·	5	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th December, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	1	.	.	.	.	.	.	.	.	1
" " 1, West ..	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 2, ...	.	1	.	.	1	.	.	.	1	.	.	.	.	3
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" " " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	2
" " " 3, ...	.	.	.	.	.	.	.	1	.	.	.	.	1	2
" " " 4, ...	.	1	.	.	1	.	.	1	.	.	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Total, ...	.	3	.	.	3	.	.	2	3	.	.	.	4	15

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th December, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 16th December.			
	Nov. 25.	Dec. 2.	Dec. 9.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	74	60	51	3	10	2	42
Typhus, ...	4	4	2	.	2	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	4	5	3	1	.	7
Scarlet Fever	55	59	71	7	11	2	65*
Diphtheria, ...	14	13	14	4	4	1	13
Pneumonia, ...	21	27	28	6	3	3	28

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

(10348). Wt. 3800 375. 12. 1916. G III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 51. Vol. LIII.] Week ending Saturday, 23rd December, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 27th December, 1916.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 23·2 and 19·4; Dublin Registration Area, 25·6 and 22·2; Dublin City, 28·2 and 24·0; Belfast, 23·1 and 18·5; Cork, 21·1 and 18·9; Londonderry, 14·3 and 13·7; Limerick, 16·2 and 18·9; and Waterford, 22·8 and 16·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·2 per 1,000. Among the 173 deaths from all causes for Belfast are 2 from enteric fever, 3 from measles, one from scarlet fever, one from diphtheria, and 3 from diarrhœa; and the 12 deaths from all causes for Waterford include one from whooping-cough,

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 99—47 boys and 52 girls—and the deaths to 207—102 males and 105 females.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·6 per 1,000 of the population. During the fifty-one weeks ending with Saturday last, the death-rate averaged 19·9, and was 1·4 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the fifty-one weeks was 21·5, and for the corresponding period of the preceding ten years, 22·5.

The 195 deaths appertaining to the Area include one from enteric fever, 2 from measles, 5 from influenza, one from dysentery, and 9 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks deaths from enteric fever numbered 2, 0, and 2; deaths from measles one, one, and 0; deaths from influenza, one, 5, and 5; and deaths from diarrhœa and enteritis of children under 2 years, 4, 3, and 4, respectively. There were no deaths from dysentery during the 3 preceding weeks.

Tuberculous disease caused 23 deaths (comprising 17 from pulmonary tuberculosis, 3 from tuberculous meningitis, 2 from abdominal tuberculosis, and one from tuberculosis of joints), as against 18, 23, and 28, respectively, in the three weeks preceding.

Twelve deaths were caused by cancer, 17 by pneumonia (comprising 6 from broncho-pneumonia, 2 from lobar-pneumonia, and 9 from pneumonia, type not distinguished), 11 by organic diseases of the heart, and 44 by bronchitis.

Among deaths of infants under one year old, one was due to convulsions, 3 to premature birth, and 2 to congenital debility.

Three deaths were due to violence, one (that of a child aged 2¾ years) being caused by burns, and one by a train.

Thirty-eight of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 25 being infants under one year, of whom 2 were under one month old.

Of the 195 deaths recorded, 76 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases..

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns was equal to an average annual death-rate of 23·7 per 1,000 persons living: the average rate for 16 principal towns of Scotland was 19·6 per 1,000, the rate for Glasgow being 19·6, and for Edinburgh 20·9.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd December. From this Report it appears that of 41 cases notified, 14 were scarlet fever, 12 pulmonary tuberculosis, 7 other forms of tuberculosis, 7 diphtheria, and one erysipelas. Among the 400 cases of infectious diseases in hospital at the close of the week were 144 of pulmonary tuberculosis, 125 of scarlet fever, 82 of diphtheria, 15 of measles, 5 of erysipelas, 3 of enteric fever, 2 of cerebro-spinal fever, and 2 of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 23rd December, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 2,	.	—	—	7	.	.	3	.	.	2	.	.	—	—	.	—	.	8	20
	Dec. 9,	.	—	—	19	.	.	.	.	.	2	2	.	—	—	.	—	.	5	28
	Dec. 16,	.	—	—	3	.	.	3	.	.	2	3	.	—	—	.	—	.	4	15
	Dec. 23,	.	—	—	6	.	.	2	.	.	1	1	.	—	—	.	—	.	5	15
Rathmines and Rathgar Urban District.	Dec. 2,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	.	—	1
	Dec. 9,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	.	—	.	—	5
	Dec. 16,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	.	—	2
	Dec. 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	.	—	2
Pembroke Urban District.	Dec. 2,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	.	2
	Dec. 9,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	.	2
	Dec. 16,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	—	.	1
	Dec. 23,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.	.
Blackrock Urban District.	Dec. 2,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Dec. 9,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Dec. 16,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Dec. 23,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	.	1
Kingstown Urban District.	Dec. 2,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	.	.	3
	Dec. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Dec. 16,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	.	.	3
	Dec. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast	Dec. 2,	.	—	—	15	.	.	4	.	.	4	3	.	—	—	.	—	.	.	26
	Dec. 9,	.	—	—	10	.	.	5	.	.	2	5	1	—	—	.	—	.	.	23
	Dec. 16,	.	—	—	14	.	.	3	.	.	5	5	.	—	—	.	—	.	1	28
	Dec. 23,	.	—	—	5	.	.	8	.	.	4	6	.	—	—	.	—	.	2	25
City of Cork *	Dec. 2,	.	.	—	4	.	.	2	.	.	1	.	.	—	—	—	.	—	—	7
	Dec. 9,	.	.	—	2	.	.	2	.	.	2	2	.	—	—	—	.	1	—	9*a*
	Dec. 16,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
	Dec. 23,	.	.	—	2	.	.	.	.	1	3	3	.	—	—	—	.	.	—	9
City of Londonderry *	Dec. 2,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Dec. 9,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	.	—	—	—	5
	Dec. 16,	.	—	—	7	.	.	.	.	.	.	.	.	—	—	.	—	—	—	7
	Dec. 23,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	.	—	—	—	1
City of Limerick.	Dec. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Dec. 16,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	.	—	—	—	2
	Dec. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford.	Dec. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 9,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Dec. 16,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Dec. 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	.	2

(*a*) Not including one case of varicella.
* One case of cerebro-spinal fever was reported during week ended 16th December.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd December, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 37; measles 2 and 5; scarlet fever 10 and 59*; and diphtheria 4 and 14. Five cases of pneumonia were admitted during the week, and 22 remained under treatment at its close. Of the deaths in hospitals during the week 2 were from measles, and 2 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 23rd December, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 23RD DECEMBER, 1916. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 23RD DECEMBER, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	15·7	23·2	1·2	337	499	58	165	3	.	.	5	1	1	1	1	51	13	25	33	109	11	3	3	5	162	26	.	.	.	.
DUBLIN REGISTRATION AREA.	397,000	28·9	13·0	25·6	1·7	99	195	25	69	1	.	.	2	.	.	.	1	17	6	12	17	48	9	.	3	2	76	5	(d) 42·1	23·2	32·8	0·43
Urban Districts. CITY OF DUBLIN,	303,600	38·4	15·1	28·2	2·1	88	164	25	53	.	.	.	2	.	.	.	1	15	5	10	15	42	9	.	3	2	70	5	(e) 41·8	27·1	33·7	0·41
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	5·3	22·7	.	4	17	.	8	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.	3	.	(f) 44·0	24·0	32·6	0·46
Urban Districts. PEMBROKE, ..	29,100	18·5	7·2	17·9	1·8	4	10	.	6	1	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.	.	3	.	.	.	.	.
Urban Districts. BLACKROCK, ..	8,900	8·2	5·8	5·8	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. KINGSTOWN, ..	16,400	11·2	6·4	9·5	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Urban Districts. BELFAST, ..	390,000	26·1	19·5	23·1	1·3	146	173	18	46	2	.	.	3	1	.	1	.	18	4	8	11	35	.	3	.	3	51	3	42·0	25·8	34·0	0·27
Urban Districts. CORK, ...	76,673	28·6	9·5	21·1	.	14	31	2	12	.	.	.	.	.	.	.	.	4	.	.	2	9	.	.	.	.	10	3	.	.	.	.
Urban Districts. LONDONDERRY, ..	40,000	15·5	18·2	14·3	.	14	11	2	3	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	.	1	2	.	.	.	.
Urban Districts. LIMERICK, ..	38,518	16·1	9·5	16·2	.	7	12	3	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	2	42·2	21·8	30·4	0·68
Urban Districts. WATERFORD, ..	27,464	19·1	26·6	22·8	1·9	14	12	4	3	.	.	.	.	.	1	.	.	1	1	.	1	4	.	.	.	.	3	2	.	.	.	.
Urban Districts. GALWAY, ...	13,255	2·5				6	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	2	45	25	35·4	0·29
Urban Districts. DUNDALK, ..	13,128	9·5				4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. LURGAN, ..	12,553	14·7				2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	41	26	32·8	0·41
Urban Districts. DROGHEDA, ..	12,501	8·4	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			6	5	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	.	.	.	.	.
Urban Districts. LISBURN, ..	12,388	10·9				1	6	.	4	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	3	1	41	26	32·8	0·41
Urban Districts. NEWRY, ...	11,903	17·0				3	6	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	41	26	32·8	0.41
Urban Districts. PORTADOWN, ..	11,727	15·3				3	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	41	26	32·8	0.41
Urban Districts. WEXFORD, ..	11,531	22·8				2	8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	2	.	.	.	.
Urban Districts. BALLYMENA, ..	11,381	9·3				2	9	.	6	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	2	2	.	.	.	.
Urban Districts. SLIGO, ...	11,163	3·8				3	4	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	1	41	22	31·0	1·24
Urban Districts. KILKENNY, ..	10,514	11·4				4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	43	20	30·2	0·62
Urban Districts. TRALEE, ...	10,300	17·4				3	6	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Urban Districts. CLONMEL, ..	10,209	7·8				4	6	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	4	.	.	.	.	.
LONDON, ...	4,310,030	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	.	.	.	.	.	.	.	50	23	36·2	1·22
EDINBURGH, ...	329,200	—	—	20·9	—	100	132	21	53	.	.	.	2	.	1	1	—	—	—	—	—	—	2	—	4	—	—	—	39·6	26·5	34·4	0·53
GLASGOW, ...	1,091,600	—	—	19·6	—	473	410	74	110	1	.	.	2	2	5	1	—	—	—	—	—	—	3	—	17	—	—	—	41·5	29·0	35·1	1·52

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 51st Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 23rd December, 1916. All Ages.	Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	168·4	207	2	24	8	5	4	3	4	4	13	13	27	29	40	31	195
Enteric Fever ..	1·0	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·6	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2
Scarlet Fever ..	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	1·6		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	3·4	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·2	5	.	.	.	.	.	.	.	.	.	.	.	1	2	2	5
Dysentery	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	23·6	17	.	.	.	.	.	1	.	1	6	1	5	2	1	.	17
Tuberculous Meningitis	2·6	3	.	.	.	1	.	.	2	.	.	.	.	.	.	.	3
Abdominal Tuberculosis	1·0	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.	2
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases ..	1·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	8·0	13	.	.	.	.	.	.	.	.	.	.	4	4	4	1	12
Tumour, situation undefined.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Anæmia, Leucocythæmia.	·2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Other General Diseases	1·6	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·0	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·6	6	.	.	.	.	.	.	.	.	.	.	1	2	2	1	6
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	4	.	.	.	.	.	.	.	.	.	1	1	.	.	2	3
Epilepsy, ...	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Convulsions (non-puerperal).	3·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Nervous System.	2·6	4	.	.	.	.	.	.	1	.	.	1	.	1	1	.	3
Pericarditis ..	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Acute Endocarditis ..	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·0	13	.	.	.	.	.	.	.	1	.	.	3	3	5	1	11
Embolism and Thrombosis (including Cerebral).	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.	2·4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	19·4	44	.	4	6	1	.	.	.		.	1	3	8	15	6	44
Broncho-pneumonia ..	8·8	7	.	2	2	1	.	.	.	.	.	.	1	.	.	1	6
Lobar pneumonia ..	1·4	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
Pneumonia (type not distinguished).	4·0	10	.	1	.	.	.	1	.	.	3	.	1	1	1	2	9
Pleurisy	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	·4	3	.	.	.	.	.	.	.	.	.	1	.	2	.	.	3

in the FIFTY-FIRST WEEK, ending Saturday, 23rd December, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 51st Week of the 5 years 1911-1915.	Deaths registered during week ending Saturday, 23rd December, 1916. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·2	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	6·6	9	.	9	.	.	.	.	.	.	.	.	.	.	.	.	9
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	1·2	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
Appendicitis and Typhlitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	·8	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Cirrhosis of Liver ..	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Liver	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Peritonitis (cause unknown).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·6	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Acute Nephritis ..	1·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Chronic Bright's Disease	4·2	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	3
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of Locomotor System.	·2	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
Congenital Malformations.	·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	2·8	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility ..	4·6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Old Age	5·8	13	.	.	.	.	.	.	.	.	.	.	.	.	2	11	13
Other Specified Diseases	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Drowning	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths		1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Not included in above—																	
Homicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	2·6	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2

TABLE IV.—showing for the WEEK ENDED 23RD DECEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths. *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 23RD DECEMBER, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes.	From certain Epidemic Diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
North City, No 1, E., ...	29,400	35·5	5·3	20	1	1	2	4	.	1	4	7	.	.	.	2	.	.	.	.	.	.	2	2	4	1	.	.	9	.	4	3	.
,, 1, W., ...	40,200	49·3	5·2	38	6	1	1	1	.	6	12	11	.	.	.	.	.	.	.	.	3	1	2	1	11	4	.	.	16	1	7	7	3
,, 2, ...	26,900	33·0	1·9	17	5	1	.	.	.	.	5	6	.	.	.	.	.	.	.	.	1	.	1	1	6	1	.	.	7	.	5	6	.
,, 3, ...	35,200	17·8	.	12	1	1	.	.	1	1	1	7	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.	.	5	.	2	3	.
Clontarf and Howth, No. 1, part of	5,400	19·3	9·7	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.
Coolock and Drumcondra, part of ..	13,300	15·7	.	4	.	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	2	1	.
Finglas and Glasnevin, part of ..	10,800	9·7	.	2	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.	.
South City.																																	
South City, No. 1, ..	40,100	24·7	.	19	2	.	1	1	1	1	9	4	.	.	.	.	.	.	.	.	4	1	1	2	4	.	.	.	7	.	3	6	.
,, 2, ...	17,800	41·0	.	14	2	1	1	.	.	2	5	3	.	.	.	.	.	.	.	.	4	.	1	3	3	.	.	1	2	.	3	7	.
,, 3, ...	42,400	25·8	1·2	21	4	.	.	1	1	3	6	6	.	.	.	.	.	.	.	.	1	.	2	2	6	1	.	.	9	.	2	5	2
,, 4, ...	32,000	17·9	.	11	1	2	.	.	.	2	1	5	.	.	.	.	.	.	.	.	1	1	.	3	3	.	.	1	2	1	1	1	.
New Kilmainham, ...	10,100	20·7	10·3	4	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
Urban Districts.																																	
Rathmines and Rathgar, ..	39,000	22·7	.	17	.	1	.	.	.	2	6	8	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	10	.	2	1	.
Pembroke, ...	29,100	17·9	1·8	10	.	.	.	.	2	1	1	6	1	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.	4	.	3	.	.
Blackrock, ...	8,900	5·8	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Kingstown	16,400	9·5	.	3	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
TOTAL CITY. North, ...	161,200	30·7	2·6	95	13	4	3	5	2	9	25	34	.	.	.	2	.	.	.	1	5	3	6	5	26	6	.	.	41	1	22	20	3
TOTAL CITY. South, ...	142,400	25·3	1·1	69	12	3	2	2	2	8	21	19	.	.	.	.	.	.	.	.	10	2	4	10	16	3	.	3	21	1	9	19	2
TOTAL CITY. North and South, ..	303,600	28·2	2·1	164	25	7	5	7	4	17	46	53	.	.	.	2	.	.	.	1	15	5	10	15	42	9	.	3	62	2	31	39	5
Total Urban Districts, ...	93,400	17·3	0·6	31	.	1	.	.	2	4	8	16	1	.	.	.	.	.	.	.	2	1	2	2	6	.	.	.	17	.	5	1	.
Total Registration Area, ..	397,000	25·6	1·7	195	25	8	5	7	6	21	54	69	1	.	.	2	.	.	.	1	17	6	12	17	48	9	.	3	79	2	36	40	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				12	1	.	.	.	2	5	2	2	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	9	.	11	1	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd December, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD DECEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	207	39	7	8	26	56	40	31	1	.	.	2	.	.	.	1	17	6	13	1	19	48	9	.	3	87	5
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	24·9	7	.	.	.	1	.	2	4	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS	101,798	15·9	31	.	2	1	3	14	6	5	.	.	.	.	.	.	.	1	3	.	1	.	5	4	.	.	.	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	19·2	40	11	2	1	6	9	8	3	.	.	.	.	.	.	.	.	1	3	2	1	1	13	2	.	2	15	1
IV.	GENERAL SERVICE CLASS	167,479	27·4	88	26	3	5	11	19	13	11	1	.	.	2	.	.	.	.	6	2	4	.	7	18	4	.	1	40	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	41	2	.	1	5	14	11	8	.	.	.	.	.	.	.	.	7	.	5	.	6	13	.	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	3	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	12	.	1	.	1	6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	9	.
	6. Clerks and Commercial Assistants,	33,249	—	6	.	1	.	1	2	1	1	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	10	.	.	.	1	5	1	3	.	.	.	.	.	.	.	1	.	.	.	.	2	2	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.
	9. Building and Furnishing Trades, ..	28,823	—	13	5	.	.	2	2	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	4	1	.	1	6	1
	10. Clothing Trades, ...	20,026	—	5	2	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	1	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	15	2	1	1	1	4	4	2	.	.	.	.	.	.	.	.	.	2	2	.	1	2	.	.	.	8	.
	13. Petty Shopkeepers, ...	6,772	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
IV	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	16	7	1	1	3	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	2	3	.	.	8	1
	15. Domestic Servants, ...	36,041	—	4	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	10	1	1	1	.	4	1	2	.	.	.	1	.	.	.	.	1	.	.	.	.	5	.	.	.	3	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	58	18	1	3	8	13	8	7	1	.	.	1	.	.	.	.	4	2	2	.	6	10	4	.	1	27	2
	INMATES OF WORKHOUSES.																													
V	18. Workhouse Inmates, ...	5,602	—	41	2	.	1	5	14	11	8	.	.	.	.	.	.	.	.	7	.	5	.	6	13	.	.	.	10	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

——	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2	Dec. 9.	Dec. 16.	Dec. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov 4.	Nov. 11.	Nov 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16	Dec. 23.
No. of weeks in Annual Series ..	39	40	41	42	43	44	45	46	47	48	49	50	51	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered	181	204	198	189	179	187	181	173	148	206	139	176	99	180	153	183	173	167	135	181	144	165	163	148	125	146
Average Births in corresponding week of previous 10 years, ...	237	203	192	202	202	208	204	196	191	206	186	202	180	201	208	209	203	204	197	196	179	180	183	186	192	185
Number of Deaths, ...	139	142	135	133	142	121	162	135	153	135	156	191	195	100	105	102	98	118	119	109	105	118	126	112	142	173
Annual Death-rate per 1,000 ..	18·3	18·7	17·7	17·5	18·7	15·9	21·3	17·7	20·1	17·7	20·5	25·1	25·6	13·4	14·0	13·6	13·1	15·8	15·9	14·6	14·0	15·8	16·8	15·0	19·0	23·1
Average Deaths in corresponding week of previous 10 years, ...	152	151	146	145	138	149	159	161	160	166	171	161	165	122	117	117	116	126	117	131	138	140	137	156	151	145
Ages, .. Under one year, ..	36	35	32	27	35	30	29	23	30	30	30	29	25	11	19	23	18	24	21	21	14	21	10	18	14	18
1— 5 years, ..	13	20	14	12	13	6	15	13	10	8	13	16	13	6	4	5	10	8	9	8	8	11	9	9	11	7
5—25 ,, ..	10	9	12	6	12	11	8	16	5	7	15	14	13	10	13	8	11	13	9	6	16	16	15	19	19	24
25—45 , ..	17	17	24	21	16	24	26	18	19	22	23	24	21	16	16	20	15	23	18	21	15	11	23	19	18	27
45—65 ,, ..	32	28	1	37	26	24	31	32	42	26	24	43	54	28	33	25	26	29	30	31	28	29	39	21	36	51
65 and upwards, ..	31	33	35	30	40	26	53	33	47	42	51	65	69	29	20	21	18	21	32	22	24	30	30	26	44	46
Deaths from :—																										
Enteric Fever, ...	4	3	3	3	1	3	·	1	·	2	·	2	1	1	1	1	2	·	·	·	·	·	1	·	1	2
Typhus, ...	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	1	1	·	·	·	·	·	1	1	·	2	·	1	1	·	·	·	1	·	·	1	1	2	3
Scarlet Fever, ...	1	·	·	1	1	·	·	·	·	·	1	3	·	2	·	·	1	2	·	·	1	·	·	·	1	1
Whooping-cough, ...	1	3	2	·	1	·	2	·	·	·	·	·	·	·	·	1	·	2	1	1	1	1	1	·	1	·
Diphtheria, ...	1	3	1	3	·	·	·	1	·	·	1	1	·	·	·	·	1	·	·	·	·	·	1	1	1	1
Dysentery, ...	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	16	16	13	13	16	14	10	15	14	12	17	22	17	6	16	12	12	16	13	10	11	14	10	14	14	18
Tuberculosis { Other Forms, ..	2	7	3	5	4	2	5	8	2	6	6	6	6	5	3	3	2	3	4	7	5	3	4	6	4	4
Cancer, ...	9	12	7	13	8	5	11	8	11	7	7	9	12	9	7	11	7	11	12	8	4	1	5	2	5	8
Diseases of Respiratory System, { Pneumonia ..	8	12	12	6	12	13	7	16	13	10	13	14	17	4	9	7	2	8	11	13	6	8	10	7	18	11
Diseases of Respiratory System, { Others, ..	15	12	14	10	12	21	19	20	32	24	27	29	48	8	3	5	5	12	8	19	13	15	13	11	25	35
Diarrhœa and Enteritis, under 2 years, ...	17	14	14	13	11	5	6	3	5	4	3	4	9	6	2	9	6	7	4	6	4	5	1	2	7	·
Diarrhœa, 2 years and upwards..	·	1	·	1	1	·	·	·	·	1	·	·	·	3	2	·	2	·	·	1	·	2	1	·	·	3
Violent Deaths, ...	3	3	7	3	4	6	5	4	6	·	3	2	3	2	4	2	4	2	1	1	7	3	4	7	5	·
Number of Uncertified Deaths, ..	4	3	7	4	5	12	14	7	12	3	9	10	5	1	·	1	·	2	3	2	1	5	3	2	4	3
Mean Temperature in degrees ..	55·6	57·9	55·8	48·5	45·4	44·6	47·7	46·2	43·6	42·9	38·2	33·0	32·8	57·8	55·2	55·2	50·1	47·1	45·4	45·6	49·6	50·5	43·3	40·8	37·0	34·0
Rainfall in inches	1·15	1·92	1·01	0·36	2·28	2·95	0·65	2·19	1·28	0·63	1·22	0·92	0·43	0·01	2·97	0·98	0·68	1·42	1·06	1·37	0·00	0·47	0·63	0·37	0·78	0·27

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd December, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Annual Rate*: Certain Epidemic Diseases†	DEATHS: Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	39·4	..	12	2	1	.	1	4	4	.	.	.	.	.	.	.	.	1	.	1	1	4	.	.	.	2	3	.
Do. 2 do.	49,500	18	29·5	.	28	3	1	3	5	8	8	.	.	.	.	.	.	.	.	5	.	.	4	1	.	.	.	.	10	.
Do. 3 do.	50,032	19	20·8	3·1	20	2	.	7	2	4	5	.	.	.	.	.	.	.	.	1	.	.	1	5	.	3	.	.	3	.
Do 4 do.	32,637	11	14·4	1·6	9	.	1	.	2	2	4	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	7	.
Do. 5 do.	16,112	5	12·9	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.
Do. 6 do.	37,293	7	21·0	1·4	15	2	.	1	4	4	4	1	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	3	1
Do 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.	24,427	7	14·9	.	7	2	.	.	1	3	1	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.	.	.
Do. 10 do.	28,958	9	25·2	1·8	14	1	.	1	2	5	5	.	.	.	.	1	.	.	.	1	1	.	.	4	.	.	.	.	5	.
Do. 11 do.	39,311	25	17·2	1·3	13	.	.	5	2	3	3	1	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.	3	1
Do. 12 do.	38,076	15	28·8	4·1	21	3	4	2	2	8	2	.	.	.	3	.	.	.	.	1	2	2	1	3	.	.	.	.	5	1
Do. 13 do.	23,233	9	24·7	.	11	1	.	1	2	3	4	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.	4	.
Do. 14 do	175	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 15 do.	22,669	10	39·1	.	17	2	.	1	2	6	6	.	.	.	.	.	.	.	.	1	.	2	2	6	.	.	.	.	8	.
Total,	386,947	146	23·1	1·3	173	18	7	24	27	51	46	2	.	.	3	1	.	1	.	18	4	8	11	35	.	3	.	3	51	3
CITY OF CORK.																														
CORK URBAN No 1 DISTRICT,	13,455	2	23·3	.	6	.	.	1	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	1
Do 2 do.	10,399	2	35·1	.	7	2	.	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	1
Do. 3 do.	9,793	3	16·0	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.
Do. 4 do	9,139	3	34·2	.	6	.	.	.	2	3	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	4	.
Do. 5 do.	6,250	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	1	13·5	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Do. 7 do.	16,056	1	19·5	.	6	.	.	1	.	1	4	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	2	.
Total	76,673	14	21·1	.	31	2	.	2	7	8	12	.	.	.	.	.	.	.	.	4	.	.	2	9	.	.	.	.	10	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

BUN-A FICIAL AID 6-PM

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd December, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	2	.	.	.	.	.	.	.	.	.	.	.	2
" " 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	2	.	.	.	.	.	.	.	.	.	.	1	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	2	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	2
" " " 4, ...	.	1	.	.	.	.	.	.	1	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	6	.	.	2	.	.	1	1	.	.	.	5	15

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd December, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 23rd December.			
	Dec. 2.	Dec. 9.	Dec. 16.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	60	51	42	2	7	.	37
Typhus, ...	4	2	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	5	7	2	2	2	5
Scarlet Fever	59	71	65	10	16	.	59*
Diphtheria, ...	13	14	13	4	3	.	14
Pneumonia, ...	27	28	28	5	9	2	22

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

(10348). Wt. 3800 375. 12. 1916. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By ALEX. THOM & Co., Limited, 8 and 9 Crow Street.

To be purchased either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., 29, Breams Buildings, Fetter Lane, E.C., and 54, St. Mary Street, Cardiff; or
H. M. STATIONERY OFFICE (Scottish Branch), 23, Forth Street, Edinburgh;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, Ltd., London, W.C.

No. 52. Vol. LIII.] Week ending Saturday, 30th December, 1916. [Price 1½*d.*

General Register Office, Charlemont House,
Dublin, 1st January, 1917.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,122,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 23·8 and 21·2; Dublin Registration Area, 28·4 and 24·9; Dublin City, 28·7 and 26·5; Belfast, 21·3 and 19·6; Cork, 27·9 and 19·9; Londonderry, 14·3 and 14·3; Limerick, 14·9 and 18·3; and Waterford, 38·0 and 22·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 0·8 per 1,000. Among the 159 deaths from all causes for Belfast are one from measles, one from diphtheria, and 3 from diarrhœal diseases; and the 20 deaths from all causes for Waterford include one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 130—66 boys and 64 girls—and the deaths to 230—112 males and 118 females.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 28·4 per 1,000 of the population. During the fifty-two weeks ending with Saturday last, the death-rate averaged 20·4, and was 0·8 below the mean rate for the corresponding portions of the 10 years, 1906–15. The rate for all deaths registered during the fifty-two weeks was 22·0, and for the corresponding period of the preceding ten years, 22·5.

The 216 deaths appertaining to the Area include 4 from measles, one from scarlet fever, 2 from whooping-cough, 4 from influenza, and 5 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks deaths from measles numbered one, 0, and 2; deaths from scarlet fever one, 3, and 0; deaths from whooping-cough 0, 0, and 0; deaths from influenza, 5, 5, and 5; and deaths from diarrhœa and enteritis of children under 2 years, 3, 4, and 9, respectively.

Tuberculous disease caused 29 deaths (comprising 23 from pulmonary tuberculosis, 2 from tuberculous meningitis, one from abdominal tuberculosis, one from tuberculosis of joints, and 2 from disseminated tuberculosis), as against 23, 28, and 23, respectively, in the three weeks preceding.

Ten deaths were caused by cancer, 17 by pneumonia (comprising 7 from broncho-pneumonia, and 10 from pneumonia, type not distinguished), 20 by organic diseases of the heart, and 49 by bronchitis.

Among deaths of infants under one year old, 2 were due to premature birth and 3 to congenital debility.

Six deaths were due to violence, including 3 caused by burns (2 of the latter being those of children under 5 years), one by drowning, and one by poisoning.

Forty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 24 being infants under one year, of whom 5 were under one month old.

Of the 216 deaths recorded, 79 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 23·7), was equal to an average annual death-rate of 21·9 per 1,000 persons living.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th December. From this Report it appears that of 47 cases notified, 14 were scarlet fever, 12 diphtheria, 9 pulmonary tuberculosis, 8 other forms of tuberculosis, 2 erysipelas, one enteric fever, and one cerebro-spinal fever. Among the 396 cases of infectious diseases in hospital at the close of the week were 140 of pulmonary tuberculosis, 121 of scarlet fever, 77 of diphtheria, 24 of measles, 4 of erysipelas, 3 of enteric fever, 3 of whooping-cough, and 2 of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 30th December, 1916, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 9,	.	—	—	19	.	.	.	.	.	2	2	.	—	—	.	—	.	5	28
	Dec. 16,	.	—	—	3	.	.	3	.	.	2	3	.	—	—	.	—	.	4	15
	Dec. 23,	.	—	—	6	.	.	2	.	.	1	1	.	—	—	.	—	.	5	15
	Dec. 30,	.	—	—	4	.	.	2	.	.	1	3	.	—	—	.	—	.	2	12
Rathmines and Rathgar Urban District	Dec. 9,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	.	—	.	—	5
	Dec. 16,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	.	—	2
	Dec. 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	.	—	2
	Dec. 30,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	.	—	.	—	5
Pembroke Urban District.	Dec. 9,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	.	2
	Dec. 16,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	—	.	1
	Dec. 23,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.	.
	Dec. 30,	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	—	—	1	2
Blackrock Urban District.	Dec. 9,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Dec. 16,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Dec. 23,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	.	1
	Dec. 30,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
Kingstown Urban District.	Dec. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Dec. 16,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	.	.	3
	Dec. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Dec. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast	Dec. 9,	.	—	—	10	.	.	5	.	.	2	5	1	—	—	.	—	.	.	23
	Dec. 16,	.	—	—	14	.	.	3	.	.	5	5	.	—	—	.	—	.	1	28
	Dec. 23,	.	—	—	5	.	.	8	.	.	4	6	.	—	—	.	—	.	2	25
	Dec. 30,	.	—	—	3	.	.	5	.	.	2	1	.	—	—	.	—	.	.	11
City of Cork *	Dec. 9,	.	.	—	2	.	.	2	.	.	2	2	.	—	—	—	.	1	—	9a
	Dec. 16,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	.	.	—	.
	Dec. 23,	.	.	—	2	.	.	.	.	1	3	3	.	—	—	—	.	.	—	9
	Dec. 30,	.	.	—	.	1	.	.	.	.	1	.	.	—	—	—	.	—	—	2
City of Londonderry	Dec. 9,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	.	—	—	—	5
	Dec. 16,	.	—	—	7	.	.	.	.	.	.	.	.	—	—	.	—	—	—	7
	Dec. 23,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	.	—	—	—	1
	Dec. 30,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
City of Limerick.	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Dec. 16,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	.	—	—	—	2
	Dec. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 30,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
City of Waterford.	Dec. 9,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Dec. 16,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Dec. 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	.	2
	Dec. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(*a*) Not including one case of varicella.

* One case of cerebro-spinal fever was reported during week ended 16th December.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th December, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 4 and 30; measles 3 and 6; scarlet fever 7 and 54*; and diphtheria one and 12. Seven cases of pneumonia were admitted during the week, and 24 remained under treatment at its close. Of the deaths in hospitals during the week one was from each of measles and scarlet fever.

* See note (*) at foot of Table IX.

Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths with the Temperature and Rainfall for the week; also statistics regarding Births and Deaths in London, Edinburgh and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 30TH DECEMBER, 1916. NUMBERS REGISTERED. DEATHS. Caused by

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	Annual Rate per 1,000 Persons Represented by Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology (c) Week ending 30th December, 1916. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)
TOTAL OF 19 TOWN DISTRICTS.	1,122,268	19·7	16·9	23·8	0·8	364	513	55	178	·	·	·	6	1	2	1	·	45	13	23	34	109	7	1	16	23	158	34	·	·	·	·
DUBLIN REGISTRATION AREA	397,000	28·9	17·1	28·4	1·6	130	216	24	72	·	·	·	4	1	2	·	·	23	6	10	17	56	5	·	6	9	79	19	(d) 54·9	17·9	46·1	0·40
Urban Districts. CITY OF DUBLIN,	303,600	38·4	18·9	28·7	1·9	110	167	20	48	·	·	·	4	1	2	·	·	19	4	4	14	48	4	·	6	7	64	15	(e) 55·0 / (f) 55·4	26·4 / 21·4	42·5 / 42·1	0·38 / 0·43
Urban Districts. RATHMINES and RATHGAR.	39,000	22·8	6·7	30·8	·	5	23	·	14	·	·	·	·	·	·	·	·	3	1	4	1	3	·	·	·	·	9	1	·	·	·	·
Urban Districts. PEMBROKE, ..	29,100	18·5	19·7	34·0	1·8	11	19	4	8	·	·	·	·	·	·	·	·	·	·	·	2	5	1	·	·	2	3	3	·	·	·	·
Urban Districts. BLACKROCK, ..	8,900	8·2	·	17·5	·	·	3	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	16,400	11·2	12·7	12·7	·	4	4	·	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	3	·	58	26	43·5	0·16
Urban Districts. BELFAST, ..	390,000	26·1	17·8	21·3	0·7	133	159	14	52	·	·	·	1	·	·	1	·	16	2	5	10	30	2	1	6	8	38	5	·	·	·	·
Urban Districts. CORK, ...	76,673	28·6	20·4	27·9	·	30	41	4	16	·	·	·	·	·	·	·	·	3	1	2	2	10	·	·	1	1	19	1	53	34	45·2	1·06
Urban Districts. LONDONDERRY, ..	40,000	15·5	23·5	14·3	·	18	11	3	2	·	·	·	·	·	·	·	·	·	2	1	·	3	·	·	·	·	1	1	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	6·8	14·9	·	5	11	·	1	·	·	·	·	·	·	·	·	2	1	·	1	4	·	·	·	·	7	1	56·5	21·0	39·7	1·67
Urban Districts. WATERFORD, ..	27,464	19·1	7·6	38·0	1·9	4	20	2	9	·	·	·	1	·	·	·	·	·	·	2	3	3	·	·	·	1	7	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			12	6	3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	54	31	42	1·03
Urban Districts. DUNDALK, ..	13,128	9·5				5	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				3	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	53	26	41·4	0·85
Urban Districts. DROGHEDA, ..	12,501	8·4				3	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				8	12	2	6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	3	·	1	53	26	41·4	0·85
Urban Districts. NEWRY, ..	11,903	17·0				3	5	2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	2	53	26	41·4	0·85
Urban Districts. PORTADOWN, ..	11,727	15·3				2	7	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	53	26	41·4	0·85
Urban Districts. WEXFORD, ..	11,531	22·8				2	5	·	3	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	3	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				3	5	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	53	23	40·0	1·23
Urban Districts. KILKENNY, ..	10,514	11·4				·	5	·	3	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	4	·	54	20	40·1	0·78
Urban Districts. TRALEE, ..	10,300	17·4				1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON, ...	4,310,030	—	—	23·7	—	1,332	1,962	221	790	·	·	·	25	1	2	7	—	174	24	110	228	417	30	5	63	184	782	2	·	·	·	·
EDINBURGH, ...	329,200	—	—	·	—	·	·	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·	—	·	—	—	—	·	·	·	·
GLASGOW, ...	1,091,600	—	—	·	—	·	·	·	·	·	·	·	·	·	·	·	—	—	—	—	—	—	·	—	·	—	—	—	·	·	·	·

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Lisburn, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered in the corresponding week of

CAUSES OF DEATH.	Average number of deaths in 52nd Week of the 5 years, 1911-1915.	Deaths registered during week ending Saturday, 30th December, 1916. All Ages.	Ages at Death: 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	148·6	230	5	19	9	9	6	.	3	5	24	14	28	35	45	28	216
Enteric Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·6	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	4
Scarlet Fever ..	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	2·0	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	2·4	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·6	4	.	.	.	.	.	.	.	.	.	.	.	1	1	2	4
Dysentery	·2		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Tetanus	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·8	24	.	.	.	.	2	.	1	1	10	3	4	2	.	1	23
Tuberculous Meningitis	2·6	2	.	.	1	.	.	.	.	.	1	.	.	.	.	.	2
Abdominal Tuberculosis	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	3	.	1	.	1	.	.	.	1		.	.	.	.	.	2
Venereal Diseases ..	·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Cancer	7·6	10	.	.	.	.	.	.	.	.	.	1	1	3	3	2	10
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Diabetes	·6	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Anæmia, Leucocythæmia.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Alcoholism ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	3·4	6	.	.	.	.	.	.	.	.	.	.	1	3	1	1	4
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·8	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3
Epilepsy, ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Nervous System.	1·4	6	.	.	.	.	.	.	.	.	.	2	2	1	1	.	6
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	13·0	20	.	.	.	.	.	.	.	.	2	.	5	3	7	3	20
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.	1·0	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	2
Diseases of the Larynx	.	3	.	1	1	.	.	.	.	1	.	.	.	.	.	.	3
Bronchitis	21·8	49	.	1	2	2	.	.	.		3	2	5	12	12	10	49
Broncho-pneumonia ..	7·8	8	.	3	.	.	.	.	.	.	1	.	1	.	.	3	7
Lobar pneumonia ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	4·0	10	.	1	1	.	1	.	.	.	.	1	3	.	1	2	10
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	·4	5	.	.	.	.	.	.	.	.	.	1	1	2	1	.	4

in the FIFTY-SECOND WEEK, ending Saturday, 30th December, 1916, with the average deaths from each cause the Five Years 1911–15.

CAUSES OF DEATH.	Average number of deaths in 52nd Week of the 5 years 1911-1915.	All Ages.	Deaths registered during week ending Saturday, 30th December, 1916. Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
Diseases of the Pharynx, Tonsillitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·0	3	.	.	.	1	.	.	.	.	.	.	1	.	1	.	3
Diarrhœa and Enteritis of Children under 2 years.	3·4	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	5
Diarrhœa 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Appendicitis and Typhlitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Cirrhosis of Liver ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Peritonitis (cause unknown).	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other Diseases of Digestive System.	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Acute Nephritis ..	1·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Chronic Bright's Disease	4·0	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	·4	4	.	.	.	.	.	.	.	.	.	.	.	1	3	.	4
Diseases of Locomotor System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	3·4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Congenital Debility ..	2·4	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3
Old Age	4·0	10	.	.	.	.	.	.	.	.	.	.	.	.	7	3	10
Other Specified Diseases	·8	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	4
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·2	3	.	1	.	1	.	.	.	1	.	.	.	.	.	.	3
Drowning	·2	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
Suffocation in Bed, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	2·2	3	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.
Other Violent Deaths		1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Not included in above—																	
Homicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	3·8	4	.	.	.	.	1	.	.	.	1	.	1	1	.	.	4

TABLE IV.—Showing for the WEEK ENDED 30TH DECEMBER, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*: with the Mortality from some of the principal causes: also the Deaths at certain age periods, and the number of Uncertified Deaths. *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*

WEEK ENDED SATURDAY, 30TH DECEMBER, 1916.

REGISTRARS' DISTRICTS, &c	Estimated Population.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No 1, E., ...	29,400	24·8	1·8	14	.	1	1	2	.	3	4	3	.	.	.	.	1	.	.	.	1	.	1	1	3	.	.	1	6	2	6	.	2
,, 1, W., ...	40,200	38·9	3·9	30	2	3	1	2	2	3	9	8	.	.	.	3	.	.	.	.	1	2	2	2	9	.	.	2	9	1	3	7	3
,, 2, ...	26,900	38·8	3·9	20	3	.	2	.	.	7	3	5	.	.	.	1	.	.	.	.	3	1	.	2	6	1	.	.	6	1	2	5	3
,, 3, ...	35,200	17·8	.	12	1	2	1	.	.	1	5	2	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	1	4	.	5	2	1
CLONTARF AND HOWTH, No. 1, part of	5,400	29·0	.	3	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	.
COOLOCK AND DRUMCONDRA, part of ..	13,300	15·7	.	4	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	2	1	.
FINGLAS AND GLASNEVIN, part of ..	10,800	33·8	4·8	7	1	.	.	.	.	2	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	5	.	2	.	.
South City.																																	
SOUTH CITY, No. 1, ..	40,100	24·7	.	19	3	.	.	.	2	4	3	7	.	.	.	.	.	.	.	.	3	.	.	1	8	.	.	1	6	1	4	2	3
,, 2, ...	17,800	23·4	.	8	.	.	.	.	.	2	4	2	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	4	.	1	4	.
,, 3, ...	42,400	25·8	.	21	4	1	.	.	.	4	7	5	.	.	.	.	.	.	.	.	2	1	.	2	8	.	.	.	8	.	2	6	1
,, 4, ...	32,000	40·7	6·5	25	6	1	1	.	.	2	8	7	.	.	.	.	.	2	.	.	4	.	1	.	7	2	.	1	8	1	3	5	2
NEW KILMAINHAM, ...	10,100	20·7	.	4	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	.	2	.
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	30·8	.	23	.	1	1	.	1	1	5	14	.	.	.	.	.	.	.	.	3	1	4	1	3	.	.	.	11	.	3	6	1
PEMBROKE, ...	29,100	34·0	1·8	19	4	.	1	1	.	1	4	8	.	.	.	.	.	.	.	.	.	.	.	2	5	1	.	.	11	2	2	1	3
BLACKROCK, ...	8,900	17·5	.	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.
KINGSTOWN	16,400	12·7	.	4	.	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.	.	3	.
TOTAL CITY. North, ...	161,200	29·1	2·3	90	7	6	5	4	2	18	23	25	.	.	.	4	1	.	.	.	7	3	3	11	23	2	.	4	32	5	20	15	9
TOTAL CITY. South, ...	142,400	28·2	1·5	77	13	2	1	.	2	12	24	23	.	.	.	.	.	2	.	.	12	1	1	3	25	2	.	2	29	2	10	19	6
TOTAL CITY. North and South, ..	303,600	28·7	1·9	167	20	8	6	4	4	30	47	48	.	.	.	4	1	2	.	.	19	4	4	14	48	4	.	6	61	7	30	34	15
Total Urban Districts, ...	93,400	27·4	0·6	49	4	1	2	1	2	4	11	24	.	.	.	.	.	.	.	.	4	2	6	3	8	1	.	.	25	2	5	10	4
Total Registration Area, ..	397,000	28·4	1·6	216	24	9	8	5	6	34	58	72	.	.	.	4	1	2	.	.	23	6	10	17	56	5	.	6	86	9	35	44	19
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				14	.	.	1	1	2	4	5	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	4	6	2	10	4	.

* See note (†) at foot of first page.

TABLE V.—Shewing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of all PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th December, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH DECEMBER, 1916.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	397,957	—	230	42	6	8	38	63	45	28	.	.	.	4	1	2	.	.	24	7	10	1	18	57	5	.	10	91	19
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS	101,798	20·0	39	3	.	.	6	8	13	9	.	.	.	.	.	.	.	.	3	1	3	.	4	3	1	.	2	22	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	23·6	49	4	1	5	7	20	7	5	.	.	.	1	.	.	.	.	4	2	1	.	3	18	1	.	2	17	6
IV.	GENERAL SERVICE CLASS	167,479	28·0	90	30	4	2	13	20	12	9	.	.	.	3	1	2	.	.	7	2	1	1	11	23	3	.	6	30	10
V.	INMATES OF WORKHOUSES, ...	5,602	—	48	5	1	1	12	15	10	4	.	.	.	.	.	.	.	.	10	2	4	.	.	13	.	.	.	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	8	2	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	12	1	.	.	2	3	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	8	1
	6. Clerks and Commercial Assistants,	33,249	—	7	.	.	.	3	2	1	1	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	12	.	.	.	1	2	4	5	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	1	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	3	.
	9. Building and Furnishing Trades, ..	28,823	—	11	1	.	.	1	6	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	3	1	.	.	6	2
	10. Clothing Trades, ...	20,026	—	8	1	.	1	.	3	2	1	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	.	4	.
	11. Food Supply Trades, ...	8,952	—	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	18	2	1	2	3	8	2	.	.	.	.	1	.	.	.	.	.	.	1	.	3	10	.	.	1	2	2
	13. Petty Shopkeepers, ...	6,772	—	4	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	1	1
IV	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	18	7	1	1	4	3	.	2	.	.	.	.	1	1	.	.	.	.	.	.	4	2	1	.	4	5	1
	15. Domestic Servants, ...	36,041	—	9	2	.	.	1	2	1	3	.	.	.	.	.	.	.	.	1	.	1	.	1	3	.	.	.	3	2
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	8	3	.	.	3	.	1	1	.	.	.	1	.	.	.	.	1	.	.	.	1	2	1	.	1	1	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	55	18	3	1	5	15	10	3	.	.	.	2	.	1	.	.	5	2	.	1	5	16	1	.	1	21	6
V	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	48	5	1	1	12	15	10	4	.	.	.	.	.	.	.	.	10	2	4	.	.	13	.	.	.	19	.

TABLE VI.— **Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.												
WEEK ENDING	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov 4.	Nov. 11.	Nov 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16	Dec. 23.	Dec. 30.
No. of weeks in Annual Series ..	40	41	42	43	44	45	46	47	48	49	50	51	52	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered	204	198	189	179	187	181	173	148	206	139	176	99	130	153	183	173	167	135	181	144	165	163	148	125	146	133
Average Births in corresponding week of previous 10 years, ...	203	192	202	202	208	204	196	191	206	186	202	180	165	208	209	203	204	197	196	179	180	183	186	192	185	167
Number of Deaths, ...	142	135	133	142	121	162	135	153	135	156	191	195	216	105	102	98	118	119	109	105	118	126	112	142	173	159
Annual Death-rate per 1,000 ..	18·7	17·7	17·5	18·7	15·9	21·3	17·7	20·1	17·7	20·5	25·1	25·6	28·4	14·0	13·6	13·1	15·8	15·9	14 6	14·0	15·8	16·8	15·0	19·0	23·1	21·3
Average Deaths in corresponding week of previous 10 years, ...	151	146	145	138	149	159	161	160	166	171	161	165	150	117	117	116	126	117	131	138	140	137	156	151	145	154
Ages, .. Under one year, ..	35	32	27	35	30	29	23	30	30	30	29	25	24	19	23	18	24	21	21	14	21	10	18	14	18	14
1— 5 years, ..	20	14	12	13	6	15	13	10	8	13	16	13	17	4	5	10	8	9	8	8	11	9	9	11	7	8
5—25 ,, ..	9	12	6	12	11	8	16	5	7	15	14	13	11	13	8	11	13	9	6	16	16	15	19	19	24	15
25—45 ,, ..	17	24	21	16	24	26	18	19	22	23	24	21	34	16	20	15	23	18	21	15	11	23	19	18	27	20
45—65 ,, ..	28	1	37	26	24	31	32	42	26	24	43	54	58	33	25	26	29	30	31	28	29	39	21	36	51	50
65 and upwards, ..	33	35	30	40	26	53	33	47	42	51	65	69	72	20	21	18	21	32	22	24	30	30	26	44	46	52
Deaths from :—																										
Enteric Fever, ...	3	3	3	1	3	·	1	·	2	·	2	1	·	1	1	2	·	·	·	·	·	1	·	1	2	·
Typhus, ...	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	1	1	·	·	·	·	·	1	1	·	2	4	1	1	·	·	·	1	·	·	1	1	2	3	1
Scarlet Fever, ...	·	·	1	1	·	·	·	·	·	1	3	·	1	·	·	1	2	·	·	1	·	·	·	1	1	·
Whooping-cough, ...	3	2	·	1	·	2	·	·	·	·	·	·	2	·	1	·	2	1	1	1	1	1	·	1	·	·
Diphtheria, ...	3	1	3	·	·	·	1	·	·	1	1	·	·	·	·	1	·	·	·	·	·	1	1	1	1	1
Dysentery, ...	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis { Pulmonary, ..	16	13	13	16	14	10	15	14	12	17	22	17	23	16	12	12	16	13	10	11	14	10	14	14	18	16
Tuberculosis { Other Forms, ..	7	3	5	4	2	5	8	2	6	6	6	6	6	3	3	2	3	4	7	5	3	4	6	4	4	2
Cancer, ...	12	7	13	8	5	11	8	11	7	7	9	12	10	7	11	7	11	12	8	4	1	5	2	5	8	5
Diseases of Respiratory System, { Pneumonia ..	12	12	6	12	13	7	16	13	10	13	14	17	17	9	7	2	8	11	13	6	8	10	7	18	11	10
Diseases of Respiratory System, { Others, ..	12	14	10	12	21	19	20	32	24	27	29	48	56	3	5	5	12	8	19	13	15	13	11	25	35	30
Diarrhœa and Enteritis, under 2 years, ...	14	14	13	11	5	6	3	5	4	3	4	9	5	2	9	6	7	4	6	4	5	1	2	7	·	2
Diarrhœa, 2 years and upwards..	1	·	1	1	·	·	·	·	1	·	·	·	·	2	·	2	·	·	1	·	2	1	·	·	3	1
Violent Deaths, ...	3	7	3	4	6	5	4	6	·	3	2	3	6	4	2	4	2	1	1	7	3	4	7	5	·	6
Number of Uncertified Deaths, ..	3	7	4	5	12	14	7	12	3	9	10	5	19	·	1	·	2	3	2	1	5	3	2	4	3	5
Mean Temperature in degrees ..	57·9	55·8	48·5	45·4	44·6	47·7	46·2	43·6	42·9	38·2	33·0	32·8	46·1	55·2	55·2	50·1	47·1	45·4	45·6	49·6	50·5	43·3	40·8	37·0	34·0	·
Rainfall in inches	1·92	1·01	0·36	2·28	2·95	0·65	2·19	1·28	0·63	1·22	0·92	0·43	0·40	2·97	0·98	0·68	1·42	1·06	1·37	0·00	0 47	0·63	0·37	0·78	0·27	·

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th December, 1916, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
CITY OF BELFAST.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	19·7	·	6	1	·	·	2	3	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	·
Do. 2 do.	49,500	12	23·2	·	22	2	1	1	3	7	8	·	·	·	·	·	·	·	·	·	·	·	2	6	·	·	2	2	6	1
Do. 3 do.	50,032	15	16·7	1·0	16	·	3	1	2	4	6	·	·	·	·	·	·	·	·	·	1	2	·	3	1	·	2	3	5	3
Do. 4 do.	32,637	10	32·0	1·6	20	·	·	3	2	7	8	·	·	·	·	·	·	·	·	2	·	·	·	4	·	1	·	·	11	1
Do. 5 do.	16,112	4	29·1	·	9	3	·	·	·	3	3	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	2	·
Do. 6 do.	37,293	9	19·6	·	14	·	·	1	2	6	5	·	·	·	·	·	·	·	·	1	·	·	2	1	·	·	1	1	2	·
Do. 7 do.	2,681	1	19·4	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	2	17·5	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	8	17·1	·	8	·	1	·	2	2	3	·	·	·	·	·	·	·	·	2	·	1	2	·	·	·	·	1	·	·
Do. 10 do.	28,958	12	21·6	1·8	12	·	2	2	·	6	2	·	·	·	·	·	·	·	·	2	·	·	·	3	1	·	·	·	2	·
Do. 11 do.	39,311	15	15·9	·	12	2	·	1	1	3	5	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	3	·
Do. 12 do.	38,076	16	26·0	2·7	19	4	1	4	3	4	3	·	·	·	1	·	·	1	·	1	·	1	3	6	·	·	·	1	3	·
Do. 13 do.	23,233	15	26·9	·	12	1	·	·	3	2	6	·	·	·	·	·	·	·	·	3	·	1	·	3	·	·	·	·	1	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	8	13·8	·	6	1	·	1	·	3	1	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	1	·
Total,	386,947	133	21·3	0·7	159	14	8	15	20	50	52	·	·	·	1	·	·	1	·	16	2	5	10	30	2	1	6	8	38	5
CITY OF CORK.																														
CORK URBAN No 1 DISTRICT,	13,455	6	11·6	·	3	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do 2 do.	10,399	8	20·1	·	4	·	·	·	1	1	2	·	·	·	·	·	·	·	·	1	·	·	·	3	·	·	·	·	1	·
Do. 3 do.	9,793	·	21·3	·	4	·	·	·	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
Do. 4 do	9,139	5	39·9	·	7	·	·	·	·	2	5	·	·	·	·	·	·	·	·	·	·	·	1	3	·	·	1	1	4	·
Do. 5 do.	6,250	3	16·7	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 6 do.	11,581	2	36·0	·	8	1	1	·	·	3	3	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	·	5	·
Do. 7 do.	16,056	6	42·2	·	13	2	1	·	2	4	4	·	·	·	·	·	·	·	·	1	1	1	·	3	·	·	·	·	4	1
Total	76,673	30	27·9	·	41	4	2	·	5	14	16	·	·	·	·	·	·	·	·	3	1	2	2	10	·	·	1	1	19	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th December, 1916

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Cerebro-spinal Fever	Poliomyelitis.	Pulmonary Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 1, West ..	.	.	.	.	.	.	.	.	1	.	.	.	2	3
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " " 3, ...	.	1	.	.	1	.	.	.	.	.	.	.	.	2
" " " 4, ...	.	2	.	.	.	.	.	.	1	.	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	4	.	.	2	.	.	1	3	.	.	.	2	12

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th December, 1916, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 30th December.			
	Dec. 9.	Dec. 16	Dec. 23.	No. admitted	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	51	42	37	4	11	.	30
Typhus, ...	2	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	5	7	5	3	1	1	6
Scarlet Fever	71	65	59	7	11	1	54*
Diphtheria, ...	14	13	14	1	3	.	12
Pneumonia, ...	28	28	22	7	5	.	24

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 8 & 9, Crow-street,

(10436). Wt. 3800 375. 12. 1916. G III. Sch c 7

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C., and 28, ABINGDON STREET, LONDON, S.W
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF
23, FORTH STREET, EDINBURGH;
or from E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN
or from the Agencies in the British Colonies and Dependencies,
the United States of America, and other Foreign Countries of
T. FISHER UNWIN, LIMITED, LONDON, W.C.

1917.

Price 1½*d. Net.*

VOL. LIII.] QUARTER ENDING SATURDAY, 30TH DECEMBER, 1916. [NO. 52A.

DUBLIN REGISTRATION AREA.—BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin, and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the population thereof, estimated to the middle of 1916, being 397,000, there were registered during the thirteen weeks ended on Saturday, 30th December, 1916, 2,209 births—1,114 boys and 1,095 girls—being equal to an annual ratio of 1 in 44·9 or 22·3 in every 1,000 of the population.

The number of births recorded for the city was 1,854, equivalent to an annual rate of 24·4 in every 1,000 of the population; and for the urban districts named above, 355, equal to an annual rate of 15·2 in every 1,000 of the population.

There were registered in London during the same period 23,832 births—being equal to an annual birth-rate of 22·1 in every 1,000 of the estimated population; in Glasgow there were registered 6,268, being equal to 23·0 per 1,000; and in Edinburgh, 1,416—a number affording an annual birth-rate of 17·2 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (164) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,016, are equivalent to an annual rate of 20·3 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being also 20·3. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,180—1,089 males and 1,091 females—affording an annual ratio of 1 in 45·5 or 22·0 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the fourth quarter of the ten years, 1906–1915, in the Dublin Registration Area was 21·3 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 901, representing an annual mortality of 22·4 in every 1,000 of the population; and the number in the south city districts was 751, equivalent to a rate of 21·1 per 1,000. For the urban districts the number of deaths registered was 364, being equal to an annual death-rate of 15·6 in every 1,000.

The number of deaths registered in London during the same period was 17,452, a number equal to an annual rate of mortality of 16·2 in every 1,000 of the inhabitants (civil population); in Glasgow the number was 4,247, equal to 15·6 in every 1,000; and in Edinburgh 1,191, affording an annual death-rate of 14·5 in every 1,000 of the estimated population.

CAUSES OF DEATHS IN DUBLIN REGISTRATION AREA

The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 160, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·61.

Enteric Fever.—Twenty deaths were allocated to this disease as compared with 11, 11 and 12, respectively, in the three previous quarters. The twenty deaths are equivalent to an annual rate of 0·20 per 1,000 of the estimated population, and are two above the average (18) for the fourth quarter of the five years, 1911-15. Twelve deaths were those of residents of the north city districts, two of south city districts, two of Rathmines and Rathgar urban district, two of Pembroke, one of Blackrock, and one was that of a person admitted from without the Dublin Registration Area. Table I. shows that the number of patients under treatment in Dublin hospitals during the quarter was 223, of whom 180 were discharged and 13 died, leaving 30 in hospital at the end of the quarter as compared with 105 at its beginning.

Typhus.—There was only one death recorded—a resident of South City No. 4 District. Eight patients altogether were admitted to Dublin hospitals, and the other seven were discharged before the end of the quarter.

Small-pox.—No case of this disease in Dublin was reported.

Measles.—Ten deaths; all appertaining to North City districts, were registered, equal to an annual rate of 0·25 per 1,000 of the population. This compares favourably with the numbers for the three previous quarters—43, 28, and 10, respectively, and also with the average for the last quarter of the five years, 1911-15, namely, 31. Twenty-six children were treated in Dublin hospitals, of whom 17 were discharged, 3 died, and 6 remained in hospital at the close of the quarter.

Scarlet Fever.—The number of deaths from this disease during the quarter numbered 7. Three were those of residents of the North City districts, and four of South City districts. The numbers registered in the first three quarters of 1916 were 5, 8, and 12, respectively, and the average for the fourth quarter of the five previous years was 14. The cases of this disease under treatment in hospitals during the quarter amounted to 197. Of these 5 died, and 138 were discharged, leaving 54‡ patients under treatment on the 30th December, as compared with 49 at the end of the previous quarter.

Whooping-cough.—The mortality from whooping-cough, representing 10 deaths during the quarter, is equal to an annual rate of 0·10 per 1,000 of the population. In the three preceding quarters they numbered 35, 20, and 11, respectively, and the number for the fourth quarter of the five years, 1911-15, was 15. Three of the ten deaths appertained to North City districts, six to South City districts, and one to Rathmines and Rathgar urban district.

Diphtheria.—Of ten deaths registered, six were recorded for North City districts and four for South City districts, as compared with an average of 22 for the corresponding quarter of the previous five years, and of 12, 8, and 5, respectively, for the first three quarters of the year 1916. Seventy cases of diphtheria were treated in Dublin hospitals, and of these 10 proved fatal, 48 patients were discharged, and 12 remained in hospital at the end of the year.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

† See note (*) on page 547.

‡ See note at foot of Table I.

Diarrhœal Diseases.—Of the 101 deaths ascribed to these diseases, 97 were of children under two years of age, from diarrhœa and enteritis. One of the latter deaths was of a child from without the Dublin Registration Area. The average number of deaths of children from these diseases for the last quarter of the five years, 1911-15, was 117, and the respective numbers in the first three quarters of 1916 were 48, 37, and 198.

Influenza.—The deaths attributed to this disease numbered 24, the corresponding annual mortality rate being 0·24 per 1,000 living. The numbers in the three preceding quarters were 27, 9, and 3, respectively, and the average for the fourth quarter of the five previous years was 13.

Cerebro-spinal Fever.—One death was registered during the quarter, following 3, 1, and 2, respectively, in the three previous quarters.

Tuberculosis.—The number of deaths from all forms of tuberculous disease, which fell from 417 and 396, respectively, in the first two quarters, to 287 in the third quarter, stands at 290 for the concluding quarter of the year 1916, as against an average of 338 for the fourth quarter of the five years, 1911-15. Comprised in the 290 deaths are 217 from pulmonary tuberculosis, 16 from tuberculous meningitis, 15 from abdominal tuberculosis, and 42 from other forms of the disease. The corresponding annual death-rate is 2·92 per 1,000 of the estimated population. Table II. shows that 105 of the deaths from tuberculosis appertained to North City districts—equivalent to an annual rate of 2·61 per 1,000 living; 121 or 3·40 per 1,000 to South City districts; 23 or 2·36 per 1,000 to Rathmines and Rathgar urban district; 9 or 1·24 per 1,000 to Pembroke; 3 or 1·35 per 1,000 to Blackrock; and 7 or 1·71 per 1,000 to Kingstown.

Pulmonary tuberculosis alone caused 73 deaths in North City districts (equal to a rate of 1·81 per 1,000 living; 96 (or 2·70 per 1,000) in South City districts, and 33 (or 1·41 per 1,000) in the four urban districts above referred to.

Cancer.—The number of deaths (137) from this disease during the quarter corresponds to an annual rate of 1·38 per 1,000 of the estimated population, as compared with 1·23, 1·14, and 1·17, respectively, in the three preceding quarters.

Pneumonia.—The deaths assigned to pneumonia in its various forms numbered 173, which gives an annual death-rate of 1·74 per 1,000. Eighty were caused by broncho-pneumonia, 10 by lobar-pneumonia, and the remaining 83 deaths were from pneumonia, type not distinguished.

Diseases of the Brain and Nervous System.—One death from cerebro-spinal fever (already referred to in this report), 19 from meningitis, and 56 from convulsions, are included in the total number of deaths (217) in this group—equivalent to an annual rate of 2·19 per 1,000 of the population. The 56 deaths from convulsions (all being those of children under five years of age) represent an annual mortality of 0·56 per 1,000 persons living.

Diseases of the Circulatory System.—Under this heading, 223 deaths were recorded, this number affording an annual rate of 2·25 per 1,000; the average number of deaths for the fourth quarter of the five years, 1911-15, being 211.

Bronchitis.—The deaths from this cause, equivalent to an annual rate of 2·93 per 1,000 of the population, for the quarter under review number 291, as compared with 315, 226, and 115, respectively, in the three previous quarters.

Congenital Conditions.—Congenital malformations accounted for 9 deaths, premature birth for 44, and congenital debility for 52.

Violence.—Eighty-two deaths from violence were recorded, exactly half being from gunshot wounds. Of the remainder, 7 (including 5 deaths of children under 5 years of age) were caused by burns and scalds, 7 by vehicles and horses, 5 by drowning, one by poisoning (possibly carbolic acid), one (that of an infant) by overlaying, and one on a railway. There were 5 cases of suicide during the quarter, but no case of homicide.

Included in the 41 deaths caused by gunshot wounds are those of 22 soldiers.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 30th December, 1916.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
ENTERIC FEVER	105	118	180	13	30
TYPHUS	.	8	7	1	.
SMALL-POX, ...	.	.	.	.	.
MEASLES, ...	2	24	17	3	6
SCARLET FEVER, ...	49	148	138	5	54*
DIPHTHERIA, ...	16	54	48	10	12
PNEUMONIA, ...	11	103	72	18	24

* Exclusive of 12 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 111 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 111 cases, 36 (or 32·4 per cent.) were deaths of children under 5 years of age; these 36 deaths form 6·4 per cent. of the total number of deaths of children of that age-period. Of the deaths of 112 infants under one month old registered, there were 13 (or 11·6 per cent.) regarding which the cause was uncertified.

From Table II., on page 545, it will be seen that, excluding 164 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,016, equal to an annual rate of 20·3 per 1,000 of the estimated population, and that 158 of these deaths, representing an annual rate of 1·6 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 21·8 per 1,000, and for the urban districts 15·6 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·8, and in the urban districts 0·8, the rates for the several districts varying from 0·4 in Finglas and Glasnevin, Rathmines and Rathgar, and Blackrock, to 3·4 in North City, No. 1, East, the 179 deaths from all causes for North City, No. 1, East, including 2 from enteric fever, 5 from measles, 2 from scarlet fever, one from diphtheria, and 15 from diarrhœal diseases.

OCCUPATIONS.—Table III., on page 546, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 15·6 per 1,000 of the persons in that class according to the Census of 1911; the rate for the "Middle Class was 14·6 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 17·4; and in the "General Service Class" it was 21·3.

AGES.—Of the 2,180 persons whose deaths were registered in the Dublin Registration Area during the quarter, 566 were under 5 years of age, including 390 infants under one year of age, the latter representing a rate of 176·6 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 55·3 in every 1,000 children at that age (according to the Census of 1911); 63 were between the ages of 5 and 15, representing an annual rate of 3·6 per 1,000 persons at that age-period; 109 were between the ages of 15 and 25, equivalent to an annual rate of 5·4 per 1,000; the total number under 25 years being equal to an annual mortality of 15·4 per 1,000 of the population at that age-period (according to the Census of 1911); 339, or 10·9 per 1,000 persons, were between 25 and 45; 487, or 33·1 per 1,000, between 45 and 65; 348, or 82·5 per 1,000, between 65 and 75; and 268, or 191·7 per 1,000, were aged 75 and upwards, including 15 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 2,180 deaths recorded during the quarter, 927, or 42·5 per cent., occurred in public institutions, viz., 541 in the various hospitals, prisons, and lunatic asylums; 172 in the North Dublin Union Workhouse; 208 in the South Dublin Union Workhouse; and 6 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 44·4°. At Greenwich, for the quarter, it was 44·9°; at Glasgow 43·7°; and at Edinburgh, 43·4°.

The rainfall at Dublin during the thirteen weeks measured 15·94 inches; at Greenwich, 9·41 inches; at Glasgow, 15·27 inches; and at Edinburgh, 10·43 inches.

† See note (*) page 547.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 30th December, 1916,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases† ; with the Mortality from some of the principal causes ; also the Deaths at certain age-periods, and the number of Uncertified Deaths ; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 30TH DECEMBER, 1916.

REGISTRARS' DISTRICTS, &c.	Estimated Population.*	Annual Rate of Mortality per 1000 Living represented by Deaths: From All Causes.	Annual Rate of Mortality per 1000 Living represented by Deaths: From certain Epidemic Diseases.†	Total Deaths.	Ages at Death: Under 1 year.	1 and under 2	2 and under 5.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Other	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions: Hospitals, Prisons and Lunatic Asylums.	In Institutions: Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)
North City.																																	
NORTH CITY, No. 1 E. ..	29,400	24·4	3·4	179	44	14	12	10	7	25	31	36	2	·	·	5	2	·	1	·	9	4	7	15	22	14	1	10	87	10	33	19	16
,, 1 W. ..	40,200	26·1	2·3	262	42	20	8	9	16	37	64	66	4	·	·	4	·	·	1	·	23	12	12	20	55	14	·	7	110	6	50	52	21
,, 2	26,900	27·5	1·8	185	38	7	10	4	5	24	49	48	1	·	·	1	·	·	2	·	17	9	5	15	36	7	1	6	85	3	32	49	12
,, 3 ..	35,200	18·8	1·5	165	39	11	6	5	7	22	38	37	4	·	·	·	·	3	1	·	14	4	11	17	18	5	·	4	84	1	35	29	11
CLONTARF AND HOWTH, No. 1, part of.	5,400	19·3	1·5	26	5	·	1	·	·	3	10	7	·	·	·	·	·	·	1	1	2	·	·	4	·	·	·	·	18	1	5	1	2
COOLOCK AND DRUMCONDRA, part of.	13,300	14·4	1·2	48	5	·	1	1	1	7	9	24	1	·	·	·	1	·	·	·	3	·	2	2	7	2	·	·	30	·	19	4	·
FINGLAS AND GLASNEVIN, part of	10,800	13·3	0·4	36	4	1	1	·	7	6	5	12	·	·	·	·	·	·	·	·	5	3	·	4	2	1	·	1	20	1	9	2	2
South City.																																	
SOUTH CITY, No. 1	40,100	18·5	1·1	185	41	5	4	5	7	27	39	57	·	·	·	·	1	·	·	·	19	8	12	9	41	10	·	2	83	4	30	50	6
,, 2	17,800	22·5	1·6	100	16	9	1	3	2	11	32	26	1	·	·	·	1	1	1	·	15	2	8	11	24	3	·	1	32	2	17	35	3
,, 3	42,400	22·7	1·7	241	48	11	12	6	12	40	47	65	1	·	·	·	2	·	1	·	33	6	18	13	48	13	1	7	98	6	49	54	14
,, 4	32,000	22·8	2·3	182	41	9	6	6	5	27	37	51	·	1	·	·	·	5	2	·	23	8	11	15	26	10	·	6	75	7	48	37	8
NEW KILMAINHAM	10,100	17·0	2·0	43	9	4	·	2	·	7	11	10	·	·	·	·	·	·	·	·	6	1	3	3	1	5	·	3	21	1	5	6	·
Urban Districts.																																	
RATHMINES AND RATHGAR, ..	39,000	15·5	0·4	151	13	3	4	1	3	22	33	72	2	·	·	·	·	1	·	·	19	4	15	10	22	1	·	3	74	4	28	17	4
PEMBROKE	29,100	15·8	1·4	115	22	2	3	3	6	16	21	42	2	·	·	·	·	·	·	·	6	3	8	12	11	8	·	1	64	3	26	5	5
BLACKROCK	8,900	12·1	0·4	27	·	·	·	·	1	7	4	15	1	·	·	·	·	·	·	·	2	1	3	3	3	·	·	1	13	·	4	1	2
KINGSTOWN	16,400	17·3	1·0	71	12	1	4	1	4	8	13	28	·	·	·	·	·	·	·	·	6	1	5	9	8	3	1	·	38	1	7	5	4
Total City. North, ...	161,200	22·4	2·0	901	177	53	39	29	43	124	206	230	12	·	·	10	3	3	6	1	73	32	37	77	140	43	2	28	434	22	183	156	64
Total City. South, ...	142,400	21·1	1·7	751	155	38	23	22	26	112	166	209	2	1	·	·	4	6	4	·	96	25	52	51	140	41	1	19	309	20	149	182	31
Total City. North and South,	303,600	21·8	1·8	1,652	332	91	62	51	69	236	372	439	14	1	·	10	7	9	10	1	169	57	89	128	280	84	3	47	743	42	332	338	95
Total Urban Districts, ..	93,400	15·6	0·8	364	47	6	11	5	14	53	71	157	5	·	·	·	·	1	·	·	33	9	31	34	44	12	1	5	189	8	65	28	15
Total Registration Area, ..	397,000	20·3	1·6	2,016	379	97	73	56	83	289	443	596	19	1	·	10	7	10	10	1	202	66	120	162	324	96	4	52	932	50	397	366	110
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				164	11	·	6	7	26	50	44	20	1	·	·	·	·	·	·	·	15	7	17	11	5	1	·	30	77	9	144	20	1

* See note (*) on page 548. † See note (*) on page 547.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATION or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 30th December, 1916 ;** the Annual Death Rate represented by the Deaths Registered ; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS QUARTER (13 WEEKS) ENDED SATURDAY, 30TH DECEMBER, 1916. Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 Years	5 and under 15.	15 and under 25	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System Pneumonia	Other	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence	Other Causes.	Number of Uncertified Deaths.
	ALL PERSONS, ...	397,057	·	2,180	566	63	109	339	487	348	268	20	1	·	10	7	10	10	1	217	73	137	56	173	329	97	4	82	953	111
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,..	14,658	15·6	57	3	·	1	3	11	16	23	·	·	·	·	·	·	·	·	2	2	11	·	4	2	·	·	·	36	·
II.	MIDDLE CLASS	101,798	14·6	372	54	6	22	56	84	80	70	5	·	·	·	·	1	·	1	32	8	30	8	35	43	9	·	8	192	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS..	108,420	17·4	471	120	19	25	67	115	76	49	6	·	·	1	4	·	3	·	39	19	29	13	33	74	25	1	16	208	31
IV.	GENERAL SERVICE CLASS	167,479	21·3	894	337	36	54	116	154	97	70	8	1	·	9	3	9	7	·	89	24	28	35	79	136	58	3	58	347	64
V.	INMATES OF WORKHOUSES	5,602	·	386	52	2	7	67	123	79	56	1	·	·	·	·	·	·	·	55	20	39	·	22	74	5	·	·	170	·
1.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal and other Professions ; Naval and Military Officers, and Heads of Public Departments ..	7,868	·	44	3	·	1	2	10	14	14	·	·	·	·	·	·	·	·	2	1	9	·	3	2	·	·	·	27	·
	2. Merchants and Manufacturers, Higher Class	1,347	·	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·
	3. Persons of Rank and Property, not otherwise described	5,443	·	11	·	·	·	1	1	2	7	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	8	·
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c.	9,523	·	35	4	·	4	6	6	8	7	·	·	·	·	·	·	·	·	5	·	5	·	5	1	1	·	1	17	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	·	88	11	1	3	5	29	27	12	2	·	·	·	·	·	·	·	2	3	8	3	8	10	·	·	1	51	4
	6 Clerks and Commercial Assistants ..	33,249	·	118	27	3	9	25	26	14	14	1	·	·	·	·	1	·	·	18	5	6	4	9	12	4	·	2	56	8
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above	33,827	·	131	12	2	6	20	23	31	37	2	·	·	·	·	·	·	1	7	·	11	1	13	20	4	·	4	68	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers Engravers, Printers Watchmakers, and Jewellers ..	11,777	·	48	14	·	3	9	9	6	4	·	·	·	·	·	·	·	·	6	3	1	1	3	3	3	·	4	24	3
	9. Building and Furnishing Trades ..	28,823	·	133	16	3	3	14	37	23	7	2	·	·	·	·	·	2	·	12	3	10	3	9	19	11	·	4	58	9
	10. Clothing Trades	20,026	·	56	10	1	4	7	10	14	10	·	·	·	·	·	·	·	·	5	4	2	2	2	10	2	·	1	28	5
	11. Food Supply Trades	8,952	·	29	9	3	·	2	5	5	5	·	·	·	·	1	·	·	·	1	1	1	3	2	6	·	·	·	14	3
	12. Other Trades and Callings ranking with Trades	32,070	·	174	32	11	12	31	46	25	17	4	·	·	1	3	·	·	·	13	7	14	2	16	27	7	1	6	73	9
	13. Petty Shopkeepers	6,772	·	31	9	1	·	4	8	3	6	·	·	·	·	·	·	1	·	2	1	1	2	1	9	2	·	1	11	2
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	·	180	77	7	19	38	19	7	13	·	·	·	·	2	2	2	·	18	4	5	9	20	18	17	·	29	54	9
	15. Domestic Servants	36,041	·	76	15	·	9	16	12	10	14	·	·	·	·	·	·	·	·	17	3	3	4	5	13	4	·	2	25	7
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	·	80	21	6	2	15	16	13	7	1	1	·	2	1	·	1	·	9	2	1	4	4	15	3	1	2	33	6
	17. Hawkers, Porters, Labourers, &c. ..	103,081	·	558	224	23	24	77	107	67	36	7	·	·	7	·	7	4	·	45	15	19	18	50	90	34	2	25	235	42
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	·	386	52	2	7	67	123	79	56	1	·	·	·	·	·	·	·	55	20	39	·	22	74	5	·	·	170	·

Nineteen Principal Town Districts of Ireland.—The annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 17·7 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Tralee, 10·5 ; Portadown, 11·9 ; Clonmel, 13·3 ; Lurgan, 13·4; Drogheda, 13·8 ; Sligo, 14·7 : Londonderry, 15·2 ; Ballymena, 15·5 ; Dundalk, 15·5 ; Galway, 16·3 ; Belfast, 16·3 ; Lisburn, 16·8 ; Cork, 17·5 ; Kilkenny, 17·5 ; Newry, 17·7 ; Limerick, 18·0 ; Wexford, 19·1 ; Waterford, 20·1 ; Dublin Registration Area, 20·3.

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 1·2 per 1,000 of the population, the rates varying from 0·0 in Dundalk and Lurgan to 2·6 in Waterford, the 138 deaths from all causes for that district including 8 from measles, 2 from whooping-cough, and 8 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *eighteen provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for that quarter :—

Enteric Fever.—Of the 19 deaths from this disease 8 appertained to Belfast, 4 to Limerick, 2 to Cork, 2 to Sligo, and one to each of Londonderry, Newry and Tralee.

Typhus.—Only one death, which took place in Galway, was recorded for the eighteen districts.

Small-pox.—There were no deaths from this disease during the quarter.

Measles.—Deaths from measles were confined to two districts, viz. :—Belfast, 11 deaths, and Waterford, 8 deaths.

Scarlet Fever.—Six deaths from scarlet fever were recorded for Belfast, but no deaths were recorded for any of the other 17 districts.

Whooping-cough.—Of 14 deaths, 9 appertained to Belfast, 2 to Waterford, and one each to Kilkenny, Tralee, and Clonmel.

Diphtheria.—The deaths of 6 persons from Belfast, and one from each of Lisburn, Wexford, and Ballymena were registered.

Diarrhœal Diseases.—Of 118 deaths from diarrhœal diseases, 97 were those of children under 2 years of age from diarrhœa and enteritis, Included in the latter are 55 deaths recorded for Belfast, 11 for Cork, 7 for Londonderry, 6 for Waterford, 4 for Drogheda, 3 for Lisburn, and 2 each for Limerick, Wexford and Sligo.

Pulmonary Tuberculosis.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 1·8 per 1,000 of the estimated population ; for the Dublin Registration Area it was 2·0 per 1,000, for Belfast county borough 1·8 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast), it was 1·6 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 30th December, 1916,** in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

TOWNS AND DISTRICTS	Population. Total.*	Population. Persons to an Acre.	Annual Rate 1,000 persons Represented by BIRTHS.	Annual Rate 1,000 persons Represented by DEATHS. From all Causes.	Annual Rate 1,000 persons Represented by DEATHS. From certain Epidemic Diseases.†	REGISTRATION—QUARTER (13 WEEKS) ENDED 30TH DECEMBER, 1916. NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number	Under 1 year of Age	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
TOTAL OF 19 TOWN DISTRICTS ..	1,122,268	19·7	21·0	17·7	1·2	5,897	4.977	801	1,410	38	2	·	29	13	24	19	1	514	172	275	351	664	193	25	124	165	1,596	236
DUBLIN REGISTRATION AREA.—																												
Urban Districts. TOTAL	397,000	28·9	22·3	20·3	1·6	2.209	2,016*a*	373	596	19	1	·	10	7	10	10	1	202	66	120	162	324	96	4	52	50	763	110
CITY OF DUBLIN	303.600	38 4	24·4	21·8	1·8	1.854	1.652	332	439	14	1	·	10	7	9	10	1	169	57	89	128	280	84	3	17	42	670	95
RATHMINES AND RATHGAR ..	39,000	22·8	12·1	15·5	0·4	118	151	13	72	2	·	·	·	·	1	·	·	19	4	15	10	22	1	·	3	4	45	4
PEMBROKE	29,100	18·5	18·8	15·8	1·4	137	115	22	42	2	·	·	·	·	·	·	·	6	3	8	12	11	8	·	1	3	31	5
BLACKROCK	8,900	8·2	13·5	12·1	0·4	30	27	·	15	1	·	·	·	·	·	·	·	2	1	3	3	3	·	·	1	·	5	2
KINGSTOWN	16,400	11·2	17·1	17·3	1·0	70	71	12	28	·	·	·	·	·	·	·	·	6	1	5	9	8	3	1	·	1	12	4
Urban Districts. BELFAST	390,000	26·1	20·7	16·3	1·1	2.016	1,586*a*	235	386	8	·	·	11	6	9	6	·	176	50	86	120	194	55	12	46	71	429	31
CORK	76,673	28·6	20·6	17·5	0·7	394	335	42	96	2	·	·	·	·	·	·	·	44	12	11	20	40	11	·	1	4	129	14
LONDONDERRY	40,000	15·5	23·4	15·2	1·1	234	152*a*	32	40	1	·	·	·	·	·	·	·	14	8	6	14	21	7	3	5	10	26	8
LIMERICK	38,518	16·1	19·5	18·0	0·6	188	173	19	33	4	·	·	·	·	·	·	·	20	3	6	6	14	2	·	·	2	66	13
WATERFORD	27 464	19·1	17·9	20·1	2·6	123	138	25	45	·	·	·	8	·	2	·	·	4	2	9	8	21	6	2	5	12	38	9
GALWAY	13,255	2·5	22·0	16·3	0·6	73	54	15	19	·	1	·	·	·	·	·	·	5	4	2	3	4	1	·	3	2	18	13
DUNDALK	13,128	9·5	19·8	15·5	·	65	51	5	15	·	·	·	·	·	·	·	·	6	2	6	1	3	·	·	2	2	4	3
LURGAN	12,553	14·7	15·9	13·4	·	50	42	5	17	·	·	·	·	·	·	·	·	3	1	2	1	7	·	·	1	1	7	·
DROGHEDA	12,501	8·4	22·1	13·8	1·3	69	13	10	18	·	·	·	·	·	·	·	·	2	2	3	1	3	4	·	·	1	11	1
LISBURN	12,388	10·9	19·7	16·8	1·3	61	52	5	18	·	·	·	·	·	·	1	·	4	3	4	2	4	3	·	3	3	9	2
NEWRY	11,963	17·0	24·4	17·7	0·7	73	53	4	14	1	·	·	·	·	·	·	·	7	2	1	3	4	·	1	2	3	10	3
PORTADOWN	11,727	15·3	16·0	11·9	0·3	47	35	2	12	·	·	·	·	·	·	·	·	3	1	2	·	·	1	·	1	1	4	3
WEXFORD	11,531	22·8	16·6	19·1	1·7	48	55	5	21	·	·	·	·	·	·	1	·	7	5	3	3	2	2	2	·	·	9	13
BALLYMENA	11,381	9·3	21·1	15·5	0·7	60	44	2	22	·	·	·	·	·	·	1	·	6	2	4	2	4	1	·	·	·	7	4
SLIGO	11,163	3·8	15·4	14·7	1·4	43	41	5	15	2	·	·	·	·	·	·	·	3	2	5	1	6	2	·	·	·	16	2
KILKENNY	10,514	11·4	18·3	17·5	1·1	48	46	3	19	·	·	·	·	·	1	·	·	3	·	1	2	6	1	1	2	3	21	5
TRALEE	10,300	17·4	22·1	10·5	0·8	57	27	4	9	1	·	·	·	·	1	·	·	5	2	2	1	·	·	·	·	·	11	1
CLONMEL	10,209	7·8	15·3	13·3	0·8	39	34	4	15	·	·	·	·	·	1	·	·	·	5	2	1	4	1	·	1	·	18	1

*According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1916. † See note (*) on page 547.

(a) Including one death from cerebro-spinal meningitis for Dublin, one death from cerebro-spinal meningitis, and one from poliomyelitis for Belfast, and one from cerebro-spinal meningitis for Londonderry.

TABLE V.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK Registered during the **Quarter** (13 weeks) **ended 30th December, 1916.** Deaths in Public Institutions of persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from all Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		DEATHS.																									
			All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 years and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS: Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM: Pneumonia.	Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	82	17·6	0·7	70	11	5	2	15	21	16	.	.	.	.	.	.	.	.	7	.	4	4	6	2	1	.	6	24	.
Do. 2 do.	49,500	225	16·7	1·3	207	29	18	28	26	53	53	2	.	.	.	.	5	.	.	22	4	7	19	20	9	.	10	11	63	4
Do. 3 do.	50,032	264	16·5	0·8	207	32	14	28	22	57	54	.	.	.	.	.	2	.	.	21	12	15	13	24	4	4	3	9	47	8
Do. 4 do.	32,637	158	17·9	1·6	146	23	8	14	28	35	38	.	.	.	.	2	1	4	.	15	2	6	8	16	3	3	4	7	68	3
Do. 5 do.	16,112	86	19·9	2·0	80	15	5	6	13	23	18	.	.	.	.	1	.	.	.	8	3	6	4	11	7	.	4	4	23	1
Do. 6 do.	37,293	153	14·7	0·1	137	16	3	13	21	35	49	1	.	.	.	.	.	.	.	14	3	7	12	9	.	.	5	6	33	1
Do. 7 do.	2,681	19	11·9	3·0	8	3	.	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	1	.	1	1	.	.	1	.
Do. 8 do.	5,964	24	12·1	0·7	18	.	2	4	1	8	3	.	.	.	.	.	.	.	.	.	1	2	3	2	1	.	.	.	3	.
Do. 9 do.	24,427	122	13·3	1·1	81	13	6	9	15	26	12	.	.	.	.	.	.	.	.	15	2	6	6	12	6	1	5	5	16	.
Do. 10 do.	28,958	171	17·4	1·0	126	20	9	15	15	38	29	.	.	.	.	1	1	.	.	16	4	6	6	17	4	1	1	4	27	4
Do. 11 do.	39,311	209	15·7	0·9	154	11	11	30	29	36	37	2	.	.	1	2	.	.	.	22	3	8	12	17	4	.	7	5	34	4
Do. 12 do.	38,076	258	17·3	2·3	165	36	21	21	20	42	25	2	.	.	10	.	.	2	.	17	5	7	20	27	8	.	5	8	43	3
Do. 13 do.	23,233	122	12·7	0·2	74	9	1	5	17	21	21	1	.	.	.	.	.	.	.	7	2	8	2	15	.	.	1	3	7	2
Do. 14 do.	175	1	22·7	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	122	19·8	1·2	112	17	4	8	23	31	29	.	.	.	.	.	.	.	.	10	9	4	10	18	6	1	1	3	40	1
Total, ...	386,947	2,016	16·3	1·1	1,886	235	107	184	246	428	386	8	.	.	11	6	9	6	.	176	50	86	120	194	55	12	46	71	429	31
City of Cork.																														
CORK URBAN No. 1 DISTRICT, ..	13,455	63	13·4	0·6	45	8	.	5	6	11	15	.	.	.	.	.	.	.	.	4	2	1	3	3	2	.	.	1	16	1
Do. 2 do. ..	10,399	68	22·3	1·5	58	9	3	9	8	15	14	1	.	.	.	.	.	.	.	9	1	.	1	10	3	.	.	1	17	2
Do. 3 do. ..	9,793	55	10·2	1·2	25	2	2	1	4	8	8	.	.	.	.	.	.	.	.	3	.	2	.	5	3	.	.	.	9	3
Do. 4 do. ..	9,139	46	21·0	0·9	48	5	3	3	10	14	13	1	.	.	.	.	.	.	.	7	4	1	6	6	1	.	1	1	22	.
Do. 5 do. ..	6,250	31	17·9	.	28	7	2	2	3	7	7	.	.	.	.	.	.	.	.	3	.	1	2	1	.	.	.	.	4	1
Do. 6 do. ..	11,581	47	18·3	.	53	3	8	4	12	9	17	.	.	.	.	.	.	.	.	7	1	3	3	6	.	.	.	.	26	5
Do. 7 do. ..	16,056	84	19·4	0·5	78	8	5	8	16	19	22	.	.	.	.	.	.	.	.	11	4	3	5	9	2	.	.	1	35	2
Total, ...	76,673	394	17·5	0·7	335	42	23	32	59	83	96	2	.	.	.	.	.	.	.	44	12	11	20	40	11	.	1	4	129	14

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.

† See note (*) on page 547.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
23*rd January*, 1917.

WILLIAM J. THOMPSON,
Registrar-General.

Printed under the Authority of His Majesty's Stationery Office,
By A. THOM & Co., Ltd., Crow Street Dublin.
(10457). Wt. 1910. 3, 375. 1/1917.